

AN IMPROVED TWO-STEP METHOD IN STOCHASTIC DIFFERENTIAL
EQUATION'S STRUCTURAL PARAMETER ESTIMATION

HALIZA BINTI ABD.RAHMAN

A thesis submitted in fulfilment of the
requirements for the award of the degree of
Doctor of Philosophy (Mathematics)

Faculty of Science
Universiti Teknologi Malaysia

MAY 2013

To my parents, mother in law, husband and children.

ACKNOWLEDGEMENTS

First and foremost I am thankful to the Most Powerful and Merciful Allah the Almighty with His compassion which had made it possible for me His humble servant to complete this research. The feeling towards His presence had been the major motivation going along the whole process. I wish to express my sincere gratitude and appreciation to my main supervisor Dr.Arifah for being ever supportive and encouraging supervisor, her assistance is very much appreciated, I wish also to thank my co-supervisors Prof. Mao Xuerong and P.M Dr. Madihah Md.Salleh for the advice and guidance. Deepest appreciation and gratitude are forwarded to my parents, husband and children, my friends for their moral support, my colleagues, academicians and researchers who had assisted me in completing the thesis. Thank you very much for the help and support.

ABSTRACT

Non-parametric modelling is a method which relies heavily on data and motivated by the smoothness properties in estimating a function which involves spline and non-spline approaches. Spline approach consists of regression spline and smoothing spline. Regression spline characterised by the truncated power series basis with Bayesian approach is considered in the first step of a two-step method for estimating the structural parameters for stochastic differential equation (SDE). Previous methodology revealed the selection of knot and order of spline can be done heuristically based on a scatter plot. To overcome the subjective and tedious process of selecting the optimal knot and order of spline, an algorithm is proposed. A single optimal knot is selected out of all the points with exception of the first and the last data and the least value of Generalised Cross Validation is calculated for each order of spline. The spline model is later utilised in the second step to estimate the stochastic model parameters. In the second step, a non-parametric criterion is proposed for estimating the diffusion parameter of SDE. Linear and non-linear SDE consisting of Geometric Brownian Motion (GBM) for the former and logistic together with Lotka Volterra (LV) model for the later are tested using the two-step method for both simulated and real data. The results show high percentage of accuracy with 99.90% and 96.12% are obtained for GBM and LV model respectively for diffusion parameters of simulated data. This verifies the viability of the two-step method in the estimation of diffusion parameters of SDE with an improvement of a single knot selection.

ABSTRAK

Permodelan tak berparameter ialah satu kaedah yang sangat bergantung kepada data dan bermotivasikan kelicinan dalam menganggar fungsi yang melibatkan pendekatan splin dan bukan splin. Pendekatan splin terdiri daripada splin regresi dan splin pelicinan. Regresi splin berunsurkan siri asas kuasa terpankang dengan kaedah Bayesian digunakan dalam langkah pertama untuk kaedah dua-langkah bagi menganggar parameter struktur persamaan pembeza stokastik (SDE). Metodologi terdahulu menunjukkan bahawa pemilihan simpulan dan tertib splin boleh dilakukan secara heuristik berdasarkan plot serakan. Untuk mengatasi proses pemilihan bilangan simpulan dan tertib splin yang subjektif dan memakan masa, satu prosedur penyelesaian dikemukakan. Simpulan tunggal terbaik dengan nilai pengesahan silang teritlak minimum dipilih dari semua titik kecuali data pertama dan terakhir. Model splin yang terhasil kemudiannya digunakan dalam langkah kedua untuk menganggar parameter model stokastik. Dalam langkah kedua satu kriteria tak berparameter telah dicadang untuk menganggar parameter pembauran model persamaan pembeza stokastik. Persamaan pembeza stokastik linear dan tak linear terdiri daripada model Gerakan Geometri Brown (GBM) dan model logistik beserta model Lotka-Volterra diuji (LV) menggunakan kaedah dua-langkah bagi data cerapan dan data simulasi. Hasil kajian menunjukkan peratus ketepatan yang tinggi iaitu 99.90% dan 96.12% diperoleh untuk model GBM dan LV masing-masing bagi parameter pembauran dengan menggunakan data simulasi. Ini mengesahkan kebolehjayaan kaedah dua-langkah menggunakan kriteria tak berparameter yang dicadang dalam menganggar parameter pembauran model persamaan pembeza stokastik dengan menambahbaik kaedah pemilihan simpulan tunggal.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENTS	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	x
	LIST OF FIGURES	xi
	LIST OF SYMBOLS	xiii
	LIST OF APPENDICES	xiv
1	INTRODUCTION	1
	1.1 Introduction	1
	1.2 Research Background	2
	1.3 Problem Statement	3
	1.4 Research Objectives	4
	1.5 Research Scope	4
	1.6 Significance of Research	5
	1.7 Thesis Organisation	6

2	LITERATURE REVIEW	7
2.1	Introduction	7
2.2	Parameter Estimation of Stochastic Models	7
2.2.1	Introduction	7
2.3	Methods of Parameter Estimation of SDE	8
2.4	Non-parametric Modeling	10
2.4.1	Introduction	10
2.4.2	Regression Spline	11
2.4.2.1	Implementation of Nonparametric Method in the Approximation of Stochastic Processes	12
2.4.2.2	Some Development and Application of Regression Spline	12
2.4.3	Smoothing Spline	13
2.4.3.1	Some Development and Application of Smoothing Spline	14
2.4.4	Regression splines with truncated power series basis	15
2.4.4.1	A Method of Least Squares	17
2.4.4.2	A Maximum Likelihood Approach	17
2.4.4.3	Bayesian Parameter Estimation	18
2.5	Conclusions	21
3	EXISTING METHODOLOGY	23
3.1	Introduction	23
3.2	Non-linear Least Squares	23
3.3	Stochastic Differential Equations	24
3.3.1	The Wiener Process	26
3.3.2	Stochastic Differentials	27
3.3.3	Stochastic Integrals	29
3.3.4	Stationary Processes	30
3.3.5	Milstein Approximation	31
3.4	Adaptation of Non-Linear Least Squares to SDE	32

3.5	Maximum Likelihood Estimation	33
3.6	The Non-parametric Approach of MLE	35
3.7	The Two-step Method	37
3.7.1	Two-step Method in Ordinary Differential Equation (ODE)	37
3.8	Consistency of the non-parametric criteria in ODE	40
3.9	Conclusions	42
4	CONTRIBUTED METHODOLOGY	43
4.1	Introduction	43
4.2	Two-step Method in Stochastic Differential Equation (SDE)	43
4.3	Two-Step Method Based on Bayesian Regression Spline for SDE	44
4.3.1	Step One: Bayesian Regression Spline	44
4.3.2	Step Two: Parameter Estimation of SDE	46
4.4	Consistency of Spline Estimator of Diffusion Parameter of SDE	49
4.5	Conclusions	52
5	PARAMETER ESTIMATION OF LINEAR SDE: GEOMETRIC BROWNIAN MOTION (GBM)	54
5.1	Introduction	54
5.2	Data Simulation	55
5.2.1	Geometric Brownian Motions	55
5.2.2	Derivation of the SDE for the geometric Brownian motion	56
5.3	Parameter Estimation of SDE via Two-Step Method	58
5.3.1	Step One: Optimal Knot Selection and Spline Parameter Estimates	58
5.3.2	Step Two: Estimation of SDE Parameters	59
5.3.3	Simulation of a possible sample path	64
5.4	Observed Data Application	65

5.4.1	Model Description	65
5.4.2	True Solution of GBM Model	66
5.5	The Two-step Method	67
5.5.1	Step One: Optimal Knot Selection	67
5.5.2	Step One: Bayesian Spline Parameters	68
5.5.3	Step Two: Parameter Estimation of SDE	68
5.6	Simulation of a Sample Path	69
5.7	Conclusions	71
6	PARAMETER ESTIMATION OF NON LINEAR SDE: STOCHASTIC LOGISTIC MODEL	73
6.1	Introduction	73
6.2	Deterministic Logistic Equation of Cell Growth	73
6.3	Batch Culture Fermentation	74
6.4	Growth Patterns and Kinetics in Batch Culture	75
6.5	Stochastic Perturbation to Logistic Cell Growth Kinetic	78
6.6	Data Simulation	79
6.7	Simultaneous Estimation of SDE Parameters with Non- linear Least Squares Estimation	80
6.8	The Two-step method	82
6.8.1	Step One: Optimal Knot Selection and Spline Parameter Estimates	82
6.8.2	Step Two: Estimation of SDE Parameters	83
6.9	Experimental Data Application	84
6.9.1	Two-step Method	85
6.9.2	First Step: Bayesian Spline Parameters	86
6.9.3	Second step: Estimation of SDE Parameters	89
6.10	Parameter Estimation of Lotka-Volterra Model	91
6.11	Conclusions	94
7	CONCLUSIONS AND SUGGESTION FOR FURTHER WORK	96
7.1	Conclusions	96

	xi
7.2 Suggestion for Further Work	98
REFERENCES	100
Appendices A-H	107-132

LIST OF TABLES

TABLE NO.	TITLE	PAGE
5.1	Optimal knot for each order of spline	59
5.2	Bayesian regression spline parameters at optimal knot $\zeta = 297$	60
5.3	Estimated sample statistics for several runs of Brownian noise with minimum of MSE as a stopping criterion.	60
5.4	Estimated ϕ for several runs of Brownian noise with minimum of MSE as a stopping criterion.	61
5.5	Estimated ϕ for several runs of Brownian noise with minimum of SNPIC as a stopping criterion.	62
5.6	Estimated sample statistics for several runs of Brownian noise with minimum of SNPIC as stopping criterion.	62
5.7	Percentage of accuracy of the estimated ϕ	63
5.8	Relationship measure of percentage of accuracy and Brownian noise runs	64
5.9	Estimated GBM model parameters with MLE and Two-step method for simulated data	65
5.10	GCV values of Bayesian regression spline of Opening Share Prices	67
5.11	Optimal knot for each order of spline for Opening Share Prices	68
5.12	Bayesian regression spline parameters at optimal knot $\zeta = 161$	68

5.13	Estimated ϕ for several runs of Brownian noise with minimum of SNPIC as a stopping criterion.	69
5.14	Estimated sample statistics for several runs of Brownian noise with minimum of SNPIC as a stopping criterion.	70
5.15	Estimated GBM model parameters with MLE and Two-step method for simulated data.	70
6.1	Initial values of the parameters	79
6.2	Estimated parameters of simultaneous estimation	82
6.3	Optimal knot selection with estimated Bayesian regression spline parameters	84
6.4	Estimated drift parameters	84
6.5	Estimated diffusion parameters	85
6.6	Optimal knot selection for all substrates	86
6.7	Bayesian regression spline parameters for all substrates	87
6.8	Estimated drift and diffusion parameters	89
6.9	Optimal knot selection	93
6.10	Estimated Bayesian regression spline parameters	93
6.11	Estimated drift parameters	94
6.12	Estimated diffusion parameters	94

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
4.1	Flowchart of the study.	53
5.1	Five hundred generated sample paths of Geometric Brownian Motion with $t = 10000$.	57
5.2	Five hundred generated sample paths of Geometric Brownian Motion with $t = 500$.	58
5.3	A sample path selected at random out of 500 simulated sample paths.	58
5.4	Percentage of accuracy versus the number Brownian noise runs	64
5.5	Simulated values and predicted values with 1000 runs of Brownian noise	65
5.6	Real Opening Share prices of Petronas Gas Bhd.	66
5.7	Spline plot of Real Opening Share prices of Petronas Gas Bhd.	69
5.8	Simulated values and predicted values with 1000 runs of Brownian noise	71
6.1	Microbial growth kinetics	76
6.2	100 Simulated sample paths of cell growth	80
6.3	Estimated θ with non-linear least squares simultaneous estimation	81
6.4	Estimated ϕ with non-linear least squares simultaneous estimation	81

6.5	A simulated sample path and a spline plot of cell growth	83
6.6	Spline plot of experimental Data YE1	88
6.7	Spline plot of experimental data YE2	88
6.8	Spline plot of experimental data YE3	88
6.9	Spline plot of experimental data YE4	88
6.10	A possible sample path of stochastic simulation of cell growth with substrates YE5	88
6.11	A possible sample path of stochastic simulation of cell growth with substrates YE1	90
6.12	A possible sample path of stochastic simulation of cell growth with substrates YE2	90
6.13	A possible sample path of stochastic simulation of cell growth with substrates YE3	90
6.14	A possible sample path of stochastic simulation of cell growth with substrates YE4	90
6.15	A possible sample path of stochastic simulation of cell growth with substrates YE5	90
6.16	A simulated sample path of Lotka-Volterra model	92
6.17	Spline plot of simulated sample path of Lotka Volterra model	93

LIST OF SYMBOLS/ABBREVIATIONS/NOTATIONS

$E(X)$	—	Expected value of X
f'	—	First derivative
f''	—	Second derivative
ε	—	Random Error
g	—	Gram
h	—	Hour
L	—	Liter
MSE	—	Mean Square Error
ODE	—	Ordinary Differential Equation
t	—	Data points/time
SDE	—	Stochastic Differential Equation
$\text{Var}(X)$	—	Variance of X
$W(t)$	—	Wiener process
x	—	Concentration of cell mass (g/L)
x_{max}	—	Maximum cell concentration
YE1	—	Control medium
YE2	—	Medium of Yeast and $(\text{NH}_4)_2\text{SO}_4$
YE3	—	Medium of Yeast and $\text{NH}_4\text{H}_2\text{PO}_4$
YE4	—	Medium of Yeast and NH_4Cl
YE5	—	Medium of Yeast and NH_4NO_3
\mathbb{R}	—	Real number
Δ	—	Step size
μ_{max}	—	Maximum specific growth rate
\emptyset	—	Empty set
Ω	—	Sample space
ϕ	—	Diffusion coefficient

$\hat{\phi}$	—	Estimated diffusion coefficient
ϕ^*	—	True diffusion coefficient
\subseteq	—	Subset
\in	—	Element
θ	—	Average drift coefficient
θ^*	—	True average drift coefficient
$\hat{\theta}$	—	Estimated drift coefficient
x_0	—	Initial value of dependent variable
$f(t)$	—	Regression function
ζ	—	Knot
α, δ	—	Regression spline coefficient
ε	—	Random error
B_i^k	—	K th order of B-splines
v	—	B-spline coefficient
ϱ	—	Coefficient of natural cubic spline
ν, τ	—	Smoothing spline parameters
Z, z	—	Standard normal variable
Σ	—	Summation
$ x $	—	Modulus of x
$\ x\ $	—	Norm of x
x^*	—	True solution of ODE
\dot{x}^*	—	Derivative of true solution of ODE
\hat{x}_n	—	Consistent estimator of true solution of ODE
$\hat{\dot{x}}_n$	—	Consistent estimator of derivative of true solution of ODE

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	MATLAB Code for Single Optimal Knot Selection	111
B	WINBUGS Code for Bayesian Estimation of Regression Spline Parameters	116
C	MATLAB Code for Estimation of the Average Drift Parameter of SDE	118
D	MATLAB Code of Estimating the Diffusion Parameter of SDE with the Two-step Method	122
E	MATLAB Code of Estimating SDE Parameters from SDE Toolbox	127
F	MATLAB Code of Function M4 of SDE Toolbox	130
G	MATLAB Code for Simultaneous Estimation with Non-linear Least Squares	132
H	Basic Definitions and Theorems for Least Squares Problems	134

CHAPTER 1

INTRODUCTION

1.1 Introduction

Many physical phenomena can be better presented and understood via mathematical modeling. Wide range of literatures on mathematical modeling of physical system may be found with deterministic modeling particularly by deterministic differential equation whereby the element of noise is not considered. Deterministic differential equation describes a model of physical system and is solved to explain how a system changes or develops, when change occurs and the effect of the starting point to the initial solution and so forth. It represents idealised situations and can be improved by introducing stochastic element since in reality many phenomena in nature are affected by stochastic noise and Stochastic Differential Equations (SDE) may be required. Some of the fields which apply SDE are in finance (Aguilera *et al.*, 1999), (Henderson, 2005), (Cifarelli and Tagilani, 2002), in population dynamics (Bahar, 2005), (Kamina *et al.*, 2000), (McKane and Newman, 2004), in engineering (Ló *et al.*, 2008), (Li *et al.*, 2012) (Sogutlu and Koc, 2007) and in biometry (Garcia, 1983), (Goulding, 1994), (Preisler *et al.*, 2004).

The perturbation or random fluctuation included in the function and the stochastic modeling can be considered from the corresponding Itô or Stratonovich differential equations or from the associated Kolmogorov (Fokker-Planck and backward) differential equations (Gutiérrez *et al.*, 2008). All the above differential equations represent the extrinsic stochasticity wherein the stochasticity is introduced

by incorporating multiplicative or additive stochastic terms into the differential equation. Extrinsic stochasticity is due to random variation of one or more environmental or external factors such as temperature or concentration of reactant species, whereas intrinsic stochasticity is inherent to the system, which arises due to the relatively small number of reactant molecules. Intrinsic stochasticity can be described by a chemical master equation (Gillespie, 1977) as in APPENDIX I. Only external random fluctuations or external stochasticity will be considered in this work. The general form of the SDE consist of deterministic or average drift term and a diffusion term. The element of noise is contained alongside with the diffusion term and represented by Brownian motion.

1.2 Research Background

Classical parametric estimator for stochastic differential equation includes Maximum Likelihood Estimation (MLE), methods of moment, Least Squares Estimation (LSE) and Kalman filtering. The drawback of the first method is the requirement of the transition density function which is sometimes unavailable in some SDE functions. In MLE, the numerical approximation of transition density function is computed with numerical approximation. Three methods of numerical approximation include solving numerically the Kolmogorov partial differential equations satisfied by the transition density (Lo, 1988) or deriving a closed-form Hermite expansion to the transition density (Egorov *et al.*, 2003) and lastly simulating R times of the process using Monte-Carlo to integrate the transition density (Durham and Gallant, 2002), (Pedersen, 1995), (Hurn *et al.*, 2003). The third approach is also known as Simulated Maximum Likelihood (SML). Picchini noted that the first and the last approach are computationally intense and poorly accurate while the second method is accurate and fast, applicable over a wide range of SDE models (Picchini, 2006).

However, the main drawback of the second method is computing the Hermite expansion of the transition density. It could be a very difficult task if the SDE is multivariate and non-linear and it is only available for small number of models. Instead

of considering to estimate the parameters of SDE with likelihood approach, we opt to take fully non-likelihood approach by applying the two-step method used in estimating parameters of SDE with non-parametric approach. The application of non-parametric approach in SDE in previous studies includes the estimation of trends for stochastic differential equations with kernel type estimator or kernel function technique (Mishra and Rao, 2011), (Federico and Phillips, 2003), (Nicolau, 2008). Nevertheless, in Two-step method the purpose is to estimate SDE parameters with spline technique with Bayesian approach which is considered quite distinct from previous works.

1.3 Problem Statement

The motivation of this work is to estimate the structural parameters of SDE by implementing some non-likelihood approach. This is due to the difficulty in the existing technique which involves the estimation of the likelihood density functions. Classical methods such as Maximum Likelihood Estimation (MLE) require complex computational procedures. In this study, a non-parametric approach with regression spline is considered in the first step since it is considered easier and more flexible than smoothing spline. Truncated power series basis is utilised in favour to B-spline basis. This would be an advantage, since if B-spline is used instead when choosing fewer knots, it will show a non-local behaviour pattern. The estimation of regression spline parameters will be done by implementing the Bayesian approach with Winbugs software in this research, since it provides a more exact inference and faster simulation time.

Classical methods such as MLE is considered difficult in ODE parameter estimation because of the implicit dependence of the independent variable x on the parameter, which prohibits proper maximization of the likelihood function. Derivative-based methods like Newton-Raphson are not easy to handle and evaluation of the likelihood necessitates the integration of the ODE, which becomes a burden when a huge parameter space needs to be explored. The same problem would persist relating

to MLE approach in SDE opting us to consider non-likelihood approach in the Two-step procedure. In the second step the estimation of the parameters of the drift term will be done utilizing a criterion from existing literature. To estimate the parameter of the diffusion term a new non-parametric criterion will be proposed. This approach is expected to be simpler since it does not involve the estimation of the likelihood density function and may be an alternative to classical likelihood approach, thus, avoiding the computational difficulties encountered by such method.

1.4 Research Objectives

The objectives of this study are:

1. To propose a Two-step method in the parameter estimation of SDE.
2. To assess empirically the methods of estimating SDE parameters using simulated and real data of Geometric Brownian Motion for linear and Logistic models and Lotka-Volterra for non-linear models with the above-mentioned method.
3. To compare the Two-step method with MLE and LSE.

1.5 Research Scope

The incorporation of stochasticity is only restricted to extrinsic stochasticity, where only external random fluctuations from Itô stochastic differential equation are taken into consideration. Only regression spline with truncated power series basis is considered with a single knot location. Besides, only one dimensional stochastic models are considered in the empirical assessment of the proposed Two-step method including Geometric Brownian Motion with Opening Share Prices set of data for real application, and Power Law Logistic models in modeling the cell growth of the fermentation process. The stochastic modeling is only imposed on the direct batch fermentation of acetone-butanol ethanol (ABE).

1.6 Significance of Research

In this research, the parameters estimation of SDE is presented in a novel way with a total non-likelihood approach by deriving the non-parametric criterion for the estimation of diffusion term parameter for general case of SDE. This serves as an alternative to the existing methods of estimating the parameters of SDE. A non-parametric criterion introduced by Varah (1982) is utilised to estimate the average drift parameter of SDE and a proposed criterion to estimate the diffusion parameters. This approach exclude the approximation of the probability density function in classical methods such as MLE. It hopes to avoid difficulty and complexity of the computational aspect of such approach.

In this work proving of consistency of the proposed non-parametric criterion of diffusion parameter estimate is also provided. The proof has shown that the non-parametric estimator is indeed consistent and deemed to be a good estimator. Another contribution includes the derivation of an information criterion which acts as a stopping criterion which stops the procedure of finding the best diffusion parameters estimate when the required optimality objective is achieved.

The Stochastic Non Parametric Criterion coined as SNPIC is derived based on the non-parametric criterion proposed. Results show the utilization of SNPIC as stopping criterion produced highly accurate estimate of diffusion parameter from simulated data and is depicted by high percentage of accuracy when compared to the initially fixed parameters.

To simplify the process of single knot selection in the first step, an algorithm is introduced by iteratively calculating the values of GCV with each data except the first and the last one acting as single knot. GCV is a numerical measure where the least value of GCV will indicate the best knot selection. This approach is a novel application to Bayesian regression spline with Winbugs software. Bayesian estimation in regression spline is preferred since it provides a more exact inference and faster simulation time (Crainiceanu *et al.*, 2005).

In the area of biotechnology, especially in the kinetic modeling of fermentation, majority of the literatures found had employed deterministic modeling. In the case of ABE fermentation, the application of stochastic modeling via non-parametric modeling is unavailable. This research is done to fill the gap in the literatures and give new highlight to a more realistic and meaningful aspect of modeling physical or natural phenomena primarily in ABE fermentation process and other biological modeling.

1.7 Thesis Organisation

Organisation of the thesis is as follows. Chapter 1 discusses some issues regarding parameter estimation of SDE in general followed by the problem statement, research objectives, research scope, significance of research and thesis organisation. Chapter 2 highlights literature reviews of SDE parameter estimation followed by non-parametric modeling and methods of parameter estimation in non-parametric modeling. Lastly, the Two-step method in ODE and SDE is described along with the literature reviews. Chapter 3 explains the details of the methods in parameter estimation of SDE such as simultaneous estimation in least squares method and maximum likelihood estimation. It also discusses on the Two-step Method in ODE and SDE with the derivation of the non-parametric criterion for the estimation of the diffusion parameters shown together with the proving of its consistency. The verification and application of the Two-step method are described in Chapter 4 and 5 with simulated and observed data for linear SDE and non-linear SDE. For linear SDE, the result is compared with method of MLE and for non-linear SDE the result is compared with simultaneous estimation in least squares method. Chapter 6 discusses the conclusions and suggestion for further work.

REFERENCES

- Aguilera, A. M., Ocana, F. A. and Valderrama, M. J. (1999). Stochastic modelling for evolution of stock prices by means of functional principal component analysis. *Applied Stochastic Models in Bussiness and Industry*. 15: 227–234.
- Andersen, T. G., Chung, H.-J. and Sørensen, B. E. (1999). Efficient method of moments estimation of a stochastic volatility model: A Monte Carlo study. *Journal of Econometric*. 91: 61–87.
- Bahar, A. (2005). *Applications of Stochastic Differential Equations and Delay Differential Equations in Population Dynamics*. University of Strathclyde: Ph. D. Thesis.
- Bishwal, J. (2008). *Parameter Estimation in Stochastic Differential Equation*. Springer.
- Brunel, N. (2008). Parameter estimation of ODEs via nonparametric estimators. *Electronic Journal of Statistics*. 21: 1242–1267.
- Budiantara, I. (2006). Spline model with optimal knots. *Jurnal ILMU DASAR*. 7(2): 77–85.
- Cifarelli, M. D., M. D. P. L. S. S. and Tagilani, A. (2002). Success or failure of a firm under different financing policies: a dynamic stochastic model. *European Journal of Operational Research*. 12: 471–482.
- Crainiceanu, M. C., Ruppert, D. and Wand, M. (2005). Bayesian analysis for penalized spline regression using WinBugs. *Journal of Statistical Software*. 14(14): 124.
- Creutzig, J., Mueller-Gronbach, T. and Ritter, K. (2007). Free-knot spline approximation of stochastic processes. *Journal of Complexity*. 23: 867–889.
- Dridi, R., Guay, A. and Renault, E. (2007). Indirect inference and calibration of dynamic stochastic general equilibrium models. *Journal of Econometrics*. 136(2): 397–430.
- Durham, G. B. and Gallant, A. (2002). Numerical techniques for maximum likelihood estimation of continuous-time diffusion processes. *Journal of Business and Economic Statistics*. 20(3).

- Egorov, A., Li, H. and Xu, Y. (2003). Maximum likelihood estimation of time-inhomogeneous diffusions. *Journal of Econometrics*. 114: 107–139.
- El-Din, A. G. and Smith, D. W. (2002). A combined transfer-function noise model to predict the dynamic behavior of a full-scale primary sedimentation tank. *Water Research*. 36(15): 3747–3764.
- Eubank, R. L. (1988). *Spline Smoothing and Non parametric Regression*. Marcel-Dekker.
- Faff, R. and Gray, P. (2006). On the estimation and comparison of short-rate models using the generalised method of moments. *Journal of Banking and Finance*. 30(11): 3131–3146.
- Federico, M. B. and Phillips, P. C. B. (2003). Fully nonparametric estimation of scalar diffusion models. *Econometrica*. 241–283.
- Franke, R. and Westerhoff, F. (2012). Structural stochastic volatility in asset pricing dynamics: Estimation and model contest. *Journal of Economic Dynamics and Control*. 36(8): 1193–1211.
- Gallant, A. R., Hsieh, D. and Tauchen, G. (1997). Estimation of stochastic volatility models with diagnostics. *Journal of Econometric*. 81: 159–192.
- Garcia, O. (1983). A stochastic differential equation model for the height growth of forest stands. *Chemical Engineering Science*. 39: 1059–1072.
- Gelman, A., Carlin, J. B., Stern, H. S. and Rubin, D. B. (2004). *Bayesian Data Analysis*. Chapman and Hall.
- Gillespie, D. (1977). Exact stochastic simulation of coupled chemical reactions. *Journal of Physical Chemistry*. 81: 2340–2361.
- Goodwin, G. C., Braslavsky, J. H. and Seron, M. M. (2002). Non-stationary stochastic embedding for transfer function estimation. *Automatica*. 38(1): 47–62.
- Goulding, C. J. (1994). Development of growth models for *Pinus Radiata* in New Zealand - experience with management and process models. *Forest Ecology and Management*. 69: 331–343.
- Gutiérrez, R., Gutiérrez-Sánchez, R. and Nafidi, A. (2008). Trend analysis and computational estimation in a stochastic rayleigh model: simulation and application. *Mathematics and Computers in Simulation*. 77: 209–217.
- Hastie, T., Tibshirani, R. and Friedman, H. (2009). *Elements of Statistical Learning: Data mining, Inference and Prediction*. Springer.

- Henderson, V. (2005). Analytical comparisons of option prices in stochastic volatility models. *Mathematical Finance*. 11: 49–59.
- Hongwei, L. (2010). Parameter estimation for a class of stochastic differential equations driven by small stable noises from discrete observations. *Acta Mathematica Scientia*. 30(3): 645–663.
- Hurn, A. and Lindsay, K. (1997). Estimating the parameters of stochastic differential equations by Monte Carlo methods. *Mathematics and Computers in Simulation*. 43: 495–501.
- Hurn, A., Lindsay, K. and Martin, V. (2003). On the efficacy of simulated maximum likelihood for estimating the parameters of stochastic differential equations. *Journal of Time Series Analysis*. 24(1).
- Iacus, S. M. (2008). *Simulation and Inference for Stochastic Differential Equations: With R Examples*. Springer.
- Jost, C. and Ellner, S. (2000). Testing for predator dependence in predator-prey dynamics: A non-parametric approach. *Proceedings of the Royal Society: Biological Sciences*. 267: 1611–1620.
- Kamina, A., Makuch, R. W. and Zhao, H. (2000). A stochastic modeling of early HIV-1 population dynamics. . 170: 187–198.
- Kasonga, R. A. (1988). The consistency of a non-linear least squares estimator from diffusion processes. *Stochastic Processes and their Applications*. 30(2): 263–275.
- Kawasaki, Y. and Ando, T. (2005). Estimating term structure using nonlinear splines : A penalized likelihood approach. In *Proceeding of MODSIM05 - Advances and Applications for Management and Decision Making*. 864–870.
- Kristensen, N. R., Madsen, H. and Jørgensen, S. B. (2004). Parameter estimation in stochastic grey-box models. *Automatica*. 40(2): 225–237.
- Ladde, G. S. and Ling, W. (2009). Development of modified Geometric Brownian Motion models by using stock price data and basic statistics. *Nonlinear Analysis*. e1203–e1208.
- Li, J., Yan, Q. and Chen, J. B. (2012). Stochastic modeling of engineering dynamic excitations for stochastic dynamics of structures. *Probabilistic Engineering Mechanics*. 27: 19–28.
- Li, M. and Yu, Y. (2006). A robust approach to the Interest rate:term structure estimation. *Journal of Data Science*. 4: 169–188.

- Liesenfeld, R. and Breitung, J. (1998). Simulation based methods of moments in empirical finance. *Journal of Econometrics*. 47: 197–205.
- Lo, A. W. (1988). Maximum likelihood estimation of generalized Itô processes with discretely-sampled data. *Econometric Theory*. 4: 231–247.
- Ló, B. P., Haslam, A. J. and Adijiman, C. S. (2008). An algorithm for the estimation of parameters in models with stochastic differential equations. *Chemical Engineering Science*. 63: 4820–4833.
- Lombardi, M. J. and Calzolari, G. (2009). Indirect estimation of stable stochastic volatility models. *Computational Statistics and Data Analysis*. 53(6): 2298–2308.
- Madar, J., Abonyi, J., Roubos, H. and Szeifert, F. (2003). Incorporating prior knowledge in cubic spline approximation - application to the identification of reaction kinetic models. *Industrial and Engineering Chemistry Research*. 42(2): 4043–4049.
- Madiah, S. (2002). *Direct Fermentation of Gelatinised Sago Starch to Solvent (Acetone Butanol-Ethanol) by Clostridium Acetobutylicum P262*. Universiti Putra Malaysia: Ph. D. Thesis.
- Madsen, K., Nielsen, H. and Tingleff, O. (2004). *Methods for Non-linear Least Squares*. Technical University of Denmark.
- Mao, X. (2011). Stationary distribution of stochastic population systems. *Systems and Control Letters*. 398–405.
- Marion, G., Mao, X., and Renshaw, E. (2002). Environmental Brownian noise suppresses explosions in population dynamics. *Stochastic Processes and their Applications*. 97: 95–110.
- McKane, A. J. and Newman, T. J. (2004). Stochastic models in population biology and their deterministic analogs. *Physical Review E*. 70: 041902:1–16.
- Ming, L. (2000). Modeling long memory in stock market volatility. *Journal of Econometric*. 99: 139–171.
- Mishra, M. N. and Rao, B. L. S. (2011). Nonparametric estimation of trend for stochastic differential equations driven by fractional Brownian Motion. *Stat Inference Stoch Process*. 14: 101109.
- Møller, J. K., Madsen, H. and Carstensen, J. (2011). Parameter estimation in a simple stochastic differential equation for Phytoplankton modelling. *Ecological Modelling*. 222(11): 1793–1799.

- Muthuvelayudham, R. and Viruthagiri, T. (2007). Optimization and modeling of cellulose protein from *Trichoderma Reesei* rut C30 using mixed substrate. *African Journal of Biotechnology*. 6(1): 41–46.
- Nicolau, J. (2008). Modeling financial time series through second-order stochastic differential equations. *Statistics and Probability Letters*. 78: 2700–2704.
- Nielsen, J. and Madsen, H. (2001). Applying the EKF to stochastic differential equations with level effects. *Automatica*. 37(1): 107–112.
- Nielsen, J., Madsen, H. and Young, P. C. (2000). Parameters estimation in stochastic differential equations: An overview. *Annual Reviews in Control*. 24: 83–94.
- Osborne, M. F. M. (1959). Brownian motion in the stock market. *Operational Research*. 7: 145–173.
- Pakes, A. and Pollard, D. (1989). Simulation and the asymptotics of optimisation estimators. *Econometric*. 57: 1027–1057.
- Pang, S., Deng, F. and Mao, X. (2008). Asymptotic properties of stochastic population dynamics. *Dynamics of Continuous Discrete and Impulsive Systems Series A*. 15a: 603–620.
- Pedersen, A. (1995). A new approach to maximum likelihood estimation for stochastic differential equations based on discrete observations. *Scandinavian Journal of Statistics*. 22(1).
- Picchini, U. (2006). *Stochastic Differential Models With Applications to Physiology*. University of Rome "La Sapienza": Ph. D. Thesis.
- Picchini, U., Ditlevsen, S. and De Gaetano, A. (2006). Modelling the euglycemic hyperinsulinemic clamp by stochastic differential equations. *Journal of Mathematical Biology*. 5: 771–796.
- Postali, F. and Picchetti, P. (2006). Geometric Brownian Motion and structural breaks in oil prices: A quantitative analysis. *Energy Economics*. 28: 506–522.
- Poufina, T. (2008). On the number of deviations of Geometric Brownian Motion with drift from its extreme points with application to transaction costs. *Statistics and Probability Letters*. 78: 3040–3046.
- Poyton, A., Varziri, M., McAuley, K., McLellan, P. and Ramsay, J. (2006). Parameter estimation in continuous-time dynamic models using principal differential analysis. *Computers and Chemical Engineering*. 30: 698–708.

- Preisler, K. H., Ager, A. A., Johnson, B. K. and Kie, J. G. (2004). Modeling animal movement using stochastic differential equations. *Environmetrics*. 15: 643–657.
- Raj, M., Boon, A. B. and Thurston, D. C. (1997). A generalized method of moments comparison of the Cox-ingersoll-ross and Heath-jarrow-morton models. *Journal of Economics and Business*. 49(2).
- Raknerud, A. and Skare, . (2012). Indirect inference methods for stochastic volatility models based on Non-Gaussian OrnsteinUhlenbeck processes. *Computational Statistics and Data Analysis*. 56(11): 3260–3275.
- Ramsay, J. (1996). Principal differential analysis: Data reduction by differential operators. *Journal of the Royal Statistical Society Series B (Statistical Methodology)*. 58: 495–508.
- Ramsay, J., Hooker, G., Campbell, D. and Cao, J. (2007). Parameter estimation for differential equations : A generalized smoothing approach. *Journal of the Royal Statistical Society Series B (Statistical Methodology)*. 69(5): 741–796.
- Ramsay, J. and Silverman, B. W. (1997). *Functional Data Analysis*. Springer.
- Rastetter, E. B. (1987). Analysis of community interactions using linear transfer function models. *Ecological Modelling*. 36(1-2): 101–117.
- Ruge-Murcia, F. J. (2007). Methods to estimate dynamic stochastic general equilibrium models. *Journal of Economic Dynamics and Control*. 31(8): 2599–2636.
- Ruge-Murcia, F. J. (2012). Estimating nonlinear DSGE models by the simulated method of moments: With an application to business cycles. *Journal of Economic Dynamics and Control*. 36(6): 914–938.
- Rupert, D. (2004). *Statistics and Finance: An Introduction*. Springer-Verlag.
- Sogutlu, S. and Koc, B. (2007). Stochastic modeling of tissue engineering scaffolds with varying porosity levels. *Computer-Aided Design and Application*. 4(5).
- Stanbury, P. F., Hall, S. and Whitaker, A. (1999). *Principles of Fermentation Technology*. Butterworth-Heinemann.
- Sun, X. and Wang, Y. (2008). Stability analysis of a stochastic logistic model with nonlinear diffusion term. *Stochastic Processes and their Applications*. 32: 2067–2075.
- Tang, S. and Heron, E. A. (2008). Bayesian Inference for a stochastic logistic model with switching points. *Ecological Moelling*. 219: 153–169.

- Taylan, P., Weber, G.-W. and Kropat, E. (2008). Approximation of stochastic differential equations by additive models using splines and conic programming. *International Journal of Computing Anticipatory Systems*. 21: 341–352.
- Taylor, R. (1990). Interpretation of the Correlation Coefficient: A Basic Review. *Journal of Medical Sonography*. 1: 35–39.
- Van Der Vaart, A. W. (1998). *Asymptotic Statistics*. Springer-Verlag.
- Varah, J. M. (1982). A spline least squares method for numerical parameter estimation in differential equations. *SIAM Journal of Scientific Statistical Computing*. 3(1): 28–46.
- Varziri, M., McAuley, K. and McLellan, P. (2008). Parameter and state estimation in nonlinear stochastic continuous-time dynamic models with unknown disturbance intensity. *The Canadian Journal of Chemical Engineering*. 86(5): 828–837.
- Yates, R. D. and Goodman, D. J. (2005). *Probability and Stochastic Processes*. John Wiley and Sons.