THE PROBABILITY THAT AN ELEMENT OF A NON-ABELIAN GROUP FIXES A SET AND ITS APPLICATIONS IN GRAPH THEORY

MUSTAFA ANIS EL- SANFAZ

A thesis submitted in fulfilment of the requirements for the award of the degree of Doctor of Philosophy (Mathematics)

Faculty of Science
Universiti Teknologi Malaysia

To my family with love.

ACKNOWLEDGMENT

It has been a very rewarding process writing my thesis both for its challenge and also for what i have learned along the way. For that, I would like to express my greatest appreciation to my thesis advisor, Professor Dr. Nor Haniza Sarmin, for her unlimited support, patience, and for her time and effort that went into helping me with my research.

Also, I would like to thank Dr Sanna Saleh for her help and support.

Finally, I would like to thank my family for their unlimited support and encouragement. A special thanks to my mother, father, wife and daughter.

ABSTRACT

The commutativity degree, defined as the probability that two randomly selected elements of a group commute, plays a very important role in determining the abelianness of a group. In this research, the commutativity degree is extended by finding the probability that a group element fixes a set. This probability is computed under two group actions on the set namely, the conjugate action and the regular The set under study consists of all commuting elements of order two of metacyclic 2-groups and dihedral groups of even order. The probabilities found turned out to depend on the cardinality of the set. The results which were obtained from the probability are then linked to graph theory, more precisely to orbit graph and generalized conjugacy class graph. It is found that the orbit graph and the generalized conjugacy class graph consist of complete graphs, empty graphs or null Moreover, some graph properties including the chromatic number, clique graphs. number, dominating number and independent number are found. In addition, the necessary condition for the orbit graph and generalized conjugacy class graph to be a null graph is examined. Furthermore, two new graphs are introduced, namely the generalized commuting graph and the generalized non-commuting graph. generalized commuting graph of all groups in the scope of this research turns out to be a union of complete graphs or null graphs, while the generalized non-commuting graph consists of regular graphs, empty graphs or null graphs.

ABSTRAK

Darjah kekalisan tukar tertib, ditakrifkan sebagai kebarangkalian bagi dua unsur yang dipilih secara rawak daripada suatu kumpulan adalah kalis tukar tertib, memainkan peranan yang amat penting dalam menentukan keabelanan bagi sesuatu kumpulan. Dalam penyelidikan ini, darjah kekalisan tukar tertib tersebut diperluaskan dengan mencari kebarangkalian bahawa suatu unsur kumpulan menetapkan suatu set. Kebarangkalian ini dikira berdasarkan dua tindakan kumpulan pada set yang dinamai tindakan konjugat dan tindakan biasa. Set yang dikaji terdiri daripada semua unsur kalis tukar tertib yang berperingkat dua bagi kumpulan 2metakitaran dan kumpulan dwihedron berperingkat genap. Kebarangkalian yang diperolehi ternyata bergantung kepada kardinaliti bagi set tersebut. Keputusan yang diperoleh daripada kebarangkalian itu kemudian dihubungkan kepada teori graf, lebih tepatnya kepada graf orbit dan graf kelas konjugatnya yang teritlak. Didapati bahawa graf orbit dan graf kelas konjugatnya yang teritlak terdiri daripada graf sempurna, graf kosong atau graf nol. Selain itu, beberapa sifat graf termasuk nombor kromat, nombor klik, nombor berdominan dan nombor tak bersandar diperolehi. Tambahan lagi, syarat perlu bagi graf orbit dan graf kelas konjugat yang teritlak untuk menjadi graf nol ditentukan. Seterusnya, dua graf baharu diperkenalkan iaitu graf kalis tukar tertib yang teritlak dan graf bukan kalis tukar tertib yang teritlak. Graf kalis tukar tertib yang teritlak bagi semua kumpulan dalam skop kajian ini adalah kesatuan graf yang sempurna atau graf nol, sementara graf bukan kalis tukar tertib yang teritlak terdiri daripada graf biasa, graf kosong atau graf nol.

TABLE OF CONTENTS

CHAPTER	TITLE DECLARATION		PAGE
			ii
	DED	DICATION	iii
	ACK	NOWLEDGEMENT	iv
	ABS	TRACT	V
	ABS	BSTRAK	
	TABLE OF CONTENTS LIST OF FIGURES		vii
			X
	LIST OF SYMBOLS		xi
	LIST	T OF APPENDICES	XIII
1	INTRODUCTION		1
	1.1	Background of the Study	1
	1.2	Objectives of the Research	2
	1.3	Problem Statements	3
	1.4	Scope of the Research	4
	1.5	Significance of the Research	4
	1.6	Research Methodology	5
	1.7	Thesis Organization	6
2	LITERATURE REVIEW		9
	2.1	Introduction	9
	2.2	Group Theory	9

		2.2.1 Fundamental Concepts of Group Theory	10
		2.2.2 The Commutativity Degree	14
	2.3	Graph Theory	19
		2.3.1 Fundamental Concepts of Graph Theory	19
		2.3.2 Relevant Studies of Graph Theory to	
		Group Theory	21
	2.4	Conclusion	25
3	THE	PROBABILITY THAT A GROUP ELEMENT	
	FIXE	S A SET	26
	3.1	Introduction	26
	3.2	Preliminary Results	26
	3.3	The Probability That a Dihedral Group Element	
		Fixes a Set	29
	3.4	The Probability That a Metacyclic 2-Group	
		Element Fixes a Set	32
	3.5	Conclusion	46
4	GEN	ERALIZED CONJUCACY CLASS GRAPH	
	AND	ORBIT GRAPH	47
	4.1	Introduction	47
	4.2	Preliminary Results	47
4.	4.3	Generalized Conjugacy Class Graph	48
		4.3.1 Generalized Conjugacy Class Graph of	
		Dihedral Groups	48
		4.3.2 Generalized Conjugacy Class Graph of	
		Metacyclic 2-Groups	50
	4.4	Orbit Graph	60
		4.4.1 Orbit Graph of Dihedral Groups	60
		4.4.2 Orbit Graph of Metacyclic 2-Groups	62
	4.5	Conclusion	73

5	THE	GENERALIZED COMMUTING AND NON-	
	COM	MUTING GRAPHS	75
	5.1	Introduction	75
	5.2	Preliminary Results	75
	5.3	The Generalized Commuting Graph of Dihedral	
		Group	77
	5.4	The Generalized Commuting Graph of Metacyclic	
		2-Groups	78
	5.5	The Generalized Non-Commuting Graph	87
	5.6	The Generalized Non-Commuting Graph of	
		Dihedral Groups	87
	5.7	The Generalized Non-Commuting Graph of	
		Metacyclic 2-Groups	88
	5.8	Conclusion	94
6	CON	CLUSION	96
	6.1	Summary of the Research	96
	6.2	Suggestions for Further Research	97
REFERENC	ES		98
Appendix A			102

LIST OF FIGURES

FIGURE NO	TITLE	PAGE
1.1	Thesis Organization	8
5.1	Generalized Commuting Graph of Type (3) for	
	$0 \le i \le 2^{\alpha}$	80
5.2	Generalized Commuting Graph of Type (3)	81
5.3	Generalized Commuting Graph of Type (4) for	
	$0 \le i \le 2^{\alpha}$	82
5.4	Generalized Commuting Graph of Type (5) for	
	$0 \le i \le 2^{\alpha}$	83
5.5	Generalized Commuting Graph of Type (6) for	
	$0 \le i \le 2^{\alpha}$	84
5.6	Generalized Commuting Graph of Type (8)	85
5.7	Generalized Non-commuting Graph of Metacyclic 2-	
	Group of Type (3)	89
5.8	Generalized Non-Commuting Graph of Metacyclic 2-	
	group of Type (4)	90
5.9	Generalized Non-Commuting Graph of Metacyclic 2-	
	Group of Type (5) when $\alpha > 3$	92
5.10	Generalized Non-Commuting Graph of Metacyclic 2-	
	Group of Type (8)	93

LIST OF SYMBOLS

S - A non-empty set

 \in - Belong to

Z(G) - Center of the group G

 $\chi(\Gamma)$ - The chromatic number

 $\omega(\Gamma)$ - The clique number of the graph Γ

P(G) - The commutativity degree of the group G

[g,h] The commutator of g and h, that is, $[g,h] = g^{-1}h^{-1}gh$

 K_n - Complete graph of n vertices

 D_n - Dihedral groups of order 2n

 $\alpha(\Gamma)$ - The independent number of the graph Γ

 $\gamma(\Gamma)$ - The dominating number of the graph Γ

 K_e - Empty graph

∀ - For all

 $\Gamma_G^{\Omega_c}$ - Generalized conjugacy class

Γ - Graph

 \geq - Greater than or equal

 $H \leq G$ - H is a subgroup of G

- Identity element of the group G

[G:H] - The index of H in G

lcm(a,b) - The least common multiple of a and b

 \leq Less than or equal

 \mathbb{N} - The set of natural numbers

 K_0 - Null graph

K(G) - The number of conjugacy classes in G

 $K(\Omega)$ - The number of orbits of Ω in G

 Γ_G^{Ω} - The orbit graph

 Γ^{GC}_{Ω} - The generalized commuting graph

 $\Gamma_{\scriptscriptstyle O}^{\it GN}$ - The generalized non-commuting graph

cl(x) - Orbit of x in G

|G| - Order of the group G

 $P_G(\Omega)$ - The probability that a group element fixes a set

 $E(\Gamma)$ - Set of edges of Γ

 $V(\Gamma)$ - Set of vertices of Γ

 Ω - The set of all subsets of commuting elements of size two

 $C_G(s)$ - The stabilizer of the element $s \in S$ under a group action of G

on the set S

 Γ_{sub} - Sub graph of the graph Γ

LIST OF APPENDICES

APPENDIX		TITLE	PAGE
A	List of Publications		102

CHAPTER 1

INTRODUCTION

1.1 Background of the Study

A group G acts on itself by conjugation if there is a function $\Phi: G \times G \to G$ such that $\Phi((g,x)) = xgx^{-1}$ for all $x \in G$, the conjugacy class of x in G is defined as $\operatorname{cl}(x) = \{gxg^{-1}: g \in G\}$. If G acts on a set S, then there exists $\Phi: G \times S \to S$, such that the orbit of S under the group action is $O(S) = \{gS: g \in G\} \subseteq S$. Now if a group G acts regularly on S, then there exists $g \in G$, such that $gS_1 = S_2$, where $S_1, S_2 \in S$. These actions are used to find the commutativity degree and its generalizations, which are the focus in the first part of this research.

The commutativity degree is used to determine the abelianness of a group. This concept was first introduced by Miller in 1944 [1]. A few years later, the idea of commutativity degree was then investigated for symmetric groups by Erdos and Turan [2]. Their results encourage many researches to work on this topic, thus various generalizations have been done.

The second part of this research deals with graph theory. The idea of graphs came from a variety of real situations that can easily be described by drawing diagram consisting of a set of points and lines linking these points [3]. This concept was introduced in 1736 by Leonard Euler who considered the Kőnigsberg bridge problem. Euler solved this problem by drawing a graph with vertices and edges [3]. Years later, the usefulness of graph theory has been proven to a large number of diverse fields.

In 1990 Bertram *et al.* [4] introduced a new graph which relates to conjugacy classes. The vertices of this graph are non-central conjugacy classes in which two vertices are adjacent if they are not coprime. Many researches have been done using this algebraic graph theory. Recently, Erfanian and Tolue [5] introduced a new graph, namely conjugate graph in which the vertices are non-central elements of a group. Two vertices of this graph are adjacent if the elements represented by these vertices are conjugate with one another.

In 1975, the idea of non-commuting graphs comes from an old question of Erdős on the size of the cliques and answered in the affirmative by Neumann [6]. In [7], it is mentioned that the commuting graph is a graph whose vertices are non-central elements of a group, where two vertices are adjacent whenever they commute.

1.2 Objectives of the Research

The main objectives of this research are stated in the following:

(i) To extend the work on commutativity degree by defining the probability that a group element fixes a set.

- (ii) To find the probability that a group element fixes a set for metacyclic 2-groups and dihedral groups.
- (iii) To apply the results that are obtained from (ii) to graph theory, namely to the orbit graph, generalized conjugacy class graph, the generalized non-commuting graph and the generalized commuting graph.
- (iv) To determine some graph properties such as the chromatic number, clique number, dominating number and independence number for the graphs in (iii).

1.3 Problem Statements

The commutativity degree has been generalized and extended by many authors, such as the probability that an automorphism of a finite group fixes an arbitrary element in the group, the probability that the commutator of two randomly chosen elements in a group is equal to a given element in the same group and the probability that an automorphism of a finite group fixes a subgroup element.

In this research, the following questions will be answered:

- (i) What other extension can be made on the commutativity degree, based on the set of all commuting elements of $G \times G$ in the form of (a,b) where |a| = |b| = 2?
- (ii) Can the group actions be applied to the set under investigation to find the probability?

- (iii) How can the results obtained from the probability be applied to graph theory?
- (iv) Can new graphs be introduced based on the obtained results from the probability?
- (v) What are some graph properties that can be obtained?

1.4 Scope of the Research

This research consists of two parts. The first part focuses on the commutativity degree and its generalizations. This study covers some finite non-Abelian groups including metacyclic 2-groups and dihedral groups. One of the objectives in this research is to find the probability that a group element fixes a set under two group actions, namely conjugate action and regular action. The set under study is a non-empty subset of $G \times G$ in the form of (a, b), where a and b commute and |a|=|b|=2.

The second part of this research focuses on graph theory. The probability under study in the first part is then applied to graph theory. The graphs under considerations in this research include orbit graph, graph related to conjugacy classes, non-commuting graph, commuting graph and conjugate graph. Some graph properties are obtained which include the chromatic number, clique number, independent number and dominating number.

1.5 Significance of the Research

The commutativity degree is one of the interesting topics in pure mathematics that has many applications on studying the structures of finite non-abelian groups.

The major contribution of this research is to provide new theoretical results on the commutativity degree by defining the probability that a group element fixes a set. This probability is computed for some finite non-abelian groups in the scope of this research. The results obtained from this probability are then linked to graph theory. Graph theory has many applications in chemistry, physics, computer science and engineering. In addition new graphs in this research are introduced. Besides, some new results on graph properties are obtained.

1.6 Research Methodology

In this research, commutativity degree is extended to the probability that a group element fixes a set, in which the set under consideration is a non-empty subset of $G \times G$ in the form of (a, b), where a and b commute and |a| = |b| = 2. The orbits, which are computed using two group actions on the set namely, conjugate action and regular action are used to determine the probability. This probability is the ratio of the orbits to the order of the set under examination. Beuerle [8] classified all non-Abelian metacyclic p-groups, where p is any prime. These classifications are used to obtain the probability that a group element fixes a set.

The obtained results on the probability that a group element fixes a set are applied to graph theory, more precisely the orbit graph and the generalized conjugacy class graph. The set under examination is used to find the number of vertices of the orbit graph and the generalized conjugacy class graph. Moreover the orbits and their sizes are used to determine the adjacency between the vertices of both graphs. The commuting elements of the set under the scope of this research are also used to obtain some new results in graph theory. In doing this, two new graphs are introduced, namely the generalized commuting graph and the generalized non-commuting graph. Lastly, the concept of orbits and their sizes are used to examine the relationship between the algebraic properties of graphs and groups.

1.7 Thesis Organization

There are six chapters in this thesis. In the first chapter the introduction to the whole thesis is provided. This chapter includes research background, problem statement, research objectives, scope and significance of findings of the thesis, research methodology and thesis organization.

In Chapter 2, the literature review of this research is presented. In this chapter, some earlier and recent works related to commutativity degree and its generalizations are provided. This chapter also provides some fundamental concepts of group theory and graph theory. A background about graph theory is stated, where different type of graphs and their algebraic properties are given.

In Chapter 3, the probability that an element of a group fixes a set is computed for some finite non-Abelian groups which include metacyclic 2-groups and dihedral groups. The probability is found under two group actions, namely conjugate and regular action.

In Chapter 4, the results that are found in Chapter 3 are then applied to graph theory, particularly to the orbit graph and generalized conjugacy class graph. These graphs are found for some finite groups which include metacyclic 2-groups and dihedral groups. Some graph properties are also obtained for the orbit graph and generalized conjugacy class graph of the groups.

In Chapter 5, new graphs are introduced, namely the generalized commuting graph and the generalized non-commuting graph. These two graphs are found for some finite groups which include metacyclic 2-groups and dihedral groups.

In the last chapter, namely Chapter 6, the summary of the whole thesis and suggestions for future research on the probability that a group element fixes a set, the orbit graph, generalized conjugacy class graph, generalized commuting graph and generalized non-commuting graph are provided. Figure 1.1 summarizes the content of this thesis.




Figure 1.1 Thesis Outline

independent number are found. Moreover, a result that linked between the probability under conjugate action and the null graph is provided.

In this study, a new graph called the generalized commuting graph is introduced. The generalized commuting graph is null whenever the group is Abelian. The generalized commuting graph is found for all groups in the scope of this research. In addition, a new graph called the generalized non-commuting graph is also introduced. It is proven that the generalized non-commuting graph is null for all abelian groups. The generalized non-commuting graph is also obtained for all groups in the scope of this research.

6.2 Suggestions for Further Research

Based on this research, further studies on the probability that an element of a group fixes a set can be done. The probability can be obtained for other groups such as 2-generated 2-groups, metacyclic p-groups where p is odd prime, metabelian groups and nilpotent groups. This probability can be obtained under some group action on the set including, regular action, conjugate action and faithful action. Moreover, the order of the set can be changed to higher order and the probability can be obtained under group action on the set.

The results obtained from the probability, which obtained under some group actions on the set under consideration can be applied to graph theory. Where the relation between the elements of the set Ω and it is size are applied to some graphs including, the orbit graph, generalized conjugacy class graph, the generalized commuting graph and the generalized non-commuting graph. Moreover, some work in the characterization problems can be done such as, to characterize the groups which have complete graphs as their generalized commuting graphs. In addition some graph properties can be obtained to the mention graphs. Also, new graphs can be introduced based on the size and the relation between the elements of the set Ω , with proper clear definitions.

REFERENCES

- 1. Miller, G, A. Relative Number of Non-invariant Operators in a Group. *Proc.Nat.Acad.Sci. USA*. 1944. 30(2):25-28.
- 2. Erdos, P. and Turan, P. On Some Problems of a Statistical Group Theory, IV, *Acta Math. Acad Sci. Hungaricae* 1968. 19: 413–435.
- 3. Bondy, J and Murty, G. *Graph Theory with Application*, 5th ed. North Holand, Boston New York. 1982.
- 4. Bertram, E. A., Herzog, M., and Mann, A. On a Graph Related to Conjugacy Classes of Groups. *Bull. London Math. Soc.* 1990. 22: 569-575.
- 5. Erfanian, A and Tolue, B. Conjugate Graphs of Finite Groups. *Discrete Mathematics, Algorithms and Applications*. 2012. 4(2): 35-43.
- 6. Neumann, B. H. A Problem of Paul Erdos on Groups. *J. Austral. Math. Soc.* 1976, 21: 467–472.
- 7. Brauer, R and Fowler, K. A. On Groups of Even Order. *Annals of Mathematics*, 1955. 62(3): 565-583.
- 8. Beuerle, J. R. An Elementary Classification of Finite Metacyclic *P*-Groups of Class at Least Three. *Algebra Colloq*. 2005. 12(4): 553–562.
- 9. Gallian, J. A. *Contemporary Abstract Algebra*, 5th ed, Houghton Mifflin Company, Boston New York. 2002.
- Nicholson, W. K. Introduction to Abstract Algebra, 4th ed, Wiley and Sons.Inc. 2011.
- 11. Rotman, J. J. *Advanced Modern Algebra*, Pearson Education, Inc. Upper Saddle River, New Jersey 07458. 2002.
- 12. Beardon, A, F. Algebra and Geometry. Cambridge University Press. 2005.
- 13. Goodman, F, M. *Algebra Abstract and Concrete .Stressing Symmetry*. Person Education, Inc.Upper Saddle River.2003.

- Durbin, J. R. Modern Algebra: An Introduction. John Wiley and Sons. Inc. 2009.
- Ries, C. Abstract Algebra: An Introduction to Groups Rings and Fields. World Scientific. 2011.
- King, B. W. Presentation of Metacyclic Groups. Bull Aust Math Soc. 1973. 8(1): 103–131.
- 17. Gustafson, W. H. What is the Probability That Two Group Elements Commute?, *The American Mathematical Monthly*.1973. 80 (9): 1031–1034.
- 18. MacHale, D. How Commutative Can a Non-Commutative Group Be?, *The Mathematical Gazette*.1974. 58: 199–202.
- 19. Sherman, G.J. What is the Probability an Automorphsim Fixes a Group Element?. *The American Mathematical Monthly* 1975. 82 (3): 261–264
- 20. Achar, P. N. Generalized Conjugacy classes. *Rose Hulman Mathematical Sciences Series no.* 9701 1997.
- Pournaki, M. R., and Sobhani, R. Probability That Commutator of Two Group Elements is Equal to a Given Element. J. Pure Appl. Algebra. 2008. 212:727-734
- 22. Alghamdi, A. M., Russo, F. G. A Generalization of the Probability that the Commutator of Two Group Elements is Equal to a Given Element. *Bull. Iran Math. Soc.* 2012. 38(4): 973-986
- 23. Gasteks, A., Kuzmanovich, J. Commutativity Degree of a Finite Group. *Wake Forest University, North Carolina:* Master's Thesis. 2010
- Moghaddam, M. R. R., Saeedi, F. and Khamseh, E. The Probability of an Automorphism Fixing a Subgroup Element of a Finite Group. *Asian-European* Jo. 2011. 4(2): 301-308
- Barzgar, R., Erfanian, A. and Farrokhi, M. Probability of Mutually Commuting Two Subsets of a Finite Group. In press. 2011
- Moradipour, K., Sarmin, N. H., and Erfanian, A. Conjugacy Classes and Commuting Probability in Finite Metacyclic *P*-Groups. *ScienceAsia* 2012. (38): 113-117.
- 27. Moradipour, K., Sarmin, N. H., and Erfanian, A. The precise Value of Commutativity Degree in Some Finite Groups. *Malaysian Journal of Fundamental and Applied Sciences* 2012. 8(2): 67-72

- 28. Moradipour, K., Sarmin, N. H., and Erfanian, A. Conjugacy Classes and Commutativity Degree of Metacyclic 2-Groups. *Comptes Rendus de L'Academie Bulgare des Sciences*, 2013. 66(10): 1363-1372.
- 29. Nath, R. K. Commutativity Degree of a Class of Finite Groups and Consequences. *Bull. Aust. Math. Soc.* 2013. 88: 448-452.
- 30. Lescot, P. Central Extensions and Commutativity Degree. *Comm. Algebra*. 2001. 29(10): 4451-4460.
- 31. Godsil, C and Royle, G. *Algebraic Graph Theory*. 5th ed. Springer, Boston NewYork. 2001.
- 32. Xu, J. *Theory and Application of Graphs*. 5th ed. The American Mathematical Monthly. 2003.
- 33. Abdollahi, A., Akbari, S., and Maimani, H. R. Non-commuting Graph of a Group. *Journal of Algebra* 2006. 89(98): 468-492.
- 34. Tolue, B and Erfanian, A. Relative Non-Commuting Graph of a Finite Group. *Journal of Algebra and Its Applications*. 2013. 12(2): 1-11.
- 35. Moghaddamfar, A. R. and Shi, W. J. and Zhou, W. and Zokayi, A. R. On the Non-commuting Graph Associated With a Finite Group. *Sib. Math. J.* 2005. 46(2): 325–332.
- 36. Moghaddamfar, A. R. About Noncommuting Graphs. Sib. Math. J. 2006. 7(5): 911–914.
- 37. Darafsheh, M. R, Groups with the Same Non-Commuting Graph. *Discrete Applied Mathematics*.2009. 157: 833-837.
- 38. Iranmanesh, A and Jafarzadeh, A. On the Commuting Graph Associated with the Symmetric and Alternating Groups. *Journal of Algebra and Its Applications*. 2008, 7(1): 129–146.
- 39. Hegarty, P and Zhelezov, D. Can Connected Commuting Graphs of Finite Groups Have Arbitrary Large Diameter? arXiv:1204.5456v3 [math.GR]. 2012.
- 40. Raza, R and Faizi, S. Commuting Graphs Of Dihedral Type Groups. *Applied Mathematics E-Notes*. 2013, 13: 221-227.
- 41. Bianchi, M., Chillag, D., Mauri, A., Herzog, M., Scoppola, C. Applications of a Graph Related to Conjugacy Classes in Finite Groups. *Arch. Math.* 1992. (58):126-132.

- 42. Chillag, D., Herzog, M.and Mann, A. On The Diameter of a Graph Related to Conjugacy Classes of Groups. *Bull. London Math. Soc.* 1993, 25: 255-262.
- 43. Beltran, A and Felipe, M. J. On the Diameter of a *p*-Regular Conjugacy Class Graph of Finite Groups. *Comm. Algebra*. 2003. 31(9): 4393–4403.
- 44. Moreto, A., Qian, G and Shi, W. Finite Groups Whose Conjugacy Class Graphs Have Few Vertices. *Arch. Math.* 2005. 85: 101–107.
- 45. You, X., Qian, G.and Shi, W. A New Graph Related to Conjugacy Classes of Finite Groups.arXiv:math/0510015 2005.
- 46. Bianchi, M., Herzog, M., Pacifici, E.and Saffirio, G. On the Regularity of a GraphRelated to Conjugacy Classes of Groups. *European Journal of Combinatorics*.2012. (33): 1402-1407.
- 47. Ilangovan, S and Sarmin, N. H. On Graphs Related to Conjugacy Classes of Some Two-groups. *AIP Conf. Proc.* 2013. 1522: 872-874.
- 48. Moradipour, K., Sarmin, N. H., and Erfanian, A. On Graph Associated to Conjugacy Classes of Some Metacyclic 2-Groups. *Journal of Basic and Applied Scientific Research*. 2013. 3(1): 898–902.
- Omer, S. M. S., Sarmin N. H. and Erfanian, A. Generalized Conjugacy Class Graphs for Some Finite Non-abelian Groups. *International Conference on Mathematics, Engineering and Industrial Applications (ICoMEIA 2014)*. AIP Conf. Proc. 2015. 1660, 050074.
- 50. Omer, S. M. S., Sarmin, N. H. and Erfanian, A. The Orbit Graph for Some Finite Solvable Groups. *AIP Conf. Proc.* 2014. 1602, 863.
- 51. Omer, S. M. S., Sarmin N. H. and Erfanian, A. The orbit Graph of Finite Non-abelian Groups. *International journal of pure and applied Mathematics*. 2015. 102(4): 747-755.