

DAFTAR PUSTAKA

- Association of Paediatric Chartered Physiotherapists. (2018). *Flat Feet in Young Children. The Chartered Society of Physiotherapy*, (October). Retrieved from <https://apcp.csp.org.uk>
- Atik, A. (2014). *Flexible flatfootness. Northern Clinics of Istanbul*, 1(1), 57–63. <https://doi.org/10.14744/nci.2014.29292>
- Baxter, R., Hastings, N., Law, A., & Glass, E. J. . (2008). Perkembangan Motorik Kasar Anak Usia Dini Sebagai Dasar Menuju Prestasi Olah Raga. *Animal Genetics*, 39(5), 561–563.
- Chang, C. H *et., al* (2014). *Flatfoot diagnosis by a unique bimodal distribution of footprint index in children. PLoS ONE*, 9(12), 1–11. <https://doi.org/10.1371/journal.pone.0115808>
- Churgay, *et., al* (2004). *Diagnosis and treatment of pediatric foot deformities. American Family Physician*, 47(4), 883–889. <https://doi.org/10.1053/j.jfas.2004.09.013>
- Erol, K *et., al*(2015). *An important cause of pes planus: the posterior tibial tendon dysfunction. Clinics and Practice*, 5(1). <https://doi.org/10.4081/cp.2015.699>
- Gill, S. V *et., al*(2016). *The relationship between foot arch measurements and walking parameters in children. BMC Pediatrics*, 16(1), 2. <https://doi.org/10.1186/s12887-016-0554-5>
- Giovanni, C. D., & Greisberg, J. (2007). *Foot & Ankle*. USA: Elsevier.
- Halabchi. (2013). Pediatric Flexible Flatfoot Clinical Aspects_2013, 1(3), 247–260.
- Hurlock, E. B. (2010). *Perkembangan Anak*. Erlangga.
- Kim, Myoung, & Lee, Y. (2013). *Kinematic Analysis of the Lower Extremities of Subjects with Flat Feet at Different Gait Speeds*, 531–533.
- Kim, H. Y *et., al* (2017). *Gait analysis of symptomatic flatfoot in children: An observational study. CiOS Clinics in Orthopedic Surgery*, 9(3), 363–373. <https://doi.org/10.4055/cios.2017.9.3.363>
- Lendra, Made & Santoso, totok. (2009). Beda Pengaruh Kondisi Kaki Datar dan Kaki Dengan Arkus Normal Terhadap Keseimbangan Statis Pada Anak Usia 8-12 Tahun Di Kelurahan Karangasem Surakarta. *Jurnal Fisioterapi*, 9(2), 49–58.
- Levine, D., Richards, J., & Whittle, M. W. (2014). *Whittle's Gait Analysis*. London: Elsevier.

- Lutfie, S. H. (2010). Hubungan antara Derajat Lengkung Kaki dengan Tingkat Kemampuan Endurans Pada Calon Jemaah Haji, 242-246.
- Luthfie, S. H. (2007) Kemampuan Endurans pada Calon Jemaah Haji, 343–346.
- Nissa, V., Fadillah, M., Mayasari, W., & Chaidir, M. R. (2016). Gambaran Faktor Risiko Flat Foot pada Anak Umur 6-10 Tahun di Kecamatan Sukajadi Overview of Flat Foot Risk Factors in Children Aged Six to Ten in Sukajadi District, 3, 97–102.
- Nugroho, S., Akbar, S., & Vusvitasari, R. (2008). Kajian Hubungan Koefisien Korelasi Pearson (r), Spearman-rho (?), Kendall-Tau (?), Gamma (G), dan Somers. *Gradien*, 4(2), 372–381.
- Pfeiffer, M., Kotz, R., Ledl, T., Hauser, G dan Sluga, M. 2006. Prevalece of Flat Foot in Preschool-Aged Children. *Jornal of The American Academy of Pediatrics: Illinoois*.
- Pourghasem, M., Kamali, N., Farsi, M., & Soltanpour, N. (2016). *Prevalence of flatfoot among school students and its relationship with BMI*. *Acta Orthopaedica et Traumatologica Turcica*, 50(5), 554–557. <https://doi.org/10.1016/j.aott.2016.03.002>
- Rasheed, Q. H., & Pagare, S. B. (2015). *Effect of Flat Foot Deformity on Selected Physical Fitness Components in school going children*, 5(6), 1–5.
- Rithanya, P., Babu, K. Y., & Mohanraj, K. G. (2018). *Assessment of flat foot by plantar arch index using footprint in aged population*, 10(11), 2142–2145.
- Riyanto, A. (2017). *Aplikasi Metodelogi Penelitian Kesehatan*. Yogyakarta: Nuha Medika.
- Sacco, I. C. N., Onodera, A. N., Bosch, K., & Rosenbaum, D. (2015). *Comparisons of foot anthropometry and plantar arch indices between German and Brazilian children Comparisons of foot anthropometry and plantar arch indices between German and Brazilian children*, 15(1), 1–7. <https://doi.org/10.1186/s12887-015-0321-z>
- Sabita, R (2017). Hubungan Antara Flat Foot Dengan Gait Parameter pada Anak Usia 7-9 tahun Di SD Keluarahan Kartasura. *Skripsi*.
- Sadeghi-demneh, E., Melvin, A., & Azadinia, F. (2015). *Flatfoot in School-Age Children Prevalence and Associated Factors*. *Foot and Ankle Specialist*, 8(3), 186–193. <https://doi.org/10.1177/1938640015578520>.
- Sitompul. (2000). Hubungan Kecepatan Berjalan Dengan Keseimbangan Berdiri Satu Tungkai Pada Para Lanjut Usia. *Thesis*, 17.
- Sorongan, C. H., Rumampuk, J., & Lintong, F. (2014). Hubungan Panjang Tungkai Dengan Kecepatan Berjalan Pada Siswa Sekolah Menengah Atas Negeri 6 Manado. *Jurnal E-Biomedik*, 2(1), 1–9.

Susilowati, S., & Pudjiastuti, S. S. Pengaruh Pemberian Edukasi Dan Medial Arch Support Terhadap Keseimbangan Dinamis Pada Kondisi Fleksibel Flat Foot Anak Usia 8 S/D 10 Tahun, *521*, 41–47.

Tashiro, Y *et., al* (2015). *Children with flat feet have weaker toe grip strength than those having a normal arch. Journal of Physical Therapy Science*, 27(11), 3533–3536. <https://doi.org/10.1589/jpts.27.3533>

Trew, M., & Everett, T. (2005). *Human Movement*. China: Elsevier Science.

Wardanie, S. (2013). Prevalensi Kelainan Bentuk Kaki (Flat Foot) Pada Anak Usia 6 - 12 Tahun Di Kota Surakarta. *Skripsi*, 1–22.