

# Serbian Ceramic Society Conference ADVANCED CERAMICS AND APPLICATION II New Frontiers in Multifunctional Material Science and Processing

Serbian Ceramic Society
Institute of Chemistry Technology and Metallurgy
Institute for Technology of Nuclear and Other Raw Mineral Materials
Institute for Testing of Materials
Archeological Institute of SASA

## PROGRAM AND THE BOOK OF ABSTRACTS

Serbian Academy of Sciences and Arts, Knez Mihailova 35 Sep  $30^{\rm th}$  - Oct  $1^{\rm st}$ , 2013, Belgrade, Serbia

Book title: Serbian Ceramic Society Conference - ADVANCED CERAMICS AND

APPLICATION II: Program and the Book of Abstracts

#### **Publisher:**

Serbian Ceramic Society

#### **Editors**:

Prof.dr Voja Mitić Dr Nina Obradovic Dr Lidija Mančić

#### **Technical Editor:**

Dr Lidija Mačić

### **Printing:**

Serbian Academy of Sciences and Arts, Knez Mihailova 35, Belgrade Format Pop Lukina 15, Belgrade

#### **Edition:**

100 copies

Mosaics: Original Format 30x40 cm

Mirjana Milić, Vladimir Skerlić, Maja Opačić, Maša Nicić, Nina Nicić, Milica Konstantinović, Marjan Vesić - Academy od SOC for Fine Arts and Conservation

CIP - Каталогизација у публикацији Народна библиотека Србије, Београд

666.3/.7(048) 66.017/.018(048)

SERBIAN Ceramic Society. Conference (2; 2013; Beograd)

Advanced Ceramics and Application: new frontiers in multifunctional material science and processing: program and the book of abstracts / II Serbian Ceramic Society Conference, Sep 30th-Oct 1st, 2013, Belgrade, Serbia; organized by Serbian Ceramic Society... [et al.]; [editors Vojislav Mitić, Nina Obradović, Lidija Mančić]. - Belgrade: Serbian Ceramic Society, 2013 (Belgrade: Serbian Academy of Sciences and Arts). - XVI, 61 str.; 30 cm

Tiraž 100.

ISBN 978-86-915627-1-7

- 1. Serbian Ceramic Society (Beograd)
- а) Керамика Апстракти b) Наука о материјалима Апстракти
- с) Наноматеријали Апстракти

COBISS.SR-ID 201203212

results. Results revealed that particles have clustered inner structure and are composed from primary nanounits in form of nanoparticles or nanotubes. Such hierarchically organized particles are expected to have potential application not only in the field of photovoltaics but also in various branches of photocatalysis.

**P26** 

### Characterization of mechanically activated ZnO powder

A. Peleš<sup>1</sup>, V. P. Pavlović<sup>2</sup>, N. Obradović<sup>1</sup>, J. Živojinović<sup>1</sup>, M. Mitrić<sup>3</sup>, V. B. Pavlović<sup>1</sup>

<sup>1</sup>Institute of Technical Sciences of SASA, Knez Mihailova 35/4 11000 Belgrade, Serbia <sup>2</sup>Faculty of Mechanical Engineering, University of Belgrade, Belgrade, Serbia <sup>3</sup>Institute of Nuclear Sciences Vinca, Laboratory of Solid State Physics, 11001 Belgrade, Serbia

Materials based on ZnO structure have more frequently application as fillers in polymer ceramics nanocompozites. Performances of these materials depends on fillers morphology, surfaces texture and particles size. According to this, in this paper, the authors investigated the influence of mechanical activation of ZnO powder on crystal and micro structure. Commercially available ZnO powder was activated in a planetary ball mill for 2, 5, 10 and 30 minutes. Characterization of such obtained powders was performed using XRD, SEM and Raman spectroscopy. XRD patterns indicated at lowering of peak intensities along with its broadening wich is realted to partical fragmentation and amorphyzation. Micrographs show irregularly shaped particles at the beginning and with prolonged milling time, particles gained uniformed distibution, while after 30 minutes of activation agglomerates started forming. The results we got by investigation of dynamical structure by Raman spectroscopy are in correlation with the other results of structures analysis. Results presented here enable further optimization of, polymer nanocompozite based on ZnO and PVDF, making process.

**P27** 

# ZnO/Ag hybrid nanocubes in alginate matrix

Lidija V. Trandafilović<sup>1</sup>, Radovan Dojčilović<sup>1</sup>, Suzana Dimitrijević-Branković<sup>2</sup>, Vladimir Djoković<sup>1</sup>

<sup>1</sup>Vinča Institute of Nuclear Sciences, University of Belgrade, P.O. Box 522, 11001 Belgrade, Serbia <sup>2</sup>Faculty of Technology and Metallurgy, University of Belgrade, Belgrade, Serbia

Ag/ZnO heterostructure of ZnO nanocubes decorated with spherical Ag nanoparticles were prepared in the presence of alginate biopolymer. It has been shown that nanostructures of two or more distinct components and geometries may exhibit additional properties due to an anisotropic distribution of surface functional groups and charges. The obtained ZnO/Ag nanostructures were characterized by UV–vis absorption and photoluminescence spectroscopy, as well as scanning electron microscopy (SEM) and transmission electron microscopy (TEM). The photocatalytic activity of ZnO/Ag-nanohybrids was significantly improved with respect to the bare ZnO particles. Antimicrobial activities ZnO/Ag-alginate nanocomposites were tested against gram-positive (*S. aureus*) and gram-negative (*E. coli*) types of bacteria.