brought to you by 🗓 CORE

provided by Serbian Academy of Science and Arts Digital Archive (DAIS)

Programme & The Book of Abstracts

Seventeenth Annual Conference

Organised by

# **YUCOMAT 2015**

Herceg Novi, Montenegro, August 31 - September 4, 2015



20th Anniversary YUCOMAT Conference

SEVENTEENTH ANNUAL CONFERENCE

## **YUCOMAT 2015**

Hunguest Hotel Sun Resort Herceg Novi, Montenegro, August 31-September 4, 2015 http://www.mrs-serbia.org.rs

### Programme and The Book of Abstracts

Organised by: Materials Research Society of Serbia

Endorsed by: Materials Research Society, European Materials Research Society and Federation of European Material Societies

Title:	THE SEVENTEENTH ANNUAL CONFERENCE YUCOMAT 2015 Programme and The Book of Abstracts
Publisher:	Materials Research Society of Serbia Knez Mihailova 35/IV, P.O.Box 433, 11000 Belgrade, Serbia Phone: +381 11 2185-437; Fax: + 381 11 2185-263 http://www.mrs-serbia.org.rs
Editors:	Prof. Dr. Dragan P. Uskoković and Prof. Dr. Velimir Radmilović

Technical editor: Aleksandra Stojičić

**Cover page:** Aleksandra Stojičić and Milica Ševkušić Front cover: modified photo by BélaBéla; Wikimedia (<u>http://commons.wikimedia.org/wiki/File:Herceg\_Novi.JPG</u>); CC-BY-SA 3.0 Unported Back cover: modified photo *Belgrade bridges* by mcveja; Flickr (<u>https://www.flickr.com/photos/mcveja/2428406067/</u>); <u>CC-BY 2.0 Generic</u>

Copyright © 2015 Materials Research Society of Serbia

Acknowledgments: This conference is 20<sup>th</sup> Anniversary of the First YUCOMAT Conference.



Printed in:

Biro Konto Sutorina bb, Igalo – Herceg Novi, Montenegro Phones: +382-31-670123, 670025, E-mail: bkonto@t-com.me Circulation: 220 copies. The end of printing: August 2015

#### SEVENTEENTH ANNUAL CONFERENCE YUCOMAT 2015 Herceg Novi, August 31-September 4, 2015

O.S.B.11.

### Thermal Resistance of Alkali Activated Binders Synthesized Using the Fly Ash and Steel Slag

Irena Nikolić<sup>1</sup>, Smilja Marković<sup>2</sup>, Ljiljana Karanović<sup>3</sup>, Vuk Radmilović<sup>4</sup>, Velimir Radmilović<sup>4</sup> <sup>1</sup>University of Montenegro, Faculty of Metallurgy and Technology, Džordža Vašingtona bb, 81 000 Podgorica, Montenegro, <sup>2</sup>Institute of Technical Sciences of SASA, Belgrade, Serbia, <sup>3</sup>University of Belgrade, Faculty of Mining and Geology, Laboratory of Crystallography, Djušina 7, 11000 Belgrade, Serbia, <sup>4</sup>University of Belgrade, Faculty of Technology and Metallurgy, Karnegijeva 4, 11120 Belgrade, Serbia

The thermal resistance of alkali-activated binders based on fly ash (FA), electric arc furnace slag (EAFS) and their FA/EAFS blends was assessed. Compressive strengths of samples before and after firing were measured. The samples were characterized by X-ray powder diffraction (XRPD), scanning electron microscopy (SEM), energydispersive X-ray spectra (EDS), thermal (TG/DTA) analysis. Besides, the sintering shrinkage were recorded by thermomechanical analyzer (TMA) during non-isothermal sintering up to 900 °C with heating rate of 15 °/min, in an air atmosphere. The main reaction products in FA and EAFS based alkali activated binders are the sodium-alumino-silicate-hydrate (N–A–S–H) and calcium-alumino-silicate-hydrate (C-A-S-H) type gels, respectively. FA/EAFS based binders are characterized by the presence of N-A-S-H gel with the high content of Ca. The EAFS based binders exhibited superior performances in terms of compressive strength than FA based binders. Thermal resistance of FA based binders was improved by the slag addition.

This research was supported by a Ministry of Science of Montenegro under the contract No. 01-460.