

Twentieth Annual Conference

# YUCOMAT 2018

Herceg Novi, Montenegro, September 3-7, 2018

organised by













### TWENTIETH ANNUAL CONFERENCE

## **YUCOMAT 2018**

Hunguest Hotel Sun Resort Herceg Novi, Montenegro, September 3-7, 2018 http://www.mrs-serbia.org.rs

## Programme and The Book of Abstracts

Organised by: **Materials Research Society of Serbia** 

Endorsed by:

Materials Research Society,

European Materials Research Society

and

Federation of European Material Societies

Title: THE TWENTIETH ANNUAL CONFERENCE

**YUCOMAT 2018** 

Programme and The Book of Abstracts

**Publisher:** Materials Research Society of Serbia

Knez Mihailova 35/IV, P.O.Box 433, 11000 Belgrade, Serbia

Phone: +381 11 2185-437 http://www.mrs-serbia.org.rs

Editors: Prof. Dr. Dragan P. Uskokovi and Prof. Dr. Velimir R. Radmilovi

Technical editor: Sava Stoisavljevi

Front cover: Modified Photo by Hons084; Wikimedia Commons (https://commons.wikimedia.org/wiki/File:Widoki z twierdzy Forte Mare na Herceg Novi 03


<u>.jpg</u>); CC BY-SA 4.0

Back cover: Modified Photo by Dani Lavi 0007; Wikimedia Commons

(https://commons.wikimedia.org/wiki/File:Belgrade\_at\_night.jpg); CC BY-SA 4.0

Copyright © 2018 Materials Research Society of Serbia

**Acknowledgments:** This conference is celebrating 20 years of YUCOMAT



**Printed in:** Biro Konto

Sutorina bb, Igalo – Herceg Novi, Montenegro

Phones: +382-31-670123, 670025, E-mail: bkonto@t-com.me Circulation: 220 copies. The end of printing: August 2018

#### TWENTIETH ANNUAL CONFERENCE YUCOMAT 2018 Herceg Novi, September 3-7, 2018

P.S.C.7.

## Morphological, microstructural and magnetic characteristics of electrodeposited Ni-Fe-W-Cu alloy powders

Tomislav Trišovi, Miroslav Spasojevi, Aleksa Mari i, Milica Spasojevi
Institute of Technical Sciences of Serbian Academy of Science and Arts, Belgrade, Serbia; Joint
Laboratory for Advanced Materials of SASA, Section for Amorphous Systems; Faculty of
Technical Sciences, a ak, University of Kragujevac, a ak, Serbia; Faculty of Chemistry,
University of Belgrade, Belgrade, Serbia

Nanostructured Ni-Fe-W-Cu alloy powders were electrodeposited from an alkaline ammonium citrate solution on a titanium cathode. Powder particles were dendrite- and cauliflower-shaped. The dendritic particles had a high density of branches made up of interconnected globules. XRD analysis showed that the powder contained an amorphous matrix and FCC nanocrystals of the solid solution of Fe, W and Cu in Ni. As the deposition current density increased, the mean nanocrystal size decreased, and the mean value of internal microstrain and the total weight percent of Fe and Ni in the alloy increased. The powders deposited at higher current densities exhibited higher magnetization. During annealing at temperatures up to 460°C, the powders underwent short-range ordering, which caused an increase in magnetization, whereas at temperatures above 460°C, the magnetization decreased due to the formation of large FCC crystalline grains.

P.S.C.8.

## Adsorption of arsenic(III) from aqueous solution on carbon cryogel and carbon cryogel/ceria composite

 $\frac{\text{Tamara Z. Minovi} \quad \text{Arsi}}{\text{Biljana M. Babi}}^{1}, \text{Ana M. Kalijadis}^{1}, \text{Bojan M. Joki} \quad ^{2}, \text{Milovan M. Stoiljkovi} \quad ^{1}, \text{Biljana M. Babi} \quad ^{3}$ 

<sup>1</sup>University of Belgrade, Vin a Institute of Nuclear Sciences, Belgrade, Serbia; <sup>2</sup>University of Belgrade, Faculty of Applied Arts, Belgrade, Serbia; <sup>3</sup>University of Belgrade, Institute of Physics Belgrade, Belgrade, Serbia

In this study we compared arsenic(III) adsorption on pure carbon cryogel and on carbon cryogel/ceria composite. Both materials were characterized using following methods: nitrogen adsorption-desorption measurements, field emission scanning electron microscopy (FESEM), temperature programmed desorption (TPD) and Raman spectroscopy. Also, point of zero charge (PZC) was determined. Adsorption of As(III) from aqueous solution on both synthesized materials was investigated as a function of contact time, arsenic concentration and pH of the solution. The adsorption mechanism of As(III) ions was discussed in view of arsenic speciation and adsorbent PZC.

66.017/.018(048)

## MATERIALS Research Society of Serbia (Beograd). Conference (20; 2018; Herceg Novi)

Programme; and The Book of Abstracts / Twentieth Annual Conference YUCOMAT 2018, Herceg Novi, September 3-7, 2018; organised by Materials Research Society of Serbia; [editors Dragan P. Uskokovi and Velimir R. Radmilovi]. - Belgrade: Materials Research Society of Serbia, 2018 (Herceg Novi: Biro Konto). - XLIV, 159 str.: ilustr.; 23 cm

Tiraž 220. - Bibliografija uz pojedine apstrakte. - Registar.

ISBN 978-86-919111-3-3

1. Materials Research Society of Serbia (Beograd)

a) -

b) -

COBISS.SR-ID 266944524