

REFERENCES

- Abolude, D. S., Barak, Z., Tanimu, Y., Bingari, M. S., Opabunmi, O. O. & Okafor, D. C. (2013). Assessment of the Concentration of Metals in a Sewage Treatment Pond of the Ahmadu Bello University Zaria, Nigeria. *J. Aquatic Sci.* 28(1), 24-34. Retrieved from <https://www.ajol.info/index.php/jas/article/view/90007>
- Abraham, G. M. S. & Parker, R. J. (2008). Assessment of heavy metal enrichment factors and the degree of contamination in marine sediments from Tamaki Estuary, Auckland, New Zealand. *Environmental monitoring and assessment*, 136(1-3), 227-238. doi: 10.1007/s10661-007-9678-2
- Ada, F. B., Ayotunde, E. O. & Offem, B. O. (2012). Surface and ground waters concentrations of metal elements in central cross river state, Nigeria, and their suitability for fish culture. *International Journal of Environmental Sustainability*, 1(2): 9– 20. Retrieved from <https://www.sciencetarget.com/Journal/index.php/IJES/article/view/63>
- Ahearn, D. S., Sheibley, R. W., Dahlgren, R. A., Anderson, M., Johnson, J. & Tate, K. W. (2005). Land use and land cover influence on water quality in the last free-flowing river draining the western Sierra Nevada, California. *Journal of Hydrology*, 313(3), 234-247. doi: 10.1016/j.jhydrol.2005.02.038
- Ahlgren, J., Djodjic, F. & Wallin, M. (2012). Barium as a potential indicator of phosphorus in agricultural runoff. *Journal of Environment Quality*, 41(1), 208–216. doi: 10.2134/jeq2011.0220
- Ahmad, A. & Shuhaimi-Othman, M. (2010). Heavy Metal Concentrations in Sediments and Fishes from Lake Chini, Pahang, Malaysia. *Journal of Biological Sciences*, 10(2), 93-100. doi: 10.3923/jbs.2010.93.100
- Ahmed, G., Miah, M. A., Anawar, H. M., Chowdhury, D. A. & Ahmad, J. U. (2012). Influence of multi-industrial activities on trace metal contamination: an approach towards surface water body in the vicinity of Dhaka Export Processing Zone (DEPZ). *Environmental Monitoring and Assessment*, 184(7), 4181-4190. doi: 10.1007/s10661-011-2254-9
- Ainon, H., Ratuah, M., Mimi, N. M. & Affendi, M. T. (2004). Water quality of Chini Lake from the bacteria aspect. Chini Lake Expedition 2004.
- Ainon, H. & Sukiman, S. (1987). Water quality survey of Langat River, Selangor. *Malays Applied Biology*, 16(2), 369–77.
- Akan, J. C., Abbagambo, M. T., Chellube, Z. M. & Abdulrahman, F. I. (2012). Assessment of pollutants in water and sediment samples in Lake Chad, Baga, North Eastern Nigeria. *Journal of Environmental Protection*. 3(11), 1428-1441. doi: 10.4236/jep.2012.311161

- Allen, H. E. & Kramer, J. R. (1972). *Nutrients in natural waters*. Ontario, Canada: John Wiley and Sons. Retrieved from <https://goo.gl/trvKbz>
- Alobaidy, A., Abid, H. & Maulood, B. (2010). Application of Water Quality Index for Assessment of Dokan Lake Ecosystem, Kurdistan Region, Iraq. *Water Resource and Protection*, 2(9), 792-798. doi: 10.4236/jwarp.2010.29093
- Amisi, M. (2010). *Riverine nutrient inputs to Lake Kivu* (Unpublished doctoral dissertation). Department of Zoology, Makerere University, Uganda.
- Ankley, G. T., Di Toro, D. M., Hansen, D. J. & Berry, W. J. (1996). Technical basis and proposal for deriving sediment quality criteria for metals. *Environmental Toxicology and Chemistry*, 15(12), 2056-2066. doi: 10.1002/etc.5620151202
- Annalakshmi, G. & Amsath, A. (2012). An assessment of water quality of river cauvery and its tributaries arasalar with reference to physico-chemical parameters at Tanjore DT, Tamilnadu, India. *International Journal of Applied Biology and Pharmaceutical Technology*, 3(1), 269– 279. Retrieved from <http://imsear.li.mahidol.ac.th/handle/123456789/163693>
- Anon, (1978). *GEMS/Water Operation Guide*. Geneva: WHO.
- AOAC. (1995). *Official Methods of Analysis of AOAC International*, 16th Edition. Association of Official Analytical Chemists International. 481 North Frederick Avenue, Suite 500, Gaithersburg, MD 20877-2417.
- APHA. (2012). *Standard Methods for the Examination of Water and Wastewater*. APHA. Washington, DC 20001-3710, American Public Health Association, American Water Works Association, Water Environment Federation, 4500-H⁺-5220, ISBN 978-087553-013-0.
- Armah, F.A., Luginaah, I. & Ason, B. (2012). Water Quality Index in the Tarkwa Gold Mining Area in Ghana. *Trans disciplinary Environmental Studies*, 11 (2). Retrieved from <https://goo.gl/CgjfaE>
- Ashencaen, C. S. & Parker, J. (2014). Report on Ethnographic Work at Tasik Chini. Bournemouth University and Tasik Chini Research Center.
- ASTDR. (2013). *Arsenic products*. Agency for Toxic Standards and Disease Registry, report. U.S. Department of Health and Human Services, Atlanta, Georgia.
- Badri, M. A. & Aston, S. R. (1983). Observations on heavy metal geochemical associations in polluted and non-polluted estuarine sediments. *Environmental Pollution Series B, Chemical and Physical*, 6(3), 181-193. doi: 10.1016/0143-148X(83)90033-2
- Bahar, M. M., Ohmori, H. & Yamamuro, M. (2008). Relationship between river water quality and land use in a small river basin running through the urbanizing area of Central Japan. *Limnology*, 9(1), 19-26. doi: 10.1007/s10201-007-0227-z
- Bavani, M. & Phon. (2009). Using worms to reduce organic waste. DBKL to embark on a pilot project soon. Saturday Metro. 5 Dec. 2009.

- Beard, J. (2013). *Environmental chemistry in society*. 2nd Edition, CRC Press, Taylor and Francis Group.
- Bedewi, A. K. (2010). The potential of Vetiver grass for Wastewater Treatment. M. Sc. Thesis. Haramaya University.
- Bezuidenhout, C. C., Mthembu, N., Puckree, T. & Lin, J. (2002). Microbiological evaluation of the Mhlathuze River, Kwazulu-Natal (RSA). *Water SA*, 28: 281-286. doi: 10.4314/wsa.v28i3.4895
- Bharti, N. & Katyal, D. (2012). Water quality indices used for surface water vulnerability assessment. *International Journal of Science*, 2(1), 154– 73. Retrieved from <http://ssrn.com/abstract=2160726>
- Birch, G. F. & Hogg, T. D. (2011). Sediment quality guidelines for copper and zinc for filter-feeding estuarine oysters? *Environmental Pollution*, 159(1), 108-115. doi: 10.1016/j.envpol.2010.09.01
- Boyd, C. E. (2015). *Water quality: an introduction*. Springer. doi: 10.1007/978-3-319-17446-4
- Boehm, A. B., Griffith, J., McGee, C., Edge, T. A., Solo-Gabriele, H. M., Whitman, R... & Weisberg, S. B. (2009). Faecal indicator bacteria enumeration in beach sand: a comparison study of extraction methods in medium to coarse sands. *Journal of Applied Microbiology*, 107:1740-1750. doi: 10.1111/j.1365-2672.2009.04440.x
- Bonadonna, L., Cataldo, C. & Semproni, M. (2007). Comparison of methods and confirmation tests for the recovery Escherichia coli in water. *Desalination*, 213(1), 18-23. doi: doi.org/10.1016/j.desal.2006.03.601
- Borůvka, L., Vacek, O. & Jehlička, J. (2005). Principal component analysis as a tool to indicate the origin of potentially toxic elements in soils. *Geoderma*, 128(3), 289-300. doi: 10.1016/j.geoderma.2005.04.010
- Brungs, S., Hauslage, J., Hilbig, R., Hemmersbach, R. & Anken, R. (2011). Effects of simulated weightlessness on fish otolith growth: clinostat versus rotating-wall vessel. *Advances in Space Research*, 48(5), 792-798. doi:10.1016/j.asr.2011.04.014
- Burke, M. B., Miguel, E., Satyanath, S., Dykema, J. A. & Lobell, D. B. (2009). Warming increases the risk of civil war in Africa. *Proceedings of the National Academy of Sciences*, 106(49), 20670-20674. doi: 10.1073/pnas.0907998106
- Buruaem, L. M., Hortellani, M. A., Sarkis, J. E., Costa-Lotufo, L. V. & Abessa, D. M. (2012). Contamination of port zone sediments by metals from Large Marine Ecosystems of Brazil. *Marine pollution bulletin*, 64(3), 479-488. doi: 10.1016/j.marpolbul.2012.01.017
- Cabelli, V. J., Dufour, A. P., McCabe, L. J. & Levin, M. A. (1983). A marine recreational water quality criterion consistent with indicator concepts and risk analysis. *Research Journal of Water Pollution Control Federation*, 55: 259-265.

Retrieved from
https://www.jstor.org/stable/25042087?seq=1#page_scan_tab_contents

- Caeiro, S., Costa, M. H., Ramos, T. B., Fernandes, F., Silveira, N., Coimbra, A. & Painho, M. (2005). Assessing heavy metal contamination in Sado Estuary sediment: an index analysis approach. *Ecological indicators*, 5(2), 151-169. doi: 10.1016/j.ecolind.2005.02.001
- Carpenter, S. R., Caraco, N. F., Correll, D. L., Howarth, R. W., Sharpley, A. N. & Smith, V. H. (1998). Nonpoint pollution of surface waters with phosphorus and nitrogen. *Ecological applications*, 8(3), 559-568. doi: 10.1890/1051-0761(1998)008[0559:NPOSWW]2.0.CO;2
- CBSQG. (2003). Consensus-Based Sediment Quality Guidelines, CSS Team editor, Wisconsin, Wis, USA. Retrieved from <http://dnr.wi.gov/files/PDF/pubs/rr/RR088.pdf>.
- CCME. (1995). Protocol for the derivation of Canadian Sediment quality guidelines for the protection of aquatic life. Canadian Council of Ministers of the Environment. ECGaS Division editor, Environment Canada, Guidelines Division, Technical Secretariat of the CCME Task Group on Water Quality Guidelines, Ottawa, Canada.
- Chakraborty, S., Bhattacharya, T., Singh, G. & Maity, J. P. (2014). Benthic macroalgae as biological indicators of heavy metal pollution in the marine environments: A biomonitoring approach for pollution assessment. *Ecotoxicology and Environmental Safety*, 100, 61-68. doi:10.1016/j.ecoenv.2013.12.003
- Charkhabi, A. H. & Sakizadeh, M. (2006). Assessment of spatial variation of water quality parameters in the most polluted branch of the Anzali Wetland, Northern Iran. *Polish Journal of Environmental Studies*, 15(3), 395-403. Retrieved from <http://www.pjoes.com/abstracts/2006/Vol15/No03/04.html>
- Chapman, (2002). *Water quality assessments: a guide to the use of biota, sediments and water in environmental monitoring* (2nd Ed). Taylor and Francis library.
- Chapman, D. V. (Ed.). (1996). *Water quality assessments: a guide to the use of biota, sediments and water in environmental monitoring*.
- Chapman, P. M., Bailey, H. & Canaria, E. (2000). Toxicity of total dissolved solids associated with two mine effluents to chironomid larvae and early life stages of rainbow trout. *Environmental Toxicology and Chemistry*, 19(1), 210-214. doi: 10.1002/etc.5620190125
- Collier, M., Webb, R. H. & Schmidt, J. C. (1996). Dams and river: Premier on the downstream effects of dam. US Geological Survey Circular, 1126. Retrieved from <https://pubs.er.usgs.gov/publication/cir1126>
- Comber, S., Gardner, M., Georges, K., Blackwood, D. & Gilmour, D. (2013). Domestic source of phosphorus to sewage treatment works. *Environmental Technology*, 34(10), 1349-1358. doi: 10.1080/09593330.2012.747003

- Crosbie, B. & Chow-Fraser, P. (1999). Percentage land use in the watershed determines the water and sediment quality of 22 marshes in the Great Lakes basin. *Canadian Journal of Fisheries and Aquatic Sciences*, 56(10), 1781-1791. doi: 10.1139/f99-109
- Dai, M., Guo, X., Zhai, W., Yuan, L., Wang, B., Wang, L., Wang, B., Wang, L., Cai, P., Tang, T. & Cai, W. J. (2006). Oxygen depletion in the upper reach of the Pearl River estuary during a winter drought. *Marine Chemistry*, 102(1), 159-169. doi: 10.1016/j.marchem.2005.09.020
- Davies-Colley, R. J. & Smith, D. G. (2001). Turbidity suspended sediment, and water clarity: A review. *Journal of the American Water Resources Association*. Volume 37, Issue 5, pp 1085–1101. doi: 10.1111/j.1752-1688.2001.tb03624.x
- DeBerry, D. A. & Perry, J. E. (2004). Primary succession in a created freshwater wetland. *Castanea*, 69(3), 185-193. doi: 10.2179/0008-7475(2004)069<0185:PSIACF>2.0.CO;2
- Devi, R., Tesfahune, E., Legesse, W., Deboch, B. & Beyene, A. (2008). Assessment of siltation and nutrient enrichment of Gilgel Gibe dam, Southwest Ethiopia. *Bioresource Technology*, 99(5), 975-979. doi: 10.1016/j.biortech.2007.03.013
- Diersing, N. (2009). *Water Quality: Frequently Asked Questions*. Florida Brooks National Marine Sanctuary, Key West, FL. Retrieved from <http://floridakeys.noaa.gov/>
- Dinnes, D. L. (2004). Assessments of practices to reduce nitrogen and phosphorus nonpoint source pollution of Iowa's surface waters (p. 366). USDA-ARS, National Soil Tilth Laboratory.
- DOE. (2014). Environmental Quality Report, (2013). Department of Environment, Malaysia; Ministry of Natural Resources and Environment (NRE). Retrieved from <https://enviro.doe.gov.my/view.php?id=15791>.
- Dong, C., Zhang, W., Ma, H., Feng, H., Lu, H., Dong, Y. & Yu, L. (2014). A magnetic record of heavy metal pollution in the Yangtze River subaqueous delta. *Science of the Total Environment*, 476, 368-377. doi: 10.1016/j.scitotenv.2014.01.020
- Dukta, B. J. (1973). Coliforms are an inadequate index of water quality. *Journal of Environmental Health*, 36: 39-46.
- Ebeling, J. M., Timmons, M. B. & Bisogni, J. J. (2006). Engineering analysis of the stoichiometry of photoautotrophic, autotrophic, and heterotrophic removal of ammonia–nitrogen in aquaculture systems. *Aquaculture*, 257(1), 346-358. doi: 10.1016/j.aquaculture.2006.03.019
- Ebrahimpour, M. & Mushrifah, I. (2008). Heavy metal concentrations in water and sediments in Tasik Chini, a freshwater lake, Malaysia. *Environ. Monitoring and Assessment*, 141(1-3), 297-307. doi: 10.1007/s10661-007-9896-7
- Eddy, F. B. (2005). Ammonia in estuaries and effects on fish. *Journal of Fish Biology*, 67(6), 1495-1513. doi: 10.1111/j.1095-8649.2005.00930.x

- Egwaikhide, A. P., Lawal, W., Azeh, Y. & Adisa, M. J. (2013). Trace metal level in sediment from river Kaduna, North West Nigeria. *Int. Eng. Sci.* 2(10), 118–123. Retrieved from <http://www.theijes.com/papers/v2-i10/Part.3/T0210301180123.pdf>.
- Emongor, V., Nkegbe, E., Kealotswe, B., Koorapetse, I., Sankwasa, S. & Keikanetswe, S. (2005). Pollution indicators in Gaborone industrial effluent. *Journal of Applied Sciences*, 5(1), 147-150. doi: 10.3923/jas.2005.147.150
- EPA. (2016). *Drinking Water Contaminants*. Environmental Protection Agency, May 2016. Retrieved from <https://www.epa.gov/dwstandardsregulations#Primary>
- EPA. (2014). *Sediments*. United States Environmental Protection Agency.
- EPA. (2012). *Summaries of water pollution reporting categories*. US Environmental Protection Agency, doc. no. EPA841-R12-104.
- EPA. (2010). "Information supporting the development of state and tribal nutrient criteria for rivers and streams in nutrient ecoregion IX. Office of Water, Office of Science and Technology, and Health and Ecological Criteria Division, Dec. 2000. Retrieved from <http://www2.epa.gov/sites/production/files/documents/rivers9.pdf>
- EQMD. (2005). Water quality report on Bunot Lake on 1996-2005, Environmental Quality Management Division, Rizal Provincial Capital Compound Pasig City.
- EQR. (2016). Environmental Quality report 2015: Department of Environment. Ministry of Natural Resources and Environment. Malaysia. ISSN 9789839795295. Retrieved from <https://enviro.doe.gov.my/ekmc/digital-content/environmental-quality-report-2015/>
- ERINCO. (1993). Tasik Chini Eco-Tourism Development Study. Environmental Impact Assessment (II). Lembaga Kemajuan Pahang Tenggara.
- Escherich, T. (1885). Die darmbakterien des Neugeborenen und Saublings. *Fortschritte der Medizin*, 3: 515-522.
- Etesin, U., Udoinyang, E. & Harry, T. (2013). Seasonal Variation of Physicochemical Parameters of Water and Sediments from Iko River, Nigeria. *J. Environ. And Earth Sci*, 3(8), 96-104. Retrieved from <http://www.iiste.org/Journals/index.php/JEES/article/view/6759>
- Evans, L. F., Geldreich, E. E., Weibel, S. R. & Robeck G. G. (1968). Treatment of urban storm water runoff. *Water Pollution Control Federation*, 40: 162-170. Retrieved from <http://www.jstor.org/stable/25036351>
- Evrendilek, F. & Wali, M. K. (2004). Changing global climate: historical carbon and nitrogen budgets and projected responses of Ohio's cropland ecosystems. *Ecosystems*, 7(4), 381-392. doi: 10.1007/s10021-004-0017-y

- Evrendilek, F. & Ertekin, C. (2002). Agricultural sustainability in Turkey: integrating food, environmental and energy securities. *Land Degradation and Development*, 13(1), 61-67. doi: 10.1002/ldr.480
- FAO. (2012). Information and reporting system for water and agriculture in Asian monsoon areas. A project funded by the Japanese Ministry of Agriculture, Forestry and Fisheries. Retrieved from <http://www.fao.org/nr/water/espim/main/index.stm>
- Feng, H., Jiang, H., Gao, W., Weinstein, M. P., Zhang, Q., Zhang, W. & Tao, J. (2011). Metal contamination in sediments of the western Bohai Bay and adjacent estuaries, China. *J. of Environ. Manage.* 92(4), 1185-1197. doi: 10.1016/j.jenvman.2010.11.020
- Feng, P., Weagant, S. D., Grant, M. A., Burkhardt, W., Shellfish, M. & Water, B. (2002). BAM: Enumeration of Escherichia coli and the Coliform Bacteria. Bacteriological analytical manual [Monograph on the internet]. US Food and Drugs Administration.
- Francis-Floyed, R., Watson, C., Petty, D. & Pouder, D. B. (2012). *Ammonia In Aquatic Systems*. Fisheries and Aquatic Sciences Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences. University of Florida. Pp. 1-4.
- Fried, J. S., Brown, D. G., Zweifler, M. O. & Gold, M. A. (2000). Mapping contributing areas for storm water discharge to streams using terrain analysis. *Terrain Analysis: Principles and Applications*, 183-203. Retrieved from <http://cnrfiles.uwsp.edu/turyk/Database/Development/MJB/private/Thesis/JournalArticles/taweb1.pdf>.
- Furtado, J. I. & Mori, S. (Eds.). (2012). *Tasek Bera: the ecology of a freshwater swamp* (Vol. 47). Springer Science and Business Media. doi: 10.1007/978-94-009-7980-2
- Gadhia, M., Surana, R. & Ansari, E. (2013). Seasonal Variations in Physico-Chemical Characteristics of Tapi Estuary in Hazira Industrial Area. *Our Nature*, 10(1), 249-257. doi:10.3126/on.v10i1.7811
- Gangaiya, P., Tabudravu, J., South, R. & Sotheeswaran, S. (2001). Heavy metal contamination of the Lami coastal environment, Fiji. *South Pacific Journal of Natural Science*, 19, 24-29. doi: 10.1071/SP01005
- Gasim, M. B., Ismail, B. S., Rahim, S., Mir, S. I. & Tan, C. C. (2007). Hydrology and water quality assessment of the Tasik Chini's feeder rivers, Pahang Malaysia. *Am. Eurasian J. Agric. Environ. Sci.* 2, 39-47.
- Gasim, M. B., Toriman, M. E., Rahim, S. A., Islam, M. S., Choon Chek, T. & Juahir, H. (2006). Hydrology, water quality and land-use assessment of Tasik Chini's feeder rivers, Pahang, Malaysia. *Geografia: Malaysian Journal of Society and Space*, 2(1), 72-86. Retrieved from <http://journalarticle.ukm.my/1572/>

- Gasim, M. B., Sahibin, A. R., Shuhaimi-Othman, M. & Khoon, A. L. (2005). Degradation of Holistic value of the Tasik Chini watershed due to erosional process. *Proceedings of Second Regional Symposium on Environmental and Natural Resources*. Vol. 1, 22-23 March 2005, Pan Pacific Hotel, Kuala Lumpur, Malaysia. pp. 120-123.
- Gasim, M. B., Mushrifah, I., Shuhaimi-Othman, M., Idris, S. & Sahibin, A. R. (2004). Environmental Degradation of Tasik Chini, Pahang, Malaysia. *Proceedings of the International Workshop on Integrated Lake Management*, 19-21 August 2004, Songkhla, Thailand: 45-52.
- García, G. & Muñoz-Vera, A. (2015). Characterization and evolution of the sediments of a Mediterranean coastal lagoon located next to a former mining area. *Marine pollution bulletin*, 100(1), 249-263. doi: 10.1016/j.marpolbul.2015.08.042
- Gburek, W. J. & Folmar, G. J. (1999). Flow and chemical contributions to streamflow in an upland watershed: a baseflow survey. *Journal of Hydrology*, 217(1), 1-18. doi: 10.1016/S0022-1694(98)00282-0
- Gharibreza, M., Ashraf, M. A., Yousuf, I. & Raj, J. K. (2013). An Evaluation of Bera Lake (Malaysia) Sediment Contamination Using Sediment Quality Guidelines. *Journal of Chemistry*, Article ID 387035. doi:10.1155/2013/387035
- Giardino, C., Brando, V. E., Dekker, A. G., Strömbeck, N. & Candiani, G. (2007). Assessment of water quality in Lake Garda (Italy) using Hyperion. *Remote Sensing of Environment*, 109(2), 183-195. doi: 10.1016/j.rse.2006.12.017
- Ginn, B. K., Cumming, B. F. & Smol, J. P. (2007). Long-term lake acidification trends in high-and low-sulphate deposition regions from Nova Scotia, Canada. *Hydrobiologia*, 586(1), 261-275. doi:10.1007/s10750-007-0644-3
- Gippel, C. J. (1989). The use of turbidimeters in suspended sediment research. *Hydrobiologia*, (pp. 465-480). Springer Netherlands. doi: 10.1007/BF00026582
- Gobbett, D. J., Hutchison, C. S., & Burton, C. K. (1973). Geology of the Malay Peninsula. Retrieved from <http://trove.nla.gov.au/version/45222285>
- Goltman, H. L. (1975). *Physiological Limnology*. Amsterdam; Elsevier.
- Gyawali, S., Techato, K. & Yuangyai, C. (2012). Effects of industrial waste disposal on the surface water quality of U-tapao River, Thailand. In *International Conference on Environment Science and Engineering, International Proceedings of Chemical, Biological and Environmental Engineering*, Vol. 3, No. 2, pp. 109-113. Retrieved from <http://www.ipcbee.com/vol32/019-ICESE2012-D10030.pdf>.
- HACH. (2010). Data Sheet DR 500 UV-Vis Laboratory Spectrophotometer. Colorado, USA.
- Hakanson, L. (1980). An ecological risk index for aquatic pollution control. A sedimentological approach. *Water research*, 14(8), 975– 1001. doi:10.1016/0043-1354(80)90143-8

- Hamzah, A. & Hattasrul, Y. 2007. Water quality and bacterial study in Tasik Chini, Pahang. *In Proceedings of Taal2007: The 12th World Lake Conference*, Vol. 184, pp. 184–189.
- Harat, A., Rapantova, N., Grmela, A., & Adamczyk, Z. (2015). Impact of mining activities in the Upper Silesian coal basin on surface water and possibilities of its reduction. *J. of Ecol. Eng.* 16(3), 61-69. doi: 10.12911/22998993/2806
- Hegazi, M. M. A. (2011). Effect of chronic exposure to sublethal of ammonia concentrations on NADP+-dependent dehydrogenases of Nile tilapia liver. *Egypt J. Aquat Biol. Fish*, 15, 15-28. doi: 10.21608/EJABF.2011.2073
- Hem, J. D. (2002). *Study and Interpretation of the Chemical Characteristics of natural water* (3rd Ed.). United States geological survey, Washington.
- Ho, S. T., Tsai L. J. & Yu, K. C. (2003). Correlations among aqua- regia extractable heavy metals in vertical river sediments. Diffuse Pollution Conference, Dublin, 1, 12–18. Retrieved from www.ucd.ie/dipcon/docs/theme14/theme14_06.PDF.
- Horton, R. K. (1965). An index number system for rating water quality. *Water Pollution* 37 (3), 300-305.
- Howarth, R. W. & Marino, R. (2006). Nitrogen as the limiting nutrient for eutrophication in coastal marine ecosystems: evolving views over three decades. *Limnology and Oceanography*, 51(1part2), 364-376. doi: 10.4319/lo.2006.51.1_part_2.0364
- Hubbard, R. K., Newton, G. L. & Hill, G. M. (2004). Water quality and the grazing animal. *J. of Animal Sci.* 82(13_suppl), E255-E263. doi: 10.2527/2004.8213_supplE255x
- Ibanez, J. G., Hernandez-Esparza, M., Doria-Serrano, C., Fregoso-Infante, A. & Singh, M. M. (2008). Dissolved oxygen in water. *J. Environmental Chemistry*, pp. 16-27. doi: 10.1007/978-0-387-49493-7_2
- Idris, M. A., Kolo, B. G., Garba, S. T. & Waziri, I. (2013). Pharmaceutical industrial effluent: heavy metal contamination of surface water in Minna, Niger State, Nigeria. *Bull. Environ. Pharm. Life Sci.* 2(3), 40-44. Retrieved from http://www.bepls.com/feb_2013/7.pdf.
- Ikem, A. & Adisa, S. (2011). Runoff effect on eutrophic lake water quality and heavy metal distribution in recent littoral sediment. *Chemosphere*, 82(2), 259-267. doi: 10.1016/j.chemosphere.2010.09.048
- Ikusima, I., Lim, R. P., & Furtado, J. I. (1982). Environmental conditions. In Tasek Bera (pp. 55-148). Springer Netherlands.
- Islam, M. S., Tusher, T. R., Mustafa, M. & Mahmud, S. (2013). Effects of solid waste and industrial effluents on water quality of Turag River at Konabari industrial area, Gazipur, Bangladesh. *Journal of Environmental Science and Natural Resources*, 5(2), 213-218. doi: 10.3329/jesnr.v5i2.14817

- Islam, M. S., Khan, S. & Tanaka, M. (2004). Waste loading in shrimp and fish processing effluents: potential source of hazards to the coastal and nearshore environments. *Marine Pollution Bulletin*, 49(1), 103-110. doi: 10.1016/j.marpolbul.2004.01.018
- Jabatan Alam Sekitar. (1999). 20 years of environmental management excellence in Malaysia (1975-1995). Kuala Lumpur: Ministry of Science, Technology & Environment, Malaysia.
- Jabatan Perikanan. (1985). Kedah Water Analysis, Fisheries Handbook. Department of Fisheries, Ministry of Agriculture, Malaysia. 1 (85): 1-16.
- Järup, L. (2003). Hazards of heavy metal contamination. *British medical bulletin*, 68(1), 167-182. doi: 10.1093/bmb/ldg032
- Jayaprakash, M., Nagarajan, R., Velmurugan, P. M., Sathiyamoorthy, J., Krishnamurthy, R. R. & Urban, B. (2012). Assessment of trace metal contamination in a historical freshwater canal (Buckingham Canal), Chennai, India. *Environmental Monitoring and Assessment*, 184(12), 7407-7424. doi: 10.1007/s10661-011-2509-5
- Johannes, R. E. & Betzer, S. B. (1975). Introduction: Marine Communities Respond Differently to Pollution in the Tropics than at Higher Latitudes. Elsevier Oceanography Series, 12, 1-12. doi: 10.1016/S0422-9894(08)71106-1
- Johnson, D. L., Ambrose, S. H., Bassett, T. J., Bowen, M. L., Crummey, D. E., Isaacson, J. S... & Winter-Nelson, A. E. (1997). Meanings of environmental terms. *Journal of environmental quality*, 26(3), 581-589. doi: 10.2134/jeq1997.00472425002600030002x
- Johri, N., Jacquillet, G. & Unwin, R. (2010). Heavy metal poisoning: the effects of cadmium on the kidney. *Biometals*, 23(5), 783-792. doi: 10.1007/s10534-010-9328-y
- Kalnay, E. & Cai, M. (2003). Impact of urbanization and land-use change on climate. *Nature*, 423(6939), 528-531. doi: 10.1038/nature01675
- Kamil, M. Y., Zawati, M. P. & Rashid, A. H. (2002). Relationship between suspended solid and turbidity in forested catchment. *Proceedings of Malaysian Society of Soil Science Conference*. UPM, Serdang, Selangor, Malaysia. 87-89.
- Kannel, P. R., Lee, S., Lee, Y. S., Kanel, S. R. & Khan, S. P. (2007). Application of water quality indices and dissolved oxygen as indicators for river water classification and urban impact assessment. *Environmental Monitoring and Assessment*, 132(1-3), 93-110. doi: 10.1007/s10661-006-9505-1
- Kanu, I. & Achi, O. K. (2011). Industrial effluents and their impact on water quality of receiving rivers in Nigeria. *J. of Applied Tech. in Environ. Sanitation*, 1(1), 75-86. Retrieved from <http://trisanita.org/jates/atespaper2011/ates08v1n1y2011.pdf>
- Kabata-Pendias, A. & Pendias, H. (2001). *Trace elements in soils and plants* (3rd ed.). Boca Raton, FL: CRC Press

- Kilic, S., Evrendilek, F., Berberoglu, S. & Demirkesen, A. C. (2006). Environmental monitoring of land-use and land-cover changes in a Mediterranean region of Turkey. *Environmental Monitoring and Assessment*, 114(1-3), 157-168. doi: 10.1007/s10661-006-2525-z
- Kingston, H. M. & Jassie, L. B. (1988). Introduction to microwave sample preparation: theory and practice. *American Chemical Society*. doi: 10.1021/ac00196a747
- Klapproth, J. C. & Johnson, J. E. (2009). Understanding the science behind riparian forest buffers: effects on water quality. Virginia State University. Retrieved from <http://pubs.ext.vt.edu/420/420-155/420-155.html>
- Kosnett, M. J. (2009). Health effects of low dose lead exposure in adults and children, and preventable risk posed by the consumption of game meat harvested with lead ammunition. Ingestion of Lead from Spent Ammunition: Implications for Wildlife and Humans. The Peregrine Fund, Boise, Idaho, 24-33.
- Kotadiya, N. G Achrya, C. A., Radadia, B. B. & Solanki H. A. (2013). Determination of land suitability of rural freshwater body in Qhuma village district Ahmedabad, Gujarat. *Life Sciences Leaflets* 2, 68-67.
- Krishnankutty, N., Idris, M., Hamzah, F. M. & Vijayan, N. (2016). Geochemical speciation and risk assessment of heavy metals in the surface sediments of Jemberau Lake, Tasik Chini, Malaysia. In Ibrahim, K., Badri, K. H., Jumali, M. H. H., Noorani, M. S. M., Ibrahim, N., Rasol, N. H. A. and Yaacob, W. Z. W. (Eds.), *AIP Conference Proceedings* (Vol. 1784, No. 1, p. 060023). AIP Publishing.
- Lai, F. S. & Jalil, A. N. (1988). Some Stream Water Quality Characteristics of Two Small Logged Over Watersheds in Selangor. *Pertanika*, 11(3), 461-468. Retrieved from <http://psasir.upm.edu.my/2687/>
- Lal, R. (2004). Soil carbon sequestration impacts on global climate change and food security. *Science*, 304(5677), 1623-1627. doi: 10.1126/science.1097396
- Lamers, L. P., Tomassen, H. B. & Roelofs, J. G. (1998). Sulfate-induced eutrophication and phytotoxicity in freshwater wetlands. *Environmental Science and Technology*, 32(2), 199-205. doi: 10.1021/es970362f
- Latif, M. T., Ngah, S. A., Dominick, D., Razak, I. S., Guo, X., Srithawirat, T. & Mushrifah, I. (2015). Composition and source apportionment of dust fall around a natural lake. *J. of Environ. Sci.* 33, 143–155. doi: 10.1016/j.jes.2015.02.002
- Leong, T. (2016, March 18). Malaysia heatwave set to last till April. *The Straits Times*. Retrieved from <http://www.straitstimes.com/asia/se-asia/malaysia-heatwave-set-to-last-till-april>
- Lewis, J. & Eads, R. (2001). Turbidity threshold sampling for suspended sediment load estimation. *Proceedings of the Seventh Federal Interagency Sedimentation Conference*, March 25 to 29, 2001, Reno, Nevada. Retrieved from <https://www.fs.usda.gov/treearch/pubs/7818>

- Lewis, J. (1996). Turbidity-controlled suspended sediment sampling for runoff-event load estimation. *Water Resources Research*, 32(7), 2299-2310. doi: 10.1029/96WR00991
- Li, S., Liu, W., Gu S., Cheng X., Xu Z. & Zhang Q. (2009). Spatio-temporal dynamics of nutrients in the upper Han River basin, China. *Journal of Hazardous Materials*, 162(2/3), 1340-1346. doi: 10.1016/j.jhazmat.2008.06.059
- Lim, E. C. & Shuhaimi-Othman, M. (2005). Water quality study in Tasik Chini, Pahang. *Proceedings of Second Regional Symposium on Environment and Natural Resources 1*, 22-23 March, 2005, Pan Pacific Hotel, Kuala Lumpur, Malaysia. 241-245.
- Ling, J. K. B. (2010). Water quality study and its relationship with high tide and low tide at Kuantan River. Research project. Faculty of Civil Engineering and Earth Resources, University Malaysia Pahang. Retrieved from <http://umpir.ump.edu.my/2449/>
- Liu, C., & Zhang, K. (2013). Industrial ecology and water utilization of the marine chemical industry: A case study of Hai Hua Group (HHG), China. *Resources, Conservation and Recycling*, 70, 78-85. doi: 10.1016/j.resconrec.2012.09.011
- Lopez, C. & Dates, G. (2009). The efforts of community volunteers in assessing watershed ecosystem health. RAPPART, D.; COSTANZA, R.; EPSTEIN, P, 103-128.
- Losco, A., Nannan, C., Asare, E., Kylmäaho, J., Gilard, M. & Lampinen, P. (2012). *River-based ecosystem services in the city: An economic point of view*. HENVI Workshop 2012; Ecosystem services in urban areas. Retrieved from http://www.helsinki.fi/henvi/teaching/Reports_12/03_HENVI_Workshop_2012.pdf
- MacDonald, D. D., Ingersoll, C. G. & Berger, T. A. (2000). Development and evaluation of consensus-based sediment quality guidelines for freshwater ecosystems. *Archives of Environmental Contamination and Toxicology*, 39(1), 20-31. doi: 10.1007/s002440010075
- Mallya, Y. J. (2007). *The effects of dissolved oxygen on fish growth in aquaculture*. The United Nations University fisheries training programmer, Final project, pp30. Retrieved from www.unuftp.is/static/fellows/document/yovita07prf.pdf
- Manheim F. T. & Commeau, J. A. (1981). *Chemical analyses (trace metals)*, in: L. J. Poppe (Ed.), Data File Atlantic Margin Coring Project (AMCOR): U. S. Geological Survey Open File Report, 81- 239, pp. 44-51.
- Mayer, B. (2005). *Assessing sources and transformations of sulphate and nitrate in the hydrosphere using isotope techniques*. (pp. 67-89). Springer: Netherlands. doi: 10.1007/1-4020-3023-1_6

- McCalley, D. V., Cookie, M. & Nickless, G. (1981). Effect of sewage treatment on faecal sterols. *Water Research*, 15, 1019-1025. doi: 10.1016/0043-1354(81)90211-6
- McCalley, D. V., Cookie, M. & Nickless, G. (1980). Coprostanol in seven Estuary sediments. .” *Bull. Environmental Contamination and Toxicology*.,25: 374-381. Retrieved from <https://link.springer.com/content/pdf/10.1007/BF01985541.pdf>
- Michaud, J. P. (1991). A Citizen's Guide to Understanding and Monitoring Lakes and Streams. Envirovision-Environmental Consulting Service. Retrieved from <https://fortress.wa.gov/ecy/publications/documents/94149.pdf>.
- Milovanovic, M. (2007). Water quality assessment and determination of pollution sources along the Axios/Vardar River, Southeastern Europe. *Desalination*, 213(1), 159-173. doi: 10.1016/j.desal.2006.06.022
- MNS. (1999). A survey of vegetation and avifauna of Chini. In: Masakorala, K., Turner, A., Brown, M.T. (Eds.), Malaysian Nature Society, Kuala Lumpur.
- Mophin-Kani, K. & Murugesan, A. G. (2011).Evaluation and classification of water quality of Perennial River Tamirabarani through aggregation of water quality index. *International Journal of Environmental Protection*, 1(5), 24-33. doi: 10.5963/IJEP0105004
- Morrice, J. A., Danz, N. P., Regal, R. R., Kelly, J. R., Niemi, G. J., Reavie, E. D... & Peterson, G. S. (2008). Human influences on water quality in Great Lakes coastal wetlands. *Environmental Management*, 41(3), 347-357. doi: 10.1007/s00267-007-9055-5
- Moss, B. (2010). *Ecology of fresh waters: a view for the twenty-first century*. John Wiley and Sons. Retrieved from <http://as.wiley.com/WileyCDA/WileyTitle/productCd-1405113324.html>
- Moss, B. R. (2009). *Ecology of fresh waters: man and medium, past to future*. John Wiley and Sons. Retrieved from <http://as.wiley.com/WileyCDA/WileyTitle/productCd-1444313428.html>
- Muller, G. (1981). The heavy metals pollution of sediments of Neckars and its tributary: stocktaking. *Zeitung*. 105: 157–164.
- Murphy, S. (2007). General information on solids. City of Boulder/USGS Water monitoring, BASIN. Retrieved from <http://bcn.boulder.co.us/basin/data/NEW/info/TSS.html>
- Mushrifah, I. & Ahmad, A. K. (2005). Trends of physical–chemical water quality in Chini Lake. *Natural Resources of Chini Lake*, 20-29.
- Mustapha, A. & Abdu, A. (2012). Application of principal component analysis and multiple regression models in surface water quality assessment. *Journal of Environment and Earth Science*, 2(2), 16-23. Retrieved from <http://www.iiste.org/Journals/index.php/JEES/article/view/1516>

- Myers, D. N., Donald, M., Stoeckel, Rebecca, N., Bushon, Donna, S., Francy & Amy M. G. (2016). Field measurements: U.S. Geological Survey Techniques of Water-Resources Investigations, book 9, Chap. A6, and Section 7.1 2007, USGS. Retrieved from <http://pubs.water.usgs.gov/twri9A6/>.
- Naddeo, V., Scannapieco, D., Zarra, T. & Belgiorno, V. (2013). River water quality assessment: Implementation of non-parametric tests for sampling frequency optimization. *Land Use Policy*, 30(1), 197-205. doi: doi.org/10.1016/j.landusepol.2012.03.013
- Ngoye, E. & Machiwa, J. F. (2004). The influence of land-use patterns in the Ruvu river watershed on water quality in the river system. *Physics and Chemistry of the Earth, Parts A/B/C*, 29(15), 1161-1166. doi: 10.1016/j.pce.2004.09.002
- Noble R. T., Fuhrman J. A. (2001) *Enteroviruses detected by reverse transcriptase polymerase chain reaction from the coastal waters of Santa Monica Bay, California: low correlation to bacterial indicator levels*. Springer: Dordrecht. doi: 10.1007/978-94-017-3284-0_16
- Offiong, O. E. & Edet, A. E. (1998). Water quality assessment in Akpabuyo, Cross River basin, South-Eastern Nigeria. *Environmental Geology*, 34(2-3), 167-174. doi: 10.1007/s002540050268
- Outola, I., Inn, K., Ford, R., Markham, S. & Outola, P. (2009). Optimizing standard sequential extraction protocol with lake and ocean sediments. *J. Radioanal. Nucl. Chem.* 282(2), 321-327. doi: 10.1007/s10967-009-0183-7
- Pachepsky, Y. A. & Shelton, D. R. (2011). Escherichia Coli and fecal coliforms in freshwater and estuarine sediments. *Critical Reviews in Environmental Science and Technology*, 41: 1067-1110. doi: 10.1080/10643380903392718
- Pavlov, D., De Wet, C. M. E., Grabow, W. C. K. & Ehlers, M. M. (2004). Potentially pathogenic features of heterotrophic plate count bacteria isolated from treated and untreated drinking water. *International Journal of Food Microbiology*, 92: 275-287. doi: 10.1016/j.ijfoodmicro.2003.08.018
- Paytan, A. & McLaughlin, K. (2007). The oceanic phosphorus cycle. *Chemical Reviews*, 107(2), 563-576. doi: 10.1021/cr0503613
- Pejman, A. H., Bidhendi, G. N., Karbassi, A. R., Mehrdadi, N. & Bidhendi, M. E. (2009). Evaluation of spatial and seasonal variations in surface water quality using multivariate statistical techniques. *International Journal of Environmental Science and Technology*, 6(3), 467-476.
- Pescim, G. F., Marrach, G., Vannuci-Silva, M., Souza, L. A. & Menegario, A. A. (2012). Speciation of lead in seawater and river water by using *Saccharomyces cerevisiae* immobilized in agarose gel as a binding agent in the diffusive gradients in thin films technique. *Analytical and Bioanalytical Chemistry*, 404(5), 1581-1588. doi: 10.1007/s00216-012-6248-4
- Petts, G. E. (1984). *Impounded Rive: Perspective for ecological management*. New York: John Willey and Sons.

- Pinto, U., Maheshwari, B. L. & Ollerton, R. L. (2013). Analysis of long-term water quality for effective river health monitoring in peri-urban landscapes—a case study of the Hawkesbury–Nepean river system in NSW Australia. *Environ. Monit. Assess.* 185, 4551–4569. doi: 10.1007/s10661-012-2888-2
- Poonam, T., Tanushree, B. & Sukalyan, C. (2013). Water quality indices- important tools for water quality assessment: a review. *Advances in Chemistry (IJAC)* 1 (1). Retrieved from <https://www.aircse.com/ijac/papers/1115ijac02.pdf>
- Pörtner, H. O. (2010). Oxygen-and capacity-limitation of thermal tolerance: a matrix for integrating climate-related stressor effects in marine ecosystems. *Journal of Experimental Biology*, 213(6), 881-893. doi: 10.1242/jeb.037523
- Prasher, D. (2009). Heavy metals and noise exposure: health effects. *Noise and Health*, 11(44), 141. doi:10.4103/1463-1741.53358
- Praveena, S. M., Kwan, O. W. & Aris, A. Z. (2012). Effect of data pre-treatment procedures on principal component analysis: a case study for mangrove surface sediment datasets. *Environmental monitoring and assessment*, 184(11), 6855-6868. doi: 10.1007/s10661-011-2463-2
- Ramola, B. & Singh, A. (2013). Heavy metal concentrations in pharmaceutical effluents of Industrial Area of Dehradun (Uttarakhand), India. *Journal of Environmental and Analytical Toxicology*, 2013. doi: 10.4172/2161-0525.1000173
- Rayment, G. E., & Higginson, F. R. (1992). Australian laboratory handbook of soil and water chemical methods. Inkata Press Pty Ltd. Retrieved from <http://trove.nla.gov.au/version/45465694>
- Razak, I. S., Tan, Z. Z., Nor, Z. M., Wahid, N. B. A., Mushrifah, I. & Latif, M. T. (2013). Correlation between surfactants and heavy metals in a natural lake. *Environmental Forensics*. 14(1), 59-68. doi: 10.1080/15275922.2012.729004
- Reddy, K. Y., Maddirala, P., Vamshigoud, R., Reddy, S. N., Krishna, S. & Mamatha, M. (2011). Analytical study and microorganisms present in rain water of different areas. *International Journal of Environmental Sciences*, 2(1), 194. Retrieved from <https://goo.gl/mwGRJb>
- Reed, L. A. (1980). Suspended-sediment discharge in five streams near Harrisburg, Pennsylvania, before, during, and after highway construction (No. 2072). US Govt. Printing Office. Retrieved from <https://goo.gl/Q3Whht>
- Reza, I. & Rahman, R. (2005). Removal of heavy metals from contaminated soil. Unpublished B.Sc. Engineering Thesis, Civil and Environmental Engineering, Shahjalal University of Science and technology, Sylhet, Bangladesh.
- Rompré, A., Servais, P., Baudart, J., de-Roubin, M. R. & Laurent, P. (2001). Detection and enumeration of coliforms in drinking water: current methods and emerging approaches. *J. Microbiol. Methods*, 49:31–54. doi: 10.1016/S0167-7012(01)00351-7

- Salih, N. M., Khwakaram, A. I & Hama N. Y. (2012). Determination of Water Quality Index (WQI) for Qalyasan stream in Sulaimani city/Kurdistan region of Iraq. *Plant, Animal and Environmental Sciences*, 2:148-157. Retrieved from <http://www.ijpaes.com/details.php?article=248>
- Sankaramakrishnan, N. & Guo, Q. (2005). Chemical tracers as indicator of human faecal coliforms at storm water outfalls. *Journal of Environmental International*, 31: 1133-1140. doi: 10.1016/j.envint.2005.04.002
- Satheeshkumar, P. & Khan, A. B. (2012). Identification of mangrove water quality by multivariate statistical analysis methods in Pondicherry coast, India. *Environ. Monit. Assess.* 184(6), 3761-3774. doi: 10.1007/s10661-011-2222-4
- Schulte, E. E., & Hopkins, B. G. (1996). Estimation of soil organic matter by weight loss-on-ignition. *Soil organic matter: analysis and interpretation*, (soilorganicmatt), 21-31.
- Shah, B. P. & Pant, B. R. (2013). Water Quality Assessment of Sirsiya River. *Nepal J. Sci. Technol.* 13(2), 141-146. doi.org/10.3126/njst.v13i2.7727
- Sharmin, S., Zakir, H. M. & Shikazono, N. (2009). Base metal pollution assessment in water and sediment of Nomi River, Tokyo, Japan. *Int. J. Appl. Environ. Sci.* 4(3), 303-326. Retrieved from <https://goo.gl/6PEyMU>
- Shuhaimi-Othman, M., Mushrifah, I., Lim, E. C. & Ahmad, A. (2008). Trend in metals variation in tasik chini, pahang, peninsular malaysia. *Environmental monitoring and assessment*, 143(1-3), 345-354. doi: 10.1007/s10661-007-9937-2
- Shuhaimi-Othman, M., Ahmad, A., Mushrifah, I. & Lim, E. C. (2007a). Seasonal influence on water quality and heavy metals concentration in Tasik Chini, Peninsular Malaysia. *In Proceedings of Taal 2007: The 12th World Lake Conference* (Vol. 300, p. 303). Retrieved from <https://goo.gl/3vCkSF>
- Shuhaimi-Othman, M., Lim, E. C. & Mushrifah, I. (2007b). Water quality changes in Chini Lake, Pahang, West Malaysia. *Environmental Monitoring and Assessment*, 131(1-3), 279-292. doi: 10.1007/s10661-006-9475-3
- Singare, P. U., Jagtap, A. G. & Lokhande, R. S. (2011). Water pollution by discharge effluents from Gove Industrial Area of Maharashtra, India: Dispersion of heavy metals and their Toxic effects. *International Journal of Global Environmental*, 11(1), 28-36. doi: 10.1504/IJGENVI.2011.040249
- Simpson, S. L., Batley, G. E., Hamilton, I. L. & Spadaro, D. A. (2011). Guidelines for copper in sediments with varying properties. *Chemosphere*, 85(9), 1487-1495. doi: 10.1016/j.chemosphere.2011.08.044
- Sliva, L. & Williams, D. D. (2001). Buffer zone versus whole catchment approaches to studying land use impact on river water quality. *Water Research*, 35(14), 3462-3472. doi: 10.1016/S0043-1354(01)00062-8
- Smith, G. E. (1990). *Agricultural Practices and Water Quality*. Iowa State: University Press, Iowa, USA.

- Sobahan, M. A., Islam, M. S. & Karim, M. A. (2015). Status and contamination level of the wastewater of Gebeng industrial estate, Pahang, Malaysia. *Bangladesh Journal of Botany*, 44(1), 103–110. doi: 10.3329/bjb.v44i1.22731
- Soballe, D. & Weiner, J. (1999). Water and sediment quality. In: Maher, M.M. and Madison, W. Ecological Status and Trends of the Upper Mississippi River System (UMSR) 1998, pp. 7-1 to 7-10. Wisconsin: U.S. Geological Survey.
- Storelli, M. M., Storelli, A., D'dabbo, R., Marano, C., Bruno, R. & Marcotrigiano, G. O. (2005). Trace elements in loggerhead turtles (*Caretta caretta*) from the eastern Mediterranean Sea: Overview and evaluation. *Environmental Pollution*, 135, 163–170. doi: 10.1016/j.envpol.2004.09.005
- Sujaul, I. M., Ismail, B. S. & Tayeb, M. A. (2016). Hydrology and sediment loading in a degrading natural lake system in Malaysia. *Environmental Earth Sciences*, 75(3), 1–7. doi: 10.1007/s12665-015-5006-2
- Sujaul, I. M., Ismail, B. S., Barzani, M. G., Sahibin, A. R. & Ekhwan, M. T. (2012). Hydrological assessment and water quality characteristics of Chini Lake, Pahang, Malaysia. *American-Eurasian J. Agril. Environ. Sci.* 12(6), 737-749. Retrieved from umpir.ump.edu.my/11993/
- Sujaul, I. M. (2008). *Land use changes and water quality assessment of the Tasik Chini Catchment* (Unpublished doctoral dissertation). LESTARI, Universiti Kebangsaan Malaysia.
- Sujitha, P. C., Dev, D. M., Sowmya, P. K. & Priya, R. (2011). Physico-chemical parameters of Karamana river water in Trivandrum district, Kerala, India. *Int. J. Environ. Sci.* 2(2), 472-490. Retrieved from <https://goo.gl/gwWCR5>
- Sultan, K. & Shazili, N. A. (2009). Distribution and geochemical baselines of major, minor and trace elements in tropical topsoils of the Terengganu River basin, Malaysia. *Journal of Geochemical Exploration*, 103(2), 57-68. doi: 10.1016/j.gexplo.2009.07.001
- SWRCB. (2003). The section 303 (d) List of Water Quality Limited Segments. California: USA. State Water Resources Control Board.
- Syukor, A., Zularisam, A. B. W., Idris, Z., Ismid, M. M., Suryati, S. S. M. & Hasmanie, A. H. (2013). Treatment of industrial wastewater at Gebeng area using *Eichornia Crassipes* Sp.(Water Hyacinth), *Pistia Stratiotes* Sp.(Water Lettuce) and *Salvinia Molesta* Sp.(Giant Salvinia). *Advances in Environmental Biology*, 7(12), 3802-3808. Retrieved from <http://umpir.ump.edu.my/1341/>
- Tan, S. L. (2007). Analysis and assessment of sediment quality in a typical Malaysian River.
- Thakor, F. J., Bhoi, D. K., Dabhi, H. R., Pandya, S. N. & Chauhan, N. B. (2011). Water Quality Index (I) of Pariyej Lake Dist. Kheda – Gujarat. *Current World Environment*, 6, 225- 231. Retrieved from <http://www.cwejournal.org/?p=243>

- Theron, A. J., Tintinger, G. R. & Anderson, R. (2013). Harmful Interactions of Non-Essential Heavy Metals with Cells of the Innate Immune System. *J. Clinical Toxicology*, *S3*:005. doi:10.4172/2161-0495.S3-005
- Tessier, A., Campbell, P. G. & Bisson, M. (1979). Sequential extraction procedure for the speciation of particulate trace metals. *Anal. Chem.* *51*(7), 844-851. doi: 10.1021/ac50043a017
- Tirado, R. & Allsopp, M. (2012). Phosphorus in agriculture: problems and solutions. Greenpeace Research Laboratories Technical Report, 6. Retrieved from <https://goo.gl/kwCXdo>
- Tomlinson, D. L., Wilson, J. G., Harris, C. R., & Jeffrey, D. W. (1980). Problems in the assessment of heavy-metal levels in estuaries and the formation of a pollution index. *Helgoländer Meeresuntersuchungen*, *33*(1), 566. doi: 10.1007/BF02414780
- Tong, S. T. & Chen, W. (2002). Modeling the relationship between land use and surface water quality. *J. Environ. Management*, *66*(4), 377-393. doi: 10.1006/jema.2002.0593
- Tyagi, S., Sharma, B., Singh, P. & Dobhal, R. (2013). Water quality assessment in terms of water quality index. *American Journal of Water Resources*, *1*(3), 34-38. Doi: 10.12691/ajwr-1-3-3
- UN. (2013). *Water Scarcity factsheet*. United Nations Water. Retrieved from <http://www.unwater.org/publications/publications-detail/en/c/204294/>.
- UNEP. (2013). *Embedding the environment in sustainable development goals*. Discussion Paper 1. UNEP Post-2015. United Nations Environment Programs. Nairobi.
- UNESCO. (2014). *Man and biosphere programme for 26th meeting of international coordinating council*. United Nation Educational, Scientific and Cultural Organization. Country Report for Malaysia, 10 – 13 June 2014, Jonkoping, Sweden
- USEPA. (2001). *Update of Ambient Water Quality Criteria for Cadmium*. US Environmental Protection Agency. Washington D.C.
- USEPA. (1996). *The National Sediment Quality Guideline: A report to congress on the extent and severity of sediment contamination in surface waters of United States*: U.S. Environmental Protection Agency, Office of Science and Technology, Washington D.C., Report No. EPA-823-D-96-002.
- USEPA. (1986). *Quality criteria for water*. US Environmental Protection Agency. Washington D.C.
- Uzarski, D. G., Burton, T. M. & Genet, J. A. (2004). Validation and performance of an invertebrate index of biotic integrity for Lakes Huron and Michigan fringing wetlands during a period of lake level decline. *Aquatic Ecosystem Health and Management*, *7*(2), 269-288. doi: 10.1080/14634980490461498

- Varol, M. & Şen, B. (2012). Assessment of nutrient and heavy metal contamination in surface water and sediments of the upper Tigris River, Turkey. *Catena*, 92, 1-10. doi: 10.1016/j.catena.2011.11.011
- Viñas, L., Franco, M. A., Soriano, J. A., González, J. J., Pon, J. & Albaigés, J. (2010). Sources and distribution of polycyclic aromatic hydrocarbons in sediments from the Spanish northern continental shelf. Assessment of spatial and temporal trends. *Environ. Pollut.* 158(5), 1551-1560. doi: 10.1016/j.envpol.2009.12.023
- Vivian, C.M.G. (1986). Tracers of sewage sludge in marine environment: A review. *Sci. Total Environ.* 53: 5-10. doi: 10.1016/0048-9697(86)90091-4
- Walakira, P. & Okot-Okumu, J. (2011). Impact of industrial effluents on water quality of streams in Nakawa-Ntinda, Uganda. *J. Applied Sci. Environ. Manage.* 15(2). Retrieved from <https://goo.gl/1j8MFr>
- Wang, C., Liu, S., Zhao, Q., Deng, L. & Dong, S. (2012). Spatial variation and contamination assessment of heavy metals in sediments in the Manwan Reservoir, Lancang River. *Ecotoxicol. Environ. Saf.* 82, 32-39. doi: 10.1016/j.ecoenv.2012.05.006
- Watkins, K. & Berntell, A. (2006, August 23). A global problem: How to avoid war over water. *International Herald Tribune*. Retrieved from <https://goo.gl/eyscEU>
- Webb, A. A. & Haywood, A. (2005). Impact of mitigated forestry activities on turbidity: Assessing the effect of improved harvesting practices. *Water-Melbourne Then Artarmon-*, 32(8), 76. Retrieved from <https://goo.gl/at8jt4>
- Wetland International Asia Pacific. (1998). The ecological assessment of Chini Lake, Pahang, Peninsular Malaysia: an evaluation of its conservation value and environmental improvement requirements. Kuala Lumpur: WIAP.
- Wetzel, R. G. (2001). *Limnology: Lake and River Ecosystems*. 3rd Edition, Academic Press, San Diego, CA. Retrieved from <https://goo.gl/CCGxJf>
- WHO. (2012). *Fact sheet: Environmental health*. World Health organization, Geneva. Retrieved from <http://www.who.int/mediacentre/factsheets/fs372/en/>
- WHO. (2008). *Guidelines for drinking-water quality incorporating 1st and 2nd addenda*, Volume1, Recommendations. 3rd ed.
- WHO. (2004). *Guidelines for drinking-water quality — Recommendations*. World Health Organization, ed. Geneva, Switzerland.
- WHO. (2001). *Water Quality guidelines, standards and health indicators of microbial water quality*. World Health Organization. Geneva, Switzerland.
- WHO. (1996). *Guidelines for drinking water quality*. 2nd Ed. Health criteria and other supporting information, volume 2. World Health Organization. Geneva, Switzerland.

- WHO. (1984). *Guidelines for drinking-water quality (I)*. Health Criteria and other Supporting Information World Health Organization. Geneva, Switzerland.
- Wüst, R. A., Bustin, R. M. & Lavkulich, L. M. (2003). New classification systems for tropical organic-rich deposits based on studies of the Tasek Bera Basin, Malaysia. *Catena*, 53(2), 133-163. doi: 10.1016/S0341-8162(03)00022-5
- Wutor, V. C., Togo, C. A. & Pletschke, B. I. (2009). Suitability of total coliform β -D-galactosidase activity and CFU counts in monitoring faecal contamination of environmental water samples. *Water SA*, 35: 85–88. Retrieved from <https://goo.gl/P9iE9e>
- Xu, F. L. (2005). Application of ecological and thermodynamic indicators for the assessment of lake ecosystem health. In *Handbook of Ecological Indicators for Assessment of Ecosystem Health*. 1st edition. CRC Press New York, USA. Retrieved from <https://goo.gl/zQm5cQ>
- Yisa, J. & Jimoh, T. (2010). Analytical studies on water quality index of river Landzu. *American Journal of Applied Sciences*, 7(4), 453-457. Retrieved from <https://goo.gl/sFF8YQ>
- Yusuf, M. A. (2001). *River water quality and ecosystem health in Langat Basin, Selangor, Malaysia* (Unpublished doctoral dissertation). Bangi: LESTARI, UKM.
- Zahir, F., Rizwi, S. J., Haq, S. K. & Khan, R. H. (2005). Low dose mercury toxicity and human health. *Environmental toxicology and pharmacology*, 20(2), 351-360. doi: 10.1016/j.etap.2005.03.007
- Zeng, Y. W. R., Kelly, S. V. & Panno, W. T. L. (2013). Identification of sources of faecal pollution of Karst Waters. Illinois state water survey. University of Illinois. Retrieved from <http://www.isws.illinois.edu/gws/fecalpolut.asp>
- Zulkifli, S. Z., Mohamat-Yusuff, F., Arai, T., Ismail, A. & Miyazaki, N. (2010). An assessment of selected trace elements in intertidal surface sediments collected from the Peninsular Malaysia. *Environmental Monitoring and Assessment*, 169(1-4), 457-472. doi: 10.1007/s10661-009-1189-x