



Stewart, J. P., Zimmaro, P., Lanzo, G., Mazzoni, S., Ausilio, E., Aversa, S., ... Tropeano, G. (2018). Reconnaissance of 2016 Central Italy Earthquake Sequence. Earthquake Spectra, 34(4), 1721-1737. https://doi.org/10.1193/080317EQS151M

Peer reviewed version

Link to published version (if available): 10.1193/080317EQS151M

Link to publication record in Explore Bristol Research PDF-document

This is the author accepted manuscript (AAM). The final published version (version of record) is available online via Allen Press at http://earthquakespectra.org/doi/abs/10.1193/080317EQS151M?= . Please refer to any applicable terms of use of the publisher.

University of Bristol - Explore Bristol Research General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available: http://www.bristol.ac.uk/pure/about/ebr-terms

1 Reconnaissance of 2016 Central Italy

Earthquake Sequence

- 3 Jonathan P. Stewart, M.EERI, Paolo Zimmaro, M.EERI, Giuseppe Lanzo, b)
- 4 Silvia Mazzoni, M.EERI, Ernesto Ausilio, Stefano Aversa, Francesca
- 5 Bozzoni, f) Roberto Cairo, d) Maria Chiara Capatti, g) Massimina Castiglia, h)
- 6 Filiberto Chiabrando, Anna Chiaradonna, Anna d'Onofrio, Shideh
- 7 Dashti,^{k)} Raffaele De Risi, ^{l)} Filomena de Silva,^{j)} Fernando della Pasqua,^{m)}
- 8 Francesca Dezi,ⁿ⁾ Alessandra Di Domenica,^{o)} Luigi Di Sarno,^{p)} Maria
- 9 Giovanna Durante, a) M.EERI, Emanuela Falcucci, q) Sebastiano Foti, r) Kevin
- 10 W. Franke, S Fabrizio Galadini, Silvia Giallini, Stefano Gori, Robert E.
- 11 Kayen, u) Tadahiro Kishida, c) Andrea Lingua, v) Bret Lingwall, w) Michele
- 12 Mucciacciaro, Palessandro Pagliaroli, Federico Passeri, Panagiotis
- 13 Pelekis, x) Alberto Pizzi, O) Brandon Reimschiissel, Antonio Santo, j) Filippo
- 14 Santucci de Magistris, ^{h)} Giuseppe Scasserra, ^{h)} Anastasios Sextos, ¹⁾ Stefania
- 15 Sica,^{p)} Francesco Silvestri,^{j)} Armando L. Simonelli,^{p)} Antonia Spanò, ⁱ⁾ Paolo
- 16 **Tommasi,** Giuseppe Tropeano^{y)}

^{a)} Department of Civil and Environmental Engineering, University of California Los Angeles, CA, USA

b) Dipartimento di Ingegneria Strutturale e Geotecnica, Sapienza Università di Roma, Italy

^{c)} Pacific Earthquake Engineering Research Center (PEER), University of California, Berkeley, CA, USA

d) Dipartimento di Ingegneria Civile, Università della Calabria, Italy

e) Dipartimento di Ingegneria, Università degli studi di Napoli Parthenope, Italy

f) European Centre for Training and Research in Earthquake Engineering (Eucentre), Italy

g) Dipartimento di Ingegneria Civile, Edile e Architettura, Università Politecnica delle Marche, Italy

h) Dipartimento di Bioscienze e Territorio, Università degli Studi del Molise, Italy

ⁱ⁾ Dipartimento di Architettura e Design, Politecnico di Torino, Italy

j) Dipartimento di Ingegneria Civile, Edile e Ambientale, Università degli Studi di Napoli Federico II, Italy

^{k)} Department of Civil, Environmental & Architectural Engineering, University of Colorado Boulder, CO, USA

¹⁾ Department of Civil Engineering, University of Bristol, UK

^{m)} GNS Science, New Zealand

ⁿ⁾ Università degli Studi della Repubblica di San Marino, Repubblica di San Marino

⁰⁾ Dipartimento di Ingegneria e Geologia, Università degli Studi di Chieti-Pescara, Italy

 $^{^{\}rm p)}$ Dipartimento di Ingegneria, Università degli Studi del Sannio, Italy

^{q)} Istituto Nazionale di Geofisica e Vulcanologia (INGV), Italy

^{r)} Dipartimento di Ingegneria Strutturale, Edile e Geotecnica, Politecnico di Torino, Italy

^{S)} Department of Civil and Environmental Engineering, Brigham Young University, UT, USA

^{t)} Istituto di Geologia Ambientale e Geoingegneria (IGAG), CNR, Italy

^{u)} United States Geological Survey (USGS), USA

v) Dipartimento dell'Ambiente, del Territorio e delle Infrastrutture, Politecnico di Torino, Italy

w) Department of Civil and Environmental Engineering, South Dakota School of Mines & Technology, SD, USA

x) Department of Civil Engineering Educators, School of Pedagogical and Technological Education, Greece

^{y)} Dipartimento di Ingegneria Civile, Ambientale e Architettura, Università di Cagliari, Italy

Abstract: The Central Italy earthquake sequence nominally began on 24 August 2016 with a M6.1 event on a normal fault that produced devastating effects in the town of Amatrice and several nearby villages and hamlets. A major international response was undertaken to record the effects of this disaster, including surface faulting, ground motions, landslides, and damage patterns to structures. This work targeted the development of high-value case histories useful to future research. Subsequent events in October 2016 exacerbated the damage in previously affected areas and caused damage to new areas in the north, particularly the relatively large town of Norcia. Additional reconnaissance after a M6.5 event on 30 October 2016 documented and mapped several large landslide features and increased damage states for structures in villages and hamlets throughout the region. This paper provides an overview of the reconnaissance activities undertaken to document and map these and other effects, and highlights valuable lessons learned regarding faulting and ground motions, engineering effects, and emergency response to this disaster.

INTRODUCTION

Between August and November 2016, three major earthquake events occurred in Central Italy.
The first event (M6.1) occurred on 24 August 2016, the second (M5.9) on 26 October, and the third (M6.5) on 30 October 2016. Each event was followed by numerous aftershocks, some exceeding M5.

As shown in Figure 1, this earthquake sequence occurred in a gap between two earlier damaging events, the 1997 M6.1 Umbria-Marche earthquake to the north-west and the 2009 M6.1 L'Aquila earthquake to the south-east. This gap had been previously recognized as a zone of elevated risk (GdL INGV sul terremoto di Amatrice, 2016). These events occurred along the spine of the Apennine Mountain range on normal faults and had rake angles ranging from -80 to -100 deg. Each of these events produced substantial damage to local towns and villages. The 24 August event caused heavy damage to the villages of Arquata del Tronto, Accumoli, Amatrice, and Pescara del Tronto. In total, there were 299 fatalities, generally from collapses of unreinforced masonry dwellings. The October events caused significant new damage in the villages of Visso, Ussita, and Norcia, and almost complete destruction of the villages of Arquata del Tronto, Accumoli, Amatrice, and Pescara del Tronto. The October

events did not produce fatalities, since the area had largely been evacuated and the tourist season had ended.




Figure 1. Map of central Italy showing moment tensors of major earthquakes since 1997 and the intermediate gap areas. Finite fault models for 1997 Umbria-Marche and 2009 L'Aquila are from Chiaraluce et al. (2004) and Piatanesi and Cirella (2009). Finite fault models for central Italy events are from Galadini et al. (201x, this issue).

As described in the next section, the post-event reconnaissance involved two teams working in a coordinated manner. The first and largest team, with whom most of the authors of this paper were associated, was organized under the auspices of the Geotechnical Extreme Events Reconnaissance (GEER) association, which is funded by the United States (US) National Science Foundation (NSF). We conducted major reconnaissance activities in collaboration with many partnering organizations in Italy and elsewhere, with a focus on the

scientific and engineering aspects of the events. The second team was organized by the
Earthquake Engineering Research Institute (EERI), under the leadership of co-author S.
Mazzoni, which worked with several Italian partnering organizations. The EERI team also
documented structural damage, although their principal focus was emergency-response and
medium and long-term recovery and reconstruction efforts, from a societal-resiliency
perspective.

68

69

70

71

72

73

74

90

91

92

This paper describes the organization and objectives of the reconnaissance work and highlights some of the most significant findings, which are explained in more detail in other papers within this issue. Those papers have been prepared to document what we believe to be the most significant findings of the reconnaissance by the GEER and EERI teams. More information about the seismological and engineering aspects of the events are available in two detailed reports (GEER, 2016, 2017).

RECONNAISSANCE ACTIVITIES

75 The NSF-funded Geotechnical Extreme Events Reconnaissance (GEER) association, with co-76 funding from the B. John Garrick Institute for the Risk Sciences at the University of California, 77 Los Angeles and the NSF Industry-University Cooperative Research Centers Program (NSF 78 IUCRC) Center for Unmanned Aircraft Systems (C-UAS) at Brigham Young University 79 (BYU), mobilized the US-based team to the area in two main phases: (1) following the 24 80 August event, from early September to early October 2016, and (2) following the October 81 events, between the end of November and the beginning of December 2016. The US team 82 worked in close collaboration with Italian researchers organized under the auspices of the 83 Italian Geotechnical Society, the Italian Center for Seismic Microzonation and its Applications, 84 the Consortium of the Laboratories University Network of seismic engineering (ReLUIS), 85 which is a Center of Competence of Department of Civil Protection, and the DIsaster 86 RECovery Team of Politecnico di Torino. The objective of our Italy-US GEER team was to 87 collect and document perishable data. This work included the traditional GEER responsibilities 88 for documenting geological, seismological, and geotechnical effects, as well as documenting 89 the performance of buildings, bridges, and other structures.

The Italy-US GEER team was multi-disciplinary, with expertise in geology, seismology, geomatics, geotechnical engineering, and structural engineering. Our approach was to combine traditional reconnaissance activities of on-ground recording and mapping of field conditions

with advanced imaging and damage detection routines. The three-dimensional (3D) imaging was performed using UAVs (Unmanned Aerial Vehicles) and has produced three-dimensional models of landslide features, surface faulting, and structural damage patterns. Links to the 3D models resulting from this work are available at the <u>GEER</u> and <u>BYU-PRISM</u> web sites (both last accessed July 2017).

The Earthquake Engineering Research Institute (EERI) undertook additional reconnaissance of the events, in coordination with the GEER team and in collaboration with the European Centre for Training and Research in Earthquake Engineering (EUCENTRE) in Pavia and the ReLuis consortium. They visited the area in October 2016 and again in May 2017. The EERI team focused on emergency response and recovery, in combination with documenting the effectiveness of public policies related to seismic retrofit. The EERI team visited numerous short and long-term temporary-housing sites, ranging from short-term temporary tent camps (Tendopoli) to locations where the ground was being prepared for long-term (5-10 yr) temporary homes, to long-term housing locations where people had been living for a month, to L'Aquila, where these residences had been in use for over 5 years.

Both the GEER and EERI reconnaissance teams required access to heavily damaged "Red Zones," which was facilitated by coordination on the part of EUCENTRE and ReLuis with the Italian government for the assessment of buildings and infrastructure. In particular, we worked closely with the Italian Department of Civil Protection to gain (in some cases escorted) access to these restricted areas. This level of coordination and cooperation was essential to the reconnaissance effort.

OVERVIEW OF MAJOR FINDINGS

SEISMOLOGY AND ENGINEERING

The initial objective of the GEER team was reconnaissance related to ground failures (surface fault rupture, landslides, other ground deformations), soil-structure interaction (e.g., retaining wall failures), and indicators of site response effects (such as localization of damage, often in a manner consistent with topographic features). However, for both the August and October events, our mission broadened to include documentation of structural performance for a variety of reasons including: (1) it supported our mission of evaluating damage patterns; (2) the structural performance data was indeed perishable, and as the principal reconnaissance team in many of the visited areas, we felt a duty to document the broader impacts of these events.

Papers in this issue present significant technical findings related to the seismological, geotechnical, and structural engineering aspects of these events. A few highlights, with references to the respective manuscripts, are as follows:

Earthquake probabilities: When a large earthquake occurs, there are two schools of thought regarding its effect on the risk of subsequent large events. One is that stress release lowers earthquake rates relative to the long-term (Poisson) rate until stresses can again build-up on the fault. Another is that stress release on one portion of the fault may increase stress on adjoining portions of the same fault segment or adjacent segments. This would tend to locally increase earthquake rates (and hence short-term probabilities) relative to the long-term rate. This subject is of substantial practical significance for regional risk assessment. As shown in Figure 1, the August 2016 and October 2016 events occupy a gap along the NW striking Apennine chain between the locations of the 1997 Umbria-Marche and 2009 L'Aquila events. The occurrence of this cluster of earthquakes suggest that latter (probability increasing) mechanism occurred and may continue into the future. This important topic is elaborated upon by Galadini et al. (201x).

Faults as seismic sources: The portions of the Apennines affected by the Central Italy events is undergoing extension accommodated by numerous normal faults, many of which are well expressed at the surface. Galadini et al. (201x) show that the mainshock events occurred on the Mt. Vettore fault and the Amatrice segment of the Laga Mountains fault. Both of these faults had been recognized prior to the 2016 event sequence, but were not considered in previous Italian national seismic hazard studies. A review of these and other faults suggests that while most are expected to rupture separately (not cross between faults in a single event), the Laga Mountains fault and Mt. Vettore fault are an exception, and in fact did rupture together in the 24 August 2016 mainshock. Galadini et al. (201x) encourage the use of seismic source models that utilize fault sources as a principal driver of hazard when those sources are well characterized, as is the case in the subject region of Italy.

Surface fault rupture: Gori et al. (201x) describe data on surface faulting from this event sequence and its association with prior geologic mapping. The M6.1 24 August event produced vertical offsets on the Mt. Vettore-Mt. Bove fault system that ranged from 0-35 cm over a 5 km interval of the fault near its southern end. The M6.5 30 October event ruptured a 15 km-long section of the fault, with vertical offsets typically ranging between 70 and 200 cm. Data

compiled for the three mainshocks (24 August, 26 and 30 October) will be a valuable resource for modeling of surface rupture characteristics of normal fault earthquakes.

Ground motions: Zimmaro et al. (2018) describe the ground motion database developed from recordings of these events. Those ground motions significantly extend the world-wide inventory of normal fault recordings in tectonically active regions. Zimmaro et al. (2018) describe important near-fault aspects of the ground motions and provide maps showing spatial variations of ground motion from mainshock events. They also demonstrate that the data exhibits fast anelastic attenuation at large distances (>100 km), which is predicted by Italy-adjusted global models, but not by Italy-specific models.

Landslides: Franke et al. (2018) describe how landslide effects were relatively modest in the August 2016 events, but were appreciable from the October events. They undertook a phased reconnaissance that combined traditional (i.e. existing landslide maps and manual inspection and measurement) and innovative (i.e. satellite imagery, interferometry, and unmanned aerial vehicles (UAVs) images) approaches. The geometry of the landslide source zones, as well as depositional areas, are well-documented with 3D models from UAVs. Franke et al. (2018) show that such models can be used to evaluate landslide ground movements in complex topographic geometries and boulder runout distances from rock falls. The geology of these areas is also documented, although subsurface characterization data is currently unavailable. Two aspects of these case histories of interest to future work include: (1) the occurrence of landslides in some events but not others (predictive models should be able to forecast both) and (2) the landslide fall/runout distances.

Masonry structure fragility: Sextos et al. (2018) describe reconnaissance to document damage and non-damage to building structures in numerous villages and hamlets affected by the event sequence. Through both fieldwork and interpretation of 3D imagery, they document structural performance according to a common classification scheme at high resolution – in many cases a full inventory of performance of every structure within a hamlet or village (or portions thereof) was developed. Moreover, the damage mapping is multi-epoch, meaning that the performance of the same structures was recorded following the August 2016 events and the October 2016 events. Detailed multi-epoch structure-by-structure damage mapping and statistics are shown for many towns in the epicentral area including Amatrice, Norcia, and Accumoli. We anticipate that some empirical structural fragility models (e.g., Sabetta et al.,

1998; Rossetto and Elnashai, 2003; Rota et al., 2008) will be re-evaluated in consideration of the data from these events.

<u>Site effects</u>: Sextos et al. (2018) associate damage distributions within selected villages and hamlets with geological and topographic conditions. They describe horizontal-to-vertical spectral ratios (HVSR) from microtremor measurements and their azimuthal dependence, which were taken in selected areas with pronounced topographic relief and concentrated damage. These results reveal apparent site amplification polarized in the direction normal to the slope, which may have been responsible for some damage concentrations. A representative detailed example of this approach is presented for the small hamlet of Fiume. These findings will guide the selection of sites to be investigated with specific numerical ground response analyses for seismic microzonation.

Retrofit effectiveness: Mazzoni et al. (2018) describe the history of seismic design and retrofit of building structures in the area, and how similarly sized towns of Amatrice and Norcia had vastly different levels of preparation for these events and different levels of structural performance. They describe how the historical center of Amatrice, which largely lacked retrofit measures, was damaged extensively by the August event. Destruction in Amatrice was almost-complete following the 30 October event. In contrast, the historical center of Norcia, for which retrofit programs had been implemented, did not experience significant damage from the August event, and even following stronger shaking in the 30 October event, the damage was largely limited to one collapsed church and distress to several historical buildings. Mazzoni et al. (201xa) describe several individual case studies that illustrate the effectiveness of retrofit measures that were tested across multiple events.

<u>Bridge performance</u>: Durante et al. (201x) describe the characteristics of bridges in the strongly shaken regions, including traditional masonry construction and relatively modern reinforced concrete and steel structures. They show that failures were confined to masonry structures and illustrate the modes of deformation that were observed, typically in abutments.

ACKNOWLEDGEMENTS

The GEER Association is supported by the U.S. National Science Foundation (NSF) through the Geotechnical Engineering Program under Grant No. CMMI-1266418. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the NSF. The GEER Association is made

- possible by the vision and support of the NSF Geotechnical Engineering Program Directors:

 Dr. Richard Fragaszy and the late Dr. Cliff Astill. GEER members also donate their time, talent,
- and resources to collect time-sensitive field observations of the effects of extreme events.
- We want to recognize all of the participants in the team that contributed to these
- reconnaissance activities. Aside from those who are authors of this manuscript, the participants
- include: Nicholas Alexander, Vincenzo Di Pietra, Paolo Dabove, Melania De Falco, Anita Di
- 223 Giulio, Tony Fierro, Giovanni Forte, Michalis Fragiadakis, Dipendra Gautam, Zurab
- 224 Gogoladze, Nives Grasso, Elpida Katsiveli, Paolo Maschio, Luciano Mignelli, George
- 225 Mylonakis, Augusto Penna, Ioannis Psycharis, Giulia Sammartano, Antonio Sgobio, Fiorenzo
- 226 Staniscia, Lorenzo Teppati Lose', Giovanna Vessia, Elisavet Vintzilaiou.
- The EERI team would like to acknowledge the participation of numerous EUCENTRE
- researchers, led by Prof. Guido Magenes, and ReLuis researchers, led by Prof. Angelo Masi.
- 229 The diverse contributions of all EERI team members: Erica Fischer, Paolo Calvi, Richard
- 230 Dreyer, Carmine Galasso, and Jay Wilson was vital to the reconnaissance effort. The team
- would like to acknowledge the EERI leadership, especially Heidi Tremayne.
- 232 REFERENCES
- Chiaraluce L., A. Amato, M. Cocco, C. Chiarabba, G. Selvaggi, M. Di Bona, D. Piccinini, A.
- Deschamps, L. Margheriti, F. Courboulex, M. Ripepe, 2004. Complex Normal Faulting in the
- Apennines Thrust-and-Fold Belt: The 1997 Seismic Sequence in Central Italy. Bulletin of the
- Seismological Society of America, **94**, 99–116.
- Durante et al., 201x. Damage evaluation of roadway infrastructure during the 2016 Central Italy
- 238 earthquake sequence. Earthquake Spectra, in review.
- Franke K.W., Lingwall B.N., Zimmaro P., Kayen R.E., Tommasi P., Chiabrando F., Santo A. (2018).
- A phased reconnaissance approach to documenting landslides following the 2016 Central Italy
- 241 earthquakes. *Earthquake Spectra* (Accepted for publication).
- Galadini et al., 201x. Tectonic setting of 2016-2017 Central Italy event sequence and observed source
- characteristics. *Earthquake Spectra*, in review.
- 244 GdL INGV sul terremoto di Amatrice, 2016. Primo rapporto di sintesi sul Terremoto di Amatrice Ml
- 245 6.0 del 24 Agosto 2016 (Italia Centrale), DOI: 10.5281/zenodo.61121 (in italian).

- GEER, 2016. Engineering Reconnaissance of the 24 August 2016 Central Italy Earthquake. Version 2,
- Zimmaro P. and Stewart J.P. (editors), Geotechnical Extreme Events Reconnaissance Association
- 248 Report No. GEER-050B. doi: 10.18118/G61S3Z.
- 249 GEER, 2017. Engineering Reconnaissance following the October 2016 Central Italy Earthquakes -
- Version 2, Zimmaro P. and Stewart J.P. (editors), Geotechnical Extreme Events Reconnaissance
- Association Report No. GEER-050D. doi:10.18118/G6HS39.
- Gori et al., 201x. Surface faulting caused by the 2016 Central Italy seismic sequence. Earthquake
- 253 *Spectra*, in review.
- 254 Mazzoni et al., 201xa. Retrofit policy and effectiveness after the 2016 Central Italy earthquakes.
- 255 Earthquake Spectra, in review.
- Piatanesi A., A. Cirella, 2009. Rupture Process of the 2009 Mw6.3 L'Aquila (Central Italy) Earthquake
- from Nonlinear Inversion of Strong Motion and GPS Data. Istituto Nazionale di Geofisica e
- Vulcanologia (INGV), Rome, Italy.
- Rossetto T., Elnashai A., 2003. Derivation of vulnerability functions for European-type RC structures
- based on observational data. *Engineering Structures*, **25**, 1241–1263.
- Rota M., Penna A., Strobbia C.L., 2008. Processing Italian damage data to derive typological fragility
- curves. *Soil Dynamics and Earthquake Engineering*, **28**, 933–947.
- 263 Sabetta F., Goretti A., Lucantoni A., 1998. Empirical fragility curves from damage surveys and
- estimated strong ground motion. In: Proceedings of the 11th European conference on earthquake
- engineering, Paris, France, September 6–11
- Sextos A., De Risi R., Pagliaroli A., Foti S., Passeri F., Ausilio E., Cairo R., Capatti M.C., Chiabrando
- F., Chiaradonna A., Dashti S., De Silva F., Dezi F., Durante M.G., Giallini S., Lanzo G., Sica S.
- 268 Simonelli A.L., Zimmaro P. (2018). Local site effects and incremental damage of buildings during
- the 2016 Central Italy earthquake sequence. *Earthquake Spectra* (Accepted for publication).
- 270 Zimmaro P., Scasserra G., Stewart J.P., Kishida T., Tropeano G., Castiglia M., Pelekis P. (2018). Strong
- ground motion characteristics from 2016 Central Italy earthquake sequence. Earthquake Spectra
- 272 (Accepted for publication).