



DIAGNOSIS FOR THE IMPLEMENTATION OF AN ENVIRONMENTAL MANAGEMENT SYSTEM IN MICROBUSINESS IN THE URBAN VECTOR AND PEST CONTROL SECTOR

Renata Maciel Ribeiro^a; Sergio Ricardo Barros^a; Julio Cesar Wasserman^a; JBarbara Franz^a

^a Federal Fluminense University (UFF) – Niterói, RJ, Brazil

Abstract

This project analyzes and discusses the application of a methodological valuation model of an environmental maturity of a company of vectors and pests control. The method used was the initial environmental diagnostics, which intended to classify in a scale of values the Business Process of the company to Certification based on NBR ISO 14001. As a result of the application of the method were identified EMS Critical Success Spots low performed by the company, and the positive influence of ISO 9001 Certification already established in the organization. As well as proposed actions to improve the weaknesses that were identified by the diagnostics in order to establish a schedule for the compliance of the first phase of the PDCA method proposed by the ISO 14001.

Keywords: Environmental Management System. Environmental Diagnostics. Vectors and Pests Control. ISO 14001.

INTRODUCTION

The company studied in this paper, after understanding the need for changes resulting from the construction of the Petrochemical Complex in the municipality of Itaboraí, which belongs to the state of Rio de Janeiro, began the process of implementing the Quality Management System (QMS) that provided the ISO 9001 certification to its business processes in 2013. The QMS can be defined as a company's established quality standard to achieve more efficient processes and customer satisfaction (MAEKAWA, 2013).

All the experiences gained in the implementation of QMS (Quality Management System), for example, the systematization and organization of inputs and outputs to meet the company standard required by ISO, led high administration to understand that quality in service provision also covers environmental variables within in the activity.

From this demand began the process of implementing the Environmental Management System, which follows the company's environmental assessment, where all areas audited by ISO 14001, will be analyzed and evaluated for relevance of impact and possible forms of mitigation and

or compensation. The fact that the company already has ISO 9001 facilitated the EMS implementation process, because it establishes well-founded strategies for compliance with ISO 14001 requirements.

The object of the study in question is an urban vector and pests control company, which requires attention regarding environmental responsibility, as it falls into IBAMA'S potentially polluting activities table, in the "utility services" section, item 17-15 (provision of household pests control service with the application of chemicals) (IBAMA, 2014). This makes the environmental issue a constant concern for the company to keep itself healthy and within the standards required by regulators.

Demand for the research appeared when the studied company signaled the need to implement an EMS for the certification of its processes in concern about the aspects and impacts on the environment. As a way to meet this primary objective, the environmental assessment provides an overview of the environmental maturity of the company to achieve ISO 14001 certification, since the areas analyzed by the diagnosis are the same audited by the ISO 9001 certification.

To this end, a general objective was established to apply an environmental assessment model to determine the

degree of organizational maturity for future certification based on NBR ISO 14001 Norm.

To assist in successfully reaching the overall goal, the following objectives were established:

- a) Evaluate the critical success factors in business processes, using the model of the Initial Diagnosis EMS;
- b) Propose improvement actions for any critical factors found.

METHODOLOGY

Initially, business scenarios were planned seeking to identify and analyze the SGA requirements, determine the existing elements in the QMS, develop procedures for items not covered by the QMS and finally, implement and verify the EMS (BLOCK, 2000).

The analysis method used is based on a multi-criteria matrix, consisting of a set of methods and techniques to assist or support people and organizations in decision making under the influence of a plurality of criteria (Gomes, 2002), established by AVALIAMB (Diagnostic Evaluation of the Environmental Management System) developed by Barros *et* Wasserman (2009) based on La Rovere (2001) and Freitas (2001). Since the matrix is based on key areas and processes evaluated in an audit for compliance with the ISO 14001 (Table 1), it covers all the items appraised by the norm and presents through its results the degree of adequacy of each item to implement in the parameters proposed by ISO. Each of the subjects assessed by diagnosis (Table 1) are detailed in its particularity in the analysis form proposed by the diagnosis as a more thorough way of evaluating each item, and applied to the representatives in the administrative and operational areas of the company.

Table 1 - Area planning and processes evaluated by environmental management auditing.

ITEMS OF MANAGEMENT SYSTEM
ENVIRONMENTAL POLICY
LEGAL AND CORPORATE REQUIREMENTS
SPECIFIC ENVIRONMENTAL ASPECTS
OBJECTIVES AND GOALS
ENVIRONMENTAL MANAGEMENT PROGRAM
ORGANIZATIONAL STRUCTURE AND RESPONSIBILITY
AWARENESS AND TRAINING
COMMUNICATION
ENVIRONMENTAL MANAGEMENT SYSTEM DOCUMENTATION
DOCUMENTATION CONTROL
OPERATIONAL CONTROL
Energy consumption
Transport and Distribution
Water consumption
Sanitary Sewage and Rainwater
Industrial Effluents
Waste Management
Waste carriers and receivers
Air Emission Management
Noise
Materials Management
Production and Operating Processes
Hygiene and Health

EMERGENCY SITUATIONS
MONITORING AND EVALUATION
PREVENTIVE AND CORRECTIVE ACTIONS
INTERNAL AUDIT
ENVIRONMENTAL MANAGEMENT SYSTEM REVIEW

Source: AVALIAMB (BARROS *et* WASSERMAN, 2009).

In the initial environmental diagnosis each presented item is individually evaluated by representatives chosen to participate in the study, which assign a score of 0 (zero) to 4 to assess the adequacy of the company to the proposed theme (Table 2).

Table 2 - Established criteria for the assessment of environmental management areas and processes.

EVALUATION OF ENVIRONMENTAL MANAGEMENT SYSTEM DIAGNOSIS - AVALIAMB	
Instructions	
The questionnaire assesses 16 environmental management requirements. For each requirement there are questions which should be evaluated from 0 to 4 according to the following criteria:	
0	No, this enterprise does not carry out any action or verification in this regard.
1	No, but intends to implement or verify.
2	Yes, but this situation is not formalized.
3	Yes, it is in formal implementation phase.
4	Yes, it is implemented and compliant.

Source: AVALIAMB (BARROS *et* WASSERMAN, 2009).

After evaluating each item individually (Table 1), the subgroup gets a percentage of adequacy ranging from 0% to 100% (Table 3), the closer to 100%, the higher its degree of compliance with the standard on the subject proposed. This percentage represents how much the company needs to work to comply with the requirements of NBR ISO 14001.

Table 3 - Example of the company's adequacy percentages to some items proposed by the diagnosis.

ENVIRONMENTAL POLICY	38%
LEGAL AND CORPORATE REQUIREMENTS	76%
SPECIFIC ENVIRONMENTAL ASPECTS	33%
OBJECTIVES AND GOALS	45%
ENVIRONMENTAL MANAGEMENT PROGRAM	21%
ORGANIZATIONAL STRUCTURE AND RESPONSIBILITY	75%
AWARENESS AND TRAINING	71%
COMMUNICATION	48%

Source: AVALIAMB (BARROS *et* WASSERMAN, 2009).

The results in percentage obtained for each item, when added in their total among all the items evaluated, generates a score from 0 (zero) to 5 points, according to (Table 4). This score is the main indicator of the degree of environmental maturity of the company for the implementation of an EMS and future ISO 14001 certification.

Table 4 - Score variation obtained through the diagnosis and notes regarding the level of environmental maturity of the company.

Between 0 and 1.9 points: the environmental management of the project does not have proper balance (is vulnerable); some requirements can be developed while others are fragile.
Between 2 and 3.9 points: the project is on track for EMS certification, but still has a long way to go.
Between 4 and 5 points: the enterprise has an Environmental Management System that may be close to conformity regarding ISO 14001 requirements and, consequently, the environmental certification system.

Source: AVALIAMB (BARROS *et* WASSERMAN, 2009).

As a way of collecting and processing data, the diagnosis was applied and from the results improvement actions were proposed for the weaknesses identified by the matrix. From the model results, it is expected that a strategic plan of action is established to prepare the company for future the implementation of an Environmental Management System.

As the chosen methodology for application and model analysis, the environmental assessment form was applied to a representative of the administrative department, which participates fully in the business management and knows all the activities developed by the company. This diagnosis will be the main basis for the development of responses to the objectives proposed by the study. The results obtained will be analyzed and from this preliminary assessment, the actions will be proposed for improvements in the Critical Success Factors (CSFs) indicated by the result of the diagnosis. In order to promote the counterpoint of opinions and perceptions, the same form was applied to a representative of the operational department, which will be demonstrated and evaluated on differences and similarities with the diagnosis applied to the representative of the administrative sector. From the results obtained, the underperforming Critical Success Factors in the EMS will be identified.

The model adopted as criteria for establishing the CSFs that: the items assessed (Table 1) with smaller adequacy percentages than 70% (Table 3) are considered Critical Success Factors for the EMS and should be evaluated and dealt actions for the nonconformities. For items with equal or higher percentage than 70%, which is the score that falls between 4 and 5 points (Table 4) and means that the item conforms to the standard NBR ISO 14001. It is assessed that these are in the process of adaptation and will require little work or for their suitability, but those who presented adequacy percentages lower than 70% fall in the range between 0 and 3.9 points (Table 4) and require greater efforts targeted to actions for adjustment and correction of the items in the requirements of the norm.

RESULTS

From the results shown by the diagnosis matrix applied to the representative of the administrative department (Table 5) and adopting the above criteria, areas that obtained a percentage of less capacity than 70% were identified as Critical Success Factors. The color gradient in the matrix (Table 5) indicates the degree of maturity of the item evaluated in the EMS company. In the variation between “dark gray” and “white”, the first means higher degree of nonconformity and the second means greater degree of conformity with the norm.

Table 5 - Results of diagnosis applied to the representative of the administrative department.

ITEMS OF MANAGEMENT SYSTEM	Overall Score: 2,36
ENVIRONMENTAL POLICY	38%
LEGAL AND CORPORATE REQUIREMENTS	76%
SPECIFIC ENVIRONMENTAL ASPECTS	33%
OBJECTIVES AND GOALS	45%
ENVIRONMENTAL MANAGEMENT PROGRAM	21%
ORGANIZATIONAL STRUCTURE AND RESPONSIBILITY	75%
AWARENESS AND TRAINING	71%
COMMUNICATION	48%
ENVIRONMENTAL MANAGEMENT SYSTEM DOCUMENTATION	32%
DOCUMENTATION CONTROL	85%
OPERATIONAL CONTROL	50%
Energy consumption	29%
Transport and Distribution	79%
Water consumption	30%
Sanitary Sewage and Rainwater	41%
Industrial Effluents	0%
Waste Management	70%
Waste carriers and receivers	72%
Air Emission Management	40%
Noise	20%
Materials Management	57%
Production and Operating Processes	71%
Hygiene and Health	90%
EMERGENCY SITUATIONS	57%
MONITORING AND EVALUATION	25%
PREVENTIVE AND CORRECTIVE ACTIONS	39%

INTERNAL AUDIT	33%
ENVIRONMENTAL MANAGEMENT SYSTEM REVIEW	25%

Source: AVALIAMB (Barros *et* Wasserman, 2009).

The observation and analysis of the situation identifies the company's degree of maturity for the implementation of ISO 14001. From the results obtained, it is possible to see that the company is in the current situation of medium compliance with the standard, with the result of 2.36 points in the diagnosis applied to the representative of the administrative department, which represents that the organization's EMS is under implementation and still demands many actions to achieve compliance with the standard, presenting thus still a large number of CSFs, meaning items evaluated with an adequacy percentage of less than 70%.

In the framework of analysis it is possible to identify the weaknesses in the current situation of the organization's EMS, resulting from the absence or deficiency in specific actions for the areas analyzed by the form. From this point, it is possible to reflect on these results inside and outside the company walls and try to identify common weaknesses for other business realities seeking certification in ISO 14001.

Some authors state in their research that the vast majority of Brazilian organizations have demonstrated different behaviors when it comes to environmental management (ROHRICH *et* CUNHA, 2004), individually presenting their CSFs according to the market profile and product linked to the activity performed.

However, the motivation behind the implementation of an EMS and inclusion of the environmental variable in business processes is linked to a single purpose: "The concern to conform to the rules and regulations dictated by the environment that would thereby originate uniformity in organizations" (ALPERSTEDTET *et al.*, 2010). This institutional isomorphism (ZUCKER, 1987) would be responsible for this homogeneity of purposes from corporate environmental management. However, it must be questioned, given the territorial insertions of each organization.

The consistent motivations and results of differing maturity between organizations lead to a reflection about what causes this discrepancy between motivation and the weaknesses pointed out by an environmental diagnosis, or another method of evaluating the EMS. Machado da Silva *et al.*, (1999) pointed out that these results originate mainly in the social context in which the company operates and its relationship and interests with an environmental image that is proposed. To supplement this statement form, it is possible to realize the importance of an effective participation of the environmental professional in the areas of enterprise management system and the influence of this participation in the seriousness of the results highlighted by the diagnosis and actions proposed, dealing with environmental responsibility across the board in all areas and sectors covered by the organization.

The weaknesses identified through the Critical Success Factors in Table 5 are associated with justifications that have obtained through this work, proposals for improvement actions for their nonconformity (Table 6).

Table 6 - Critical Factors of Success and their respective justifications and proposals for improvement actions.

Critical Success Factors	Analysis of the Main Causes	Improvement actions	Adequacy (%)
Environmental Policy	The low score in this item is justified by the limited development of the EMS implementation process, where the company does not have an established environmental policy.	From the weaknesses identified by the diagnosis, it is suggested that the company hold a critical analysis meeting with the high administration to establish the environmental policy aimed at prevention and mitigation for environmental impact.	38%
Specific Environmental Aspects	In this item, the low score is justified for two reasons: the first is that the company is still in an immature stage of its EMS and failing to provide in a documented form its potential environmental aspects and impacts and; the second is the fact that several items in the form do not apply to the reality of the company.	As an immediate action proposed for this item, the identification of possible environmental aspects of the activity and development of procedures is recommended, which will provide control of the company's possible daily and accidental emissions and, if necessary, establish mitigating actions.	33%

<p>Objectives and Goals</p>	<p>The absence of an established Environmental Policy opens a gap in planning which hinders the development of various areas audited by certification and issues addressed by the item that does not apply to the company's reality also affected negatively on the poor score. However there has been a favorable scenario in the company's compliance in its objectives and goals established with financial provision for operation, goals and objectives that reflect the environmental aspects of the activity.</p>	<p>The high administration should establish goals and objectives for the EMS collaborate to fulfill all requirements addressed in the company's environmental policy. Taking necessary care to establish measurable goals so that can be achieved successfully.</p>	<p>45%</p>
<p>Environmental Management Program</p>	<p>In this section of the diagnosis the low score is justified by the immaturity of the EMS, due to the fact that the company doesn't have the Environmental Policy or established objectives and goals, which creates a delay in the development and management planning.</p>	<p>Wait for the compliance with the previous stages of the EMS and establish goals and objectives for each relevant level and function in the organization, so that all are integrated.</p>	<p>21%</p>
<p>Communication</p>	<p>Deficiency in external social relations and immaturity in the company's environmental management justifies the low performance of this item. For even with the implemented quality management system and the communication item also being an ISO 9001 requirement, it does not provide for environmental issues inserted in the process, like establishing external communication procedures with the surrounding community.</p>	<p>Implement an effective Environmental Management System that addresses not only environmental improvements in the service life cycle, but also in social and environmental relations between the company and society.</p>	<p>48%</p>

<p>Environmental Management System Documentation</p>	<p>The unsatisfactory score is justified by the lack of basic EMS documents as a result of an immature system and lack of implementation of some items in relation to the company's reality. However, the company's environmental permits are updated, documented and fully compliant with the standard.</p>	<p>Identification and evaluation of activities carried out by the company for the preparation of all necessary documentation for the EMS implementation by the high administration in concurrence with the company's department responsible for maintenance of management systems.</p>	<p>32%</p>
<p>Operational Control</p>	<p>Several areas evaluated by this item of the form have their low scores justified by the non-applicability of the item to the activities performed by the company, and another part has its justification guided by the immaturity of the EMS that does not have its processes appropriately mapped regarding the deterioration of natural resources involved in the activity.</p>	<p>Mapping and register of the company's activity on the use or depletion of natural resources in order to achieve the optimization of activities to decrease the use of raw materials and consequently better the economic performance through the development of procedures that include all activities involved in the business process.</p>	<p>50%</p>
<p>Emergency Situations</p>	<p>The unsatisfactory score in this item is justified primarily by microenterprise profile, which still has its work security sector linked to the operational sector, which hampers the specific planning for emergencies. However, the company complies with the legal aspects of accident prevention and action plan, both in its training and in adequate physical facilities for action in emergency situations.</p>	<p>For a better performance in emergency situations, it is recommended that the company elaborates a procedure that maps out the cause of inherent risks in the activity and develop a contingency plan establishing methods to respond to accidents which are requirements of the ISO 14001 and establish training to maintain the EMS in this specific item and the work force supervision to comply with the standard.</p>	<p>57%</p>
<p>Monitoring and Evaluation</p>	<p>The lack of progress in operational control at the heart of environmental issues involved in the activity entails disability and a consequent low score on this item, which has limitation to run by a lack of environmental planning in the operational sector of the institution.</p>	<p>Promote improvements for better efficiency in the operating sector, establishing tools and indicators for monitoring and assessing the environmental performance of the company.</p>	<p>25%</p>

Preventive and Corrective Actions	The unsatisfactory score in this regard relates to the lack of mechanisms for evaluation, prevention and correction of non-conformities related to the EMS. This weakness is justified by the company's present situation of environmental management that is still undeveloped, with much of their strategies for managing deployed, but undocumented, which is a requirement of the ISO 14001.	As an immediate action, the recommendation is that the high administration appoints an internal audit to raise information on the non-compliances present in the company's EMS and the responsible area developer to propose the respective dealing actions for the maintenance of the management system.	39%
Internal Audit	The low score of this item is justified by the informal nature of the audits occurred in the company to date, having no legitimacy for compliance with ISO 14001 requirements.	Planning and execution of the improvements proposed by the company's sector responsible for the EMS together with the high administration and an internal audit schedule with qualified a consultant for an impartial evaluation of the environmental maturity of the company in its processes assessed by the ISO 14001 certification.	33%
Environmental Management System Review	In this item the unsatisfactory score is justified by the immaturity of the EMS, which does not have tools for the self-assessment of its management system.	For this FCS it is recommended that the internal audit results be evaluated and reviewed by the high administration to evaluate the functionality of the EMS.	25%

The analysis of CSFs must be well based on the company's top management guidance for management priorities and resource allocation (QUINTELLA, 2009) required for implementation, adaptation and maintenance of the management system. The evaluation of economic viability,

considering the company's revenues, says the sequential order of actions to be taken for it to improve its suitability percentages of the norm. As Table 7 presents the CSFs listed that do not require investments, but to change practices orders, requiring low, medium and high investment.

Table 7 - CSFs and their demands in investments.

CSFs – NO INVESTMENT DEMAND
Environmental Policy
Objectives and Goals
Awareness and Training
Communication
Monitoring and Evaluation
Preventive and Corrective Actions
Environmental Management System Review
CSFs – LOW INVESTMENT DEMAND
Environmental Management Program
Environmental Management System Documentation

CSFs – MEDIUM INVESTMENT DEMAND
Specific Environmental Aspects
Emergency Situations
Internal Audit
CSFs – HIGH INVESTMENT DEMAND
Operational Control

The evaluation of the economic viability of CSFs was made taking into account the resources available by the high administration and listed in working with the representative of the administrative department.

Based on the results achieved in the diagnosis, it can be noted that both areas evaluated in the EMS and the QMS obtained an adequacy percentage superior to 70% (Table 8), score which can be justified by the fact that the company is already adapted to the requirements of the ISO 9001 norm, confirming the likelihood of a positive influence of the QMS already deployed in the SGA adaptation process.

Table 8 - Areas evaluated by QMS having obtained a good performance in the environmental assessment.

Areas	Adequacy (%)
Legal and Corporate Requirements	76
Organizational Structure and Responsibility	75
Awareness and Training	71
Document Control	85

For viewing and comparison, it is possible to observe the diagnosis results applied to the representative of the operational department (Table 9). The diagnoses obtained similarity between the Critical Success Factors (Table 10) with only minor variations in the adequacy percentages, and except for the item "Awareness and Training" that in the diagnosis applied to the operational sector representative was framed as a CSF because of its compliance degree of lower than 70%. The discrepancy between the results at this point shows the functionality of the diagnosis that describes not only the compliance degree of the company's business processes with the ISO 14001 norm as well as different perceptions of space and activities when applied to more than one employee within the organization.

Table 9 - Environmental diagnosis result applied to the representative of the operating department.

ITEMS OF MANAGEMENT SYSTEM	Overall Score: 2,33
ENVIRONMENTAL POLICY	44%
LEGAL AND CORPORATE REQUIREMENTS	75%
SPECIFIC ENVIRONMENTAL ASPECTS	29%
OBJECTIVES AND GOALS	50%

ENVIRONMENTAL MANAGEMENT PROGRAM	29%
ORGANIZATIONAL STRUCTURE AND RESPONSIBILITY	79%
AWARENESS AND TRAINING	64%
COMMUNICATION	42%
ENVIRONMENTAL MANAGEMENT SYSTEM DOCUMENTATION	34%
DOCUMENTATION CONTROL	90%
OPERATIONAL CONTROL	48%
Energy consumption	29%
Transport and Distribution	75%
Water consumption	28%
Sanitary Sewage and Rainwater	34%
Industrial Effluents	0%
Waste Management	70%
Waste carriers and receivers	69%
Air Emission Management	38%
Noise	20%
Materials Management	56%
Production and Operating Processes	68%
Hygiene and Health	90%
EMERGENCY SITUATIONS	55%
MONITORING AND EVALUATION	25%
PREVENTIVE AND CORRECTIVE ACTIONS	32%
INTERNAL AUDIT	25%
ENVIRONMENTAL MANAGEMENT SYSTEM REVIEW	25%

In assessing the results obtained in both environmental diagnoses (Table 5 and 9), similar underperforming CSF numbers were obtained (Table 10), which have a direct relationship between them, as the demand for actions and maturity on an item influences on the performance of others, which points to a chronological hierarchy of actions demonstrated by the ISO norm in its own organization of content, which will help in the implementation process of the entire management system from the organization's Environmental Policy establishment to the Environmental Management System review of the already implanted.

Table 10 - Critical Success Factors singled out by the results of diagnosis applied to the representatives of the administrative and operational department.

CSFs	Adequacy (%) – (administrative) diag.	Adequacy (%) – (operational) diag.
Environmental Policy	38	44
Specific Environmental Aspects	33	29
Objectives and Goals	45	50
Environmental Management Program	21	29
Communication	48	42
Awareness and Training	-	64
Environmental Management System Documentation	32	34
Operational Control	50	48
Emergency Situations	57	55
Monitoring and Evaluation	25	25
Preventive and Corrective Actions	39	32
Internal Audit	33	25
Environmental Management System Review	25	25

FINAL CONSIDERATIONS

The voluntary character of the EMS by the high administration connotes the company's positive social and environmental responsibility, which creates a favorable environmental image market. However, the increasing importance of implementing the Environmental Management System in the company is mainly related to the organization's legal compliance, primarily by the company's activities in the market, as a provider in the vector and pest control service industry, an activity considered as potentially polluting by IBAMA, which connotes its responsibility to society.

Among the limitations of the method identified in the study, it is possible to verify its difficult adaptation to a micro-enterprise context, since the model includes a wide range of areas, which in certain situations do not apply to its reality.

Another limitation is that the directory board has been the focus of the interviews, for the time required to search, which excludes observations that may contribute to the evaluation of the Critical Success Factors from the workforce point of view.

The last limitation identified in the study regards the application method of the chosen interviews. The diagnosis was applied in individual interviews, which limits the boost of discussions and exchange of ideas among all employees involved in the activity.

For further studies, it is suggested that the adaptation of the methodological model of initial environmental assessment for a context of micro and small businesses be done, in order to guarantee results as close to the reality of the organization as possible. The application of a diagnosis in two different methodologies, covering both the responses of a structured interview individually applied objectively, as well as application of diagnostic groups by area of the organization in a semi-structured way, to be allowed a greater interaction between the parts.

BIBLIOGRAPHIC REFERENCES

ABNT - Associação Brasileira de normas Técnicas. ISO 14001 - Sistema de Gestão Ambiental – Especificação e diretrizes para uso. ABNT, 1996.

ABNT/ISO - Associação Brasileira de normas Técnicas. ISO 14001 - Sistema de Gestão Ambiental – Especificação e diretrizes para uso. ABNT, 2004.

Agusti, A. L.; Deschamps, F.: Sistema de Gestão da Qualidade nas Micro e Pequenas Empresas. Revista Visão, v.2, n.1, p. 86-89. Santa Catarina, 2013.

Alperstedt, G. D; Quintella, R. H; Souza, L. R.: Estratégias de Gestão Ambiental e seus Fatores Determinantes: uma análise institucional, v. 50, n .2, 170-186 p. RAE. São Paulo, 2010.

ANVISA. Resolução RDC nº 52 – Serviço de Controle de Pragas. 2009. Disponível em <<http://portal.anvisa.gov.br/wps/wcm/connect/3ce8080047fe1a8abc40be9f306e0947/RDC+52.2009.pdf?MOD=AJPERES>>. Acesso em: 09 set. 2014, 17:38:00

Araújo, E. S.; Borges, D.; Nascimento, A. A.; Duarte, M. A. Análise Preliminar do Impacto do COMPERJ na Segurança Pública. Cadernos de Segurança Pública; ano IV, n. 3. ISP. Rio de Janeiro, 2012.

Barros, S. R. S.; Wasserman, J. C.; Alvim F. Diagnóstico de Avaliação do Sistema de Gestão Ambiental. Universidade Federal Fluminense. Niterói, 2009.

Bastos, A.; Matias, L. A.; Kleberon E.; Damm, H.; Luna, M. M. M. Modelo Multicritério de Apoio a Decisão para Seleção de Fornecedores. Anais do VII Congresso Nacional de Excelência em Gestão. 12 a 13 de agosto de 2011. Disponível em <http://www.excelenciaemgestao.org/portals/2/documents/cneg7/anais/t11_0379_1703.pdf>. Acesso em 08 set. 2014. 22:24:00.

D'Avignon, A. L. A. Sistemas de gestão ambiental e normalização ambiental. Segmento da apostila utilizada no curso sobre Auditorias Ambientais da Universidade Livre do Meio Ambiente. Curitiba: ULMA, 1996.

Domingues, F. COMPERJ, uma complexa equação. In: Macaé Offshore: A revista brasileira de petróleo e gás; Ano XI, n. 67, 2012.

Donaire, D. Gestão Ambiental na Empresa. 2ª ed. São Paulo: Atlas, 1999.

Duarte, M. Apostila do Módulo Risco Ambiental. Rio de Janeiro, Master Bussines Environmental. - COPPE / UFRJ, 1999.

FEMAR – Fundação de Estudos do Mar, Curso Sistema de Gestão Ambiental. FEMAR, Apostila de curso – FDEPM – Contrato nº 52000-002/00 (DPC/ FEMAR), 2002.

Ferreira, M. C. Gestão Ambiental: práticas, condicionantes e evolução. Revista de Administração IMED, 2(2), p. 138-150. Goiás, 2012.

Gomes, L. F. A. M.; Gomes, C. F. S.; Almeida, A. T. Tomada de decisão gerencial: Enfoque multicritério. São Paulo: Atlas. 2002. 264p.

González-Benito, J. G.; González-Benito, O. G. A review of determinant factors of environmental proactivity. Business Strategy and the Environment, v.15, p. 87-102, 2006.

IBAMA. Atividades Potencialmente Poluidoras e Utilizadoras de Recursos Ambientais. MMA, 2014. Disponível em <<https://servicos.ibama.gov.br/index.php/cadastro-inscricao-e-certidoes/cadastro-tecnico-federal-de-atividades-potencialmente-poluidoras-eou-utilizadoras>>

de-recursos-ambientais-ctfapp>. Acesso em 20 ago. 2014, 20:30h.

ISO 14000: Edição atualizada e referências legais da versão 2004. São Paulo: INDG. 2007.

Jabbour, C. J. C.; Jabbour, A. B. L. S.; Stefanelli, N. O.; Teixeira, A. A. Gestão Ambiental e Estrutura Organizacional: estudo de múltiplos casos. REGE, v. 19, n. 3, p. 361-373. São Paulo, 2012.

Jabbour, C. J. C.; Teixeira, A. A.; Jabbour, A. B. L. de Souza; FREITAS, W. R. de S.. “Verdes e Competitivas?” A influência da Gestão Ambiental no Desempenho Operacional de Empresas Brasileira. Ambiente e Sociedade, ano XV, n. 2. São Paulo, 2012.

La Rovere, E. L. *et al.* Manual de Auditoria Ambiental. ed. Qualitymark: Rio de Janeiro; 17, 2001.

La Rovere, E. L. *et al.* Manual de Auditoria Ambiental. Rio de Janeiro, Qualitymark Editora. 2000. 140p.

Lee, K. H. Why and how to adopt green management into business organizations? The case study of Korean SMEs in manufacturing industry. Management Decision, v. 47, n. 7, 2009.

Leff, Enrique. Epistemologia Ambiental. São Paulo: Cortez Editora, 2000.

Machado da Silva, C. L.; Fonseca, V. S.; Fernandes, B. H. R. Mudança e estratégia nas organizações: perspectivas cognitiva e institucional. In: Vieira, M. M. F.; Oliveira, L. M. B. Administração contemporânea: perspectivas estratégicas. São Paulo: Atlas, 1999.

Maekawa, R.; Carvalho, M. M.; Oliveira, O. J. Um Estudo sobre a Certificação ISO 9001 no Brasil: mapeamento de motivações, benefícios e dificuldades. G & P, v. 20, n. 4, p. 763-779. São Carlos, 2013.

Mattos, S. R. M. de. Análise Crítica da Aplicação do Sistema de Gestão Ambiental – ISO 14001 no Agronegócio na Região Metropolitana de Campinas. Dissertação de Mestrado apresentada à pós-graduação da Faculdade de Ciências Médicas. Universidade Estadual de Campinas. São Paulo, 2006.

Morioka, S. N. Análise de Fatores Críticos de Sucesso de Projetos em uma Empresa de Varejo. Trabalho de Conclusão de Curso apresentado à Escola Politécnica da Universidade de São Paulo. São Paulo, 2010.

Porto, M. F. de S.; Schütz, Gabriel E. Gestão Ambiental e Democracia: análise crítica, cenário e desafios. Ciência e Saúde Coletiva, 17(6):1447-1456. Rio de Janeiro, 2012.

Quintella, H. L. M. de M.; Lemos, R. G. F. de; Leitão, L. T. Fatores Críticos de Sucesso na Gestão Estratégica de Preços no Varejo: estudo comparativo das técnicas HILO e EDLP.



Rio's Internacional Journal on Science of Industrial and Systems Engineering and Management. Universidade do Estado do Rio de Janeiro. Rio de Janeiro, 2009.

Rohrich, S. S; Cunha, J. C. A Proposição de uma taxonomia para análise da gestão ambiental no Brasil. Revista de Administração Contemporânea, v. 8, n. 4, 2004.

Silveira, M. P.; Alves, J. N. Sistema de Gestão Ambiental: Benefícios e Dificuldades. XV Mostra de Iniciação Científica. UNICRUZ, 2012.

Zucker, L. G. Normal change or risk business: institutional effects on the "hazard" of change in hospital organizations. Journal of Management Studies, v. 24, n. 6, p. 671-700, 1987.