

# Measuring and Analyzing the Bullwhip Effect in a Two-Product and Two Echelon Supply Chain Using Control Theory Approach

Ahmad Sadeghi\*

*<sup>a</sup>Assistant Professor, Faculty of Industrial and Mechanical Engineering, Qazvin Branch, Islamic Azad University, Qazvin, Iran*

Received 12 October, 2013; Revised 15 February, 2014; Accepted 9 April, 2014

---

## Abstract

Coordination is very important in supply chain management and it is one of the main factors in supply chain profitability. Bullwhip effect is one of the basic obstacles to achieve coordination in supply chains and reduction of this phenomenon has an important role in supply chain harmony. The other side, costs of supply chain can be mitigated and customer service level can be increased by reducing of bullwhip effect. Because measurement of bullwhip effect is very important in analysing and controlling of it, providing equations to investigate bullwhip effect behaviour based on real world supply chain conditions is necessary. The previous studies mostly concentrate on single product supply chain and few studies have been done on supply chains with more than one product. Here we quantify and investigate the bullwhip effect in a two-echelon supply chain with two products using control theory approach. Due to the relationship between demands of two products in our proposed supply chain, first order vector auto regressive model is used as demand process of the products. We also apply moving average method for lead-time demand forecasting within the "order up to" replenishment policy. We derive a closed form bullwhip measure and then bullwhip effect in a two-product supply chain is discussed and illustrated through a numerical example.

*Keywords:* Bullwhip Effect, Order-Up-To Policy, Supply Chain, System Engineering, Vector Auto Regressive Model.

---

## 1. Introduction

Today, outsourcing is so important due to its effect on the supply chain benefits. In fact, we encounter a number of suppliers, producers, and distributors, which work together with a suitable harmony to provide more gains for supply chain. Demand damping is a main barrier to achieve coordination within different stages of supply chain. Many companies have observed increasing fluctuation in orders while moving up from downstream sites (like distributors) to upstream sites (like suppliers). The result is a loss of supply chain profitability. Since the first study on bullwhip effect content by Forrester (1958) the bullwhip effect has been mentioned in a large number of researches. Sucky (2009) divided researches on the bullwhip effect into six general categories: (i) papers aiming at a quantification of the bullwhip effect, (ii) works focusing on analyzing and identifying the causes of the bullwhip effect, (iii) studies observing the bullwhip effect in some industries or in numerous examples from individual products and companies, (iv) papers addressing methods for reducing the bullwhip effect, (v) works focusing on simulating the system behaviour and (vi) papers focusing on experimental validation of the bullwhip effect.

Sterman (1989) developed Beer game as a piece of evidence for existence demand amplification in supply chains. Lee et al. (1997) introduced five main causes of this phenomenon: demand forecast updating, order batching, price fluctuation, rationing, and non-zero lead-time. Understanding these causes of the bullwhip effect can be useful for managers to find suitable solutions for halting and controlling of its consequences.

Chen et al. (2000 a, b) quantified and derived a lower bound for the bullwhip effect in a simple supply chain for two cases of forecasting methods: moving average and exponential smoothing. Dejonckheere et al. (2003) proposed a control theory approach for measuring bullwhip effect and suggested a new general replenishment rule that can reduce variance amplification significantly. Disney and Towill (2003) introduced an ordering policy that results in taming bullwhip effect. Zhang (2004) considered three forecasting methods for a simple inventory control system and presented three measures for bullwhip effect based on three forecasting methods. Kim et al. (2006) investigated stochastic lead-time and investigated role of information sharing on bullwhip effect. Chandra and Grabis (2005) measured

---

\* Corresponding author E-mail: [a.sadeghi@qiau.ac.ir](mailto:a.sadeghi@qiau.ac.ir)

bullwhip effect when order size is calculated according to multiple step forecasts using autoregressive models. Luong (2007) investigated effects of autoregressive coefficient and lead-time on bullwhip effect when minimum expected mean squares of error forecasting method is used. Luong and Phien (2007) research was based on order of autoregressive demand pattern. They showed that in high order of demand pattern, bullwhip effect could be reduced when lead-time decreases. Makui and Madadi (2007) utilized the Lyapunov exponent and provided a measure for bullwhip effect. They presented useful results on the behavior of the bullwhip effect by investigating the mathematical relationships. Jaksic and Rusjan (2008) demonstrated that certain replenishment policies could be inducers of the bullwhip effect. Chaharsooghi and Sadeghi (2009) considered a two-product supply chain and quantified bullwhip effect measure using a statistical approach. They concluded that there is no explicit expression for the bullwhip effect measure, when statistical method is used for quantifying of the bullwhip effect. Consequently, bullwhip effect measure could be calculated for only limited cases. Wu et al. (2011) utilized agent-based model and simulation (ABMS), as one of the scientific and dynamic research methods for complex systems to establish a supply chain model and determine its abundant bullwhip effect phenomenon under swarm platform. Based on their analysis, it was proved that the ABMS is the effective way to study the bullwhip effect in complex supply chain. Nepal et al. (2012) presented an analysis of the bullwhip effect and net-stock amplification in a three-echelon supply chain considering step-changes in the production rates during a product's life-cycle demand. Using a simulation approach, the analysis was focused around highly complex and engineered products, which have relatively long production life cycles and require significant capital investment in manufacturing. Fazel Zarandi and Gamasae (2013) investigated reducing of the bullwhip effect in fuzzy environments by means of type-2 fuzzy methodology. In order to reduce the bullwhip effect in a supply chain, they proposed a new method for demand forecasting. Zotteri (2013) analyzed the empirical demand data for fast moving consumer goods to measure the bullwhip effect. The data consisted of the sell-in from a large manufacturer to the retailers and the sell-out from a retailer to the consumers. The findings showed that the bullwhip-effect could be substantial. Due to the importance of forecasting method in bullwhip effect reduction, Jaipuria and Mahapatra (2014) proposed an integrated approach of Discrete Wavelet Transforms Analysis and Artificial Neural Network denoted as DWT-ANN for demand forecasting. Their model was tested and validated by conducting a comparative study between Autoregressive Integrated Moving Average (ARIMA) and proposed DWT-ANN model. The analysis indicates that the mean square error of DWT-ANN is comparatively less than that of the ARIMA model. Li et al. (2014) studied the damped trend

forecasting method and its bullwhip generating behaviour when used within the Order-Up-To (OUT) replenishment policy. Using z-transform transfer functions they determine complete stability criteria for the damped trend forecasting method and showed that this forecasting mechanism is stable for a much larger proportion of the parametrical space than is generally acknowledged in the literature. Further, they demonstrated the damped trend OUT system sometimes will generate bullwhip and sometimes it will not. Buchmeister et al. (2014) simulated a simple three-stage supply chain using seasonal and deseasonalized time series of the market demand data in order to identify, illustrate and discuss the impacts of different level constraints on the bullwhip effect. The results were presented for different overall equipment effectiveness (OEE) and constrained inventory policies.

Although many researches have been done on the bullwhip effect, more investigations are still needed to study it, minimize its effect, and quantify it in order to provide solutions for complex supply chains. This research considers a two-echelon supply chain consisting of one retailer and one supplier or producer. This supply chain produces two products in which demand pattern is based on first order vector autoregressive (VAR(1)) model. Ordering policy for each product is "order up to policy" and forecasting method is "moving average". According to these assumptions, bullwhip effect is quantified in a two-product supply chain and a closed form for bullwhip effect calculations is presented using control theory approach. Then, it is described and analysed via a numerical example.

## 2. Supply Chain Assumptions

In this paper, a two-stage supply chain with two products is taken into consideration. Demand pattern is described by time series model, forecasting method is moving average and ordering policy is according to order up to policy. Detailed description of these propositions are explained in the next parts.

### 2.1. Notations

We use several parameters to quantify bullwhip effect measure as follows:

$D$	customer demand
$Q$	order quantity at the beginning of period $t$
$Var(D)$	variance of demand
$Var(Q_t)$	variance of order quantity
$VAR(1)$	first order vector autoregressive
$D_{x,t}$	demand of product $x$ in period $t$
$D_{y,t}$	demand of product $y$ in period $t$
$S_t$	order-up-to level of period $t$
$\phi$	autocorrelation coefficients

- $\varepsilon_{x,t}$  forecast error of product  $x$  in period  $t$
- $\varepsilon_{y,t}$  forecast error of product  $y$  in period  $t$
- $L$  order lead-time
- $\hat{D}_t^L$  lead time demand forecast
- $\hat{\sigma}_t^L$  standard deviation of lead time demand
- forecast
- $p$  number of periods in moving average forecast

2.2. Bullwhip effect measure

According to the previous researches on the bullwhip effect measure (like Chen et al. (2000 a, b) Kim et al. (2006) and Sucky (2009)) bullwhip ratio can be calculated by equation (1):

$$BE = \frac{Var(Q_t)}{Var(D)} \tag{1}$$

in which  $Var(Q_t)$  is variance of retailer orders and  $Var(D)$  is variance of the customer demand. Therefore, to provide bullwhip effect measures we must prepare equations for two mentioned terms.

2.3. The VAR(1) demand process with two products

We considered that there are two products in our supply chain with depended demand. Therefore we use a first order vector autoregressive (VAR(1)) model for representing of this relationship between demand of products. The VAR(1) time series model is given based on Wei (1990):

$$\begin{aligned} D_{x,t} &= \phi_{xx}D_{x,t-1} + \phi_{xy}D_{y,t-1} + \varepsilon_{x,t} \\ D_{y,t} &= \phi_{yx}D_{x,t-1} + \phi_{yy}D_{y,t-1} + \varepsilon_{y,t} \end{aligned} \tag{2}$$

Here we can see that demand for product  $x$  at time  $t$ , is given by the sum of three components. The first component i.e.  $\phi_{xx}D_{x,t-1}$  is an autoregressive term of one period with itself. The second term i.e.  $\phi_{xy}D_{y,t-1}$  is an autoregressive term with previous realisation of product  $y$ . The final term i.e.  $\varepsilon_{x,t}$  is independently and identically distributed (white noise) random process. The demand process of the second product, product  $y$ , is simply a mirror image of the demand process for product  $x$ .  $\varepsilon_{\{x,y\},t}$  can be regarded as the forecast error and we assume that is has a zero mean and is unit variance. We assume, from now on, that the error terms are uncorrelated as this simplifies the mathematics considerably. In order for the VAR(1) demand process to be stationary; the following criteria must be held:

$$\left| \frac{(\phi_{xx} + \phi_{yy}) \pm \sqrt{(\phi_{xx} - \phi_{yy})^2 + 4\phi_{xy}\phi_{yx}}}{2} \right| < 1 \tag{3}$$

Chaharsooghi and Sadeghi (2009) showed that in a VAR(1) demand process, variance of demand for each product in the stationary conditions is given by equation (4):

$$Var[D_i] = \frac{\phi_{ii}\phi_{jj}(\phi_{ij}^2 - 1) - \phi_{ij}^2(1 + \phi_{ji}\phi_{ii}) + \phi_{ii}\phi_{jj}^3 - (1 + \phi_{ij}^2)(\phi_{ij}\phi_{ji} - 1)}{(\phi_{ii}\phi_{jj} - \phi_{ij}\phi_{ji} - 1)(\phi_{ii} + \phi_{ij}\phi_{ji} + \phi_{jj} - \phi_{ii}\phi_{jj} - 1)(1 + \phi_{ii} - \phi_{ij}\phi_{ji} + \phi_{jj} + \phi_{ii}\phi_{jj})} \tag{4}$$

where, for product  $x$ ,  $i=x$  and  $j=y$ ; for product  $y$ ,  $i=y$  and  $j=x$ . Therefore we can use equation (4) as denominator of equation (1) in bullwhip effect measurement.

2.4. The OUT policy with moving average forecasting

We consider a single echelon of a supply chain which uses the Order-Up-To (OUT) policy to generate replenishment orders to maintain inventory levels. The forecasting method is also moving average. The goal of order up to policy is to bring the actual inventory towards the desired inventory. The order quantity that retailer places to the supplier is given by:

$$Q_t = S_t - S_{t-1} + D_t \tag{5}$$

Using base stock policy, order up to level, at the beginning of period  $t$  can be determined by equation (6):

$$S_t = \hat{D}_t^L + z\hat{\sigma}_t^L \tag{6}$$

In equation (6),  $z$  is standard normal score and can be determined by normal table based on the desired service level required from the inventory system. Replacing equation (6) in equation (5) concludes equation (7) that is order quantity in period  $t$ :

$$Q_t = \hat{D}_t^L - \hat{D}_{t-1}^L + z(\hat{\sigma}_t^L - \hat{\sigma}_{t-1}^L) + D_t \tag{7}$$

based on moving average forecasting method,  $\hat{D}_t^L$  can be calculated by equation (8):

$$\hat{D}_t^L = L \left( \frac{\sum_{j=0}^{p-1} D_{t-j}}{p} \right) \tag{8}$$

As each of products is ordered independently, equation (8) can be applied to both of products with a suitable change in their parameters. Figure 1 highlights a block diagram of the two product supply chain we have just described.




Fig. 1. Block diagram of the two-product supply chain

Figure 1 shows that our system is a multi-input, multi-output system, so we need multiple transfer functions to describe its dynamics. As we have assumed the white noise processes  $\varepsilon_x$  and  $\varepsilon_y$  are uncorrelated, there is no interaction between them, thus their individual combinations to the variance expressions can simply be added together. Based on Disney and Towill (2003) we can provide equations for quantifying variance of orders as follows. Let's consider the combination of  $\varepsilon_i$  to  $Orders_i$ . The transfer function is:

$$\frac{Orders_i(z)}{\varepsilon_i(z)} = \frac{z^{1-p}((L+P)z^p - L)(z - \phi_{jj})}{p(z^2 - \phi_{ij}\phi_{ji} + \phi_{ii}\phi_{jj} - z(\phi_{ii} + \phi_{jj}))} \quad (9)$$

This has the following time domain impulse response:

$$o_{i,\varepsilon_i} = \frac{2^{-1-n}\Gamma^{-p}\xi^{-p}}{p\Gamma} \left( \frac{(L+p)\gamma^p\xi^p(\beta\xi^n + \gamma^n\eta) + 2^p L \left( 2(\gamma^p\xi^n - \gamma^n\xi^p)\phi_{ij}H[n-p] + (\gamma^{1+n}\xi^p - \gamma^p\xi^{1+n})H[1+n-p] \right)}{p^2\Gamma} \right) \quad (10)$$

where the following substitutions have been made as the equation is rather lengthy:

$$\Gamma = \sqrt{\phi_{ii}^2 + 4\phi_{ij}\phi_{ji} - 2\phi_{ii}\phi_{jj} + \phi_{jj}^2}, \beta = \Gamma + \phi_{ii} - \phi_{jj},$$

$$\chi = \phi_{ii} + \phi_{jj} - \Gamma, \xi = \Gamma + \phi_{ii} + \phi_{jj}, \eta = \Gamma - \phi_{ii} + \phi_{jj} \text{ and}$$

$H[w]$  is the Heaviside step function (that is,  $H[w]=0$  if  $w<0$ , 1 otherwise).

Equation (10) was obtained by taking the inverse z-transform of equation (9). The contribution of  $\varepsilon_i$  to the variance of orders for product  $i$  is given by the sum of the squared impulse response (Disney and Towill (2003)). Because of the Heaviside step-function properties, it is useful to split the sum into the following two parts:

$$\sigma_{i,\varepsilon_i}^2 = \left( \sum_{n=0}^{p-1} \left( \frac{2^{-1-n}(L+p)(\eta(\gamma)^n + (\beta)(\xi)^n)}{p\Gamma} \right)^2 + \sum_{n=p}^{\infty} \left( \frac{2^{-1-n}\gamma^{-p}\xi^{-p} \left( \beta\gamma^p\xi^n((L+p)\xi^p - 2^pL) + \gamma^n((L+p)\gamma^p - 2^pL)\xi^p\eta \right)}{p\Gamma} \right)^2 \right) \quad (11)$$

Equation (11) has the following closed form represented by equation (12):

$$\sigma_{i,\varepsilon_i}^2 = \frac{4^{1-p}\phi_{ij}^2 \left( \begin{aligned} & p^2(2\gamma^p(\gamma^2-4)\xi^p(\xi^2-4) - (\gamma^2-4)\xi^{2p}(\gamma\xi-4) - \gamma^{2p}(\gamma\xi-4)(\xi^2-4)) - \\ & L^2 \left( \begin{aligned} & 4^{1+p}\gamma^2 + 16\gamma^{2p} - 2^{3+p}\gamma^{2+p} - 2^{3+2p}\gamma\xi + 4^p\gamma^3\xi + 2^{3+p}\gamma^{1+p}\xi - 4\gamma^{1+2p}\xi + \\ & 4^{1+p}\xi^2 - 2^{1+2p}\gamma^2\xi^2 - 4\gamma^{2p}\xi^2 + 2^{1+p}\gamma^{2+p}\xi^2 + 4^p\gamma\xi^3 - 2^{1+p}\gamma^{1+p}\xi^3 + \gamma^{1+2p}\xi^3 + \end{aligned} \right) + \\ & (\gamma^2-4)\xi^{2p}(\gamma\xi-4) - 2(\gamma^2-4)\xi^p(2^p(\gamma-\xi)\xi + \gamma^p(\xi^2-4)) \\ & 2Lp((\gamma^2-4)\xi^p(2^p(\gamma-\xi)\xi + 2\gamma^p(\xi^2-4)) - (\gamma^2-4)\xi^{2p}(\gamma\xi-4) - \gamma^p(\xi^2-4)(2^p\gamma(\gamma-\xi) + \gamma^p(\gamma\xi-4))) + \\ & (L+p)^2 \left( \begin{aligned} & \gamma\xi(2^{3+2p} - 4(\gamma^2)^p + ((\gamma^2)^p - 4^p)\xi^2 - 4(\xi^2)^p) - 4\xi^2(4^p + (\gamma^2)^p - 2(\gamma\xi)^p) - \\ & (\gamma^3\xi(4^p - (\xi^2)^p) + 16((\gamma^2)^p - 2(\gamma\xi)^p + (\xi^2)^p) - 2\gamma^2(\xi^2((\gamma\xi)^p - 4^p) + 2(4^p - 2(\gamma\xi)^p + (\xi^2)^p)) \end{aligned} \right) \end{aligned} \right)}{p^2(\gamma^2-4)\Gamma^2(\gamma\xi-4)(\xi^2-4)} \quad (16)$$

$$\sigma_{i,\varepsilon_i}^2 = \left( \begin{aligned} & \frac{2(L+p)^2\beta(-4^p + (\gamma\xi)^p)\eta}{\gamma\xi-4} - \\ & \frac{(L+p)^2\beta^2(4^p - (\xi^2)^p)}{\xi^2-4} - \\ & \frac{4^p(L+p)^2\eta^2}{\gamma^2-4} + \frac{(L+p)^2(\gamma^2)^p\eta^2}{\gamma^2-4} + \\ & p^2 \left( \frac{\beta^2\xi^{2p}}{4-\xi^2} - \frac{2\beta\gamma^p\xi^p\eta}{\gamma\xi-4} - \frac{\gamma^{2p}\eta^2}{\gamma^2-4} \right) + \\ & 4^{-p} \left( \frac{\beta^2\xi^p(2^p - \xi^p)}{\xi^2-4} + \frac{\beta(2^p\xi^p + \gamma^p(2^p - 2\xi^p))\eta}{\gamma\xi-4} \right) + \\ & 2Lp \left( \frac{\gamma^p(2^p - \gamma^p)\eta^2}{\gamma^2-4} \right) + \\ & L^2 \left( \frac{2\beta(2^p - \gamma^p)(\xi^p - 2^p)\eta}{\gamma\xi-4} - \frac{\beta^2(4^p - 2^{1+p}\xi^p + \xi^{2p})}{\xi^2-4} - \frac{(4^p - 2^{1+p}\gamma^p + \gamma^{2p})\eta^2}{\gamma^2-4} \right) \end{aligned} \right) \quad (12)$$

Now we consider the influence of  $\varepsilon_j$  on  $Orders_i$ . The transfer function is:

$$\frac{Orders_i(z)}{\varepsilon_j(z)} = \frac{z(L+p - Lz^{-p})\phi_{ij}}{p(z^2 - \phi_{ij}\phi_{ji} + \phi_{ii}\phi_{jj} - z(\phi_{ii} + \phi_{jj}))} \quad (13)$$

Taking the inverse z-transform yields the following time domain impulse response:

$$o_{i,\varepsilon_j} = \frac{2^{-n}\gamma^{-p}\xi^{-p}\phi_{ij} \left( (L+p)\gamma^p\xi^p(\xi^n - \gamma^n) + 2^p L (\gamma^n\xi^p - \gamma^p\xi^n)H[n-p] \right)}{p\Gamma} \quad (14)$$

The contribution of  $\varepsilon_j$  to the variance of  $Orders_i$  is given by the sum of the squared impulse response (Disney and Towill (2003)). That is:

$$\sigma_{i,\varepsilon_j}^2 = \sum_{n=0}^{p-1} \left( \frac{2^{-n}(L+p)(\xi^n - \gamma^n)\phi_{ij}}{p\Gamma} \right)^2 + \sum_{n=p}^{\infty} \left( \frac{2^{-n}\phi_{ij} \left( 2^p L (\gamma^{n-p} - \xi^{n-p}) - (L+p)(\gamma^n - \xi^n) \right)}{p\Gamma} \right)^2 \quad (15)$$

which has the closed form represented by equation (16). A more compact and explicit form of equation could not be provided due to the complexity of the relationships.

The variance of the orders for product  $i$  is given by  $Var[Orders_i] = \sigma_{i,\varepsilon_i}^2 + \sigma_{i,\varepsilon_j}^2$ . However, the following alternative formulation represented by equation (17) has been concluded in a more summary format:

$$Var[Orders_i] = \left( \sum_{n=0}^{p-1} \frac{2^{-2(1+n)} (L+p)^2 \left( (\beta \xi^n + \chi^n \eta)^2 + 4(\chi^n - \xi^n)^2 \phi_{ij}^2 \right)}{p^2 \Gamma^2} + \sum_{n=p}^{\infty} \frac{2^{-2(1+n)} \left( \chi^{-2p} \xi^{-2p} \left( \beta \chi^p \xi^n (-2^p L + (L+p) \xi^p) + \chi^n (-2^p L + (L+p) \chi^p) \xi^p \eta \right)^2 + 4 \left( (L+p) (\chi^n - \xi^n) + 2^p L (-\chi^{n-p} + \xi^{n-p}) \right)^2 \phi_{ij}^2 \right)}{p^2 \Gamma^2} \right) \quad (17)$$

This closed form is valid across all lead-times  $L$  and moving average constant,  $p$ .

$$Var[Orders_i] = \frac{1}{(p\Gamma)^2} \left( L^2 \left( \frac{\beta^2 (1+2^p \xi^{-2p} (\xi^2)^p (2^p - 2\xi^p))}{4-\xi^2} + \frac{2^{1-2p} \beta (2^{1+2p} + 2^p \xi^p + (\chi \xi^p + \chi^p (2^p - \xi^p)) \eta)}{\chi \xi - 4} + \frac{\eta^2}{\chi^2 - 4} + \frac{4\phi_{ij}^2}{\xi \chi - 4} + \frac{16\phi_{ij}^2}{\xi^2 - 4} + \frac{2^{-2p} \xi^{-2p} (\xi^2)^p (2^p - 2\xi^p) \phi_{ij}^2}{\xi^2 - 4} + \frac{2^{3-2p} \chi^p (\xi^p - 2^p) \phi_{ij}^2}{\chi \xi - 4} + \frac{2^{3-2p} (2^p \xi^p + (\chi \xi^p) \phi_{ij}^2)}{\chi \xi - 4} + \frac{2^{-p} \chi^{-2p} (\chi^2)^p (2^p - 2\xi^p) (\eta^2 + 4\phi_{ij}^2)}{\chi^2 - 4} \right) + \frac{2Lp}{(p\Gamma)^2} \left( \frac{\beta^2 (1-2^p \xi^{-p} (\xi^2)^p)}{4-\xi^2} + \frac{4^p \beta (2^p \xi^p + \chi^p (2^p - 2\xi^p) - 2(4^p - (\chi \xi^p)) \eta)}{\chi \xi - 4} + \frac{(1-2^p \chi^p (\chi^2)^p) \eta^2}{4-\chi^2} + 4\phi_{ij}^2 \left( \frac{1}{4-\chi^2} + \frac{2}{\chi \xi - 4} + \frac{1}{4-\xi^2} + 4^p \left( \frac{2^p \chi^p (\chi^2)^p}{\chi^2 - 4} + \frac{2^p \xi^{-p} (\xi^2)^p}{\xi^2 - 4} + \frac{\chi^p (2^p - 2\xi^p)}{\chi \xi - 4} + \frac{2^p \xi^p + 2\chi \xi^p}{4-\chi \xi} \right) \right) \right) \right) \quad (18)$$

Equation (18) further simplifies to the following:

$$Var[Orders_i] = \frac{\left( \frac{(\beta^2 + 4\phi_{ij}^2) \left( 2L^2 \left( 1 - \left( \frac{\xi}{2} \right)^p \right) + 2Lp \left( 1 - \left( \frac{\xi}{2} \right)^p \right) + p^2 \right) (\eta^2 + 4\phi_{ij}^2) \left( 2L^2 \left( 1 - \left( \frac{\chi}{2} \right)^p \right) + 2Lp \left( 1 - \left( \frac{\chi}{2} \right)^p \right) + p^2 \right)}{4 - \xi^2} + \frac{(\beta \eta - 4\phi_{ij}^2) \left( 2L^2 \left( \left( \frac{\xi}{2} \right)^p + \left( \frac{\chi}{2} \right)^p - 2 \right) + 2Lp \left( \left( \frac{\xi}{2} \right)^p + \left( \frac{\chi}{2} \right)^p - 2 \right) - 2p^2}{\chi \xi - 4} \right)}{(p\Gamma)^2} \quad (19)$$

### 3. Quantifying the Bullwhip Effect

Consider equation (1) again that defines bullwhip effect relationship. As mentioned before, we can use equation (4) as variance of market demand, needed in denominator of equation (1). Moreover, equation (19) represents variance of orders and can be used as numerator of equation (1). Therefore bullwhip effect values can be measured by division of their results. In the next part, we complete Tables 1 and 2 in this manner. Now we want to prove a proposition in which expressed conditions that bullwhip effect can be removed from the proposed supply chain.

**Proposition:** When  $p$  approaches infinity, variance of orders approaches variance of demand. That is, when  $p = \infty$  then  $Var[Orders_i] = Var[D_i]$ . Thus, when forecasts become equal to the long-term average demand, the bullwhip ratio is equal to one.

**Proof:** When  $p$  approaches infinity, we can derive equation (20) based on equation (19):

$$\lim_{p \rightarrow \infty} \{Var[Orders_i]\} = \frac{(\chi \xi - 4) [(\beta \chi + \xi \eta)^2 - 4(\beta + \eta)^2] - 4(\chi - \xi)^2 [2\beta \eta - (4 + \chi \xi) \phi_{ij}^2]}{(4 - \chi^2) \Gamma^2 (\chi \xi - 4) (\xi^2 - 4)} \quad (20)$$

Substituting  $\beta, \eta, \chi, \xi$  we have:

$$\lim_{p \rightarrow \infty} \{Var[Orders_i]\} = \frac{\phi_{ii} \phi_{jj} (\phi_{ij}^2 - 1) - \phi_{ij}^2 (1 + \phi_{ij} \phi_{ji}) + \phi_{ii} \phi_{jj}^3 - (1 + \phi_{ij}^2) (\phi_{ij} \phi_{ji} - 1)}{(\phi_{ii} \phi_{jj} - \phi_{ij} \phi_{ji} - 1) (\phi_{ii} + \phi_{ij} \phi_{ji} + \phi_{jj} - \phi_{ii} \phi_{jj} - 1) (1 + \phi_{ii} - \phi_{ij} \phi_{ji} + \phi_{jj} + \phi_{ii} \phi_{jj})} \quad (21)$$

It is clear that equation (21) is equal to  $Var[D_i]$  derived before by equation (4). Therefore when  $p \rightarrow \infty$  the bullwhip effect approaches one. That is:

$$Bullwhip_i = \frac{Var[Orders_i]}{Var[D_i]} \rightarrow 1 \text{ and when } p = \infty \text{ then}$$

$Bullwhip_i = 1$ . So there is no bullwhip effect for product  $i$  in the supply chain if retailer uses as large as number of periods ( $p$ ) in average calculations.

4. Numerical Example

Here, an example is presented to analyze bullwhip effect behavior in a two-product supply chain. Suppose that demand of two products in the proposed supply chain is defined by these coefficients:

$$\phi_{xx} = 0.2, \phi_{xy} = 0.4, \phi_{yx} = 0.1 \text{ and } \phi_{yy} = 0.6$$

Using previous relationships, bullwhip effect measures are presented in Tables 1 and 2. Due to the closed form of bullwhip effect measure, we can calculate bullwhip ratios for each value of  $p$ .

Table 1  
Bullwhip ratios for product x

		L									
		1	2	3	4	5	6	7	8	9	10
p	1	3.61596	8.84789	16.6958	27.1596	40.2394	55.9352	74.2469	95.1746	118.718	144.878
	2	2.20479	4.21277	7.02394	10.6383	15.0559	20.2766	26.3006	33.1277	40.758	49.1915
	3	1.77354	2.93385	4.48094	6.41479	8.73542	11.4428	14.537	18.0179	21.8856	26.1401
	4	1.56996	2.3679	3.39382	4.64773	6.12962	7.83949	9.77735	11.9432	14.337	16.9588
	5	1.45117	2.05272	2.80466	3.70699	4.75971	5.96282	7.31631	8.82019	10.4745	12.2791
	6	1.37294	1.85243	2.43848	3.13108	3.93024	4.83595	5.84821	6.96703	8.1924	9.52433
	7	1.31739	1.71412	2.1902	2.74562	3.3804	4.09452	4.88798	5.76079	6.71295	7.74446
	8	1.27587	1.61305	2.01153	2.47132	2.99241	3.5748	4.2185	4.92351	5.68982	6.51744
	9	1.24369	1.53612	1.87728	2.26719	2.70583	3.19321	3.72932	4.31418	4.94777	5.6301
	10	1.21804	1.47572	1.77305	2.11001	2.48663	2.90288	3.35878	3.85432	4.38951	4.96433

Table 2  
Bullwhip ratios for product y

		L									
		1	2	3	4	5	6	7	8	9	10
p	1	2.47774	5.43322	9.86644	15.7774	23.1661	32.0325	42.3767	54.1986	67.4983	82.2757
	2	1.86332	3.30219	5.31661	7.90658	11.0721	14.8132	19.1298	24.0219	29.4896	35.5329
	3	1.6319	2.57974	3.84353	5.42328	7.31896	9.5306	12.0582	14.9017	18.0612	21.5366
	4	1.50166	2.20399	3.10699	4.21065	5.51498	7.01997	8.72563	10.632	12.7389	15.0466
	5	1.41532	1.96909	2.6613	3.49195	4.46104	5.56857	6.81455	8.19896	9.72182	11.3831
	6	1.35311	1.80711	2.36199	3.01777	3.77443	4.63198	5.59042	6.64975	7.80996	9.07106
	7	1.30602	1.68854	2.14756	2.68309	3.29512	3.98366	4.7487	5.59025	6.50829	7.50285
	8	1.26918	1.59819	1.98701	2.43565	2.94411	3.51239	4.14049	4.8284	5.57614	6.38369
	9	1.23968	1.5273	1.86285	2.24634	2.67776	3.15713	3.68442	4.25966	4.88283	5.55393
	10	1.2156	1.4704	1.7644	2.0976	2.47	2.88159	3.33239	3.82239	4.35159	4.91999

Figures 2, 3, 4 show bullwhip effect ratios while  $L$  and  $p$  are varying for each of products separately. The results are compatible with the previous researches in single product supply chains and are confirmed by them (e.g. Chen et al., 2000a; Zhang, 2004; and Luong, 2007). In addition, the results are similar to Chaharsooghi and Sadeghi (2009) but the difference is in the number of moving average calculations ( $p$ ). Due to the aforementioned limitations in their statistical approach, bullwhip effect measures could be provided for only a few values of  $p$  ( $p=1, 2, 3, 4, 5$ ). Herein, using control theory approach, we present a closed form for  $Var(Q_t)$  in equation (19) which enables us to calculate bullwhip effect measures for all of  $p$  values (as in the real world we may use many values of  $p$  in the moving average forecasting). A review of Tables 1 and 2 and Figures indicates that bullwhip effect is related to lead-time directly and is relevant to the number of observations in moving average calculations ( $p$ ) reversely.




Fig. 2(a). Bullwhip effect variation with respect to  $L$  for product x

Figure 2(a) depicts that bullwhip effect of the product x increases when its lead-time increases. The upper curve is bullwhip ratios for  $p=1$  and others are for  $p=2, p=3, p=4$ , respectively. It is clear that increasing of  $p$  has an important role in bullwhip effect reduction. Figure 2(b) shows bullwhip effect of product y with respect to its lead-time. All the above notes about the bullwhip effect of the first product is valid for the product y.




Fig. 2(b). Bullwhip effect variation with respect to  $L$  for product  $y$




Fig. 3(b). Bullwhip effect variation with respect to  $p$  for product  $y$

Figure 3(a) shows bullwhip effect measures of the product  $x$  with respect to the number of observations in lead-time demand forecasting,  $p$ . The upper curve is bullwhip ratio for  $L=4$  and the others are for  $L=3$ ,  $L=2$ ,  $L=1$ , respectively. It is clear that more the observation results, the less the bullwhip effect. In addition, a sharp fall can be seen when the number of observations changes from 1 to 2. Moreover, Figure 3(a) shows that slope of the bullwhip effect curve decreases dramatically when lead-time increases. In other words if lead-time is large, then increasing  $p$  from 1 to 2 can reduce bullwhip effect considerably.




Fig. 3(a). Bullwhip effect variation with respect to  $p$  for product  $x$

Figure 3(b) shows bullwhip effect curve for the product  $y$  with respect to number of observations in lead-time demand forecasting,  $p$ . It is clear that bullwhip effect decreases when number of observations increases. A dramatic fall can be seen when lead-time of the second product increases from 1 to 2. Slope of curves between bullwhip effects of two products differs in Figure 3(a) and Figure 3(b).

Finally, Figures 4(a) and 4(b) show bullwhip ratios for two products; separately for each product  $x$  and product  $y$  when  $p$  ( $y$  dimension of the curve) and  $L$  ( $x$  dimension of the curve) vary simultaneously. Also  $z$  dimension of curve shows bullwhip effect measure in a proposed value of  $p$  and  $L$ . In fact, when a retailer increases number of periods in his moving average calculations and supplier reduces lead-time of procurement, bullwhip effect decreases. So we have minimum of bullwhip measure in maximum value of  $p$  and minimum value of  $L$ . While  $p$  decreases or  $L$  increases, bullwhip effect measure increases, as we can see in Figures 4(a) and 4(b), the maximum point of the flat curve occurs in maximum measure of lead-time and the minimum measurer of moving average parameter ( $p$ ). In fact coordination retailer and supplier in selection of  $L$  and  $p$  can reduce bullwhip effect of products.




Fig. 4(a). Bullwhip effect variation with respect to  $p$  and  $L$  for product  $x$




Fig. 4(b). Bullwhip effect variation with respect to  $p$  and  $L$  for product  $y$

## 5. Conclusion

In this paper, a two-echelon supply chain with two products is considered and bullwhip effect values are measured; using system engineering and block diagram approach. Demand of each product depends on the demand of the other one. This relationship is described by VAR (1) model. Retailer used OUT policy in his replenishments for both of products. Order of first product is independent on the second product. We assumed that retailer uses simple moving average method to forecast lead-time demand of each product independently. After description of the model, we derived a closed form of bullwhip effect ratio for both of products using block diagram. Finally, in the last section we analyzed behavior of the bullwhip effect through a numerical example. We showed that lead-time reduction, as well as, increasing number of observation in lead-time demand forecasting can reduce bullwhip effect for both products, simultaneously. In other words, if retailer uses more historical information in forecasting lead-time demand, bullwhip effect can be decreased. In addition, if a manufacturer decreases lead-time, then the bullwhip phenomenon can be removed from the supply chain.

This research mainly focused on two-product supply chain while the basic problem in supply networks is remained. If we have several products (as we see in real world), how can we measure and analyze bullwhip measures? Another drawback of our research is the assumption about ordering policy. If ordering of two products depends on each other, how can quantify bullwhip ratios? So continuing the research in the above areas is strongly recommended.

## 6. References

- [1] Buchmeiste, B. Friscic, D. (2014). Bullwhip effect study in a constrained supply chain. *Procedia Engineering*, 69, 63-71.
- [2] Chaharsooghi, S.K. Sadeghi, A. (2009). Measuring the bullwhip effect in supply chains with vector autoregressive demand process. *Kuwait Journal of Science and Engineering*, 36, 211-230.
- [3] Chandra, C. Grabis, J. (2005). Application of multi-steps forecasting for restraining the bullwhip effect and improving inventory performance under autoregressive demand. *European Journal of Operational Research*, 166, 337-350.
- [4] Chatfield, D.C. Pritchard, A. M. (2013). Returns and the bullwhip effect. *Transportation Research Part E: Logistics and Transportation Review*, 49, 159-175.
- [5] Chen, F. Drezner, Z. Ryan, J.K. Smith-Levi, D. (2000a). Quantifying the bullwhip effect in a simple supply chain: The impact of forecasting, lead times and information. *Management Science*, 46, 436-443.
- [6] Chen, F. Drezner, Z. Ryan, J.K. Smith - Levi, D. (2000b). The impact of exponential smoothing forecasts on the bullwhip effect. *Naval Research Logistics*, 47, 269-286.
- [7] Dejonckheere, J. Disney, S.M. Lambrecht, M.R. Towill, D.R. (2003). Measuring and avoiding the bullwhip effect: A control theoretic approach. *European Journal of Operational Research*, 147, 567-590.
- [8] Disney, S.M. Towill D.R. (2003). On the bullwhip and inventory variance produced by an ordering policy. *Omega*, 31, 157-167.
- [9] Fazel Zarandi. M.R. Gamasae. R. (2013). A type-2 fuzzy system model for reducing bullwhip effects in supply chains and its application in steel manufacturing. *Scientia Iranica*, 20, 879-899.
- [10] Forrester, J.W. (1958). *Industrial dynamics - a major break through for decision-making*. Harvard Business Review.
- [11] Jaipuria, S. Mahapatra, S. (2014). An improved demand forecasting method to reduce bullwhip effect in supply chains. *Expert Systems with Applications*, 41, 2395-2408.
- [12] Jaksic, M. Rusjan, B. (2008). The effect of replenishment policies on the bullwhip effect: A transfer function approach. *European Journal of Operational Research*, 184, 946-961.
- [13] Kim, J.G. Chatfield, D. Harrison, T.P. Hayya, J.C. (2006). Quantifying the bullwhip effect in supply chain with stochastic lead-time. *European Journal of the Operational Research*, 173, 617-636.
- [14] Lee, H.L. Padmanabhan, V. Whang, S. (1997). The bullwhip effect in supply chains. *Sloan Management Review*, 38, 93-102.
- [15] Li, Q. Disney, S.M. Gaalman, G. (2014). Avoiding the bullwhip effect using damped trend forecasting and the Order-Up-To replenishment policy. *International Journal of Production Economics*, 149, 3-16.
- [16] Luong, H.T. (2007). Measure of bullwhip effect in supply chains with autoregressive demand process. *European Journal of Operational Research*, 180, 1086-1097.
- [17] Luong, H.T. Phien, N.H. (2007). Measure of bullwhip effect in supply chains: The case of high order autoregressive demand process. *European Journal of Operational Research*, 183, 197-209.
- [18] Makui, A. Madadi, A. (2007). The bullwhip effect and Lyapunov exponent. *Applied Mathematics and Computation*, 189, 35-40.
- [19] Nepal, B. Murat, A. Chinnam. R.B. (2012). The bullwhip effect in capacitated supply chains with consideration for product life-cycle aspects. *International Journal of Production Economics*, 136, 318-331.



- [20] Sterman, J.D. (1989). Optimal policy for a multi-product, dynamic, nonstationary inventory problem. *Management Science*, 12, 206-222.
- [21] Sucky. E. (2009). The bullwhip effect in supply chains—An overestimated problem? *International Journal of Production Economics*, 118, 311–322.
- [22] Wei, W.W.S. (1990) *Time Series Analysis: Univariate and Multivariate Methods*. Addison-Wesley, New York.
- [23] Wu, S. Gan, W. Wei, F. (2011). Analysis of bullwhip effect based on ABMS. *Procedia Engineering*, 15, 4276–4281.
- [24] Zhang, X. (2004) The impact of forecasting methods on the bullwhip effect. *International Journal of Production Economics*, 88, 15-27.
- [25] Zotteri, G. (2013). An empirical investigation on causes and effects of the Bullwhip-effect: Evidence from the personal care sector. *International Journal of Production Economics*, 143, 489-498.