

Letter to Editor

Smooth muscle relaxant activity of *Crocus sativus* (saffron) and its constituents: possible mechanisms

Mansoureh Gorginzadeh, Mansoureh Vahdat^{*}

Endometriosis Research Center, Iran University of Medical Sciences, Tehran, Iran

Article history:

Received: Feb 10, 2018 Received in revised form: Jul 25, 2018 Accepted: Jul 29, 2018 Vol. 8, No. 6, Nov-Dec 2018, 475-477.

* Corresponding Author:

Tel: +982164352562 Fax: +982166509283 mary_2012@yahoo.com

Keywords: Saffron Crocus sativus Muscle fibers Uterus Cervical tissue

Dear editor

We praise the article by Mokhtari-Zaer et al. (2015) published in the Avicenna Journal of Phytomedicine on the effects of saffron on smooth muscle activity (Mokhtari-Zaer et al., 2015). It was a well-designed and interesting study on the therapeutic properties of Crocus sativus which is a precious plant cultivated in our country. We do believe that along with all other medicinal effects. saffron or its active constituents, primarily crocin and crocetin, could also have some clinical implications in the gynecology field. Historically and particularly in traditional Persian medicine, saffron has been regarded as an abortifacient agent (Hosseinzadeh and Nassiri-Asl, 2013; Schmidt et al., 2007). Farmer women exposed to saffron had increased rates of miscarriage (Ajam et al., 2014). This could be due to the fact that saffron stimulates uterine contractions. However, in Table 1 of the article by Mokhtari-Zaer et al. (2015), a relaxant effect of saffron on uterine contraction was (Mokhtari-Zaer et mentioned al.. 2015). Concerning various components of saffron including crocin, picrocrocin, crocetin, and safranal, each could have different actions on muscular tissue. As an antispasmodic, saffron is used for stomach pain by helping digestion and improving appetite. It also reduces tension and alleviates symptoms of premenstrual syndrome and renal colic (Agha-Hosseini et al., 2008; Moshiri et al., 2006; Kashani et al., 2018). In one study, the impact of saffron on cervical ripening in term pregnant women was evaluated for the

first time in the form of a clinical trial (Sadi et al., 2016). They concluded that saffron could induce cervical priming which is a perquisite for vaginal delivery by improving the bishop score. Cervical ripening caused by prostaglandins such as misoprostol or prostaglandin E1 is associated with simultaneous increase in uterine muscle contractility which is apparently in contrast with the effects of saffron as a relaxing agent (Vahdat et al., 2015). In a study by Sadraei et al, the effects of Crocus sativus extracts on uterus contractions were assessed in vitro. Following removal of the uteri of rats, spontaneous rhythmic contractions were induced using potassium chloride (KCL). According to their results, Crocus sativus increased these contractions and showed spasmodic action on muscle fibers (Sadraei et al., 2003). Likewise, in other studies, saffron had stimulatory effects on uterus as a result of myogenic and neurogenic actions resulting in prolonged bleeding, premature birth

and abortion (Tafazoli et al., 2004; Modaghegh et al., 2008). This stimulatory effect of saffron on uterine musculature, however, is sometimes desirable in obstetrics to enhance the process of labor and also in gynecology for facilitating the surgical procedures on the uterus (Sadi et al., 2016; Vahdat et al., 2015). Thus, the exact mechanism of action of saffron derivatives on uterus and cervix has not been fully elucidated yet. In all the studies mentioned, the effects of the plant extract were assessed without purifying or differentiating its different elements which could have different or even opposing actions. With the availability of saffron tablets in Iran which mainly consists of crocin, with the brand name of Krocina, we believe that it would be much easier to assess the impact of this particular component of saffron on uterine or cervical tissue to clarify the exact mechanisms underlying abortion or induction of labor.

In the end, we congratulate Mokhtari-Zaer et al on their article and we appreciate the Avicenna Journal of Phytomedicine editorial board for their judicious concern on this topic. We hope to read well-controlled randomized clinical trials regarding the beneficiary effects of saffron in future.

Please cite this paper as:

Gorginzadeh M, Vahdat M. Smooth muscle relaxant activity of *Crocus sativus* (saffron) and its constituents: possible mechanisms. Avicenna J Phytomed, 2018; 8(6): 475-477.

Conflict of interest

None.

References

- Agha-Hosseini M, Kashani L, Aleyaseen A, Ghoreishi A, Rahmanpour H, Zarrinara AR Akhondzadeh S. 2008. Crocus sativus L. (saffron) in the treatment of premenstrual syndrome: a double-blind, randomised and placebo-controlled trial. BJOG, 115: 515-519.
- Ajam M., Reihani T, Roshanravan V, Zare Z. 2014. Increased miscarriage rate in female farmers working in saffron fields: a possible effect of saffron toxicity. Asia Pac J Med Toxicol, 3:73-75.

- Hosseinzadeh H, Nassiri-Asl M. 2013. Avicenna's (Ibn Sina) the Canon of Medicine and saffron (Crocus sativus): a review. Phytother Res, 27: 475-483.
- Kashani L, Esalatmanesh S, Eftekhari F, Salimi S, Foroughifar T, Etesam F, Safiaghdam H, Moazen-Zadeh E, Akhondzadeh S. 2018.
 Efficacy of Crocus sativus (saffron) in treatment of major depressive disorder associated with post-menopausal hot flashes: a double-blind, randomized, placebo-controlled trial. Arch Gynecol Obstet, 297:717-724.
- Modaghegh MH, Shahabian M, Esmaeili HA, Rajbai O, Hosseinzadeh H. 2008. Safety evaluation of saffron (Crocus sativus) tablets in healthy volunteers. Phytomedicine, 15: 1032-1037.

- Mokhtari-Zaer A, Khazdair MR, Boskabady MH. 2015. Smooth muscle relaxant activity of Crocus sativus (saffron) and its constituents: possible mechanisms. Avicenna J Phytomed, 5: 365-375.
- Moshiri E, Basti AA, Noorbala AA, Jamshidi AH, Hesameddin Abbasi S, Akhondzadeh S. 2006. Crocus sativus L. (petal) in the treatment of mild-to-moderate depression: a double-blind, randomized and placebocontrolled trial. Phytomedicine, 13: 607-611.
- Sadi R, Mohammad-Alizadeh-Charandabi S, Mirghafourvand M, Javadzadeh Y, Ahmadi-Bonabi A. 2016. Effect of Saffron (Fan Hong Hua) on the readiness of the uterine cervix in term pregnancy: a placebo-controlled randomized trial. Iran Red Crescent Med J, 18: e27241.
- Sadraei, H, Ghannadi A, Takei-bavani M. 2003. Effects of Zataria multiflora and Carum carvi essential oils and hydroalcoholic extracts of Passiflora incarnata, Berberis integerrima and Crocus sativus on rat isolated uterus contractions. Int J Aromather, 13:121-127.
- Schmidt M, Betti G, Hensel A. 2007. Saffron in phytotherapy: pharmacology and clinical uses. Wien Med Wochenschr, 157: 315-319.
- Tafazoli, M., Kermani T, Saadatjoo AR. 2004. Effects of saffron on abortion and its side effect on mice balb/c. The Horizon of Medical Sciences, 10: 53-55.
- Vahdat, M, Tahermanesh K, Mehdizadeh Kashi A, Ashouri M, Solaymani Dodaran M, Kashanian M, Alizadeh P, Abed SM, Fazel Anvari Yazdi A, Hashemi N, Ashkani Esfahani S, Faghih Nasiri B. 2015. Evening primrose oil effect on the ease of cervical ripening and dilatation before operative hysteroscopy. Thrita, 4: e29876.