



# Corrigendum: Benchmark Datasets for Bilateral Lower-Limb Neuromechanical Signals from Wearable Sensors during Unassisted Locomotion in Able-Bodied Individuals

Blair Hu<sup>1,2\*</sup>, Elliott Rouse<sup>3</sup> and Levi Hargrove<sup>1,2,4</sup>

<sup>1</sup> Center for Bionic Medicine, Shirley Ryan AbilityLab, Chicago, IL, United States, <sup>2</sup> Department of Biomedical Engineering, Northwestern University, Evanston, IL, United States, <sup>3</sup> Department of Mechanical Engineering, University of Michigan, Ann Arbor, MI, United States, <sup>4</sup> Department of Physical Medicine and Rehabilitation, Northwestern University, Chicago, IL, United States

Keywords: gait, locomotion, biomechanics, electromyography, benchmark

### **OPEN ACCESS**

## Edited and reviewed by:

Diego Torricelli, Consejo Superior de Investigaciones Científicas (CSIC), Spain

### \*Correspondence:

Blair Hu

blairhu@u.northwestern.edu

### Specialty section:

This article was submitted to Biomedical Robotics, a section of the journal Frontiers in Robotics and Al

Received: 12 September 2018 Accepted: 26 October 2018 Published: 20 November 2018

### Citation:

Hu B, Rouse E and Hargrove L (2018)
Corrigendum: Benchmark Datasets
for Bilateral Lower-Limb
Neuromechanical Signals from
Wearable Sensors during Unassisted
Locomotion in Able-Bodied
Individuals. Front. Robot. AI 5:127.
doi: 10.3389/frobt.2018.00127

# A Corrigendum on

Benchmark Datasets for Bilateral Lower-Limb Neuromechanical Signals from Wearable Sensors during Unassisted Locomotion in Able-Bodied Individuals

by Hu, B., Rouse, E., and Hargrove, L. (2018) Front. Robot. AI 5:14. doi: 10.3389/frobt.2018.00014

In the original article, there were two errors. In the text, the abbreviation for semitendinosus was omitted. In the text, the URL to the data repository available on Figshare was also incorrect.

Corrections have been made to Materials and Methods, Sub-section Instrumentation Setup, Paragraph one and Results, Paragraph one.

EMG signals were recorded using bipolar surface electrodes (DE2.1; Delsys, Boston, MA, USA) from the same seven muscles in each leg: tibialis anterior (TA), medial gastrocnemius (MG), soleus (SOL), vastus lateralis (VL), rectus femoris (RF), biceps femoris (BF), and semitendinosus (ST).

The data are saved in CSV format in subject-specific folders and are available to download from Figshare at https://doi.org/10.6084/m9.figshare.5362627.

The authors apologize for these errors and state that they do not change the scientific conclusions of the article in any way. The original article has been updated.

**Conflict of Interest Statement:** The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2018 Hu, Rouse and Hargrove. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.