

Cryptanalysis of GOST2

Tomer Ashur¹, Achiya Bar-On² and Orr Dunkelman³

¹ imec - Computer Security and Industrial Cryptography (COSIC) research group, Department of Electrical Engineering (ESAT), KU Leuven, Leuven, Belgium

Tomer.Ashur@esat.kuleuven.be

² Department of Mathematics, Bar-Ilan University, Ramat Gan, Israel

abo1000@gmail.com

³ Computer Science Department, University of Haifa, Haifa, Israel

orrd@cs.haifa.ac.il

Abstract. GOST 28147 is a 256-bit key 64-bit block cipher developed by the USSR, later adopted by the Russian government as a national standard. In 2010, GOST was suggested to be included in ISO/IEC 18033-3, but was rejected due to weaknesses found in its key schedule.

In 2015, a new version of GOST was suggested with the purpose of mitigating such attacks. In this paper, we show that similar weaknesses exist in the new version as well. More specifically, we present a fixed-point attack on the full cipher with time complexity of 2^{237} encryptions. We also present a reflection attack with time complexity of 2^{192} for a key that is chosen from a class of 2^{224} weak keys. Finally, we discuss an impossible reflection attack which improves on exhaustive search by a factor of $2e$, and several possible related-key attacks.

Keywords: Block ciphers · Cryptanalysis · GOST · GOST2 · Reflection attack · Fixed-point attack · Related-key attack · Impossible reflection attack

1 Introduction

GOST [Rus89] is a block cipher designed during the 1970's by the Soviet Union as an alternative to the American DES [US 99]. Similarly to DES, it has a 64-bit Feistel structure, employing 8 S-boxes and is intended for civilian use. Unlike DES, it has a significantly larger key (256 bits instead of just 56), more rounds (32 compared with DES' 16), and it uses different sets of S-boxes. What is unique about GOST is that the S-boxes are not an integral part of the standard, and in fact, they were kept secret, which allowed the government to give different sets of S-boxes to different users.

After the USSR had been dissolved, GOST was accepted as a Russian standard in [Rus89], and was proposed to be included in ISO/IEC 18033-3. At the time GOST seemed like a natural candidate to be included in the standard. As was shown in [PLW10], it can be implemented very efficiently using only 651–1017 GE, depending on the choice of S-boxes when the key is fixed. From a security point of view, although there have been several attacks such as [KHL⁺04] in the related-key model, the only attack on the full GOST in the single-key model was published in 2008 in [Kar08], and was limited to a weak-key class.

However, as a result of the renewed interest due to the standardization process, Isobe presented in [Iso11] an improvement to [Kar08] that eliminates the weak-key assumption resulting in an attack with time complexity of 2^{224} . A year later, as the attack was improved by Dinur, Dunkelman, and Shamir in [DDS12], and as new attacks were presented by Courtois in [Cou11b], the idea to standardize GOST was rejected.

In 2015, the Russian Technical Committee for Standardization (TC 26) added a new block cipher with a 128-bit block and a 256-bit key to the standard under the name *Kuznyechik* (Russian for Grasshopper) [Fed15]. This cipher was later published in RFC-7801, and was recently suggested to be included in ISO/IEC 18033-3.

The new 128-bit cipher does not obsolete the old 64-bit cipher,¹ and in fact, authors from TC 26 also published in 2015 a modified version of the 64-bit cipher that supposedly resists previous attacks [DDM15]. The modified version differs from the original GOST in two aspects: (i) it has a different key schedule, designed to avoid previous attacks and, (ii) it makes an explicit choice for the S-boxes. We refer to this version in the sequel as GOST2.

In this paper we show that the modified version is vulnerable to the same kind of attacks as the original one. We adapt attacks from the original GOST to the new version. This results in three types of attacks. First, we present a reflection attack on a weak-key class of size 2^{224} . For the cases where the key is not one of these weak keys, we present an impossible reflection attack with time complexity of $2^{254.34}$. We then present a fixed-point attack on the full cipher applicable to all keys with time complexity of 2^{237} . These attacks, which are the main contribution of this paper, are presented in Table 1. Finally, we observe that GOST2 is vulnerable to several related-key differential attacks identified against GOST.

Table 1: Single-key Attacks on the Full GOST2

Type of attack	Time	Data	Memory (bytes)	No. of keys	Section
Reflection	2^{192}	2^{32} KP	$2^{68.58}$	2^{224}	4.1
Impossible reflection	$2^{254.34}$	2^{63} CP	$2^{166.58}$	$2^{256} - 2^{224}$	4.2
Impossible reflection	$2^{255.34}$	2^{64} KP	$2^{166.58}$	$2^{256} - 2^{224}$	4.2
Fixed point	2^{237}	2^{64} KP	$2^{138.15}$	All	4.3

^{KP} Known plaintexts

^{CP} Chosen plaintexts

It is important to stress that although all these attacks require less effort than exhaustive search, their complexities are still impractical to be implemented. However, unlike the GOST block cipher which has withstood cryptanalysis for two decades, the modified GOST is a new cipher and should be considered carefully before being used.²

This paper is organized as follows: in Section 2 we present the GOST block cipher, and the modified version which we refer to as GOST2. Then, in Section 3 we discuss previous work relating to GOST. In Section 4 we present our attacks for GOST2 and discuss a previously known attack. We summarize the paper in Section 5.

2 The GOST and GOST2 Block Ciphers

The GOST block cipher has a 64-bit Feistel structure using a 256-bit key. The 64-bit block is treated as two words of 32-bit each which are referred to as the “left word” and the “right word”. The state in round i is denoted by $S_i = (l_i, r_i)$ where l_i and r_i are the left and right words entering round i , respectively. In each round, a 32-bit to 32-bit round

¹The 64-bit cipher was renamed “Magma” to reflect the change.

²A previous version of this paper suggested that GOST2 would be a candidate for standardization, either inside Russia, or through ISO. After uploading the paper to ePrint, the authors were contacted by Grigory Marshalko who confirmed the correctness of our results, and clarified that there are no plans to standardize GOST2 [Mar16].

function \mathcal{F} is applied to the right word and the round's subkey K_i . The output of \mathcal{F} is XORed to the left input word, and the words are swapped. We get that

$$\begin{aligned} r_{i+1} &= \mathcal{F}(r_i, K_i) \oplus l_i \\ l_{i+1} &= r_i \end{aligned}$$

where r_0 is the right half of the plaintext, l_0 is the left half of it, K_i is the i^{th} round subkey, and \oplus is the XOR operation. We say that $S_{i+1} \leftarrow R_{K_i}(S_i)$ (resp., $S_{i-1} \leftarrow R_{K_i}^{-1}(S_i)$) is the 1-round encryption (resp., decryption) of S_i with the appropriate subkey. In the sequel we also use \boxplus (resp., \boxminus) to denote addition (resp., subtraction) modulo 2^{32} , \parallel for concatenation of strings, $\lll j$ to denote left cyclic rotation by j bits, $\ggg j$ to denote right cyclic rotation by j bits, and $X[i-j]$ to denote bits i to j of X .

Inside the round function, the input is mixed with the round's 32-bit subkey K_i using modular addition. Then, it is split into 8 chunks of 4 bits entering the eight S-boxes. Finally, the output of the S-boxes is left rotated by 11 bits. This is repeated 32 times, for rounds numbered 0–31, and the output of the last round is used as the ciphertext. A schematic view of 1-round GOST is depicted in Figure 1.




Figure 1: One round of GOST. The symbols \boxplus , \oplus , and \lll_j are used for modular addition, bitwise addition, and cyclic left rotation by j bits, respectively.

The differences between the original version of GOST and the modified version are only in the key schedule and the choice of S-boxes. In both versions, the key schedule takes the 256-bit key K and splits it into 8 subkeys of 32 bits denoted K^0 to K^7 .

In the original GOST, the first 24 rounds used the subkeys in their cyclic order (i.e., $K_0 = K_8 = K_{16} = K^0$, $K_1 = K_9 = K_{17} = K^1$, etc.). In the final 8 rounds (i.e., rounds 24–31), the subkeys were used in a reverse order such that K^7 was used in round 24, K^6 was used in round 25, etc. In the modified version, the key schedule has changed, but the keys are still used in an ascending cyclic order in rounds 0–7, 8–15, and 16–23, and in a descending cyclic order in rounds 24–31. The order of the subkeys for both versions is presented in Table 2. From here on, we refer to the modified version of GOST presented in [DDM15] as GOST2. Also, whenever we want to stress that K^j is used in round i (i.e., $K^j = K_i$), we write it as K_i^j .

Another change made to the design of GOST is the proposal of concrete S-boxes to be used in the standard. The designers suggested to use the permutation Π_1 as the first 4 S-boxes, and the permutation Π_2 as the other 4 S-boxes. Both S-boxes are presented in Table 3. We note that although our complexity analyses use the fact that the S-boxes are bijective in order to derive average case complexities, we do not exploit possible weaknesses in these S-boxes. We refer the interested reader to [DDM15] for the rationale behind the choice of S-boxes.

Table 2: The order of subkeys in GOST and GOST2

Round	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Subkey (GOST)	K^0	K^1	K^2	K^3	K^4	K^5	K^6	K^7	K^0	K^1	K^2	K^3	K^4	K^5	K^6	K^7
Subkey (GOST2)	K^0	K^1	K^2	K^3	K^4	K^5	K^6	K^7	K^3	K^4	K^5	K^6	K^7	K^0	K^1	K^2
Round	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Subkey (GOST)	K^0	K^1	K^2	K^3	K^4	K^5	K^6	K^7	K^7	K^6	K^5	K^4	K^3	K^2	K^1	K^0
Subkey (GOST2)	K^5	K^6	K^7	K^0	K^1	K^2	K^3	K^4	K^6	K^5	K^4	K^3	K^2	K^1	K^0	K^7

Table 3: The proposed S-boxes for GOST2

Input	0_x	1_x	2_x	3_x	4_x	5_x	6_x	7_x	8_x	9_x	A_x	B_x	C_x	D_x	E_x	F_x
Π_1	6_x	A_x	F_x	4_x	3_x	8_x	5_x	0_x	D_x	E_x	7_x	1_x	2_x	B_x	C_x	9_x
Π_2	E_x	0_x	8_x	1_x	7_x	A_x	5_x	6_x	D_x	2_x	4_x	9_x	3_x	F_x	C_x	B_x

3 Previous Work

Several works such as [KHL⁺04, BDK07, ST01] were able to attack reduced versions of GOST, or attack the cipher in the related-key model. The first attack in the single-key model on the full cipher is due to Kara in [Kar08]. Kara presented a reflection attack on a weak-key class of size 2^{224} , using 2^{32} chosen plaintexts in 2^{192} time.

Kara's attack was improved by Isobe in [Iso11]. Isobe was able to eliminate the weak-key assumption, presenting an attack using 2^{224} time, 2^{64} memory, and 2^{32} known plaintexts. Another improvement was made a year later by Dinur, Dunkelman and Shamir in [DDS12] where a new fixed-point property was presented. They further presented a new attack algorithm that can use either this property or Isobe's reflection property, and several trade-offs for the attack complexities, allowing the adversary to optimize for time, memory, or data complexities.

An extensive collection of structural attacks on GOST can be found in the work of Courtois [Cou11a]. In addition, Courtois also presented a differential attack in the single-key setting using 2^{179} time in [Cou16], which is in fact a shorter version of [Cou12a].

Other attacks for GOST are either inferior in their complexities, attack less rounds, or work in the related-key model. The single-key attacks which are relevant to this paper are presented in Table 4. We stress that none of these attacks is applicable to GOST2, and that to the best of our knowledge, we are the first to attack this new cipher.

Table 4: Single-key Attacks on the Full GOST

Reference	Data	Memory	Time	Type	S-boxes
[Iso11]	2^{32} CP	2^{64}	2^{224}	Reflection	Bijjective
[Cou12b]	2^{64} KP	2^{64}	2^{248}	Algebraic	Russian Banks [Ope]
[CM11]	2^{64} KP	2^{64}	2^{226}	Differential	Russian Banks [Ope]
[DDS12]	2^{64} KP	2^{36}	2^{192}	Fixed point	any
[DDS12]	2^{64} KP	2^{19}	2^{204}	Fixed point	any
[DDS12]	2^{32} KP	2^{36}	2^{224}	Reflection	any
[DDS12]	2^{32} KP	2^{19}	2^{236}	Reflection	any

KP Known plaintexts

CP Chosen plaintexts

4 Attacking the Modified Version of GOST

In this section, we show how to adapt previous attacks against GOST to GOST2. This shows that GOST2 fails to deter the exact attacks it was supposed to avoid, thus casting doubt on its design methodology, and most notably on its key schedule.

We start by discussing some properties of Feistel structures. The first of which is the *reflection property* [Kar08]. A reflection point is a state $S = (l, r)$ such that $l = r$. We use the following lemma which is a well-known property of Feistel networks:

Lemma 1. *if S is a reflection point, then for any subkey k , $R_k(S) = R_k^{-1}(S)$.*

Lemma 1 leads to the following corollary:

Corollary 1. *if S is a reflection point, then for any sequence of subkeys $K_i, K_{i+1}, \dots, K_{i+j}$, it holds that*

$$R_{K_i}(R_{K_{i+1}}(\dots(R_{K_{i+j}}(S)))) = R_{K_i}^{-1}(R_{K_{i+1}}^{-1}(\dots(R_{K_{i+j}}^{-1}(S))))$$

We use Corollary 1 to present in Section 4.1 a reflection attack for a weak-key class of size 2^{224} with time complexity of 2^{192} using 2^{32} known plaintexts. Then, in Section 4.2 we present a complementary attack, i.e., an attack that works when the key is chosen among the remaining $2^{256} - 2^{224}$ “strong” keys that reduces the time of exhaustive search by a factor of $2e$.

In Section 4.3 we present a fixed-point attack on the full GOST2 with time complexity 2^{237} . A fixed point is an intermediate state S such that

$$S = R_{K_i}(R_{K_{i+1}}(\dots(R_{K_{i+j}}(S))))$$

for some sequence of keys K_i, \dots, K_{i+j} used in rounds i to $i + j$. As we can see from Table 2, rounds 10–15 use the same keys as rounds 16–21. This leads to the following observation used in Section 4.3:

Observation 1. *If S_{10} is a fixed point with respect to rounds 10–15 (i.e., $S_{10} = S_{16}$), then $S_{10} = S_{16} = S_{22}$.*

We conclude by briefly discussing several related-key differential attacks, and their effect on the security of GOST2.

4.1 A Reflection Attack for a Weak-key Class of GOST2

In this attack, we make use of a reflection point in the intermediate state. As can be seen from Table 2, the order of keys in rounds 18–31 is:

$$K_{18}^7, K_{19}^0, K_{20}^1, K_{21}^2, K_{22}^3, K_{23}^4, K_{24}^6, K_{25}^5, K_{26}^4, K_{27}^3, K_{28}^2, K_{29}^1, K_{30}^0, K_{31}^7.$$

We assume that the key belongs to a weak-key class where $K_{24}^5 = K_{25}^6$. Then, if the intermediate state before round 25 is a reflection point (i.e., $S_{25} = (x, x)$), we get due to Corollary 1 that $C = S_{32} = S_{18}$, and thus the number of effective encryption rounds is 18 rather than 32. The probability of any state in GOST2 to be a reflection point is 2^{-32} , which means that an adversary observing 2^{32} plaintexts should encounter on average one reflection point in S_{25} .




Figure 2: A schematic description of the reflection attack.

Algorithm 1 Pseudocode of the reflection attack against GOST2.

Input: 2^{32} pairs of known plaintexts and ciphertexts - $\{P_i, C_i\}$.

```

for  $S_3, K_{16}^5 = K_{17}^6$  do {Outer loop}
  for  $(P_i, C_i), K_0$  do {Inner loop 1}
     $K_1, K_2 \leftarrow \text{Solve}(P_i, S_3, K_0)$ 
     $S_{13} \leftarrow R_{K_{13}}^{-1}(R_{K_{14}}^{-1}(R_{K_{15}}^{-1}(R_{K_{16}}^{-1}(R_{K_{17}}^{-1}(C_i = S_{18}))))))$ 
     $T[S_{13}] \leftarrow (P_i, K_0, K_1, K_2)$ 
  end for
  for  $K_3, K_4, K_7$  do {Inner loop 2}
     $S_{13} \leftarrow R_{K_{12}}(R_{K_{11}}(R_{K_{10}}(R_{K_9}(R_{K_8}(R_{K_7}(R_{K_6}(R_{K_5}(R_{K_4}(R_{K_3}(S_3))))))))))$ 
     $(P_i, K_0, K_1, K_2) \leftarrow T[S_{13}]$ 
    TRY( $K^0, K^1, K^2, K^3, K^4, K^5, K^6, K^7$ )
  end for
end for

```

The description of the attack is as follows (cf. Figure 2): The adversary observes 2^{32} pairs of plaintexts and ciphertexts denoted by (P_i, C_i) . Then, she uses an outer loop and two inner loops. In the outer loop she iterates over the values of S_3 and $K_{16}^5 = K_{17}^6$. Then, in the first inner loop, she iterates over the known plaintexts and ciphertext pairs (P_i, C_i) , and over all possible values for K_0 . She computes $S_1 = R_{K_0}(P_i)$ and uses S_3 to retrieve K_1 and K_2 which can be computed through the 2-round Feistel network without additional complexity by solving the equations

$$l_3 \oplus l_1 = F(r_1, K_1)$$

and

$$r_3 \oplus r_1 = F(l_3, K_2)$$

with respect to known r_3 and l_3 .³ She also obtains $S_{13} = R_{K_{13}}^{-1}(R_{K_{14}}^{-1}(R_{K_{15}}^{-1}(R_{K_{16}}^{-1}(R_{K_{17}}^{-1}(C_i = S_{18}))))))$ using the newly obtained $K_2 = K_{15}$ and $K_1 = K_{14}$ and the interim $K_0 = K_{13}, K_{16} = K_{17}$. Finally, she stores in $T[S_{13}]$ the tuple (P_i, K_0, K_1, K_2) .

In the second inner loop, which is run sequentially after the previous one, she iterates over all possible values of K_3, K_4 , and K_7 for the encryption of S_3 through rounds 3–12 to obtain S_{13} . Then, she fetches the tuple (P_i, K_0, K_1, K_2) from $T[S_{13}]$ (note that for every S_{13} there is one such tuple on average). At this point, the adversary holds a candidate key $K = (K^0, K^1, K^2, K^3, K^4, K^5, K^6, K^7)$ which can be tested using a trial encryption. A pseudo-code describing the attack is presented in Algorithm 1.

The data complexity of the attack is 2^{32} known plaintexts, suggesting that the reflection property holds for one plaintext on average. The outer loop iterates over 2^{64} possible values for S_3 and over 2^{32} possible values for $K_{16}^5 = K_{17}^6$ making its time complexity 2^{96} . The first inner loop iterates over the 2^{32} known pairs of plaintexts and ciphertexts, and over 2^{32} candidates for K_0 , making its time complexity 2^{64} . The second inner loop iterates over 2^{32} candidates for each of the values of K_3, K_4 , and K_7 , i.e., it runs 2^{96} times. The total time complexity is therefore $2^{96} \cdot (2^{64} + 2^{96}) \approx 2^{192}$. The size of the table T is 2^{64} lines of 192 bits, resulting in memory complexity of $2^{68.58}$ bytes.⁴

4.2 An Impossible Reflection Attack for the Full GOST2

In this section we present an impossible reflection attack on the full GOST2. This attack is a complementary attack to the one presented in Section 4.1 and uses the fact that $K^5 \neq K^6$.

³When the S-box layer is bijective $K_1 = S^{-1}((l_1 \oplus l_3) \ggg 11) \oplus r_1$ and $K_2 = S^{-1}((r_1 \oplus r_3) \ggg 11) \oplus l_3$.

⁴The memory complexity can be reduced to $2^{67.58}$ by storing only P_i and K_0 in the first inner loop and recomputing K_1 and K_2 in the second inner one.

Algorithm 2 Pseudocode of the improved impossible reflection attack against GOST2.

Input: 2^{64} pairs of known plaintexts and ciphertexts.

```

{Outer loop}
for  $K_5, K_6$  do
  for  $S_3, (P_i, C_i)$  do {Inner loop 1}
    for  $K_2$  do
       $S_2 \leftarrow R_{K_2}^{-1}(S_3)$ 
       $T[L_2] \leftarrow K_2$ 
    end for
    for  $K_0$  do
       $S_1 \leftarrow R_{K_0}(P_i)$ 
       $K_2 \leftarrow T[R_1]$ 
       $K_1 \leftarrow \text{SOLVE}(P_i, S_3, K_0, K_2)$ 
       $S_{18} \leftarrow C_i$ 
       $S_{13} \leftarrow R_{K_0}^{-1}(R_{K_1}^{-1}(R_{K_2}^{-1}(R_{K_5}^{-1}(R_{K_6}^{-1}(S_{18}))))))$ 
       $T1[S_3||S_{13}] \leftarrow (K_0, K_1, K_2)$ 
    end for
  end for
  for  $S_3, K_3, K_4, K_7$  do {Inner loop 2}
     $S_{13} \leftarrow R_{K_3}(R_{K_4}(R_{K_5}(R_{K_6}(R_{K_7}(R_{K_3}(R_{K_4}(R_{K_5}(R_{K_6}(R_{K_7}(S_3))))))))))$ 
     $(K_0, K_1, K_2) \leftarrow T1[S_3||S_{13}]$ 
    Discard( $K_0, K_1, K_2, K_3, K_4, K_5, K_6, K_7$ )
  end for
  for all undiscarded keys do
    TRY( $K^0, K^1, K^2, K^3, K^4, K^5, K^6, K^7$ )
  end for
end for

```

When this happens, the event $S_{18} = C$ is impossible, as it implies that $K_{24}^6 = K_{25}^5$ (for any bijective S-boxes such as π_1 and π_2 that were suggested in [DDM15]).

The attack uses an outer loop and two sequential inner loops. In the outer loop the adversary iterates over all K^5 and $K^6 \neq K^5$. In the first inner loop, she iterates over all possible S_3 , and over all pairs (P_i, C_i) of plaintexts and ciphertexts, to find the values K_0, K_1 , and K_2 leading from the P_i to S_3 . Then, she assumes towards contradiction that $S_{18} = C_i$ and decrypts $S_{18} = C_i$ back to S_{13} . She stores in a temporary table $T1$ the values K_0^0, K_1^1 , and K_2^2 indexed by $S_3||S_{13}$.

In the second inner loop the adversary iterates over S_3, K_3^3, K_4^4 , and K_7^7 , and tries to encrypt S_3 to S_{13} . If $S_3||S_{13}$ is in the table, the keys associated with their entry along with the values of the iterators (i.e., the current K_3, K_4, K_5, K_6 , and K_7) are discarded as impossible keys. Finally, the adversary tries all remaining keys to find the right one.

The probability that a key is impossible is e^{-1} and thus, the number of impossible keys is $e^{-1} \cdot 2^{256} \approx 2^{254.56}$. We can reduce the number of possible keys by another factor of 2 by using GOST2's complementation property described in Section 4.4.1, leading to a time complexity of $2^{-1} \cdot (1 - e^{-1}) \cdot 2^{256} \approx 2^{254.33}$. The data complexity is 2^{64} known plaintexts (2^{63} chosen plaintexts when using the complementation property), and the memory complexity is $(1 - e^{-1}) \cdot 2^{192}$.

The memory complexity of this attack can be slightly improved to 2^{160} by also building a table of size 2^{160} in the first loop, storing for each pair of plaintext and ciphertext, all possible S_3 and then iterate over S_3 again in the second step. A full description of the attack can be found in Algorithm 2.

4.3 An Fixed-point Attack on the Full GOST2

In this section we show how to mount a fixed-point attack against GOST2 using Observation 1. The probability that S_{10} is a fixed point with respect to rounds 10–15 is 2^{-64} suggesting that an adversary would observe one such message on average after encrypting 2^{64} plaintexts (i.e., the entire codebook). A second observation is that knowing the input and output to a 3-round Feistel network, an adversary can iterate over some of the bits in the first and last rounds and check if they match in the middle round to filter out wrong keys. In this attack, we guess the 12 least significant bits of K_0 and K_2 , which are denoted by $K_0[0-11]$ and $K_2[0-11]$, respectively, and match bits 11–22 in R_1 . This gives $2^{12} \cdot 2^{12} \cdot 2^{-12} = 2^{12}$ suggestions for 24 bits of the key. By additionally guessing the carry bit in position 11, the adversary can compute key bits 12–19 in K_1 denoted by $K_1[12-19]$.




Figure 3: A schematic description of the fixed-point attack.

The attack procedure is as follows (cf. Figure 3): In the outer loop, the adversary iterates over K_7 and $K_0[0-11]$ and $K_2[0-11]$, and $K_1[11]$. In the first inner loop she iterates over the 2^{64} pairs of plaintexts and ciphertexts, and the remaining bits of K_0 , K_1 , and K_2 . She decrypts C_i through rounds 31–28 to obtain S_{28} and encrypts P_i through rounds 0–2 to obtain S_3 , then uses a table T to store in row $S_3||S_{28}$ the subkey values $K_{28}^0[12-31]$, $K_{29}^1[0-10,12-31]$, and $K_{30}^2[12-31]$ supposedly leading from S_3 to S_{28} . Since T needs to store 2^{71} possible key values for each of the 2^{64} data pairs using 2^{128} rows, each row contains $2^{71} \cdot 2^{64} \cdot 2^{-128} = 2^7$ candidates on average where each 71-bit candidate occupies $2^{3.15}$ bytes.

In the second inner loop she iterates over all possible S_{10} and all possible K_5 , K_6 to encrypt S_{10} through rounds 10–12 and obtain S_{13} . From S_{13} and $S_{16} = S_{10}$ she checks if the values of $K_0[0-11]$ and $K_2[0-11]$ in the outer loop lead from S_{13} to S_{16} . For the values surviving this filter, she obtains $K_1[12-19]$. Then, by iterating over K_3 and K_4 she decrypts S_{10} through rounds 9–3 to obtain S_3 and encrypts $S_{22} = S_{10}$ through rounds 22–28 to obtain S_{28} . Using the interim S_3 and S_{28} she fetches 2^7 possible suggestions from T for $K_{28}^0[12-31]$, $K_{29}^1[0-10,12-31]$, $K_{30}^2[12-31]$, on average. She uses $K_1[12-19]$ to further discard wrong values and tries the remaining keys, i.e., a single key on average.

The attack uses 2^{64} known plaintexts and it builds a table of size $2^{128+7+3.15} = 2^{138.15}$ bytes. The time complexity is dominated by the total number of iterations. The number of iterations in the outer loop is 2^{32+25} . The time it takes to build the table in the first phase is 2^{64+71} . The second phase takes 2^{64+64} iterations for the outer part, which discards 2^{-12} of the keys. The inner part of the second phase, which is executed for the surviving keys requires another 2^{64} iterations. The probability that a row in the table matches the 2^{128} bits of S_3 and S_{28} that were obtained in this part is $(2^{-64})^2 = 2^{-128}$, i.e., each call to the table fetches 2^7 possible keys, which are filtered according to $K_1[12-19]$, leaving a single key to test. The total time complexity of the attack is then $2^{32+25} \cdot (2^{64+71} + 2^{64+64} \cdot 2^{-12} \cdot 2^{64}) \approx 2^{237}$. A pseudocode of the attack procedure is presented in Algorithm 3.

Algorithm 3 Pseudocode of the fixed-point attack against GOST2.

Input: 2^{64} pairs of known plaintexts and ciphertexts.

```

for  $K^7, K_0[0-11], K_2[0-11], K_1[11]$  do {Outer loop}
  for  $(P_i, C_i), K_{28}^0[12-31], K_{29}^1[0-10,12-31], K_{30}^2[12-31]$  do {First phase}
     $S_{28} \leftarrow R_{K_{28}}^{-1}(R_{K_{29}}^{-1}(R_{K_{30}}^{-1}(C_i)))$ 
     $S_3 \leftarrow R_{K_2}(R_{K_1}(R_{K_0}(P_i)))$ 
     $T[S_3||S_{28}] \leftarrow T[S_3||S_{28}] \cup (K_{28}^0[12-31], K_{29}^1[0-10,12-31], K_{30}^2[12-31])$ 
  end for
  for  $S_{10} = S_{16} = S_{22}, K_5^5, K_6^6$  do {Second phase - outer part}
     $S_{13} \leftarrow R_{K_{12}}(R_{K_{11}}(R_{K_{10}}(S_{10})))$ 
    if  $\text{FILTER}(S_{16}, S_{13}, K_0[0-11], K_2[0-11]) == \text{TRUE}$  then
      for  $K_3^3, K_4^4$  do {Second phase - inner part}
         $(K_0[0-11], K_1[12-19], K_2[0-11]) \leftarrow \text{SOLVE}(S_{16}, S_{13}, K_0[0-11], K_2[0-11], K_1[11])$ 
         $S_3 \leftarrow R_{K_3}^{-1}(R_{K_4}^{-1}(R_{K_5}^{-1}(R_{K_6}^{-1}(R_{K_7}^{-1}(R_{K_8}^{-1}(R_{K_9}^{-1}(S_{10}))))))))$ 
         $S_{28} \leftarrow R_{K_{27}}(R_{K_{26}}(R_{K_{25}}(R_{K_{24}}(R_{K_{23}}(R_{K_{22}}(S_{22}))))))$ 
        for each  $(K_0[12-31], K_1[0-10,12-31], K_2[12-31])$  in  $T[S_3||S_{28}]$  do
           $\text{FILTER}(K^1[12-19])$ 
        end for
        TRY $(K^0, K^1, K^2, K^3, K^4, K^5, K^6, K^7)$ 
      end for
    end if
  end for
end for

```

4.4 Related-key Differential Properties in GOST2 and their Effect on the Security of GOST2

An interesting omission by the authors of [DDM15] is mitigation against related-key differential attacks. Indeed, in their introduction they discuss the works in [DDS12, Iso11], but not any of the works in [SK00, KHL⁺04, CM11]. It seems that some attacks were not addressed in the design of GOST2, and that the cipher is still vulnerable to these attacks. In this subsection we mention three possible related-key differential attacks.

4.4.1 A 32-round Related-key Differential Distinguisher with Probability 1 (A Complementation Property)

Assume two related keys differing in the most significant bit of each of the subkeys. A pair of plaintexts also differing in the most significant bits of the two words will result in a pair of ciphertexts differing in the same bits with probability 1. This characteristic can be used to distinguish the full GOST2 from a random permutation in the related-key model, with probability 1 using only 2 chosen plaintexts. It can also be used to speed up exhaustive search on the full GOST2 by a factor of 2. Moreover, using reduced-round variants of this observation can speed up all of our attacks by a factor of 2.

4.4.2 A 16-round Related-key Differential Distinguisher with Probability 1

Assume that a pair of plaintexts (P, P') whose intermediate states (S_8, S'_8) differ only in bit 31 (i.e., the most significant bit of the right half). Then, a pair of related keys having a difference in the most significant bit of the subkeys indexed by an odd number (i.e., K_1, K_3, K_5 , and K_7), leads to the same difference before round 24 with probability 1. We can extend this differential characteristic 4 rounds backwards and 3 rounds forward with

probability $(\frac{3}{4})^4$. This gives a truncated input difference with 8 known bits in S_4 leading to a truncated output difference with 28 known bits in S_{27} . By guessing K_0, K_1, K_2, K_3 and K_7 we can bridge the distance between the plaintext and S_4 , and between the ciphertext and S_{27} . The attack can recover the full key with 2^{36} chosen plaintexts, using 2^{38} bytes of memory, in 2^{226} time, and 2 related keys.

4.4.3 A 30-round Related-key Differential Distinguisher with Probability 2^{-30}

As was shown by Ko et al. in [KHL⁺04], a difference in the second most significant bit can be canceled by a related-key having a difference in the same position with probability $\frac{1}{2}$. Ko et al. also show how to concatenate this transition to obtain a related-key differential characteristic for 30 rounds with probability 2^{30} . We observe that the same property holds also for GOST2, and that the key recovery attack of [KHL⁺04] can be adapted in a straightforward way.

5 Summary

In this paper we discussed the security of GOST2, a variant of GOST aimed to mitigate previous attacks against the cipher. We showed that the proposed fixes are insufficient in resisting these attacks, which rely on the key schedule, and that they can be adapted to the new version.

We presented a reflection attack for a weak-key class of 2^{224} keys using 2^{192} full GOST2 encryptions, 2^{32} known plaintexts, and $2^{68.58}$ bytes of memory. When the key is not selected from the weak-key class, we showed an impossible reflection attack using $2^{255.34}$ encryptions, 2^{64} known plaintexts, and $2^{166.58}$ bytes of memory which can be improved to use $2^{254.34}$ with 2^{63} chosen plaintexts and the same amount of memory. We also presented a fixed-point attack on the full cipher applicable to all keys which uses 2^{237} full GOST2 encryptions, 2^{64} known plaintexts, and $2^{138.15}$ bytes of memory. Finally, we discussed possible related-key differential attacks and showed that related-key attack on GOST are applicable to GOST2.

To conclude, it seems that the change in the key schedule was insufficient to offer 256-bit security by the new cipher. We encourage the designers to consider a better key schedule, possibly with rotations, XORs, or round dependent constant additions.

Acknowledgment

The first author was supported in part by the Research Fund KU Leuven, OT/13/071. The second author was partially supported by the Check Point Institute for Information Security, and by the BIU Center for Research in Applied Cryptography and Cyber Security in conjunction with the Israel National Cyber Bureau in the Prime Minister's Office. The third author was supported in part by the Israeli Science Foundation through grant No. 827/12 and by the Commission of the European Communities through the Horizon 2020 program under project number 645622 PQCRYPTO.

References

- [BDK07] Eli Biham, Orr Dunkelman, and Nathan Keller. Improved Slide Attacks. In Alex Biryukov, editor, *Fast Software Encryption, 14th International Workshop, FSE 2007, Luxembourg, Luxembourg, March 26-28, 2007, Revised Selected Papers*, volume 4593 of *Lecture Notes in Computer Science*, pages 153–166. Springer, 2007.

- [CM11] Nicolas T. Courtois and Michal Misztal. Differential Cryptanalysis of GOST. *IACR Cryptology ePrint Archive*, 2011:312, 2011.
- [Cou11a] Nicolas T. Courtois. Algebraic Complexity Reduction and Cryptanalysis of GOST. *IACR Cryptology ePrint Archive*, 2011:626, 2011.
- [Cou11b] Nicolas T. Courtois. Security Evaluation of GOST 28147-89 In View Of International Standardisation. *Cryptology ePrint Archive*, Report 2011/211, 2011. <http://eprint.iacr.org/>.
- [Cou12a] Nicolas T. Courtois. An Improved Differential Attack on Full GOST. *IACR Cryptology ePrint Archive*, 2012:138, 2012.
- [Cou12b] Nicolas T. Courtois. Security Evaluation of GOST 28147-89 in View of International Standardisation. *Cryptologia*, 36(1):2–13, 2012.
- [Cou16] Nicolas T. Courtois. An Improved Differential Attack on Full GOST. In Peter Y. A. Ryan, David Naccache, and Jean-Jacques Quisquater, editors, *The New Codebreakers - Essays Dedicated to David Kahn on the Occasion of His 85th Birthday*, volume 9100 of *Lecture Notes in Computer Science*, pages 282–303. Springer, 2016.
- [DDM15] Andrey Dmukh, Denis Dygin, and Grigory Marshalko. A lightweight-friendly modification of GOST block cipher. *IACR Cryptology ePrint Archive*, 2015:65, 2015.
- [DDS12] Itai Dinur, Orr Dunkelman, and Adi Shamir. Improved Attacks on Full GOST. In Anne Canteaut, editor, *Fast Software Encryption - 19th International Workshop, FSE 2012, Washington, DC, USA, March 19-21, 2012. Revised Selected Papers*, volume 7549 of *Lecture Notes in Computer Science*, pages 9–28. Springer, 2012.
- [Fed15] Federal Agency on Technical Regulation and Metrology. National Standard of the Russian Federation. GOST R 34.12–2015, 2015. http://tc26.ru/en/standard/gost/GOST_R_34_12_2015_ENG.pdf.
- [Iso11] Takanori Isobe. A Single-Key Attack on the Full GOST Block Cipher. In Antoine Joux, editor, *Fast Software Encryption - 18th International Workshop, FSE 2011, Lyngby, Denmark, February 13-16, 2011, Revised Selected Papers*, volume 6733 of *Lecture Notes in Computer Science*, pages 290–305. Springer, 2011.
- [Kar08] Orhun Kara. Reflection Cryptanalysis of Some Ciphers. In Dipanwita Roy Chowdhury, Vincent Rijmen, and Abhijit Das, editors, *Progress in Cryptology - INDOCRYPT 2008, 9th International Conference on Cryptology in India, Kharagpur, India, December 14-17, 2008. Proceedings*, volume 5365 of *Lecture Notes in Computer Science*, pages 294–307. Springer, 2008.
- [KHL⁺04] Youngdai Ko, Seokhie Hong, Wonil Lee, Sangjin Lee, and Ju-Sung Kang. Related Key Differential Attacks on 27 Rounds of XTEA and Full-Round GOST. In Bimal K. Roy and Willi Meier, editors, *Fast Software Encryption, 11th International Workshop, FSE 2004, Delhi, India, February 5-7, 2004, Revised Papers*, volume 3017 of *Lecture Notes in Computer Science*, pages 299–316. Springer, 2004.
- [Mar16] Grigory Marshalko. eprint.iacr.org/2016/532 (Private Correspondence), 2016.

- [Ope] OpenSSL. A Reference Implementation of GOST. <http://www.openssl.org/source/>.
- [PLW10] Axel Poschmann, San Ling, and Huaxiong Wang. 256 Bit Standardized Crypto for 650 GE - GOST Revisited. In Stefan Mangard and François-Xavier Standaert, editors, *Cryptographic Hardware and Embedded Systems, CHES 2010, 12th International Workshop, Santa Barbara, CA, USA, August 17-20, 2010. Proceedings*, volume 6225 of *Lecture Notes in Computer Science*, pages 219–233. Springer, 2010.
- [Rus89] Russian National Bureau of Standards. Federal Information Processing Standard-Cryptographic Protection - Cryptographic Algorithm. GOST 28147-89, 1989.
- [SK00] Haruki Seki and Toshinobu Kaneko. Differential Cryptanalysis of Reduced Rounds of GOST. In Stinson and Tavares [ST01], pages 315–323.
- [ST01] Douglas R. Stinson and Stafford E. Tavares, editors. *Selected Areas in Cryptography, 7th Annual International Workshop, SAC 2000, Waterloo, Ontario, Canada, August 14-15, 2000, Proceedings*, volume 2012 of *Lecture Notes in Computer Science*. Springer, 2001.
- [US 99] US National Institute of Standards and Technology (NIST). Federal Information Processing Standards Publication 46-3, 1999.