TECHNOLOGICAL AND ECONOMIC DEVELOPMENT OF ECONOMY

ISSN 2029-4913 / eISSN 2029-4921



2017 Volume 23(6): 915-936 doi:10.3846/20294913.2016.1212437

# DETERMINANTS OF INNOVATION IN EUROPEAN CONSTRUCTION FIRMS

José M. BARATA<sup>a</sup>, Elsa FONTAINHA<sup>b</sup>

<sup>a</sup>SOCIUS – Research Centre, ISEG, Lisbon School of Economics and Management, Economics Department, Universidade de Lisboa, Rua do Quelhas, 6 1200-781, Lisboa, Portugal <sup>b</sup>ISEG, Lisbon School of Economics and Management, Economics Department, Universidade de Lisboa, Rua do Quelhas, 6 1200-781, Lisboa, Portugal

Received 24 February 2014; accepted 24 January 2015

**Abstract.** The research aims to identify the determinants of process and product innovation in a traditional and low-tech sector, supported in micro, small and medium-sized enterprises (SMEs), specifically European Construction Sector. The study uses micro data from the e-Business Survey of the European Commission. The dependent variables studied are binary (presence or absence of process or/and product innovation). The explanatory variables considered are: suppliers, clients, market orientation, turnover growth and size. In addition, some national context variables – GDP per capita and R&D weight in GDP – are also tested. The results show that the sector of construction innovates, and the factors that contribute more to this innovation are suppliers and growth of business. It is also concluded that firm size is more relevant for process innovation than for product innovation, and companies that are guided by international markets innovate more than those that focus on local and regional markets.

Keywords: innovation determinants, construction sector, SME, process innovation, product innovation, Europe.

JEL Classification: L74, O31, O52.

# Introduction

The driving force for economic development is innovation. Through innovation, in the sense of increasing profits, entrepreneurs alter the stability of businesses, turning it into economic growth (Schumpeter 1942). The goal of this research is to study the determinants of innovation (see Bhattacharya, Bloch 2004; OECD 2005; Vaona, Pianta 2008; Ahuja *et al.* 2008; Dodgson *et al.* 2014) in a traditional sector with a high contribution of micro and small enterprises, specifically European Construction Sector.

Corresponding author José M. Barata E-mail: *jmbarata@iseg.ulisboa.pt* 



The main motivation underlying this article stems from the perceived necessity to extend the studies on innovation to industries outside the oft analysed leading "high-tech" manufacturing industry. In this case, the construction sector is located at the intersection of the manufacturing industry, creative industries and services industries. It is a traditional SME based industry, with an undeniable economic and social impact.

Reichstein *et al.* (2008: 601) rightly argue that "because it [the construction sector] produces the capital goods – buildings and structures – to enable other sectors to develop", it is imperative to understand the sources of innovation for innovation strategy and policy to improve performance within the sector. We agree that construction firms do innovate. Small construction firms are able to deliver complex projects for diverse types of clients in a creative way and under pressure. In fact, the construction sector has experienced knowledge intensification through an expansion of, for instance, "knowledge intensive business firms". Moreover, it is important to stress that "innovation in construction is in many ways 'hidden' from the usual metrics applied to technology-driven sectors" (Reichstein *et al.* 2008: 604. See also Gault 2013).

The study uses micro data from the e-Business Survey of the European Commission, which includes data for construction firms (N = 2,654) from 27 countries in Europe, as well as for other sectors (14,065 firms). The dependent variables studied are binary (presence or absence of process or/and product innovation), so a Probit model was applied.

The paper, after this introduction, will present the main concepts and models of innovation underlying the theoretical framework of this research, as well as a brief note on the construction industry in Europe; the first section ends with a summary on the determinants of innovation in the construction sector. In the second section, we will present the data and the methodology followed. The last two sections (Sections 3 and 4) are reserved, on the one hand, to the presentation and discussion of results, and on the other, to synthesize the general conclusions and the suggestions for future research.

#### 1. Innovation and the construction sector in Europe

The next section will focus on the relevant *concepts of innovation* and *models of innovation* – the central concept of this paper – making a small extension toward the linkage between innovation and cooperation. After that presentation, we will propose a brief synthesis on the main characteristics of construction sector in Europe. Finally, the *determinants of innovation* in the construction sector will be addressed.

#### 1.1. Concepts and models of innovation: a synthesis

As the fundamental dynamic of the new paradigm for the competitiveness of firms and nations, innovation must be considered as a "process", thus counteracting the view of innovation as a static or epiphenomenal event (Lundvall 1988: 350).

The definition of what "innovation" is immediately results in a series of important questions whose answers differ according to the available indicators and the proposed aims. Most definitions associate the concept with the technological aspects of the introduction of new (or better) products or processes. However, other more general interpretations have been developed. These may include, for example, any organizational and managerial changes that may have taken place, and thus go far beyond the more limited analysis normally undertaken at the level of equipment, systems and devices.

The concept of innovation adopted in this study results from a synthesis of the relevant literature (see, for example: Kline, Rosenberg 1986; Freeman, Soete 1997; Salter, Alexy 2014) and the definitions proposed by international bodies, such as the Organization of Economic Cooperation and Development (OECD 2005). Two fundamental areas of innovation are considered in this paper: innovation in "products" and innovation in "processes".

According to Marques, Barata (2006: 114), a product is regarded as technologically innovative when it displays a substantial difference in the materials or components used, or when it is designed for new uses. Innovation may refer to either an entirely new product (radical innovation) or improvements to a product (incremental innovation). Products that are considered innovative may be so at world level, at national or industry level, or merely at the firm level.

A process is regarded as technologically innovative when it is used either for the production of new or improved products or for the manufacture of products which were previously made by the firm but now require new techniques or the same techniques performed in a more effective manner. Here a distinction is also drawn between "new" and "improved" processes.

These different specifications of innovation, its dynamics, economic and social impact (radical *versus* incremental innovation) and the difficulties of an empirical approach point to the complexity of the phenomenon and its determinants.

When considered as a process, innovation consists of a series of steps that are scientific, technical, commercial, and financial in nature. Thus, R&D is just one of these steps, and R&D activities and non-R&D activities, together forming the "innovative activities", are the central aspects of the surveys on innovation, namely, the Community Innovation Surveys (CIS) (OECD 2005). Non-R&D activities consist of design, projects, engineering, tests, acquisition of non-incorporated technology (patents, technological know-how, etc.) and the acquisition of incorporated technology (machinery, equipment, etc.) (Barata 2005). It is these non-R&D activities that are the main object of our analysis in this paper. The next synthesis on "models of innovation" complements the presentation of the theoretical framework of this research.

Over the last few decades, our thinking about science, technology and innovation has been accompanied by the linear conception of the "Research-Development-Production-Market" type (Rothwell 1992a, 1992b). Until the mid-1960s, the dominant perception of the innovation process consisted of a pure form of linear "technology-push" innovation (Schumpeter 1942 – based on "supply" of science and technology). It was assumed that there was a continuous progression from scientific discovery to the appearance of new products and processes on the market ("first generation"). In the second half of the 1960s, as a result of more in depth research, greater importance began to be attached to the role of the market in the innovation process. This fact led to the emergence of a linear demand-pull ("second generation") conception of innovation (Schmookler 1966 – "demand"-led innovation).

During the 1970s, the most systematic study of the phenomenon – namely about the success factors of innovation – showed that the earlier conceptions of innovation, when taken individually, were only extreme simplifications and very particular cases of a more general process of confluence/coupling between science, technology and the market ("third generation"). Notwithstanding, in this conception of innovation, there remains essentially a sequential understanding of the innovation process.

Only in the course of the 1980s were the first truly integrated models proposed. The "chain-linked" innovation model (Kline, Rosenberg 1986) is just one example in which innovation is conceived as an integrated process. The integrated models of the innovation process ("fourth generation") (Rothwell 1992a, 1992b) are characterized not only by their interfunctional integration, but also by their ever greater integration with the scientific and technological system and by their vertical and horizontal integration with other firms (suppliers, clients, competitors).

The idealized development of this fourth-generation integrated model – the "fifth-generation" model for the 1990s and for the beginning of the present century – will be characterized by the existence of systems integration and networking (SIN) (Rothwell 1992a, 1992b). This presupposes a fully integrated parallel development: links with clients, strategic integration with suppliers, strategies based on time and an emphasis on flexibility, quality and other extra-price factors. The strategies of access to "complementary assets" (Teece 1986) and the implementation of "inter-organisational information systems" are valuable supports for this new conception of the innovation process (Marques, Barata 2006). This last vision provides an agenda for a greater "opening" up of the innovation process. This is the general theoretical background for the present paper.

Given the dynamism and density of present business environment, it is essential to complement the enterprise's internal knowledge and expertise with external sources. Even major organizations require knowledge beyond their boundaries in order to develop their innovations. Also, external sources have high significance to small and medium-sized firms (Rothwell 1992a, 1992b; Malecki, Tootle 1996). According to the "open innovation model", firms need to open their boundaries to external partners (Chesbrough 2003; Spithoven *et al.* 2011). The innovation process may involve external sources from different origins: clients, suppliers, universities, competitors, and other agents (D'Este *et al.* 2012; Lasagni 2012).

In general, authors have demonstrated that cooperation with other agents from outside the enterprise constitute a significant resource in actual competitive framework, especially in the development of new products and processes and learning capabilities. It also allows to share expenses and uncertainty, exploit synergies, scale and scope economies, as well as benefit from government support (Sampson 2007; Becker, Dietz 2004).

The measurement of the process of innovation is critical for both practitioners and academics (Gault 2013). In fact, a significant number of empirical analysis set out, firstly, the main determinants of both innovation inputs (the innovation effort) and innovation outputs (the results of innovation dynamics); secondly, the researchers develop an analysis on the relationship between inputs, outputs and economic and financial performance (Kleinknecht, Mohnen 2002; Marques, Barata 2006; Bontempi, Mairesse 2015) – "the innovation function".

# 1.2. The construction sector in Europe

The European Construction sector, in broad terms, "Building" and "Civil Engineering"<sup>1</sup> is important in all European countries, despite the recent crisis (Kaklauskas *et al.* 2011) (Table 1).

	2005	2007	2009	2011	2012
European Union (28 countries)	:	:	:	3.9	3.8
European Union (27 countries)	5.0	5.0	4.3	3.9	
Belgium	3.8	3.9	4.2	4.3	4.2
Bulgaria	3.6	5.9	6.4	3.4	3.1
Czech Republic	4.9	4.8	4.7	4.2	3.9
Denmark	4.6	5.0	4.1	3.6	3.6
Germany	2.7	2.5	2.6	2.9	3.0
Estonia	6.6	7.4	4.3	4.4	5.2
Ireland	2.2	2.3	5.6	2.1	:
Greece	:	:	1.8	1.9	2.3
Spain	13.3	12.0	7.5	4.7	3.9
France	4.2	4.4	4.4	4.4	4.3
Croatia	:	:	6.3	3.9	3.3
Italy	4.3	4.7	3.9	3.7	3.4
Cyprus	12.5	12.7	10.2	7.1	5.7
Latvia	5.6	7.5	3.3	2.8	3.4
Lithuania	5.1	6.9	2.8	2.7	2.9
Luxembourg	6.0	5.3	5.5	4.7	4.9
Hungary	3.1	2.9	2.8	2.4	2.3
Malta	:	:	3.6	3.8	3.8
Netherlands	5.0	4.9	4.9	4.6	4.2
Austria	5.2	5.2	5.1	4.8	4.9
Poland	3.8	5.5	4.9	4.6	3.5
Portugal	6.0	5.9	5.6	4.2	3.5
Romania	3.3	4.4	4.4	3.5	3.2
Slovenia	4.3	5.3	4.9	3.6	3.5
Slovakia	2.4	2.2	2.1	3.4	3.5
Finland	4.4	4.5	4.8	4.6	4.9
United Kingdom	6.0	6.0	4.9	4.5	4.6
: not available					

Table 1. Construction Value Added as a percentage of Gross Domestic Product European Union

Source: authors' computation based on Eurostat 2015a, 2015b.

<sup>&</sup>lt;sup>1</sup> The civil engineering (public works) represent an important share in the Construction sector and has a specific dynamic (Gramlich 1994).

Construction activities in the EU-28 provided employment to an estimated 13.0 million persons in 2011 (some 9.7% of the non-financial business economy workforce), and generated an estimated EUR 501 billion of value added (8.1% of the non-financial business economy's total value added). There were an estimated 3.3 million construction enterprises across the EU-28, which generated an estimated EUR 1,566 billion in turnover (Eurostat 2015b).

The construction sector is characterized by a high number of small enterprises (local markets), and relatively few large ones. Micro and small enterprises (with less than 50 persons employed) together accounted for 73.2% of the EU-28 construction sector workforce in 2011. These enterprises also provided about two thirds (65.9%) of industry value added in 2011, compared with two fifths (39.5%) for the whole of the non-financial business economy (Eurostat 2015a).

The construction sector observes cyclical patterns in its development. Nonetheless, it is of strategic importance to the EU as it delivers the buildings and infrastructure needed by the rest of the economy and society. Last but not least, we should also stress the well-known capacity of the construction sector in job creation and its significant upstream (intensive user of materials) and downstream economic effects (real estate services, marketing services), notwithstanding its status of non-transactionable goods industry<sup>2</sup>.

The long and deep downturn in construction activity was widespread within the EU-27. After stabilising in 2010, a second downturn started in the third quarter of 2011 and has not yet shown signs of stabilization (by the end of 2012). However, "future competitiveness strategies for the construction sector could be the key to environmental and social challenges in the EU [...]" (European Commission 2012b: 78).

### 1.3. Innovation in the construction sector: determinants of innovation

Construction sector is classified as a low-tech sector (European Commission 2012a). However, low-tech and high-tech industries interconnect (as partners, clients, buyers) and both contribute to innovation (Pavitt 1984; Bhattacharya, Bloch 2004; Brochner 2010; Hansen, Winther 2011; Loosemore 2014). The study by Reichstein *et al.* (2008) for the construction sector in the UK indicates several examples of product and process innovation in the construction industry, shown in Table 2. Skibniewski and Zavadskas (2013) survey the literature and identify the trends (current and for last two decades) in the development of civil engineering and construction technologies stressing the environmental and energy issues associated to present construction sector.

In the literature on innovation in the construction sector, several factors have been identified as explaining innovation. Vendors are considered a very important source in stimulating innovation, because they are a key channel for obtaining relevant information, equipment and materials. Therefore, a close relationship with suppliers is essential for the company to innovate its products and processes. Reichstein *et al.* (2005, 2008) present explanatory factors of innovation in the sector, among which they highlight the importance

<sup>&</sup>lt;sup>2</sup> For instance, onsite construction (NACE section F) consumed € 750bn of intermediate products from other sectors than construction in a broad sense (NACE sections C to K minus J), corresponding to roughly 44% of the subsector's turnover (European Commission 2012b, 2012c).

of suppliers as providing the most evidence for establishing a direct relationship with innovation. Bogers and Lhuillery (2011) state that manufacturing is important as an absorber of supplier knowledge for product innovation, and of competitor knowledge for process innovation. Zavadskas *et al.* (2011) stress the diverse innovation sources across the life cycle of a construction project: "An enormous volume of construction innovation knowledge is generated during the phases of brief, design, planning, construction, maintenance, facilities management, demolition and utilisation of a facility" (Zavadskas *et al.* 2011: 15). The sector characteristics and problems promote those innovations. For example, for the project management specific methodologies are developed (Zavadskas *et al.* 2014).

Customers also play a role in the innovation of a company, and prolonged contact with customers gives rise to innovation (Lundvall 1985, 1988; Reichstein *et al.* 2008; Bygballe, Ingemansson 2014). Tykka *et al.* (2010) conclude that the factor that promotes innovation in timber framed firms in the construction sector is business opportunities related to demographic growth in the firm location area. This sector places great importance on specifications given by customers, and in an increasingly competitive market, this issue also becomes more important. Bygballe and Ingemansson (2014) based on two studies of innovation in the Swedish and Norwegian construction industries, concluded that costumers are important driving forces of innovation.

Firm size is found to be more relevant to process innovation than product innovation. With regard to process innovation, larger firms innovate more than small ones because the former feature production or organizational processes that are much more complex, where innovation is almost imperative for simplification (Pavitt 2002; Reichstein *et al.* 2005, 2008; Vaona, Pianta 2008; Fontainha 2010; Fontainha *et al.* 2014). Small construction firms, contrasting with large companies, try a strong and close connection with clients, the owner has a relevant role, and they focus on niche markets (Barrett, Sexton 2006).

Examples of product innovation	Examples of process innovation
Development of a composite fire door	• Electronic communications with clients for
<ul> <li>Lancing table for improved heat exchange</li> </ul>	exchange of data
cleaning process	• CAD and electronic data links with some
<ul> <li>Conditioning and monitoring systems for</li> </ul>	of our customers
railway points system	Automatic delivery of concrete
<ul> <li>External solar shading to new buildings</li> </ul>	<ul> <li>Establishment of intranet for knowledge</li> </ul>
• Square dill bits – new advanced mains boards	exchange etc.
• Development of "sobo" system for a specific	<ul> <li>More modern woodworking machinery</li> </ul>
application in manufacturing industry	• Computerised systems – computerised
• Multiple temperature cabinet built into wall and	timesheets stock control
house to receive house delivery	Work identification and control processes
• Installation of new structural lining within failed	Asset based-maintenance management
underground structure	• Direct cost control system with integrated
<ul> <li>Implementing lean manufacturing quality</li> </ul>	design, buying, invoicing, processing
procedures in construction	• We introduced a new manufacturing line also
Design and construction of welding machine	manufactured more components in-house

Table 2. Examples of product and process innovation in the construction sector

Source: 3rd UK Innovation Survey, 2001 as presented by Reichstein et al. (2008: 612).

The way companies behave before the markets where they operate – the market orientation – is also strongly linked to the level of innovation of products and processes. Companies with local or regional perspectives have a lower propensity to innovate than firms with national or international objectives, insofar as the latter are exposed to strong external competition (Reichstein *et al.* 2008).

Regulation of the sector was considered by Gann *et al.* (1998) as a key creator of obstacles to innovation (e.g. safety and environmental legislation). Nevertheless, this idea has since been contradicted by Reichstein *et al.* (2008), who argue that there is no statistically significant relationship between regulation of the sector and the innovation of products and processes: "The role of regulations as a source of innovation appears to have no part in shaping the potential of becoming a process or product innovator" (Reichstein *et al.* 2008: 617). Still, regulation should be considered a very important factor, and one that companies should take into consideration when making decisions about their activities. Based on empirical studies, Noailly (2012) and Testa *et al.* (2011) conclude that environmental regulation (direct regulation, economic instruments and soft instruments) is responsible for investments in advanced technological equipment and product innovation. Zutshi and Creed (2015) discuss some of the challenges that construction firms across the world have when implement and certify the environmental management systems.

There is also a difficulty in measurement (Gambatese, Hallowell 2011). The underestimation of spending on Research and Development (R&D) (see, in general, Silverberg, Soete 1994; Gault 2013) is also a factor that limits knowledge of innovation in the sector. Few construction companies have a R&D Department, and spending on R&D is not completely matched by statistics. A second reason for the underestimation of R&D in this sector is that innovation in construction depends heavily on the progress made by its suppliers of materials and other components and projects (Pavitt 1984; Hall 1994) and the departments of R&D in upstream sectors (e.g. architects or materials innovation departments) (Reichstein *et al.* 2008; Arora *et al.* 2014; Loosemore 2014).

Another important aspect is that the final product is often unique, because usually its production is by project and project-based companies (Gambatese, Hallowell 2011). This uniqueness is another distinguishing feature of the sector. Furthermore, the performance of tasks is often subject to adverse weather conditions, for example work takes place outdoors in different seasons thereby limiting the use of some materials (De Place Hansen, Larsen 2011). These characteristics may also contribute to or impede innovation.

The construction sector has also some characteristics that are distinct from other sectors, specifically in its products and processes, which limit or inhibit innovation (Nam, Tatum 1988). The construction sector is dominated by small companies, which, therefore, are more difficult to organize, and less likely to be innovative because they have less financial and technical capabilities and ability to raise capital (Damanpour 2010). Several players in the market are also involved. For example, planners, contractors, subcontractors and suppliers are usually involved in all stages of the process (Paulson 1995; see also Porter, Stern 2001). Given that the product of the sector is located in a certain geographic area, and therefore not able to be moved, a characteristic that hampers innovation is the immobility of the final product. In addition, the fact that the product has a long cycle life (approximately 30 years) affects innovation adversely (Gramlich 1994). Nam and Tatum (1988) called this feature set a "locked system", claiming that it was responsible for construction companies' difficulty in innovating (Reichstein *et al.* 2008).

Summing up, the literature on the economics and management of construction industry suggests several potential determinants of innovation (Reichstein *et al.* 2008):

- 1. Relationships with customers and suppliers might be expected to support innovation dynamics;
- 2. Size should empower firms to innovate, by freeing them from the "liabilities of smallness" (namely, lack of scale economies) and "newness" (for instance, absence of business "routines") in the sense of Nam and Tatum (1988);
- 3. Local market orientation may deter innovativeness;
- 4. Regulations may support innovation by encouraging the use of new practices and products;
- 5. R&D expenditures should, mainly, support the capture of external knowledge;

In this paper, the first three determinants of innovation will be essayed.

## 2. Data and methodology

### 2.1. Data

The empirical study uses micro data from the *e-Business Survey* of the European Commission (European Commission 2006), which includes data for construction firms (N = 2,654)<sup>3</sup> from 27 countries in Europe, as well as for other sectors (N = 14,065). Table 3, Table 4 and Figure 1 show the distribution of product and process innovation in the sample of construction firms. About one quarter of the firms in the construction sector innovate (Table 3), innovation increases with size (Table 4) and the construction sector shows one of the lowest levels of innovation (Fig. 1). Some factors purported to limit innovation in the construction sector (Nam, Tatum 1988; Gann *et al.* 1998) do not, in fact, prevent innovation, particularly in larger and growing companies.

Product innovation	Ν	%	Valid %	Process Innovation	Ν	Valid %	%
Yes	624	23.5	24.2	Yes	665	25.7	25.1
No	1955	73.7	75.8	No	1922	74.3	72.4
n.a.	75	2.8		n.a.	67		2.5
Total	2654	100	100	Total	2654	100	100

Table 3. Product and process innovation in construction firms

*Note*: n.a. = missing values.

Source: authors' computation based on e-Business Survey 2006 micro database.

<sup>&</sup>lt;sup>3</sup> The sample of Construction firms is distributed by the following subsectors: NACE 4521 General construction of buildings and civil engineering works (N = 1348); NACE 4523 Construction of motorways, roads, airfields and sport facilities (N = 202); NACE 4524 Construction of water projects (N = 41); NACE 4531 Installation of electrical wiring and fittings (N = 552); NACE 4532 Insulation work activities (N = 62); and NACE 4533 Plumbing (N = 449). The survey interviews were conducted in March and April 2006, using computer-aided telephone interview (CATI), the fieldwork was coordinated by Ipsos (Germany) in cooperation with its national organizations.

Size group <sup>(a)</sup>	Ν	%	Product innovation	Process innovation
Micro (1-9)	881	38.2	20.6%	18.2%
Small (10-49)	740	32.1	21.8%	24.8%
Medium (50-249)	588	25.5	24.3%	31.2%
Large (250+)	97	4.2	38.7%	46.7%
Total	2306	100		

Table 4. Product and process innovation by firm size

Note: <sup>(a)</sup>Size categories according the number of employees (European Commission 2003). Source: authors' computation based on e-Business Survey 2006 micro database.



Fig. 1. Innovation by firm sector (N = 14,065)*Notes*: innPP = product and process innovation; innproce = process innovation; innprod = product innovation.

Source: authors' computation based on e-Business Survey 2006 micro database.

### 2.2. Modelling the determinants of process and product innovation in Construction sector

Table 5 describes the dependent variables and the explanatory variables, and Table 6 summarizes the descriptive statistics of these variables. Some of the estimation results of the models are shown in Tables 7 to 9. The discussion of the results is made in the next section. Several models were tested to explain the product innovation and process innovation (Appendix). The specification of each model differs mainly by replacing the regional market variable by national or international market variable and the inclusion (or not) of the two contextual variables (Gross Domestic Product - GDP - per capita and R&D weight in GDP) (see Hartmann 2006). The Models 5 to 7 adopt similar specifications to those of Models 1 to 4 models, but the dependent variable is both product and process innovation. Models 8 and 9 are applied to sub-samples related to firm size.

Next, we will add some brief explanation for the variables selected. Following the seminal works of Schumpeter, the relationship of size with innovation (product and process) is expected to be positive (Vaona, Pianta 2008). Putting this hypothesis in Reichstein et al. (2008) terms, it can be expected that smaller firms will be less likely to innovate than large firms.

	Dependent variables
Product innovation innprod	= 1 if the firm introduced a new product or a large improvement in a product (service) during the year before the survey, 0 otherwise
Process innovation Innproce	= 1 if the firm introduced a new process or a large improvement in a process during the year before the survey , 0 otherwise
Product and process innovation <i>innovPP</i>	=1 if <i>innprod</i> and <i>innproce</i> occurred simultaneously in the year before the survey, 0 otherwise
	Independent variables
Firm size size	Size according the number of employees: 1 if (1–9), 2 if (10–49), 3 if (50–249) and 4 if (250 or more)
Large firms large	=1 if the firm has size 4 ( <i>size</i> = 4), 0 if ( <i>size</i> = 3) <sup>*</sup>
Regional clients mk_regional	=1 if clients are regional, 0 otherwise
National clients mk_national	=1 if the clients are national/domestic, 0 otherwise
Clients client	=1 if the clients have expectations about innovation, 0 otherwise
Suppliers supplier	=1 if the suppliers have expectations about innovation, 0 otherwise
Business growth gsales	=1 if the firm increased sales, 0 otherwise
Leader as goal <i>leader</i>	=1 if the firm wants to be leader, 0 otherwise
Follower as goal <i>follower</i>	=1 if the firm wants to be follower, 0 otherwise
Macroeconomic context GDPpc	GDP per capita in each country (average value of 2004/05/06)
Science & Technology context rdGDP	R&D expenditures as a GDP percentage (average value of 2004/05/06)

Table 5. Variable description

*Note:* \*This variable was used only in *Model 9*, where micro and small enterprises are not included in the sample.

Source: authors' construction based on e-Business Survey 2006 micro database.

According to Mueller (1967: 73), cited in Bhattacharya, Bloch (2004): "The faster a firm's sales are increasing, the more confidence it will have about its ability to secure the benefits from uncertain R&D projects, and the more patience it can afford to show in waiting for these benefits". Therefore, firms whose sales are growing are more innovative (see also Kleinknecht, Mohnen 2002). A positive sign is expected for the business growth coefficient.

The current concepts of *system of innovation* and *open innovation* emphasize the need for interconnections between organisations (namely, suppliers and customers) (Teece 1986; von Hippel 1988; Lundvall 1988). Specifically, in construction sector, working closely with suppliers (namely, to gain access to services, technologies and materials) and clients (involvement in design of construction projects) is a stimulus for innovation (Reichstein *et al.* 2008).

Variables	Mean	SD	Min	Max
Dependent				
Innprod <sup>(a)</sup>	0.24	0.428	0	1
Innproce <sup>(a)</sup>	0.26	0.437	0	1
innovPP	0.21	0.410	0	1
Independent				
size	1.95	0.897	1	4
large	0.14	0.348	0	1
mk_regional	0.50	0.500	0	1
mk_national	0.95	0.204	0	1
client	0.56	0.496	0	1
supplier	0.49	0.500	0	1
gsales	0.57	0.493	0	1
leader	0.66	0.470	0	1
follower	0.47	0.499	0	1
GDPpc	29385.31	12089.310	11481.7	70639.1
rdGDP	1.53	0.791	0.5	3.47

Table 6.	Descriptive	statistics
----------	-------------	------------

*Note*: <sup>(a)</sup>The mean is different from Table 3 because here missing values are excluded. *Source*: Computations based on e-Business Survey 2006 micro database and Eurostat (2015a, 2015b).

As market orientation of construction firms is concerned we agree with Reichstein *et al.* (2008: 608–609): "the lack of exposure to a global competitive environment leaves firms less likely to adopt new products and processes. In this sense, local market orientation may be a disincentive, negatively shaping product and process innovation". See also Porter and Stern (2001).

Finally, in terms of control variables, we included a macroeconomic variable and a technological one, respectively: the Gross Domestic Product (GDP) per capita (macroeconomic context) and the domestic spending on R&D related to GDP (%) (Science and Technology – S&T – context). The Gross Domestic Product (GDP) per capita intends to monitor the different national levels of economic development and the respective patterns of living standards. It is assumed that it might influence the supply and demand of construction. The percentage of domestic spending on R&D related to GDP is a central indicator of robustness of national S&T systems. It is a general proxy for the national propensity to innovation.

# 3. Results and discussion

The results for *Model 1* (Table 7) show that the interaction with suppliers has a statistically significant positive impact on the probability of product innovation (8.4%) and a statistically less significant role in process innovation (7.6%). These findings differ from those obtained by Reichstein *et al.* (2008), who concluded that the effect is exactly the opposite, i.e., the suppliers are more relevant to the process innovation. The suppliers' role in innova-

tion is more relevant than the clients' role. These results coincide with those of Reichstein *et al.* (2008) for the UK and the claims of Hall (1994). For clients (*clients*) no statistically significant relationship was found, which again differs from the results obtained by Reichstein *et al.* (2008) and Bygballe and Ingemansson (2014).

When companies want to lead the market, this has positive effects on innovation (Nam, Tatum 1997); the probability of process innovation increases by 7.3% and that of product innovation by 9.0%. The size of the firm is statistically significant only for process innovation. This suggests that large firms tend to innovate more on processes than on products. Considering only product innovation, firm size presents no statistical significant effect, which is consistent with the results of the study by Reichstein *et al.* (2008). Another factor which also proves important for innovation in this sector is market orientation. This is statistically significant with negative effects. Companies with regional sales orientation tend to innovate less relatively to an international market orientation. The same evidence has already been found by Reichstein *et al.* (2008).

Dependent variables	Independent variables	Marginal effects	St errors	t	P value
	size	0.022	0.014	1.54	0.123
	mk_regional	-0.116	0.026	-4.36	0.000
	gsales	0.091	0.026	3.47	0.001
Product innovation	follower	-0.036	0.029	-1.22	0.222
(improu)	leader	0.090	0.028	3.14	0.002
	client	0.024	0.033	0.80	0.426
	supplier	0.084	0.029	2.89	0.004
N = 1144; Pseudo $R^2$ =	0.0478; Log likelihood = $-6$	543.7864; LR chi <sup>2</sup> (7)	= 64.70		
	size	0.067	0.015	4.38	0.000
	mk_regional	-0.069	0.027	-2.49	0.013
	gsales	0.087	0.027	3.16	0.002
Process innovation (innproce)	follower	-0.041	0.030	-1.37	0.172
	leader	0.073	0.030	2.40	0.016
	client	0.040	0.032	1.26	0.208
	supplier	0.076	0.030	2.49	0.013
N = 1146; Pseudo $R^2$ = 0.0436; Log likelihood = -682.14798; LR chi <sup>2</sup> (7) = 62.18					

Table 7. Marginal effects (Model 1): product and process innovation

Source: authors' computation based on e-Business Survey 2006 micro database.

The results obtained from other specifications are summarized in Appendix. The results do not differ substantially in *Model 2* when the variable *mk\_regional* is substituted by *mk\_national*. With the inclusion of additional context variables (*GDPpc* and *rdGDP*), the results did not reveal these two variables as good predictive variables of innovation in construction companies. In all the other variables, there are no significant changes in relation to a model that did not include contextual variables (Appendix). *Models 5 and 6* analyze the probability of simultaneous occurrence of process and product innovation. The results show that the main predictors are suppliers, market orientation and firm size (Appendix). The results from *Model 7* are presented in Table 8 and show that companies that innovate both in process and in product are affected in this particular behavior by the goal of being a leader in the sector (*leader*) and importance attached to suppliers (*supplier*).

The probability of innovation in process and product of the firms where the volume of business grew (*gsales*) – compared to those firms where sales remained constant or decreased – is 10.3% (marginal effect) for the whole sample. However, in Bhattacharya and Bloch (2004: 159) (manufacturing industry), the authors concluded that "growth is insignificant in inducing subsequent innovation". Because this analysis is cross sectional, it is not possible to identify whether the growth is a result of innovation or whether there is reverse causality.

The domestic market seems to be an obstacle to innovation in the sector compared with the international market; when companies are not oriented to the international market, preferring domestic, regional and local markets, the probability to innovate in both product and process decreases by 32.9%. The firm dimension (*size*) is very important to joint innovation (product and process) and thus stressing the Schumpeterian hypotheses. In this *Model 7* clients (*clients*) did not prove to be statistically significant as predictors of innovation.

Independent variables	Marginal effects	St errors	t	P value
Size	0.059	0.015	3.76	0.000
mk_national	-0.329	0.086	-3.82	0.000
Gsales	0.103	0.027	3.72	0.000
Follower	-0.040	0.030	-1.32	0.186
Leader	0.080	0.030	2.67	0.008
client	0.032	0.033	0.96	0.338
supplier	0.103	0.0321	3.21	0.001
$N = 823$ ; Pseudo $R^2 = 0.0908$ ; L	og Likelihood = -391.8885	4; LR $chi^2(7) = 7$	7827	

 Table 8. Marginal effects (Model 7): product and process innovation (joint)

Dependent variable: product and process innovation (InnovPP)

Source: authors' computation based on e-Business Survey 2006 micro database.

 Table 9. Marginal effects (Model 8): product and process innovation (joint) (Excludes micro firms)

 Dependent variable: product and process innovation (InnovPP)

Independent variables	Marginal effects	St errors	t	P value
size	0.123	0.036	3.39	0.001
mk_national	-0.416	0.113	-3.66	0.000
gsales	0.087	0.045	1.94	0.052
follower	-0.014	0.046	-0.31	0.754
leader	0.124	0.045	2.73	0.006
client	0.002	0.052	0.05	0.963
supplier	0.099	0.051	1.94	0.052
GDPpc	-2.11e-06	0.000	-0.97	0.331
rdGDP	-0.047	0.030	-1.57	0.117
$N = 394$ ; Pseudo $R^2 = 0.1098$ ; Lo	pg likehood = -200.5754; I	$(R chi^2(9) = 49.5)$	0	

N = 394; Pseudo  $R^2 = 0.1098$ ; Log likenood = -200.5/54; LR cm<sup>2</sup>(9) = 49.50

Source: authors' computation based on e-Business Survey 2006 micro database.

*Model 8* (Table 9) excludes the micro enterprises (1–9 employees) from the sample. Business growth (*gsales*) and the expectation of suppliers (*supplier*) do not play a very relevant role for companies that innovate in both categories of innovation, contrary to what happens with the factors dimension (*size*) and leadership (*leader*), emphasizing the structural and organizational aspects of firms. As regards to the market orientation (*mk\_national*), this proves important for joint innovation, and its effect is negative. In *Model 9* (Table 10), in addition to the micro enterprises (1–9 employees), small businesses (10–49 employees) are excluded. The new variables associated with size (*large*) and market orientation (*mk\_regional*) show statistically significant predictive effects. When the company is large, the probability of both innovative processes increases by 35.3%. With regard to market orientation, the regional market (*mk\_regional*) limits the innovation of companies.

Table 10. Marginal effects (*Model 9*): process and product innovation (joint) (Excludes micro and small firms)

Independent variables	Marginal effects	St errors	t	P value	
large	0.353	0.113	3.11	0.002	
mk_regional	-0.199	0.069	-2.90	0.004	
gsales	0.110	0.073	1.51	0.130	
follower	0.070	0.072	0.98	0.328	
leader	0.048	0.076	0.64	0.522	
client	0.060	0.084	0.72	0.472	
supplier	0.064	0.085	0.75	0.450	
GDPpc	-3.49e-06	0.000	-0.92	0.358	
rdGDP	0.030	0.055	0.55	0.585	
N = 189; Pseudo $R^2$ = 0.1389; Log likehood = -100.34344; LR chi <sup>2</sup> (9) = 32.38					

Dependent variable:	product and	process innovation	(InnovPP)
---------------------	-------------	--------------------	-----------

Source: authors' computation based on e-Business Survey 2006 micro database.

#### Conclusions and future avenues of research

This study takes advantage of a large survey conducted in European companies – e-Business Survey (European Commission – DG Enterprise and Industry's) – which includes 14,065 firms, of which 2,654 are companies from the construction sector from 27 European countries. This research contributes to a better understanding of process innovation and product innovation in a "traditional sector" with great prominence of micro and small enterprises and identifies some of the determinants of those innovations based on Probit models. It is interesting to underline the fact that this research allowed us to analyse the dynamics of innovation in micro firms (firms with fewer than 10 employees); that it is not the case with most surveys on innovation, in particular, the Community Innovation Surveys (CIS) (see Reichstein *et al.* 2005, 2008; Vaona, Pianta 2008). Also, because the empirical analysis is based on micro data at firm level, it makes it possible to overcome difficulties and deficiencies on the measurement of innovation in this sector of activity, particularly when the adopted measure is highly aggregate such as sectorial costs of R&D or patents (Reichstein *et al.* 2008).

Most of the results converge with previous literature on innovation in this sector and the main conclusions are the following:

First, the construction sector innovates. The process innovation occurs in 25.7% of the companies and product innovation happens in 24.2%. About one fifth of the industry combined the two types of innovation (product and process). Larger companies have a higher level of innovation, and there are differences by construction sub-sector. Nonetheless, the level of innovation is lower than other sectors with the exception of the Shipbuilding industry (e-Business Survey 2006).

Second, the scale of the firm affects innovation. The size of construction companies, measured through four levels in terms of number of workers (micro, small, medium and large), is important for innovation, particularly for process innovation.

Third, suppliers are very important for innovation. The results obtained either by descriptive analysis or by Probit models indicate that suppliers – i.e. the sectors that are upstream of the construction sector, such as equipment, steel, glass and cement – play a crucial role in the induction of the process and product innovation.

Fourth, the effect of customers on innovation is insufficiently known. Construction clients are either final customers, such as families, or businesses from other sectors for which the production of this sector is used as an investment good. Some studies show that clients are also important for the introduction of specific types of innovation (Reichstein *et al.* 2008; Fontainha 2010). However, the results obtained in this study, in contrast with the results of Lundvall (1985, 1988), Reichstein *et al.* (2008) and Bygballe, Ingemansson (2014) (the first author based on general innovations), show that the variable associated with clients does not prove relevant to innovation.

Fifth, internationalization contributes to innovation. The type of orientation of the markets (local, regional, national and international) plays an important role in innovation, and companies targeting the international market are the most innovative.

Sixth, growth and innovation are strongly associated. Firms whose sales are growing are more innovative. The probability of innovation in process and product of the firms where the volume of business grew – compared to those firms where sales remained constant or decreased – is positive (10%, marginal effect, for the whole sample).

Seventh, there was no evidence of the influence of the context variables on innovation. The percentage of domestic spending on R&D related to GDP (average values in the three years before the survey) have proved irrelevant in explaining innovation, which may result from the difficulty of those aggregate measures accurately reflecting microeconomic behaviours and activities. Nor was Gross Domestic Product (GDP) per capita found to be statistically significant, mostly for the same reason given for spending on R&D as a percentage of GDP.

In general, our study confirms the construction sector as a "supplier-dominated" industry following the Pavitt's taxonomy (1984). This result is similar to those obtained in studies of innovation in the Italian and other southern European countries, where the importance of "procurement of equipment" should be stressed (Archibug *et al.* 1987; Barata 2005). The determinant of product innovation and process innovation demonstrated in this study – "suppliers" – also confirms the accuracy of the Porter concept of related and support industries (*clusters* of construction companies, Porter 1990) in the context of the different national systems of innovation and innovation policies (Manseau, Seaden 2001).

Some future *avenues of research* arise from the present study: the inclusion of variables in the models representing the business context; extending the set of variables relating to sources of innovation, regulation modes, and barriers to innovation in this sector; identifying suppliers' sectors and the evaluation of the corresponding level of innovation; analysing the relationship between innovation dynamics and the economic and financial performance; testing other types of econometric models; finally, the development of a time series study that will examine the effect of innovation on construction sector growth (using panel data if available).

To conclude, we consider that the roots of important determinants of innovation lie in the seminal thesis of Schumpeter (supply side of science and technology – "suppliers") and Schmookler (market demand – "clients"). In such a context, Freeman's metaphor seems appropriate to explain the dynamics of innovation in the construction sector in Europe: "Necessity may be the mother of invention, but procreation still requires a partner" (Freeman 1982: 110).

### References

- Ahuja, G.; Lampert, C.; Tandon, V. 2008. Moving beyond schumpeter: management research on the determinants of technological innovation, *The Academy of Management Annals* 2(1): 1–98. https://doi.org/10.1080/19416520802211446
- Archibug, D.; Cesaratto, S.; Sirilli, G. 1987. Innovative activity, R&D and patenting: the evidence of the survey on innovation diffusion in Italy, *STI Review* 2: 135–150 [online], [cited 28 October 2012]. Available from Internet: http://www.oecd-ilibrary.org/science-and-technology/sti-sciencetechnology-and-industry-review\_16097637
- Arora, S. K.; Foley, R. W.; Youtie, J.; Shapira, P.; Wiek, A. 2014. Drivers of technology adoption the case of nanomaterials in building construction, *Technological Forecasting and Social Change* 87: 232–244. https://doi.org/10.1016/j.techfore.2013.12.017
- Barata, J. M. 2005. Innovation in the Portuguese manufacturing industry: analysis of a longitudinal company panel, *International Advances in Economic Research* 11(3): 301–314. https://doi.org/10.1007/s11294-005-6659-5
- Barrett, P.; Sexton, M. 2006. Innovation in small, project-based construction firms, British Journal of Management 17(4): 331–346. https://doi.org/10.1111/j.1467-8551.2005.00461.x
- Becker, W.; Dietz, J. 2004. R&D cooperation and innovation activities of firms. Evidence for the German manufacturing industry, *Research Policy* 33(2): 209–223. https://doi.org/10.1016/j.respol.2003.07.003
- Bhattacharya, M.; Bloch, H. 2004. Determinants of innovation, Small Business Economics 22(2): 155– 162. https://doi.org/10.1023/B:SBEJ.0000014453.94445.de
- Bogers, M.; Lhuillery, S. 2011. A functional perspective on learning and innovation: investigating the organization of absorptive capacity, *Industry and Innovation* 18(6): 581–610. https://doi.org/10.1080/13662716.2011.591972

- Bontempi, M. E.; Mairesse, J. 2015. Intangible capital and productivity at the firm level: a panel data assessment, *Economics of Innovation and New Technology* 24(1-2): 22–51. https://doi.org/10.1080/10438599.2014.897859
- Bowley, M. 1960. Innovation in building material. London: Gerald Duckworth.
- Brochner, J. 2010. Construction contractors as service innovators, *Building Research & Information* 38(3): 235–246 https://doi.org/10.1080/09613211003616706
- Bygballe, L. E.; Ingemansson, M. 2014. The logic of innovation in construction, *Industrial Marketing Management* 43(3): 512–524. https://doi.org/10.1016/j.indmarman.2013.12.019
- Chesbrough, H. 2003. *Open innovation: the new imperative for creating and profiting from technology.* Boston: MA: Harvard School Press.
- Damanpour, F. 2010. An integration of research findings of effects of firm size and market competition on product and process innovations, *British Journal of Management* 21(4): 996–1010. https://doi.org/10.1111/j.1467-8551.2009.00628.x
- De Place Hansen, E. J.; Larsen, J. N. 2011. Employment and winter construction: a comparative analysis of Denmark and western European countries with a similar climate, *Construction Management and Economics* 29(9): 875–890. https://doi.org/10.1080/01446193.2011.617762
- D'Este, P.; Guy, F.; Iammarino, S. 2012. Shaping the formation of university-industry research collaborations: what type of proximity does really matter?, *Journal of Economic Geography* 13(4): 537–558. https://doi.org/10.1093/jeg/lbs010
- Dodgson, M.; Gann, D. M.; Phillips, N. (Eds.). 2014. The Oxford handbook of innovation management. Oxford, UK: Oxford University Press. https://doi.org/10.1093/oxfordhb/9780199694945.001.0001
- European Commission. 2003. Enterprise and industry: small and medium-sized enterprises [online], [cited 28 October 2012]. Available from Internet: http://ec.europa.eu
- European Commission. 2006. *The e-Business Survey 2006-Methodology Report* [online], [cited 28 October 2012]. Available from Internet: www.ebusiness-watch.org
- European Commission. 2012a. *High-tech statistics* [online], [cited 28 October 2012]. Available from Internet: http://epp.eurostat.ec.europa.eu
- European Commission. 2012b. Sustainable Competitiveness of the Construction Sector. FWC Sector Competitiveness Studies N° B1/ENTR/06/054. Final report [online], [cited 24 April 2013]. Available from Internet: http://ec.europa.eu
- European Commission. 2012c. *Industry and construction statistics* [online], [cited 19 August 2012]. Available from Internet: http://epp.eurostat.ec.europa.eu
- Eurostat. 2015a. *GDP and main components* [online], [cited 10 January 2015]. Available from Internet: http://appsso.eurostat.ec.europa.eu/nui/show.do
- Eurostat. 2015b. *Annual detailed enterprise statistics for construction* [online], [cited 10 January 2015]. Available from Internet: http://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do
- Fontainha, E. 2010. The determinants of ERP, SCM and CRM systems in European firms, in J. Q. Varajão, M. Cruz-Cunha, G. D. Putnik, A. Trigo (Eds.). *Enterprise information systems, Part I.* Heidelberg: Springer-Verlag, 147–150. https://doi.org/10.1007/978-3-642-16402-6\_16
- Fontainha, E.; Martins, J. T.; Vasconcelos, A. C. 2014. Exploring the determinants of PAS, EDMS, and PACS adoption in European hospitals, *Procedia Technology* 16: 1502–1509. https://doi.org/10.1016/j.protcy.2014.10.171
- Freeman, C. 1982. The economics of industrial innovation. Oxford: Frances Pinter.
- Freeman, C.; Soete, L. 1997. *The economics of industrial innovation*. London, United Kingdom: Pinter Publishers.
- Gambatese, J.; Hallowell, M. 2011. Enabling and measuring innovation in the construction industry, Construction Management and Economics 29(6): 553–567. https://doi.org/10.1080/01446193.2011.570357

- Gann, D. M.; Wang, Y.; Hawkins, R. 1998. Do regulations encourage innovation? The case of construction organizations, *Building Research & Information* 26(5): 280–296. https://doi.org/10.1080/096132198369760
- Gault, F. (Ed.). 2013. *Handbook of innovation indicators and measurement*. Cheltenham, UK: Edward Elgar. https://doi.org/10.4337/9780857933652
- Gramlich, E. M. 1994. Infrastructure investment: a review essay, *Journal of Economic Literature* 32: 1176–1196.
- Hall, P. 1994. Innovation, economics and evolution. New York, Sydney: Harvester wheatsheaf.
- Hansen, T.; Winther, L. 2011. Innovation, regional development and relations between high- and lowtech industries, *European Urban and Regional Studies* 18(3): 321–339. https://doi.org/10.1177/0969776411403990
- Hartmann, A. 2006. The context of innovation management in construction firms, Construction Management and Economics 24(6): 567–578. https://doi.org/10.1080/01446190600790629
- Kaklauskas, A.; Kelpsiene, L.; Zavadskas, E. K.; Bardauskiene, D.; Kaklauskas, G.; Urbonas M.; Sorakas, V. 2011. Crisis management in construction and real estate: conceptual modeling at the micro-, meso- and macro-levels, *Land Use Policy* 28(1): 280–293. https://doi.org/10.1016/j.landusepol.2010.06.008
- Kleinknecht, A.; Mohnen, P. (Eds.). 2002. Innovation and firm performance. Econometric explorations of survey data. Basingstoke, UK: Palgrave. https://doi.org/10.1057/9780230595880
- Kline, S. J.; Rosenberg, N. 1986. An overview of innovation, in R. Landau, N. Rosenberg (Eds). The positive sum strategy: harnessing technology for economic development. Washington, DC: National Academy Press, 275–305.
- Lasagni, A. 2012. How can external relationships enhance innovation in SMEs? New evidence for Europe, *Journal of Small Business Management* 50(2): 310–339. https://doi.org/10.1111/j.1540-627X.2012.00355.x
- Loosemore, M. 2014. Innovate or Perish? Exploring some of the myths of construction innovation, Australasian Journal of Construction Economics and Building-Conference Series 2(2): 44–55.
- Lundvall, B. A. 1985. Product innovation and user-producer interaction. Aalborg: Aalborg University Press.
- Lundvall, B. A. 1988. Innovation as an interactive process-from user-producer interaction to national systems of innovation, in G. Dosi, C. Freeman, R. Nelson, G. Silverberg, L. Soete (Eds.). *Technical Change and Economic Theory*. London: Pinter.
- Malecki, E.; Tootle, D. 1996. The role of networks in small firm competitiveness, *International Journal of Technology Management*, 11(1–2): 43–57.
- Manseau, A.; Seaden, G. (Eds.). 2001. Innovation in construction: an international review of public policies. London, UK: Taylor & Francis.
- Marques, C.; Barata, J. M. 2006. Determinants of the innovation process: an empirical test for the Portuguese manufacturing industry, *Management Research: The Journal of the Iberoamerican Academy* of Management 4(2): 113–126. https://doi.org/10.2753/JMR1536-5433040203
- Mueller, D. C. 1967. The firm decision process: an econometric investigation, *The Quarterly Journal of Economics* 81(1): 58–87. https://doi.org/10.2307/1879673
- Nam, C.; Tatum, C. 1988. Major characteristics of constructed products and resulting limitation of construction technology, *Construction Management and Economics* 6(2): 133–148. https://doi.org/10.1080/01446198800000012
- Nam, C.; Tatum, C. 1997. Leaders and champions for construction innovation, Construction Management and Economics 15(3): 259–270. https://doi.org/10.1080/01446198800000012
- Noailly, J. 2012. Improving the energy efficiency of buildings: the impact of environmental policy on technological innovation, *Energy Economics* 34(3): 795–806. https://doi.org/10.1016/j.eneco.2011.07.015

- OECD. 2005. Oslo manual: guidelines for collecting and interpreting technological innovation. 3rd ed. OECD: OECD.
- Paulson, B. 1995. Computer applications in construction. New York: McGraw-Hill.
- Pavitt, K. 1984. Sectoral patterns of technical change: towards taxonomy and a theory, *Research Policy* 13(4): 343–373. https://doi.org/10.1016/0048-7333(84)90018-0
- Pavitt, K. 2002. Innovating routines in the business firm: what corporate tasks should they be accomplishing?, *Industrial and Corporate Change* 11(1): 117–133. https://doi.org/10.1093/icc/11.1.117
- Porter, M. E. 1990. The competitive advantage of nations. London: MacMillan Press. https://doi.org/10.1007/978-1-349-11336-1
- Porter, M. E.; Stern, S. 2001. Innovation: location matters, MIT Sloan Management Review 42(4): 28-36.
- Reichstein, T.; Salter, A.; Gann, D. M. 2005. Last among equals: a comparison of innovation in construction, services and manufacturing in the UK, *Construction Management and Economics* 23(6): 1145–1166. https://doi.org/10.1080/01446190500126940
- Reichstein, T.; Salter, A.; Gann, D. M. 2008. Break on through: sources and determinants of product and process innovation among UK construction firms, *Industry & Innovation* 15(6): 601–625. https://doi.org/10.1080/13662710802565198
- Rothwell, R. 1992a. Developments towards the fifth generation model of innovation, *Technology Analysis & Strategic Management* 1(4): 73–75. https://doi.org/10.1080/09537329208524080
- Rothwell, R. 1992b. Successful industrial innovation: critical factors for the 1990s, *R&D Management* 22(3): 221–239. https://doi.org/10.1111/j.1467-9310.1992.tb00812.x
- Salter, A.; Alexy, O. 2014. The nature of Innovation, in M. Dodgson, D. M. Gann, N. Phillips (Eds.). 2014. The Oxford handbook of innovation management. Oxford, UK: Oxford University Press, 26–52.
- Sampson, R. 2007. R&D alliances and firm performance: the impact of technological diversity and alliance organization on innovation, *Academy of Management Journal* 50(2): 364–386. https://doi.org/10.5465/AMJ.2007.24634443
- Schmookler, J. 1966. Invention and economic growth. Cambridge, MA: Harvard University Press. https://doi.org/10.4159/harvard.9780674432833
- Schumpeter, J. 1942. Capitalism, socialism, and democracy. New York: Harper & Brothers.
- Silverberg, G.; Soete, L. 1994. The economics of growth and technical change. USA: Edward Elgar.
- Skibniewski, M. J.; Zavadskas, E. K. 2013. Technology development in construction: a continuum from distant past into the future, *Journal of Civil Engineering and Management* 19(1): 136–147. https://doi.org/10.3846/13923730.2012.756060
- Spithoven, A.; Clarysse, B.; Knockaert, M. 2011. Building absorptive capacity to organise inbound open innovation in traditional industries, *Technovation* 31(1): 10–21. https://doi.org/10.1016/j.technovation.2009.08.004
- Teece, D. J. 1986. Profiting from technological innovation–implications for integration, collaboration, licensing and public-policy, *Research Policy* 15(6): 285–305. https://doi.org/10.1016/0048-7333(86)90027-2
- Testa, F.; Iraldo, F.; Frey, M. 2011. The effect of environmental regulation on firm's competitive performance: the case of the building & construction sector in some EU regions, *Journal of Environmental Management* 92(9): 2136–2144. https://doi.org/10.1016/j.jenvman.2011.03.039
- Tykka, S.; McCluskey, D.; Nord, T.; Ollonqvist, P.; Hugosson, M.; Roos, A.; Ukrainski, K.; Nyrud, A. Q.; Bajric, F. 2010. Development of timber framed firms in the construction sector – is EU policy one source of their innovation?, *Forest Policy and Economics* 12(3): 199–206. https://doi.org/10.1016/j.forpol.2009.10.003

- Vaona, A.; Pianta, M. 2008. Firm Size and Innovation in European Manufacturing, Small Business Economics 30(3): 283–299. https://doi.org/10.1007/s11187-006-9043-9
- Zavadskas, E. K.; Kaklauskas, A.; Banaitis, A. 2011. The use of the intelligent library and tutoring system at all stages of a building life cycle, *Inzinerine Ekonomika-Engineering Economics* 22(1): 14–23. https://doi.org/10.5755/j01.ee.22.1.214
- Zavadskas, E. K.; Vilutienė, T.; Turskis, Z.; Šaparauskas, J. 2014. Multi-criteria analysis of Projects' performance in construction, *Archives of Civil and Mechanical Engineering* 14(1): 114–121. https://doi.org/10.1016/j.acme.2013.07.006
- Zutshi, A.; Creed, A. 2015. An international review of environmental initiatives in the construction sector, *Journal of Cleaner Production* 98: 92–106. https://doi.org/10.1016/j.jclepro.2014.06.077

# APPENDIX

### Determinants of product and process innovation (models)

### Model 1

*innprod* =  $\beta 0 + \beta 1$ *size* +  $\beta 2mk_{regional} + \beta 3$ *gsales* +  $\beta 4$ *follower* +  $\beta 5$ *leader* +  $\beta 6$ *client* +  $\beta 7$ *supplier* + u;

*innproce* =  $\beta 0 + \beta 1$ *size* +  $\beta 2mk_{regional} + \beta 3$ *gsales* +  $\beta 4$ *follower* +  $\beta 5$ *leader* +  $\beta 6$ *client* +  $\beta 7$  *supplier* + u.

### Model 2

*innprod* =  $\beta 0 + \beta 1$ *size* +  $\beta 2mk_national + \beta 3$ *gsales* +  $\beta 4$ *follower* +  $\beta 5$ *leader* +  $\beta 6$ *client* +  $\beta 7$ *supplier* + u;

*innproce* =  $\beta 0 + \beta 1$ *size* +  $\beta 2mk_national + \beta 3$ *gsales* +  $\beta 4$ *follower* +  $\beta 5$ *leader* +  $\beta 6$ *client* +  $\beta 7$ *supplier* + u.

#### Model 3

*innprod* =  $\beta 0 + \beta 1$ *size* +  $\beta 2mk_regional + \beta 3$ *gsales* +  $\beta 4$ *follower* +  $\beta 5$ *leader* +  $\beta 6$ *client* +  $\beta 7$ *supplier* +  $\beta 8$ *GDPpc*+  $\beta 9$ *rdGDP* + u;

*innproce* =  $\beta 0 + \beta 1$ *size* +  $\beta 2mk_{regional} + \beta 3$ *gsales* +  $\beta 4$ *follower* +  $\beta 5$ *leader* +  $\beta 6$ *client* +  $\beta 7$ *supplier* +  $\beta 8$ *GDPpc*+  $\beta 9$ *rdGDP* + u.

### Model 4

*innprod* =  $\beta 0 + \beta 1$ *size* +  $\beta 2mk_national + \beta 3$ *gsales* +  $\beta 4$ *follower* +  $\beta 5$  *leader* +  $\beta 6$ *client* +  $\beta 7$ *supplier* +  $\beta 8$ *GDPpc*+  $\beta 9$ *rdGDP* + u;

*innproce* =  $\beta 0 + \beta 1$ *size* +  $\beta 2mk_national + \beta 3$ *gsales* +  $\beta 4$ *follower* +  $\beta 5$  *leader* +  $\beta 6$ *client* +  $\beta 7$ *supplier* +  $\beta 8$ *GDPpc*+  $\beta 9$ *rdGDP* + u.

Models 5, 6 and 7 (the dependent variable is both product and process innovation).

*Models 8 and 9* (applied to subsamples related to firm size, Model 9 include variable large instead of size).

	<i>Model 2</i> Product Innovation <sup>(b)</sup>	<i>Model 2</i> Process Innovation <sup>(b)</sup>	<i>Model 3</i> Product Innovation <sup>(b)</sup>	<i>Model 3</i> Process Innovation <sup>(b)</sup>	<i>Model</i> 4 Product Innovation <sup>(b)</sup>	<i>Model</i> 4 Process Innovation <sup>(b)</sup>	<i>Model5</i> Product and Process Innovation <sup>(b)</sup>	<i>Model 6</i> Product and Process Innovation <sup>(b)</sup>
size		+		+		+		+
mk_regional	(a)	(a)	-		(a)	(a)	-	-
mk_national	-		(a)	(a)	-		(a)	(a)
gsales		+	+	+	+	+	+	+
follower								
leader	+	+	+	+	+	+	+	
client								
supplier			+	+	+	+	+	+
GDPpc	(a)	(a)						(a)
rdGDP	(a)	(a)					-	(a)
N Obs.	1144	1146	900	903	900	903	900	823
Pseudo R2	0.0364	0.0418	0.0660	0.0709	0.0792	0.0689	0.0657	0.0880

Determinants of innovation models (marginal effects after probit)

936

*Notes:* (a) Variable not included in the model; (b) Marginal Effect (Positive = "+"; Negative = "-"). The table only shows the Marginal Effects with p < 0.010.

José M. BARATA. PhD in Economics. Assistant Professor. Department of Economics. ISEG Lisbon School of Economics and Management. Universidade de Lisboa, Portugal. First degree in Economics, ISE Technical University of Lisbon (1981). Master of Economics (1988). Doctor (1996). Assistant Professor of Economics, R&D Management and Industrial Organization at ISEG Lisbon School of Business and Administration, Universidade de Lisboa, Portugal. He has been Coordinator of Graduate and Post-Graduate courses at the Portuguese School of Banking Management (Portuguese Banking Association). Research interests: innovation management, R&D management and management information systems for the financial industry. He holds a PhD in Economics (UTL).

**Elsa FONTAINHA.** PhD in Economics, Assistant Professor. Department of Economics. ISEG Lisbon School of Economics and Management. Universidade de Lisboa, Portugal. First degree in Economics, ISE Technical University of Lisbon (1979). Master of Economics (1988). Doctor (1997). Distinguish Scholarships Scheme (2013) from the Information School of University of Sheffield (UK). Research visits to the University of Sheffield, UK (2016, 2013), Université Libre de Bruxelles, Belgium (2014), Northumbria University, Newcastle, UK (2009 and 2011). Sabbatical Leave in Saint Mary's University, Halifax, Canada (2005). Currently she is the Team Leader at ISEG of the European Community Project Horizon2020, PLOTINA (2016–2020; Ref.666008). Large experience of participation in international projects. Scholarly articles (Information Research, Library High Tech, eLearning Papers, Review of Economics of the Household, Procedia Technology, etc.) and books (Learning and Instruction in the Digital Age, Enterprise Information Systems, Information Systems and Technologies, Encyclopedia of Quality of Life and Well-Being Research, etc.). Research Interests: firm behavior and household economics and finance.