

Technical University of Denmark



Infinitely Large Organic Solar Cell Modules: At The Edge Of Traditional Territories For Power Supply

Espinosa Martinez, Nieves; Krebs, Frederik C

Publication date:
2014

[Link back to DTU Orbit](#)

Citation (APA):

Espinosa Martinez, N., & Krebs, F. C. (2014). Infinitely Large Organic Solar Cell Modules: At The Edge Of Traditional Territories For Power Supply. Abstract from 2nd International Conference on Clean Energy, Qingdao, China.

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

PL-06

Frederik Krebs – Technical University of Denmark, Denmark

Frederik C. Krebs is currently professor at the technical university of Denmark (DTU) with research focus on foil based energy systems (thermoelectrics, PEMFCs, photocatalysts, light emitting devices, solar cells). In the context of OPV interests range from synthesis of new materials and stability, advanced device structures (tandem polymer solar cell), roll-to-roll processing, large scale manufacture, product integration, lifecycle analysis, recycling, installation and operation to energy production from solar parks based on polymer solar cells.

Infinitely Large Organic Solar Cell Modules: At The Edge Of Traditional Territories For Power Supply

Nieves Espinosa and Frederik C. Krebs*

Technical University of Denmark, Department of Energy Conversion and Storage,
Frederiksborgvej 399, 4000 Roskilde, Denmark

frkr@dtu.dk

*Corresponding author

Keywords: organic solar cells, lifecycle assessment, solar parks, ecodesign energy production

Abstract: The photovoltaic industry is on the cusp of dramatic transformations, as the proliferation of emerging technologies presents an unprecedented opportunity for their use in distributed generation, grid-connected and microgrids.

Organic photovoltaics (OPV) or polymer solar cells will only have a key role if they are designed and engineered to create sustainable and efficient power networks. Like many areas of innovation this technology has to play out at the edge of traditionally stable and well-understood territories.

One way is directing OPV research to fully solution processed devices, roll-to-roll printed and coated under ambient conditions. We are able to produce photovoltaic modules with literally infinite lengths of serially connected solar cell junctions. This is known as the Infinity-concept [1], where deliberate minimisation of the energy requirements has been made, both in materials and processes: no indium-tin-oxide is used, no vacuum steps are involved, only printing and coating steps are used. In addition, this processing that takes place directly on the barrier foil at low temperature and high speed [2].

The idea is ecodesigning OPV. A 1000 m² solar park based on Infinity modules has been inaugurated at DTU and furthermore alternative forms of installations have been explored. Offshore and onshore based on light plastic structures have been built and designed [3]. These new concepts apart from being useful in energy production on a large scale, could potentially provide benefits as well on smaller scale and enable rapid and robust deployment in non-electrified and remote areas.

We will present the ecoprofiles of the different grid-connected OPV installations built at DTU, arrived at through life cycle assessment tools. The lighter and rapidly deployable systems have such an ultra-small cumulative energy demand that results in fast energy payback time <0.5 years. These levels outperform

traditional PV systems and show that smart OPV installations have a bright future potential for power supply.

References:

- [1] Sommer-Larsen, P., Jørgensen, M., Søndergaard, Roar R., Hösel M. and Krebs, F.C. Energy Technology, Vol. 1 (2013), p. 15
- [2] Krebs, F. C., Espinosa, N., Hösel, M., Søndergaard, R. R., and Jørgensen, M. Advanced Materials. (2013), in press, doi:10.1002/adma.201302031
- [3] Espinosa, N., Hösel, M., Jørgensen, M. and Krebs, F. C. (2013). submitted Energy and Environmental Sci. (2013)

