


PROCEEDINGS OF THE 25TH SYMPOSIUM OF THE EUROPEAN ASSOCIATION OF
REMOTE SENSING LABORATORIES, PORTO, PORTUGAL, 6 - 11 JUNE 2005

Global Developments in Environmental Earth Observation from Space

Edited by
André Marçal
University of Porto, Portugal



ROTTERDAM NETHERLANDS 2006

Table of contents

| | |
|--|------|
| Preface | XIII |
| Image Processing and Data Fusion | |
| Road identification and refinement on multispectral imagery based on angular texture signature <i>Q. Zhang & I. Couloigner</i> | 3 |
| Analysis of geostatistical parameters for texture classification of satellite images <i>M. Durrieu, L.A. Ruiz & A. Balaguer</i> | 11 |
| Study of methods based on wavelets for texture classification of high resolution images <i>A. Fdez-Sarría, L.A. Ruiz & J.A. Recio</i> | 19 |
| Fuzzy segmentation for wetland mapping: Incorporation of semivariogram texture <i>W.-Y. Chiu & I. Couloigner</i> | 29 |
| Edge preserving phase unwrapping using graph cuts <i>G. Valadão & J.M. Bioucas-Dias</i> | 39 |
| Filtering of InSAR interferograms <i>M. Ouarzeddine, A. Belhadj-Aïssa, M. Rebhi & F. Tabarot</i> | 47 |
| Implementation of new methods of speckle noise reduction in SAR images <i>L. Bouchemakh, Y. Smara, M. Benali & Z. Ben Cheikh</i> | 53 |
| SAR change detection techniques and applications <i>R.J. Dekker</i> | 63 |
| MODIS and Landsat TM image fusion using the SIFuLAP method for mapping the Brazilian savannas (Cerrado) <i>F.W. Acerbi-Junior, R. Zurita Milla, M. Wachowicz, J.G.P.W. Clevers & M.E. Schaepman</i> | 71 |
| Comparison of fusion methods for Quickbird images <i>V. Meenakshisundaram & I. Couloigner</i> | 81 |
| MTF-tailored multi-resolution analysis for fusion multi-spectral and panchromatic images <i>B. Aiazzi, L. Alparone, S. Baronti, A. Garzelli, F. Nencini & M. Selva</i> | 87 |
| The curvelet transform for fusion of very-high resolution multi-spectral and panchromatic images <i>L. Alparone, S. Baronti, A. Garzelli & F. Nencini</i> | 95 |
| Objective determination of the degradation level of the multispectral and panchromatic images for fusion by means of the <i>à trous</i> algorithm <i>M. Lillo Saavedra & C. Gonzalo Martín</i> | 103 |

Physical Processes and Atmosphere

| | |
|--|-----|
| Retrieving aerosol optical thickness from a MODIS dataset for the Lisbon Metropolitan Area using a contrast reduction method <i>N.C. dos Santos Grosso</i> | 113 |
| Validation of satellite longwave emission and net radiation with in-situ measurements during BUBBLE <i>G. Rigo, E. Parlow & D. Oesch</i> | 123 |
| Influence of atmospheric correction on determination of lake water quality parameters based on CHRIS/PROBA images <i>K. Osińska-Skotak</i> | 129 |
| Satellite estimation of surface/atmosphere parameters: A sensitivity study <i>A. Prieto-Blanco, P.R.J. North, N. Fox & M.J. Barnsley</i> | 137 |
| Mapping the aerodynamic roughness length using SAR images <i>S. Bidaut, T. Ranchin & L. Wald</i> | 145 |
| Aggregation of the thermo-optical properties for a rugged heterogeneous surface in the infrared domain: A multiscale model <i>S. Pallotta, X. Briottet, C. Miesch & Y. Kerr</i> | 151 |
| Polarimetric response for target characterization <i>B. Souissi, M. Ouarzeddine & A. Belhadj-Aïssa</i> | 161 |
| The cooling effect of cities in a hot and dry environment <i>C.M. Frey, G. Rigo & E. Parlow</i> | 169 |
| Perturbation in global precipitation from multi-temporal remote sensing <i>L.N. Vasiliev</i> | 175 |

Geological Hazards

| | |
|---|-----|
| SAR interferometry: Detecting small landslides in the area of Northern Bohemia <i>I. Čapková & J. Kianička</i> | 185 |
| Detection of hazardous gas leakage from pipelines using anomalous spectral reflectance features of vegetation <i>F. van der Meer, M. van der Meijde, J. Kooistra, H. van der Werff & M. Noomen</i> | 191 |
| Remote sensing and geophysical survey in site investigations for special waste disposal: Case study Trgovska Gora (Croatia) <i>M. Oluić, S. Romandić & A. Schaller</i> | 199 |
| Analyses of earthquake induced damage in urban area by means of remotely sensed data <i>S. Kaya, E. Saroglu & N. Musaoglu</i> | 207 |
| Quantitative assessment and calibration of ASTER and SRTM DEMs for morphometric and geo-hazard analyses: Test case of Mauna Kea volcanic cones <i>M. Kervyn, R. Goossens & G.G.J. Ernst</i> | 215 |
| Urban subsidence seen by DInSAR: Temporal deformation series derived from a least-squared technique <i>E. Simonetto, D. Raucoules, C. Carnec, P. Thierry, C. Lembezat & C. King</i> | 225 |

Environmental Applications

| | |
|---|-----|
| A proposal for a landscape integrated classification <i>A. Patrono & A. Saldaña</i> | 233 |
| Modelling of settlements-dynamics by object-oriented image and change detection analysis on Tenerife <i>S. Naumann & A. Siegmund</i> | 241 |

| | |
|--|-----|
| Modelling patterns of mosquito density based on remote sensing images <i>P. Lopes, P. Lourenço, C. Sousa, T. Novo, J. Rodrigues, A.P.G. Almeida & J. Seixas</i> | 251 |
| Possibilities of lake water quality monitoring based on CHRIS/PROBA superspectral data <i>K. Osińska-Skotak, M. Kruk & M. Mróz</i> | 259 |
| Minimum dataset for risk management of water pollution caused by olive oil factories in Crete <i>C.G. Karydas, I. Manakos, I. Sarakiotis & T. Sekuloska</i> | 267 |
| Monitoring and modeling of the snow cover dynamic in Southern Germany - Capabilities of optical and microwave remote sensing <i>F. Appel, H. Bach, A. Loew, R. Ludwig & W. Mauser</i> | 277 |
| Spaceborne observation and modeling of erosion and non-point source pollution in agricultural catchments draining into lakes <i>A. Lavoie, J. Deslandes, I. Beaudin, A. Michaud, F. Bonn & R. Fournier</i> | 287 |
| Combining agricultural economic and hydrological models with the aid of remote sensing data <i>C. Montzka, H. Bogena, M. Canty, R. Kunkel & F. Wendland</i> | 299 |
| Microwave radiometric remote sensing for emergency mapping of areas with water seepage through levees and of zones with dangerously high groundwater level <i>A. Shutko, Yu. Gulyaev, I. Chusov, I. Sidorov, E. Novichikhin, S. Golovachev, V. Krapivin, A. Haldin, L. Nazarov, Yu. Tishchenko, A. Chukhlantsev, S. Marechek, R. Haarbrink, Ts. Dachev, R. Kancheva, D. Petkov, J. Semkova, T. Yanev, N. Kolionsky, T. Coleman, F. Archer III, P. Pampaloni, S. Paloscia, A. Krissilov, B. Kosteniuk, I. Baryshnikov & A. Carmona</i> | 305 |
| Remote sensing and GIS for water district management: The Caia network case study <i>P.A. Oliveira, A.M.M. Perdigão, J. Rocha & P. Morgado</i> | 315 |
| EO-HYDRO: An Earth Observation Service for Hydropower Plant Management <i>L. Tampellini, L. Eikvil, E. Malnes, G. Ober, D. Power, T. Strozzi, F.D. Vescovi & P. Vincent</i> | 321 |
| Assessing large scale erosion susceptibility by combining remote sensing data and fuzzy logic modelling. Application to the Syros Island, Cycladic Archipelagos, Greece <i>C. Weber, A. Puissant, N. Evelpidou & J. Lobry</i> | 329 |
| Vegetation indices - tools for the development evaluation in reclaimed areas <i>L. Halounová, P. Junek & J. Petruchová</i> | 339 |
| Data acquisition field network for land state monitoring <i>G. Georgiev, D. Petkov & H. Nikolov</i> | 347 |
| <i>Agriculture, Forests and Vegetation</i> | |
| A remote sensing survey of vegetation communities adjacent to Myall Lakes, NSW, Australia <i>J. Yagüe & P. García</i> | 355 |
| Burned area mapping in Africa with SPOT-VEGETATION imagery: Accuracy assessment with Landsat ETM+ data, influence of spatial pattern and vegetation type <i>J.M.N. Silva & J.M.C. Pereira</i> | 367 |
| The use of multi-temporal MODIS data for burnt area detection in the Italian peninsula through a classification tree approach <i>M. Trombetti, G. Amatulli & R. Lasaponara</i> | 377 |
| Retrieval of crop biomass and soil moisture from ASAR/ENVISAT data <i>S. Paloscia, G. Macelloni, P. Pampaloni, S. Pettinato & E. Santi</i> | 385 |
| Synthetic Aperture Radar for tropical savanna inventory and vegetation height retrieval <i>I.D. Cameron, K.M. Viergever, E.D. Wallington, I.H. Woodhouse, D. Moss & N. Stuart</i> | 391 |

| | |
|---|-----|
| Agricultural ground-level spectral modeling in support of remotely sensed data interpretation <i>R. Kancheva & D. Borisova</i> | 401 |
| Implementation and control of the Good Agricultural and Environmental Conditions within the CwRS programme in Hungary <i>I. László, B. Csonka, E. Bognár, G. Csornai, M. Lelkes, L. Martinovich, P. Winkler, L. Tikász, A. Kocsis & G. Mikus</i> | 407 |
| Assessment of forest degradation by means of remotely sensed data <i>N. Musaoglu, E. Saroglu, F. Bektas, C. Goksel & S. Kaya</i> | 413 |
| Hyperspectral-based characterization of different vegetation species in Sundiken Mountain, Turkey <i>M. Çetin, N. Musaoglu, N. Çelik & M.D. Kantarci</i> | 419 |
| Land Use and Land Cover | |
| The evaluation of usability of VHR satellite images for land cover /land use identification in agricultural landscape <i>J. Chmiel, K. Lady-Druzycka, J. Pluto-Kossakowska, K. Osińska-Skotak, W. Wolniewicz, A. Fijalkowska & P. Kupidura</i> | 427 |
| High resolution mapping land cover classification of the Elmali water basin <i>F. Bektas Balcik, E. Saroglu, C. Goksel & N. Musaoglu</i> | 437 |
| Land use classification of ASTER image - Legionowo test site <i>S. Lewiński</i> | 441 |
| Validation of the European CORINE Land Cover 2000 database <i>G. Maucha & G. Büttner</i> | 449 |
| Accuracy assessment of the Portuguese CORINE Land Cover map <i>M. Caetano, F. Mata & S. Freire</i> | 459 |
| Comparing land cover products CLC2000 and MOD12Q1 for Portugal <i>M. Caetano & A. Araújo</i> | 469 |
| Land use classification in Spain using MERIS images <i>S. García Gigorro, F. González Alonso, S. Merino de Miguel, A. Roldán Zamarrón & J.M. Cuevas</i> | 479 |
| Land use/cover maps by RS and ancillary data integration in a GIS environment <i>J. Rocha, J. A. Tenedório, S. Encarnação & P.M. Sousa</i> | 487 |
| Great Lisbon Metropolitan Area land use/cover characterization through multi temporal and multi resolution VIS components analysis <i>J.A. Tenedório, J. Rocha, S. Encarnação & R. Estanqueiro</i> | 495 |
| Analysing and mapping of Bozcaada Island land cover by means of remote sensing and GIS integration <i>F. Bektas Balcik & C. Goksel</i> | 503 |
| Spectral mixture analysis of land covers <i>D. Borisova, R. Kancheva & H. Nikolov</i> | 509 |
| Land cover classification with Support Vector Machine applied to MODIS imagery <i>P. Gonçalves, H. Carrão, A. Pinheiro & M. Caetano</i> | 517 |
| Comparative evaluation of MIVIS and Hyperion hyperspectral data (0.4-2.4 µm) on the Pollino National Park (Italy) <i>R. M. Cavalli, L. Fusilli, S. Pascucci, S. Pignatti & M. Poscolieri</i> | 527 |

Urban and High Resolution Data

| | |
|---|-----|
| Sub-pixel mapping: A comparison of techniques <i>K.C. Mertens, L.P.C. Verbeke & R.R. De Wulf</i> | 539 |
| Sub-pixel mapping of impervious surfaces from Landsat ETM+ data using reference proportions derived from VHR data <i>T. Van de Voorde, W. De Genst & F. Canters</i> | 547 |
| Change detection in urban areas using Very High spatial Resolution satellite images. Case study in Brussels: Locating main changes in order to update the Urban Information System <i>E. Frauman & E. Wolff</i> | 557 |
| The usefulness of VHR images for public administrations in an urban hilly region <i>M. Binard, Y. Cornet & J.-P. Donnay</i> | 567 |
| Evaluation of high and Very High Resolution images for remote sensing control of area-based subsidies and Land Parcel Identification System in Hungary <i>G. Csonrai, I. László, B. Csonka, G. Nádor, E. Bognár, Z. Suba, G. Zelei, L. Tikász, L. Martinovich, A. Kocsis & M. Lelkes</i> | 575 |
| Analysis of geometric accuracy of Landsat 5 TM and IRS 1D data by means of DGPS and map data <i>E. Saroglu, S. Kaya & C. Ormeci</i> | 581 |
| Use of QuickBird satellite data for natural, semi-natural and urban environments <i>L. Rossi & F. Volpe</i> | 585 |

World Heritage and Archaeology

| | |
|---|-----|
| Estimation of the permafrost area in the Altai Mountains (Russia) in the framework of the preservation of the Frozen Tombs of the Altai Mountains <i>R. Goossens, W. Gheyle, J. Bourgeois & A. De Wulf</i> | 595 |
| Hyperspectral monitoring of coral reefs. A case study: Fordate, Tanimbar, Indonesia <i>S. Sterckx, L. Bertels, P. Kempeneers, W. Debruyn, T. Vanderstraete & R. Goossens</i> | 603 |
| 3D modeling and visualization of Cultural Heritage Sites from High-Resolution Satellite Imagery <i>A. Gruen, F. Remondino & L. Zhang</i> | 611 |
| Study of the relations of the ancient communities with landscape in the South and West sides of the Sevan Lake area (Armenia) <i>N. Parmegiani & M. Poscolieri</i> | 621 |
| QuickBird-based analyses for archaeological investigations <i>R. Lasaponara & N. Masini</i> | 629 |

3D Remote Sensing

| | |
|--|-----|
| Comparative analysis of space image orientation <i>K. Jacobsen</i> | 635 |
| Potential of KOMPSAT-1 for mapping purposes <i>G. Büyüksalih, H. Akcin, A. Marangoz & K. Jacobsen</i> | 647 |
| Quality checking of DEM derived from satellite data (SPOT and SRTM) <i>S. Kay, P. Spruyt, R. Zielinski, P. Winkler, S. Mihály & G. Ivan</i> | 655 |
| DEM and orthoimage generation from ASTER L1B images for remote areas <i>R. Tapia & R. Goossens</i> | 665 |
| High resolution 3D-mapping of urban air pollution using EO data <i>N. Sifakis, C. Iossifidis & D. Sarigiannis</i> | 673 |

Oceans and Coastal Zones

| | |
|--|-----|
| Satellite observations of bio-optical indicators related to dinoflagellates blooms in selected Mediterranean coastal regions <i>V. Barale, M. Masó, M. Vila, A. Lugliè, N. Sechi & M.G. Giacobbe</i> | 685 |
| MOSES (Measuring system for the observation of sea surfaces): Lagrangian drift experiments in the East Frisian Wadden Sea <i>O. Puncken, T. Badewien & R. Reuter</i> | 697 |
| Analysis of the mean sea level and its trend in the Iberian Atlantic and the Mediterranean Sea from altimeter data and the PSMSL data base <i>M. Arias, P. Villares, N. Castro, J.J. Alonso & M. Catalán</i> | 707 |
| The retracking of ocean parameters in the Mediterranean Sea and the surrounding area of the Iberian Atlantic using RA-2 Envisat data <i>J. Gómez-Enri, C.P. Gommenginger, M.A. Srokosz, P.G. Challenor, P. Villares & J. Alonso</i> | 713 |
| Pollution signature of water quality using remote sensing data <i>B. Lounis & A. Belhadj-Aïssa</i> | 721 |
| Use of airborne LIDAR for research in fisheries oceanography <i>V. Zabavnikov & A. Lisovsky</i> | 729 |
| Algae diagnostics by matrix method of laser fluorimetry <i>V.V. Fadeev, E.E. Ostroumov & R. Reuter</i> | 737 |
| Research of dissolved organic matter fluorescence band variability in the South Atlantic using artificial neural networks <i>I.A. Burikov, T.A. Dolenko, V.V. Fadeev & I.I. Vlasov</i> | 743 |
| Mapping coastal aquaculture and fisheries structures by satellite imaging radar. Case study of the Lingayen Gulf, the Philippines <i>C. Travaglia, G. Profeti, J. Aguilar-Manjarrez & N. Lopez</i> | 749 |
| Satellite radar imagery of the coastal zone: Slicks and oil spills <i>O. Lavrova, T. Bocharova & A. Kostianoy</i> | 763 |
| Investigation of structural properties of marine surface film manifestations on SAR images <i>D.V. Darkin, L.M. Mitnik & V.A. Dubina</i> | 773 |
| Radar backscattering at sea surface covered with oil films <i>M. Mityagina & A. Churumov</i> | 783 |
| Envisat ASAR polarization experiment in Peter the Great Bay, Japan Sea: Preliminary results <i>L.M. Mitnik, V.A. Dubina & O.G. Konstantinov</i> | 791 |
| Quantification of the total suspended matter concentration in the sea breaking zone from <i>in situ</i> measurements and remotely sensed data - two empirical approaches <i>A.C. Teodoro, A.R.S. Marçal & F. Veloso Gomes</i> | 799 |
| Analysis of the Portuguese west coast morphology and morphodynamics, based on aerial images and GIS tools <i>J. Pais Barbosa, F. Veloso Gomes & F. Taveira Pinto</i> | 809 |
| Intertidal beach morphodynamics from Argus video images <i>S. Quartel & E.A. Addink</i> | 819 |
| A Landsat TM and ETM+ survey of quaternary coastal landforms in the central coast of NSW, Australia <i>J. Yagüe & P. García</i> | 829 |
| Mapping shallow, benthic communities using hyperspectral, remotely sensed data: A test of habitat classification using multiple sources of bathymetry <i>P. Gagnon, W. Jones & R. Scheibling</i> | 839 |

| | |
|--|-----|
| Assessment of land-cover changes related to shrimp farming in two districts of northern Vietnam using multitemporal Landsat data <i>T.T.H. Pham, M. Béland, F. Bonn, K. Goïta, J.-M. Dubois & V.C. Pham</i> | 845 |
| A multispectral remote sensing analysis of Danube delta and North-Western coastal zone of Black Sea <i>M. Zoran & L.F. Zoran</i> | 855 |
| Observing and mapping the coastline relief in the Romanian sector of the Black Sea using satellite images <i>V. Loghin & G. Murătooreanu</i> | 863 |
| Using of the aircraft laboratory “Arktika” for research in the Barents Sea coastal zone <i>V. Zabavnikov & A. Lisovsky</i> | 869 |

Indices

| | |
|---------------|-----|
| Keyword index | 875 |
| Author index | 879 |