



Herrando-Pérez, S., Bradshaw, C. J. A., Lewandowsky, S., & Vieites, D. R. (2019). Statistical Language Backs Conservatism in Climate-Change Assessments. *Bioscience*, *69*(3), 209-219.
<https://doi.org/10.1093/biosci/biz004>

Peer reviewed version

License (if available):
Other

Link to published version (if available):
[10.1093/biosci/biz004](https://doi.org/10.1093/biosci/biz004)

[Link to publication record in Explore Bristol Research](#)
PDF-document

This is the accepted author manuscript (AAM). The final published version (version of record) is available online via OUP at <https://doi.org/10.1093/biosci/biz004> . Please refer to any applicable terms of use of the publisher.

University of Bristol - Explore Bristol Research

General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available:
<http://www.bristol.ac.uk/red/research-policy/pure/user-guides/ebr-terms/>

BIOSCIENCE

Forum article

Statistical Language Backs Conservatism in Climate-Change

Assessments

**SALVADOR HERRANDO-PÉREZ^{1,2*}, COREY J. A. BRADSHAW³,
STEPHAN LEWANDOWSKY^{4,5}, DAVID R. VIEITES²**

¹ Australian Centre for Ancient DNA, School of Biological Sciences, The University of Adelaide, South Australia 5005, Australia, salvador.herrando-perez@adelaide.edu.au

² Department of Biogeography and Global Change, Museo Nacional de Ciencias Naturales, Consejo Superior de Investigaciones Científicas (CSIC), c/ José Gutiérrez Abascal 2, 28006 Madrid, Spain, vieites@mncn.csic.es

³ Global Ecology, College of Science and Engineering, Flinders University, GPO Box 2100, Adelaide, South Australia 5001, Australia, corey.bradshaw@flinders.edu.au

⁴ School of Experimental Psychology and Cabot Institute, University of Bristol, 12a Priory Road, Bristol BS8 1TU, UK, Stephan.Lewandowsky@bristol.ac.uk

⁵ CSIRO Oceans and Atmosphere, Hobart, Tasmania 7004, Australia

Corresponding author: Salvador Herrando-Pérez at E-mail address: salvador.herrando-perez@adelaide.edu.au

1
2
3
4
5 **Key-words:** climate change; communication; Intergovernmental Panel on Climate Change;
6
7 terminology; uncertainty.
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Draft Manuscript

Abstract

The scientific evidence for anthropogenic climate change is empirically settled, but communicating it to non-scientific audiences remains challenging. To be explicit about the state of knowledge on climate science, the Intergovernmental Panel on Climate Change (IPCC) has adopted a vocabulary that ranks climate findings through certainty-calibrated qualifiers of *confidence* and *likelihood*. We here quantified the occurrence of knowns and unknowns about ‘The Physical Science Basis’ of the IPCC’s Fifth Assessment Report by counting the frequency of calibrated qualifiers. We found that the tone of the IPCC’s probabilistic language is remarkably conservative (mean *confidence*=*medium*, *likelihood*=66-100%), and emanates from the IPCC recommendations themselves, complexity of climate research, and exposure to politically-motivated debates. Leveraging communication of uncertainty with overwhelming scientific consensus about anthropogenic climate change should be one element of a wider reform, whereby the creation of an IPCC Outreach Working Group could enhance the transmission of climate science to the Panel’s audiences.

1
2
3 Communicating scientific and statistical uncertainty to non-academic audiences, including
4
5 policymakers, is one of the most important challenges of modern science. This is particularly
6
7 true for climate science where the risks posed by anthropogenic climate disruption have become
8
9 a strategic topic among rivaling political ideologies (McCright and Dunlap 2011), and represent
10
11 considerable losses in actual and future economic production (Burke et al. 2015), as well as an
12
13 unprecedented threat to human health (McMichael 2013), and to biodiversity and the multiple
14
15 ecosystem services it provides to human societies (Scheffers et al. 2016). Despite the climate-
16
17 change community leading the development of a quantitative language for uncertainty (Morgan
18
19 and Mellon 2011), communication experts question whether the conveyance of uncertainty to the
20
21 public might in fact promote political inaction for dealing with the environmental and social
22
23 impacts of a changing climate (Lewandowsky et al. 2015a). In this *Forum* article, we analyze the
24
25 major linguistic effort made by the Intergovernmental Panel on Climate Change (IPCC) to
26
27 communicate the (un)certainty of climate science to its target audiences, and we quantify the
28
29 occurrence of knowns and unknowns present in IPCC reports by counting the frequency of
30
31 statements reported to a given range of uncertainty. We then explain why transparency about
32
33 scientific uncertainty renders the IPCC's reporting conservative, and finally we identify
34
35 challenges and propose future directions that could bolster the IPCC's communication strategy
36
37 and the public transmission of climate science as a whole. Our scope is to provide a constructive
38
39 overview of the IPCC's probabilistic language explicitly free of statistical analyses.
40
41
42
43
44
45
46
47
48

49 **Intergovernmental Panel on Climate Change**

50
51 Effective communication has been a major area of elaboration and concern for scientists in the
52
53 IPCC, who are consistently challenged with adhering to scientific rigour while delivering clear
54
55
56
57

1
2
3 and unambiguous messaging (Lynn 2018). Established in 1988 by the United Nations' World
4 Meteorological Organization and Environmental Program, and with a current membership of 195
5 countries, the principal duty of this Panel rests on the review of the climate-related primary and
6 secondary literature by three Working Groups (known as WGI, II, and III), and on the evolving
7 development of methodologies by the 'Task Force on National Greenhouse Gas Inventories' for
8 calculating greenhouse-gas emissions and removals. The IPCC's overarching goal through their
9 Working Groups is to assess the physical sciences of climate change (WGI), its potential socio-
10 economic consequences in terms of impacts, adaptation and vulnerability (WGII), and the
11 associated mitigation options (WGIII). Their outputs are published in a series of periodical
12 reports. To date there have been five Assessment Reports, published in 1990, 1995, 2001, 2007
13 and 2013 (Jones 2013).

14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

The (latest) Fifth Assessment Report is a compendium of four publications: an overall 'Synthesis Report' and one report from every Working Group (full content is listed by sections in table S1). The 'Synthesis Report' subsumes the working-group outcomes in a technical summary preceded by a 'Summary for Policymakers' (IPCC 2014d). The reports of the Working Groups each consist of their own summary for policymakers and technical summary, in-depth chapters, and supplements (IPCC 2013a: WGI, 2014a, b: WGII, 2014c: WGIII) — all fully available from the IPCC's website (www.ipcc.ch). The elaboration of the technical summaries and in-depth chapters is done by 'contributing authors' who provide the raw data (text, data, graphs, tables), 'lead authors' who integrate and synthesize the input of contributing authors and deal with comments from a selected group of 'expert reviewers', and 'coordinating lead authors' who oversee completeness, coherence and style consistency (InterAcademy Council 2010). At least two 'review editors' observe the whole assessment process for each in-depth chapter

1
2
3 (InterAcademy Council 2010). Synthesis Reports and Summaries for Policymakers follow a
4
5 similar review process with additional participation of government representatives (Lynn 2018,
6
7 see below).
8
9

12 **Probabilistic language tailored to expected audiences**

14 The IPCC reports are meant to inform a primary target audience of national governments,
15
16 policymaking stakeholders, and intergovernmental actors across the United Nations (table 1),
17
18 and represent the cornerstone of the United Nations Framework Convention on Climate Change
19
20 as in the 2015 Paris Agreement. This role is essential because, in the current Information Age, it
21
22 is striking that the primary literature of climate-change research has minimal coverage in policy
23
24 (Bornmann et al. 2016). The IPCC fills the gap by acting as the principal mediator between the
25
26 scientific community and governments in a global context, and so fuels the political response to
27
28 anthropogenic climate disruption, with IPCC reports being policy-relevant but not policy-
29
30 prescriptive (InterAcademy Council 2010).
31
32
33
34

35 Nonetheless, the IPCC acknowledges that many other sectors (business, educators, the
36
37 media, observer organizations, the scientific community, and the public in general; table 1) are
38
39 interested in its work and published reports, and might require context- and country-specific
40
41 outreach (IPCC 2016a). Despite intending to engage such a global, broad and diverse audience,
42
43 the style of IPCC reports unfortunately remains technical (Schellnhuber 2008), hence
44
45 compromising the conveyance of scientific uncertainties to a broad audience (Lewandowsky et
46
47 al. 2015a), and overall making their readability challenging for non-scientific audiences
48
49 (Barkemeyer et al. 2016, but see Mach et al. 2017). Because IPCC reports are increasingly
50
51 voluminous (Jones 2013), when the Sixth Assessment Report (and three additional reports that
52
53
54
55
56
57
58
59
60

1
2
3 focus on ‘global warming, ‘land’, and ‘ocean and cryosphere’) sees the public light by 2022
4
5 (Lynn 2018), communication challenges are bound to grow in sync with the number of bytes of
6
7 climate information.
8
9

10 To hone the communication and understanding of climate-science uncertainty to their
11
12 expected audiences, the IPCC has adopted what it refers to as a “calibrated language” to rank
13
14 scientific uncertainty. This strategy firmly aligns with the IPCC’s communication strategy of “...
15
16 providing clear and balanced information on climate change, including scientific uncertainties,
17
18 without compromising accuracy” (IPCC 2016a). The expression “calibrated language” implies a
19
20 common vocabulary and scale of judgment of the degree of certainty in findings (e.g.,
21
22 magnitude, pattern, prediction, projection, rate, trend) across IPCC Working Groups. Guidelines
23
24 around how to construct calibrations by the IPCC’s ‘lead authors’ have evolved through the
25
26 Third (Moss 2011), Fourth (IPCC 2007) and Fifth (Mastrandrea et al. 2011a, Mastrandrea et al.
27
28 2011b) Assessment Reports, and currently consists of two sets of calibrated qualifiers:
29
30 *confidence* and *likelihood*. *Confidence* is a qualitative composite of the strength of evidence
31
32 (type, quality, amount, consistency) and the scientific agreement (proportion of different lines of
33
34 evidence that support the same conclusion) available for a given finding (Mastrandrea et al.
35
36 2011a). By contrast, *likelihood* “... is used to express a probabilistic estimate of the occurrence
37
38 of a single event or of an outcome” (Mastrandrea et al. 2011a). Figure 1 displays the five
39
40 categories of *confidence* (from *very low* to *very high*) and ten categories of *likelihood* (from
41
42 *exceptionally unlikely* to *virtually certain*) in the Fifth Assessment Report. IPCC Core Writing
43
44 Team members have outlined a proposal to revise those qualifiers for future assessments (Mach
45
46 et al. 2017), where *confidence* would turn to *scientific understanding* (five “unranked” categories
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 according to evidence and agreement: *limited, emerging, medium, divergent, robust*), while
4
5 *likelihood* categories would remain unchanged (figure 1).
6

7
8 Through the assessment process, IPCC's calibrations imply that the scale of scientific
9
10 evidence (based on published climate data and research) maps to a scale of assessment (based on
11
12 the collective judgement of IPCC lead authors); thus, calibrated qualifiers do not capture the
13
14 view of individual contributing authors or expert reviewers (Morgan 2014, see below). This
15
16 calibrated language undoubtedly reaffirms the sophisticated discourse of IPCC reports, but it
17
18 might ironically jeopardize the clarity with which they might resonate with non-scientific
19
20 audiences. Indeed, several studies have reported caveats in the communicative efficacy of the
21
22 IPCC's calibrations, which can be summarized as follows: (i) the media often uses the IPCC's
23
24 calibrated qualifiers without reference to their intended meanings (Collins and Nerlich 2016), (ii)
25
26 interpretation can be affected by the linguistic background of the audience (Budescu et al. 2014,
27
28 Harris et al. 2013), and (iii) general-public language is unfit to gauge the joint uncertainty of
29
30 related climate findings (Cooke 2015). An unexplored issue is that the IPCC's calibrations
31
32 delimit a continuous scale of how much we know and do not know about climate change — a
33
34 headline that receives considerable media coverage and public attention (e.g., Abraham 2013,
35
36 Barnard 2017, Frost 2014). We evaluate this tenet in the next section by quantifying the
37
38 frequency of calibrated qualifiers in the IPCC's Fifth Assessment Report.
39
40
41
42
43
44
45
46

47 ***Tone of the physical science of climate change***

48
49 From the Fifth Assessment Report, we counted the number of *confidence* and *likelihood*
50
51 qualifiers in the WGI component as a case study (table S1). This Working Group sifts through
52
53 the literature of 'The Physical Science Basis' of how the climate system functions and changes
54
55
56
57
58
59
60

1
2
3 (IPCC 2013a), and has supported the overwhelming scientific consensus (Benestad et al. 2016,
4
5 Cook et al. 2016, Oreskes 2004) that human activities have altered the Earth's climate on a
6
7 historical timescale, and will continue to do as long as fossil fuels prevail as our main sources of
8
9 energy (table 2).
10

11
12 *Confidence* and *likelihood* qualifiers can be easily tracked in the Fifth Assessment Report
13
14 because they are italicized. We counted qualifiers separately in the 'Technical Summary'
15
16 (Stocker et al. 2013), the 'Summary for Policy Makers' (IPCC 2013b), and the in-depth Chapters
17
18 2 to 14 each prefaced by a self-contained 'Executive Summary' (IPCC 2013a) — but excluded
19
20 Chapter 1 because it is an introduction to concepts, definitions, climate-change indicators (and
21
22 how they compare to the Fourth Assessment Report), scenarios, and the state of the art of climate
23
24 science as used in the remaining chapters. We distinguished summaries from in-depth chapters in
25
26 our analysis because the former flag the main outcomes of the latter, so both are distinct in terms
27
28 of content and relevance (and potential audiences), and might be dominated by contrasting
29
30 degrees of certainty. This is particularly the case for the 'Summary for Policymakers' because
31
32 representatives of all IPCC-signatory governments carefully read line by line, make
33
34 amendments, and finally approve the text in agreement with the Panel during a plenary session
35
36 (Lynn 2018). For *likelihoods*, we pooled statements of identical probability; for instance, *very*
37
38 *likely* and *very unlikely* indicate the same magnitude of uncertainty for a positive and negative
39
40 statement, respectively (figures 1 & 2). To avoid the large displays (which we use hereafter to
41
42 define boxes, figures and tables) in the in-depth Chapter 14 on future regional climate change
43
44 biasing our counts (they accounted for 28% of total calibrations counted in all chapters; table
45
46 S2), we show the frequency of qualifiers in the main text of the in-depth chapters in figure 2, and
47
48 in displays in figure S1. We provide full methodological details in the Supplemental Material.
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 We counted 3191 calibrated qualifiers (1979 and 1212 *confidences* and *likelihoods*,
4 respectively) in the IPCC WGI's 'The Physical Science Basis' — sample sizes shown in table
5 S2. Throughout, we found that the proportions of the different qualifiers assigned to climate
6 findings follow a nearly symmetric distribution (figure 2). In the Summary for Policymakers,
7 59% of the *confidence* qualifiers ($n = 136$) are *low* to *medium* (figure 2a), and 58% of the
8 *likelihood* qualifiers ($n = 120$) are *likely* (66-100% probability) or *unlikely* (0-33% probability)
9 (figure 2b). In figure 2a & 2b, horizontal grey lines are the means of qualifiers from lowest = 1 to
10 highest = 5 (*confidence*) or 6 (*likelihood*) strength of evidence, indicating a mean (ranked)
11 *confidence* of 3.3 ± 0.1 and *likelihood* of 3.5 ± 0.2 (\pm standard error; table S2). The 'Technical
12 Summary' (figure 2c & d; $n = 567$ calibrated qualifiers), and the 'Executive Summaries' (figures
13 2e & f; $n = 492$) and main text of the in-depth chapters (figures 2g & h; $n = 1136$) match the
14 trend of the 'Technical Summary' for both metrics, with mean *confidences* and *likelihoods* all
15 from 3.1 to 3.5 (table S2), and medians fixed at 3 in all cases (table S2).
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

33 In all of those components, the proportion of the top categories of certainty (*very high*,
34 *virtually certain/exceptionally unlikely*) never exceeded 8%. Therefore, when the IPCC's WGI
35 synthesizes information about the physical phenomena, rates, and trends of climate change from
36 in-depth chapters to their different summaries (and, potentially, audiences), the average certainty
37 of the climate science assessed remains *medium* — probabilistically within 0-33% (*unlikely*) and
38 66-100% (*likely*) ranges. As shown in figure S1, these overall trends and conclusions persist
39 when we counted *likelihood* qualifiers in the displays of the in-depth chapters, except that *high*
40 confidence predominated in those displays due to climate findings documented in only three in-
41 depth chapters, namely Chapters 2 ('Observations: Atmosphere and Surface'), 10
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 ('Observations: Cryosphere') and 14 ('Climate Phenomena and their Relevance for Future
4
5 Regional Climate Change').
6
7
8
9

10 **Uncertainty driving conservativeness**

11
12 Overall, the predominance of qualifiers of low to intermediate certainty reported above reveals
13
14 that the tone of the probabilistic language of the IPCC's report on the physical science of climate
15
16 is remarkably conservative, and contrasts with the overwhelming scientific consensus about
17
18 anthropogenic climate change (Benestad et al. 2016, Cook et al. 2016, Oreskes 2004) that the
19
20 IPCC is endorsing (table 2). We argue below that such conservatism results from the combined
21
22 effect of three factors, namely the IPCC's guidelines themselves, research complexity, and
23
24 politically-motivated challenges.
25
26
27
28
29

30
31 *IPCC's guidelines:* The IPCC recommends that the calibrated assessment of climate findings
32
33 should be explicit about all sources and ranges of uncertainty, and often focuses on reference
34
35 probabilities of low magnitude. Table 3 shows four of such recommendations in the original
36
37 guidance notes for the Fifth Assessment Report's lead authors (Mastrandrea et al. 2011a), which
38
39 we describe below.
40
41

42 To the IPCC, reporting the tails of the distribution of low-probability adverse outcomes is
43
44 sensible because those tails can have major implications in climate-change science, impact,
45
46 adaptation, or mitigation (table 3). The most obvious case is where different ranges of the
47
48 magnitude of a climate-change metric receive specific calibrations (Mastrandrea et al. 2011b),
49
50 e.g., "... observed climate change, climate models and feedback analysis, as well as paleoclimate
51
52 evidence indicate that ECS [equilibrium climate sensitivity] is positive, *likely* in the range 1.5 °C
53
54
55
56
57
58
59
60

1
2
3 to 4.5 °C with *high confidence*, *extremely unlikely* less than 1 °C (*high confidence*) and *very*
4
5 *unlikely* greater than 6 °C (*medium confidence*)” (Stocker et al. 2013).
6

7
8 This is somewhat akin to where the IPCC assesses the magnitude of a spatial or temporal
9
10 metric such that certainty will normally decrease as estimates cover relatively poorly studied
11
12 regions and longer periods (into the past or the future), often due to data deficiency and
13
14 coverage, and alternative modelling approaches. For example, “... *confidence* in precipitation
15
16 change averaged over global land areas is *low* prior to 1951 and *medium* afterwards because of
17
18 insufficient data” and “... *low confidence* in basin-scale projections of changes in intensity and
19
20 frequency of tropical cyclones ... reflects the small number of studies exploring near-term
21
22 tropical cyclone activity, the differences across published projections ... and the large role for
23
24 natural variability” (Stocker et al. 2013).
25
26
27

28
29 *Likelihood* categories in the IPCC’s reports have “fuzzy” boundaries (table 3), and so can
30
31 assign low to intermediate calibrations to findings that are highly probable (the opposite can also
32
33 occur). This renders IPCC calibrations naturally conservative, e.g., the statement “... it is *likely*
34
35 that human influence has affected the global water cycle since 1960” (Stocker et al. 2013)
36
37 implies that anthropogenic forcing might be anywhere from 66% to 100% probable. The
38
39 narrative of fuzzy boundaries is one that the non-scientific readers of IPCC reports might
40
41 misunderstand because it is non-standard terminology (Cooke 2015) — instead, common
42
43 reasoning is more bound to gauge the certainty of a *likely* event by the lower value (66%). Think
44
45 of boarding an airplane that has a 66 to 100% chance of crashing; in this case, would the upper
46
47 bound even matter to most people?
48
49
50

51
52 Importantly, the IPCC prompts its Working Groups not to rank the certainty of statements
53
54 of fact in the IPCC calibration guidelines (table 3), and highlights this guideline with the same
55
56
57
58
59
60

1
2
3 sentence in the introductory section of the WGI's 'Summary for Policymakers' (IPCC 2013b, p.
4 4) and the 'Technical Summary' (Stocker et al. 2013, p. 35): "... where appropriate, findings are
5 also formulated as statements of fact without using uncertainty qualifiers". These *facts* are
6 sometimes (twice in the Technical Summary, ten times in the in-depth chapters) denoted by the
7 term 'certain' subject to no qualifier or italicization, e.g., "... it is certain that global mean [land]
8 surface temperature has increased since the late 19th century" (IPCC 2013b).
9
10
11
12
13
14
15
16
17
18

19 *Climate complexity*: Consensus in the scientific community regarding whether humans are
20 altering the climate (Cook et al. 2016) is not proportional to, and should not be confused with,
21 consensus in IPCC reports as expressed through calibrated qualifiers. The latter is applied to the
22 multiple processes operating in the climate system, in which anthropogenic forcing is one of
23 many other mechanisms at work. Along those lines, IPCC reports assess many different data and
24 publications on complex, dynamic, and interacting systems (atmosphere, climate, ecosystems,
25 oceans, human societies). Those systems are imperfectly understood with respect to their
26 individual and interacting forcings, and keep shifting as climate-change progresses and novel
27 feedbacks emerge, as much as the technology and methods to measure climate change are
28 imperfect, evolving and improving. Uncertainty is thus an explicit property (not a weakness) of
29 climate-change research and of IPCC reports and, for that matter, inherent to any field of
30 research. In that respect, the review scope of the IPCC implies assessing single phenomena under
31 multiple, plausible explanations that can further slant the number of calibrations towards
32 uncertainty. We illustrate this aspect with three examples in the remainder of this section.
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

51 The IPCC must account for the fact that in the analysis of climate data, the uncertainty of
52 observed effects will be commonly overshadowed by the uncertainty of their potential causes.
53
54
55
56
57
58
59
60

1
2
3 One thing is what we see and measure, another is which mechanism might trigger it. There is
4
5 often one effect and several alternative or complementary explanations, and this unbalance can
6
7 act as a multiplier of weak- *versus* strong-certainty qualifiers. For instance, the ‘Summary for
8
9 Policymakers’ states as a fact that “... total radiative forcing is positive, and has led to an uptake
10
11 of energy by the climate system [since the Industrial Revolution]”, but the *confidence* of the
12
13 contribution of different atmospheric drivers to that forcing varies through *low* (aerosol-mediated
14
15 cloud adjustment), *medium* (albedo driven by land use, carbon monoxide, non-methane volatile
16
17 organic compounds, NO_x, solar irradiance), *high* (CH₄, halocarbons) and *very high* (CO₂, N₂O)
18
19 (IPCC 2013b). This statement deals with one effect, while four drivers score *high confidence* and
20
21 six get *low to medium confidence*, and the range of those uncertainties is even stronger in expert
22
23 elicitation (Morgan et al. 2006).
24
25
26
27

28
29 Additionally, when the IPCC assesses climate change into the future (or the past), it
30
31 applies mathematical frameworks and assumptions of varying complexity. This approach
32
33 likewise results in projections of varying uncertainty, all of which are presented in IPCC reports.
34
35 The IPCC’s prose reads rather wordy when those projections are enumerated, e.g., relative to the
36
37 period 1850-1900 “... global temperatures averaged in the period 2081-2100 are projected to
38
39 *likely* exceed 1.5 °C ... for RCP4.5 [RCP stands for Representative Concentration Pathway, or
40
41 scenarios explaining concentration and trajectories of aerosols and greenhouse and chemically
42
43 active gases], RCP6.0 and RCP8.5 (*high confidence*) and ... 2 °C ... for RCP6.0 and RCP8.5
44
45 (*high confidence*). Temperature change above 2°C ... under RCP2.6 is *unlikely* (*medium*
46
47 *confidence*). Warming above 4 °C by 2081-2100 is *unlikely* in all RCPs (*high confidence*) except
48
49 for RCP8.5, where it is *about as likely as not* (*medium confidence*)” (Chapter 12 in IPCC 2013a,
50
51
52
53
54
55
56
57
58
59
60

1
2
3 Stocker et al. 2013). In the former statement, *confidence* varies from *medium* to *high*, but
4
5 *likelihood* only gets up to 66-100%, denoting the imperfect performance of those projections.
6
7

8 Lastly, we scientists can choose the interval of certainty of our measurements in our
9
10 publications, and the IPCC authors are not different. Thus, when the Panel documents a given
11
12 range of climate change, the ‘*likely* range’ is the most common option. When assessed under
13
14 different assumptions, models and scenarios, *likely* ranges are cited many times, hence
15
16 magnifying the occurrence of climate findings at *likelihoods* of 66 to 100%. This magnification
17
18 renders conservative many estimates of the most critical metrics of climate change reported in
19
20 the in-depth chapters, namely cloud and aerosol forcing (Chapters 7 and 8), equilibrium climate
21
22 sensitivity (Chapter 10), future global surface air temperatures, greenhouse-gas emissions,
23
24 anthropogenic forcing and transient climate response (Chapters 11 and 12), and global sea level
25
26 rise and its causes (Chapter 13) (IPCC 2013a). Additionally, *likely* ranges pass on from the in-
27
28 depth chapters to the executive, policymaking-related and technical summaries, e.g., “... based
29
30 on current understanding, only the collapse of marine-based sectors of the Antarctic ice sheet, if
31
32 initiated, could cause global mean sea level to rise substantially above the *likely* range during the
33
34 21st Century” (IPCC 2013b).
35
36
37
38
39
40
41

42 *Seepage*: Organizations often labelled as climate-change ‘contrarians’, ‘deniers’ or ‘sceptics’
43
44 (see review of terms by Howarth and Sharman 2015) actively cherry-pick IPCC’s calibrated
45
46 statements as evidence to support their claims that the science backing anthropogenic climate
47
48 change is flawed or biased towards alarmism or uncertain knowledge (table S3). Thus,
49
50 calibrations have been in the spotlight of polemics such as ‘Glaciergate’, where the IPCC (Fourth
51
52 Assessment Report) allocated a 90-100% *likelihood* (*very likely*) to a prediction of complete
53
54
55
56
57
58
59
60

1
2
3 meltdown of Himalayan glaciers by 2035, instead of three centuries into the future as intended
4 (Cogley et al. 2010). Once in the public sphere, calibrations can consequently undermine IPCC-
5 driven engagement of policy-making stakeholders, particularly if findings of weak uncertainty
6 predominate. The logical fallacy is that "... scientific uncertainty about climate science implies
7 uncertainty about whether something should be done in response to it" (Lewandowsky et al.
8 2015b). And such a fallacy becomes a flawed probabilistic device exploited by 'merchants of
9 doubts', who exploit uncertainty to discourage public endorsement of policies against a range of
10 societal problems, from smoking to global warming, usually with a clandestine financial ulterior
11 motive (Oreskes and Conway 2010).
12
13
14
15
16
17
18
19
20
21
22
23

24 The reality is that contrarian views against anthropogenic climate disruption can lobby
25 the scientific community, and the IPCC in particular, to be conservative and so reinforce
26 contrarian views in a vicious, self-reinforcing circle — a phenomenon called 'seepage'
27 (Lewandowsky et al. 2015b). Why? Essentially, the IPCC must carefully gauge the costs and
28 entailing loss of credibility of making a mistake given the heated and politicized debate about
29 climate change, so the Panel has a tacit motivation for using a cautious language. Medimorec and
30 Pennycook (2015) examined how the IPCC selects words and constructs sentences in its reports
31 relative to the Nongovernmental International Panel on Climate Change (NIPCC), a group of
32 'scientists' who define themselves as "... not predisposed to believe climate change is caused by
33 human greenhouse gas emissions' and ... able to offer an independent *second opinion* of the
34 evidence reviewed — or not reviewed — by the IPCC on the issue of global warming"
35 (climatechangereconsidered.org). In actual fact, the NIPCC is staged by the Heartland Institute, a
36 conservative American "think tank" with a long history of attacks on climate science (e.g., they
37 once compared climate scientists to the Unabomber; Hickman 2012). Medimorec and Pennycook
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 (2015) found that the IPCC's language is far more cautious and less emotional than the NIPCC's,
4 and the predominance of low to intermediate qualifiers found in our study aligns with the former
5
6 observation.
7
8

9
10 Seepage seems perhaps the major motivation for the IPCC's WGI to 'err on the side of
11 least drama' and so underestimate climate-change impacts (Brysse et al. 2013), and to
12
13 overemphasize the avoidance of false-positive (supporting an untrue outcome) against false-
14
15 negative (rejecting a true outcome) probabilistic statements (Anderegg et al. 2014). Even the
16
17 coverage of new climate findings in the primary literature by the most-read US newspapers
18
19 indicates that anthropogenic climate change can outpace the projections of the IPCC itself
20
21 (Freudenburg and Muselli 2010). This is extraordinary because the US prestige press tends to
22
23 balance their attention to arguments for humans *versus* natural variability as the main drivers of
24
25 climate change, thereby creating the biased impression that both perspectives have equal backing
26
27 in the scientific community (Boykoff and Boykoff 2004).
28
29
30
31
32
33
34

35 **Challenges and future directions**

36
37 Uncertainty is double-edged. Climate-change contrarians see uncertainty in IPCC reports as
38
39 proof of weakness in climate science (table S3), ignoring the fact that uncertainty is inherent to
40
41 scientific research. Most climate researchers, certainly those in the IPCC, see it instead as proof
42
43 of scientific rigour. Regardless, uncertainty should be visualized as a sound measure of the risks
44
45 imposed by climate change and inspire action rather than indifference (Lewandowsky et al.
46
47 2015a). We conclude this paper by highlighting potential improvements in the IPCC's
48
49 calibrations and outreach.
50
51
52
53
54
55
56
57
58
59
60

1
2
3 *Calibrations:* We contend that a major communication caveat in IPCC assessments is that
4
5 the Panel is not explicit about how a hierarchy of thousands of calibrated statements propagates
6
7 their (often low to intermediate) uncertainties into the highly certain, core outcomes collectively
8
9 supporting the fact that humans are (and, if not reducing emissions of greenhouse gases, will
10
11 continue being) the main drivers of ongoing (and future) climate change. Additionally, it has
12
13 been noted that in the IPCC's Assessment Reports "... many less-important conclusions have
14
15 attached likelihoods, whereas some crucial ones do not", yet they are the most relevant ones to
16
17 policymaking (Reilly et al. 2001). But current calibrations play no role in how and how much the
18
19 latter causatively lead to the former. Thus, the WGI's 'Summary for Policymakers' (IPCC
20
21 2013b) and 'Headline Statements' (table 2; WGI Technical Support Unit 2014) use section-
22
23 heading boxes (bolded text in colour-shaded frames) followed by a few synthesizing statements.
24
25 However, only 10 of the 19 ('Summary for Policymakers') and none of the four ('Headline
26
27 Statements'; table 2) boxes include calibrations, and the probabilistic link between headings and
28
29 associated statements is open to (mis)interpretation.
30
31
32
33
34

35 In situations where climate-change contrarians misleadingly use IPCC reports as a house
36
37 of cards (table S3), whereby the removal of one or few cards demolishes the whole or most of
38
39 the house, both a graphical depiction and an explicit quantification of how core outcomes depend
40
41 probabilistically on ancillary ones could help defang such attacks on the science of climate
42
43 change. In the context of our study and for simplicity, we identify 'core outcomes' (table 2, see
44
45 Cooke 2015) with the IPCC's 'Headline Statements' by WGI (table 2; Stocker and Plattner 2016,
46
47 WGI Technical Support Unit 2014), along with the endorsements made by the US National
48
49 Research Council (NRC 2010), while 'ancillary outcomes' are scientific findings leading to
50
51 those core outcomes. However, if the IPCC was to address the probabilistic links between the
52
53
54
55
56
57
58
59
60

1
2
3 two explicitly, each of the IPCC's Working Groups should identify which are the core outcomes
4 relative to the specific areas of climate science they revise (table S1) and the audiences they
5 target (table 1).
6
7
8
9

10 Along those lines, the Fifth Assessment Report is typeset in italics to highlight *confidence*
11 and *likelihood* exclusively for findings subject to uncertainty, not for "climate facts" (table 3),
12 despite the latter being ostensibly scrutinized by the same review process as any other climate
13 outcome. A useful analogy is that it is difficult to imagine that an employer would evaluate a set
14 of job applicants' *curriculum vitae* by only taking the lowest-scoring subjects into consideration;
15 instead, the employer would also rank their best subjects. Similarly, the omission of certainty
16 qualifiers for factual outcomes seems inadvisable because they should represent gold standards
17 of climate-change science, and therefore deserve a unique and highest category of certainty that
18 no reader should be able to misinterpret easily. This seems a simple yet powerful way by which
19 IPCC can provide a more balanced probabilistic treatment of outcomes of extreme certainty or
20 uncertainty.
21
22
23
24
25
26
27
28
29
30
31
32
33
34

35 In general, most calibrated qualifiers currently used by the IPCC (Mastrandrea et al.
36 2011a: exceptionally, extremely, high, low, major, medium, minor, very, virtually), and the
37 newly proposed ones (Mach et al. 2017: divergent, emerging, limited, robust) are unquantifiable,
38 the amount of scientific evidence and agreement within and between *confidence* categories is
39 unknown, and both aspects entertain subjective interpretation by readers of IPCC reports. We
40 concur with others that a dual language coupling the numbers with the terms quantifying
41 uncertainty thresholds (Budescu et al. 2014) would be an essential minimum for the IPCC's
42 audiences (table 1) to interpret correctly what the IPCC is actually saying.
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 A different matter is whether the IPCC's calibration protocol might be underestimating
4 the metrics of climate change, with experts noting that "... *if current scientific consensus is in*
5 *error, it is likely because global climate disruption may be even worse than commonly expected*
6 *to date*" (Freundenburg and Muselli 2013). For instance, by the end of the 21st Century, global
7 warming rates have been claimed to be 15% higher and 30% less uncertain than the estimates
8 given by the IPCC's WGI in the Fifth Assessment Report (Brown and Caldeira 2017). Likewise,
9 lower bounds of the *likely* ranges of sea-level rise have been argued to be over 10 cm higher
10 (Horton et al. 2014) than the IPCC estimates. Furthermore, Reilly et al. (2001) stressed that the
11 method of attaining expert judgements is inconsistent through the IPCC Working Groups, and
12 not detailed (e.g., to be replicable) in the IPCC calibration guidelines, and that the IPCC's
13 emphasis on calibrating consensus might misrepresent the state of knowledge about climate
14 change. This caveat has led many authors to advocate a move from informal (the current
15 approach) to formal expert elicitation in IPCC assessments (e.g., Morgan and Mellon 2011,
16 Oppenheimer et al. 2007, Zickfeld et al. 2010), whereby divergent expert views play a formal
17 role in calibrations, and *likelihoods* could capture the uncertainty of not only model inputs
18 (current approach), but also model structure (Morgan 2014, Reilly et al. 2001). It is of course
19 unknown whether expert elicitation would change the overall frequency of qualifiers in IPCC
20 reports that we have summarized in our study.
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

47 *Outreach:* The upswing in populist governments worldwide (Oliver and Rahn 2016) further
48 threatens the public understanding of the IPCC's message and recommendations, so clarity of
49 language is particularly important to counter public lack of awareness of anthropogenic climate
50 change and the perception of its risks (Lee et al. 2015). Nevertheless, while climate-change
51
52
53
54
55
56
57
58
59
60

1
2
3 awareness is largely determined by educational attainment (Lee et al. 2015), risk perception can
4
5 respond to collective beliefs more than to science literacy or comprehension of scientific
6
7 information (Kahan et al. 2012). Thus, the improvement of the IPCC's probabilistic vocabulary
8
9 should not be treated as a panacea, but as one element of an unprecedented, global
10
11 communication strategy encompassing the sociological and psychological dimensions of the
12
13 potential audiences of IPCC reports (table 1). A clear wording of uncertainty will always rely on
14
15 a clear strategy of communication of words to transmit its genuine meaning. As an apolitical,
16
17 scientific, multidisciplinary, and authoritative body, the IPCC is the institutional beacon to
18
19 endorse such a strategy where scientific practice, policy making, and public engagement meet.
20
21
22
23

24 The IPCC has greatly expanded, and foresees to expand further, its communication
25
26 capabilities, acknowledging that (i) "... effective outreach requires engagement with
27
28 stakeholders ... to understand what they are looking for in an IPCC report", and (ii) "... involve
29
30 communications specialists from a range of disciplines in the writing process [of IPCC reports]"
31
32 (IPCC 2016b). In that direction, the IPCC has just issued a handbook for IPCC authors to
33
34 communicate uncertainty and promote public awareness of climate change (Corner et al. 2018).
35
36 However, we argue that instead of resorting to external, commissioned specialists and knowledge
37
38 brokers to generate communication tools for the IPCC Working Groups, the IPCC's credibility
39
40 and societal impact could be enhanced by launching a new IPCC's Working Group entirely
41
42 focused on climate-change outreach and based on the outputs of the three existing Working
43
44 Groups. This Outreach Working Group would ideally include communication experts from
45
46 different fields, comprising educators, linguists, pedagogues, psychologists, and climate
47
48 scientists (recruited from academia and non-academic sectors), and follow the same assessment
49
50 process as that of the remaining working groups (with 'contributing authors', 'expert reviewers',
51
52
53
54
55
56
57
58
59
60

1
2
3 and ‘review editors’; see above). The group would elaborate a novel component in the IPCC’s
4 assessments (i.e., a self-contained booklet, and one section in the overall synthesis report)
5
6 accounting for the heterogeneous, public perceptions of climate change (Weber 2010, 2016),
7
8 thus reaching beyond policymakers to other sectors like agriculture (e.g., farmers) or education
9
10 (e.g., school teachers).
11
12
13

14
15 To accomplish this complex task, it seems strategically important that each of the IPCC
16
17 member countries should define a network of relevant organizations linked across different
18
19 scales (local, regional, national) that maximize the flow of usable information (Kalafatis et al.
20
21 2015). Those networks might encounter both a common set of experiences that can be escalated
22
23 at the regional and national level (Buizer et al. 2016) and documented in IPCC reports, but also
24
25 context-specific situations needing innovative approaches (Clar and Steurer 2018) beyond the
26
27 direct scope of the IPCC. Representatives of those networks (at least at the regional level) could
28
29 participate as ‘contributing authors’ in the assessment process of the IPCC’s Outreach Working
30
31 Group (in exactly the same way commissioned scientists contribute to the assessment by the
32
33 current three Working Groups) and subsequently, play the role of actors when outreach
34
35 recommendations were to be implemented nationally. In such a scheme, the IPCC would adopt a
36
37 leading role in managing the boundaries between knowledge (science) and action (policymakers
38
39 and stakeholders), which could enhance the credibility of climate information and the legitimacy
40
41 of emerging policies and applications (Cash et al. 2003).
42
43
44
45
46

47 Across the board, the scientific community (including the IPCC) would do well to
48
49 appreciate that once the cause of an environmental problem has been unambiguously identified
50
51 (e.g., that humans are changing the Earth’s climate), doing more research, producing more
52
53 papers or assembling larger reports, solely to reduce the amounts of uncertainty or to strengthen
54
55
56
57
58
59
60

1
2
3 the message, is potentially ineffective in the public domain because uncertainty (Oreskes 2015,
4 Sarewitz 2004) and much of the scientific jargon (Kueffer and Larson 2014, Weber and Schell-
5 Word 2001) have different meanings and implications in the sciences relative to society and
6 politics. Those realms speak different languages. Knowledge that scientists might identify as
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

‘useful’ for policymakers could in fact be labelled by policymakers as not ‘usable’ for taking actions (Lemos et al. 2012). After all, the resolution of environmental problems is always in the political court no matter how widespread and consolidated scientific consensus might be. In the scientific court, one of the most urgent actions we scientists can currently take to address the climate crisis is to communicate unequivocally to non-scientists the state of knowledge. We should frame and underline what the data tell us that we know for certain about climate change, and be transparent about those areas that remain uncertain and by how much.

Acknowledgements

Supported by the British Ecological Society [‘Research Grant’ 4496-5470] to SH-P, the Spanish Ministry of Economy, Industry and Competitiveness [‘Project’ CGL2013-40924-P] to DRV, and the Royal Society, the Psychonomic Society, and the Australian Research Council [Discovery Project DP160103596] to SL.

Author contributions

SH-P conceived the idea, collated calibrations and wrote first draft. All authors contributed to revisions.

References cited

- 1
2
3 Abraham J. 2013. Global warming and oceans: what are the known unknowns? The Guardian,
4
5 28/08/2013.
6
7
8 Barkemeyer R, Dessai S, Monge-Sanz B, Renzi BG, Napolitano G. 2016. Linguistic analysis of
9
10 IPCC summaries for policymakers and associated coverage. *Nature Climate Change* 6:311-
11
12 316.
13
14
15 Barnard M. 2017. What we know (and don't know) about climate change. Pages 01/08/2017.
16
17 Forbes (featuring a *Quora* article). Jersey City, New Jersey, US.
18
19 Benestad RE, Nuccitelli D, Lewandowsky S, Hayhoe K, Hygen HO, van Dorland R, Cook J.
20
21 2016. Learning from mistakes in climate research. *Theoretical and Applied Climatology*
22
23 126:699-703.
24
25
26 Bornmann L, Haunschild R, Marx W. 2016. Policy documents as sources for measuring societal
27
28 impact: how often is climate change research mentioned in policy-related documents?
29
30 *Scientometrics* 109:1477-1495.
31
32
33 Boykoff MT, Boykoff JM. 2004. Balance as bias: global warming and the US prestige press.
34
35 *Global Environmental Change* 14:125-136.
36
37
38 Brown PT, Caldeira K. 2017. Greater future global warming inferred from Earth's recent energy
39
40 budget. *Nature* 552:45-50.
41
42
43 Brysse K, Oreskes N, O'Reilly J, Oppenheimer M. 2013. Climate change prediction: Erring on
44
45 the side of least drama? *Global Environmental Change* 23:327-337.
46
47
48 Budescu DV, Por H-H, Broomell SB, Smithson M. 2014. The interpretation of IPCC
49
50 probabilistic statements around the world. *Nature Climate Change* 4:508-512.
51
52
53 Buizer J, Jacobs K, Cash D. 2016. Making short-term climate forecasts useful: Linking science
54
55 and action. *Proceedings of the National Academy of Sciences* 113:4597-4602.
56
57
58
59
60

- 1
2
3 Burke M, Hsiang SM, Miguel E. 2015. Global non-linear effect of temperature on economic
4 production. *Nature* 527:235-239.
5
6
7
8 Cash DW, Clark WC, Alcock F, Dickson NM, Eckley N, Guston DH, Jäger J, Mitchell RB.
9
10 2003. Knowledge systems for sustainable development. *Proceedings of the National Academy*
11 *of Sciences* 100:8086-8091.
12
13
14
15 Clar C, Steurer R. 2018. Why popular support tools on climate change adaptation have
16
17 difficulties in reaching local policy-makers: Qualitative insights from the UK and Germany.
18
19 *Environmental Policy and Governance* 28:172-182.
20
21
22 Cogley JG, Kargel JS, Kaser G, van der Veen CJ. 2010. Tracking the source of glacier
23
24 misinformation. *Science* 327:522-522.
25
26
27 Collins LC, Nerlich B. 2016. How certain is ‘certain’? Exploring how the English-language
28
29 media reported the use of calibrated language in the Intergovernmental Panel on Climate
30
31 Change’s Fifth Assessment Report. *Public Understanding of Science* 25:656-673.
32
33
34 Cook J, et al. 2016. Consensus on consensus: a synthesis of consensus estimates on human-
35
36 caused global warming. *Environmental Research Letters* 11:048002.
37
38
39 Cooke RM. 2015. Messaging climate change uncertainty. *Nature Climate Change* 5:8-10.
40
41
42 Corner A, Shaw C, Clarke J. 2018. Principles for effective communication and public
43
44 engagement on climate change: A Handbook for IPCC authors. Oxford, UK: Climate
45
46 Outreach.
47
48
49 Freudenburg WR, Muselli V. 2010. Global warming estimates, media expectations, and the
50
51 asymmetry of scientific challenge. *Global Environmental Change* 20:483-491.
52
53
54
55
56
57
58
59 Frost B. 2014. The known of unknowns of climate change. *The Huffington Post*, 23/11/2014.
60

- 1
2
3 Harris AJL, Corner A, Xu J, Du X. 2013. Lost in translation? Interpretations of the probability
4 phrases used by the Intergovernmental Panel on Climate Change in China and the UK.
5
6 Climatic Change 121:415-425.
7
8
9
10 Hickman L. 2012. Heartland Institute compares belief in global warming to mass murder. The
11
12 Guardian, 04/05/2012.
13
14
15 Horton BP, Rahmstorf S, Engelhart SE, Kemp AC. 2014. Expert assessment of sea-level rise by
16
17 AD 2100 and AD 2300. Quaternary Science Reviews 84:1-6.
18
19
20 Howarth CC, Sharman AG. 2015. Labeling opinions in the climate debate: a critical review.
21
22 Wiley Interdisciplinary Reviews: Climate Change 6:239-254.
23
24 InterAcademy Council. 2010. Climate change assessments. Review of the processes and
25
26 procedures of the IPCC. Amsterdam, The Netherlands.
27
28
29 IPCC. 2007. Climate Change 2007: Synthesis Report. Contribution of Working Groups I, II and
30
31 III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change
32
33 IPCC.
34
35 ---. 2013a. Climate Change 2013: The Physical Science Basis. Contribution of Working Group I
36
37 to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change.
38
39 Cambridge, UK: Intergovernmental Panel on Climate Change.
40
41
42 ---. 2013b. Summary for Policymakers. Pages 3-29 in Stocker TF, Qin D, Plattner G-K, Tignor
43
44 M, Allen SK, Boschung J, Nauels A, Xia Y, Bex V, Midgley PM, eds. Climate Change 2013:
45
46 The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report
47
48 of the Intergovernmental Panel on Climate Change. Cambridge-UK & New York-USA:
49
50 Cambridge University Press.
51
52
53
54
55
56
57
58
59
60

- 1
2
3 ---. 2014a. Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global and
4 Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report of the
5 Intergovernmental Panel on Climate Change. Cambridge University Press.
6
7
8
9
10 ---. 2014b. Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part B: Regional
11 Aspects. Contribution of Working Group II to the Fifth Assessment Report of the
12 Intergovernmental Panel on Climate Change. Cambridge University Press.
13
14
15
16
17 ---. 2014c. Climate Change 2014: Mitigation of Climate Change. Contribution of Working
18 Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change.
19 Cambridge University Press.
20
21
22
23
24 ---. 2014d. Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III
25 to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Geneva,
26 Switzerland: IPCC.
27
28
29
30
31 ---. 2016a. IPCC Communications Strategy. Bangkok, Thailand: Intergovernmental Panel on
32 Climate Change.
33
34
35
36 ---. 2016b. Meeting report of the Intergovernmental Panel on Climate Change expert meeting on
37 communication. Geneva, Switzerland: World Meteorological Organization.
38
39
40 Jones N. 2013. Climate assessments: 25 years of the IPCC. *Nature* 501:298-299.
41
42 Kahan DM, Peters E, Wittlin M, Slovic P, Ouellette LL, Braman D, Mandel G. 2012. The
43 polarizing impact of science literacy and numeracy on perceived climate change risks. *Nature*
44 *Climate Change* 2:732-735.
45
46
47
48
49 Kalafatis SE, Lemos MC, Lo YJ, Frank KA. 2015. Increasing information usability for climate
50 adaptation: The role of knowledge networks and communities of practice. *Global*
51 *Environmental Change* 32:30-39.
52
53
54
55
56
57
58
59
60

- 1
2
3 Kueffer C, Larson BMH. 2014. Responsible use of language in scientific writing and science
4 communication. *BioScience* 64:719-724.
5
6
7
8 Lee TM, Markowitz EM, Howe PD, Ko C-Y, Leiserowitz AA. 2015. Predictors of public climate
9 change awareness and risk perception around the world. *Nature Climate Change* 5:1014-1020.
10
11
12 Lemos MC, Kirchhoff CJ, Ramprasad V. 2012. Narrowing the climate information usability gap.
13
14 *Nature Climate Change* 2:789-794.
15
16
17 Lewandowsky S, Ballard T, Pancost RD. 2015a. Uncertainty as knowledge. *Philosophical*
18
19 *Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*
20
21 373:20140462.
22
23
24 Lewandowsky S, Oreskes N, Risbey JS, Newell BR, Smithson M. 2015b. Seepage: Climate
25 change denial and its effect on the scientific community. *Global Environmental Change* 33:1-
26
27 13.
28
29
30
31 Lynn J. 2018. Communicating the IPCC: Challenges and Opportunities. Pages 131-143 in Leal
32
33 Filho W, Manolas E, Azul AM, Azeiteiro UM, McGhie H, eds. *Handbook of Climate Change*
34
35 *Communication: Vol. 3: Case Studies in Climate Change Communication*. Cham: Springer
36
37 International Publishing.
38
39
40 Mach KJ, Mastrandrea MD, Freeman PT, Field CB. 2017. Unleashing expert judgment in
41 assessment. *Global Environmental Change* 44:1-14.
42
43
44
45 Mastrandrea MD, et al. 2011a. Guidance note for lead authors of the IPCC Fifth Assessment
46
47 Report on consistent treatment of uncertainties. Intergovernmental Panel on Climate Change.
48
49
50 Mastrandrea MD, Mach KJ, Plattner G-K, Edenhofer O, Stocker TF, Field CB, Ebi KL,
51
52 Matschoss PR. 2011b. The IPCC AR5 guidance note on consistent treatment of uncertainties:
53
54 a common approach across the working groups. *Climatic Change* 108:675-691.
55
56
57
58
59
60

- 1
2
3 McCright AM, Dunlap RE. 2011. The politicization of climate change and polarization in the
4
5 American public's views of global warming, 2001-2010. *Sociological Quarterly* 52:155-194.
6
7
8 McMichael AJ. 2013. Globalization, climate change, and human health. *New England Journal of*
9
10 *Medicine* 369:94-96.
11
12 Medimorec S, Pennycook G. 2015. The language of denial: text analysis reveals differences in
13
14 language use between climate change proponents and skeptics. *Climatic Change* 133:597-605.
15
16
17 Morgan MG. 2014. Use (and abuse) of expert elicitation in support of decision making for public
18
19 policy. *Proceedings of the National Academy of Sciences* 111:7176-7184.
20
21
22 Morgan MG, Adams PJ, Keith DW. 2006. Elicitation of expert judgments of aerosol forcing.
23
24 *Climatic Change* 75:195-214.
25
26
27 Morgan MG, Mellon C. 2011. Certainty, uncertainty, and climate change. *Climatic Change*
28
29 108:707-721.
30
31
32 Moss RH. 2011. Reducing doubt about uncertainty: Guidance for IPCC's third assessment.
33
34 *Climatic Change* 108:641-658.
35
36
37 NRC. 2010. *Advancing the science of climate change*. Washington, DC, US: The National
38
39 Academies Press.
40
41
42 Oliver JE, Rahn WM. 2016. Rise of the Trumpenvolk. *The Annals of the American Academy of*
43
44 *Political and Social Science* 667:189-206.
45
46
47 Oppenheimer M, O'Neill BC, Webster M, Agrawala S. 2007. The limits of consensus. *Science*
48
49 317:1505-1506.
50
51
52
53
54
55
56
57
58
59
60

- 1
2
3 ---. 2015. The fact of uncertainty, the uncertainty of facts and the cultural resonance of doubt.
4
5 Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering
6
7 Sciences 373: 20140455.
8
9
10 Oreskes N, Conway EM. 2010. Defeating the merchants of doubt. *Nature* 465:686.
11
12 Reilly J, Stone PH, Forest CE, Webster MD, Jacoby HD, Prinn RG. 2001. Uncertainty and
13
14 climate change assessments. *Science* 293:430-433.
15
16
17 Sarewitz D. 2004. How science makes environmental controversies worse. *Environmental*
18
19 *Science & Policy* 7:385-403.
20
21 Scheffers BR, et al. 2016. The broad footprint of climate change from genes to biomes to people.
22
23 *Science* 354:aaf7671-7611.
24
25
26 Stocker TF, Plattner G-K. 2016. Making use of the IPCC's powerful communication tool. *Nature*
27
28 *Climate Change* 6:637-638.
29
30
31 Stocker TF, et al. 2013. Technical Summary. Pages 33-115 in Stocker TF, Qin D, Plattner G-K,
32
33 Tignor M, Allen SK, Boschung J, Nauels A, Xia Y, Bex V, Midgley PM, eds. *Climate*
34
35 *Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth*
36
37 *Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge-UK &*
38
39 *New York-US: Cambridge University Press.*
40
41
42 Weber EU. 2010. What shapes perceptions of climate change? *Wiley Interdisciplinary Reviews:*
43
44 *Climate Change* 1:332-342.
45
46
47 ---. 2016. What shapes perceptions of climate change? New research since 2010. *Wiley*
48
49 *Interdisciplinary Reviews: Climate Change* 7:125-134.
50
51
52 Weber JR, Schell-Word C. 2001. The communication process as evaluative context: What do
53
54 nonscientists hear when scientists speak? *BioScience* 51:487-495.
55
56
57
58
59
60

1
2
3 WGI Technical Support Unit. 2014. Headline statements from the Summary for Policymakers.
4
5 Bern, Switzerland: Intergovernmental Panel on Climate Change.

6
7
8 Zickfeld K, Morgan MG, Frame DJ, Keith DW. 2010. Expert judgments about transient climate
9
10 response to alternative future trajectories of radiative forcing. Proceedings of the National
11
12 Academy of Sciences 107:12451-12456.
13
14
15
16

17 **Biographical narrative**

18
19
20 Salvador Herrando-Pérez (salvador.herrando-perez@adelaide.edu.au) is an ARC Research
21
22 Associate with the Australian Centre for Ancient DNA at the University of Adelaide, Australia,
23
24 and wrote most of this article as a Visiting Researcher with the Biogeography and Global
25
26 Change Department (BGCD) at the ‘Museo Nacional de Ciencias Naturales’, Spanish National
27
28 Research Council (CSIC), in Madrid, Spain. David R. Vieites is an Associated Professor in
29
30 integrative biology with CSIC and the BGCD Director. Corey Bradshaw is the Matthew Flinders
31
32 Fellow in Global Ecology and chief investigator in the ARC Centre of Excellence for Australian
33
34 Biodiversity and Heritage at Flinders University in Adelaide, Australia. Stephan Lewandowsky
35
36 is a Professor in cognitive science at the University of Bristol, UK, and Visiting Researcher at
37
38 CSIRO Oceans and Atmosphere in Hobart, Tasmania, Australia.
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Table 1. Intergovernmental Panel on Climate Change's (IPCC) target audiences literally quoted from its communication strategy (IPCC 2016a).

The primary target audiences of the communications efforts of the IPCC are governments and policy-makers at all levels, the UNFCCC¹, and the UN-wide system intergovernmental processes more broadly

Broader audiences, such as IPCC observer organizations, the scientific community, the education sector, non-governmental organizations, the business sector and the wider public also have an interest in the work and assessments of the IPCC. While these are not the primary audiences of the IPCC communications efforts, the IPCC should look for ways to ensure that information is available and accessible for these audiences.

Third parties can play an additional valuable role taking elements of IPCC assessments to create accessible products aimed at specific audiences. The IPCC takes note of such derivative products, and may engage with relevant organizations that produce them. However, such products must not be considered joint productions or in any way products of the IPCC.

Engaging and building relationships with the media is an important way in which the IPCC can communicate the information contained in its reports, as well as its processes and procedures.

IPCC audiences are truly global in extent and are therefore very diverse. In its communications and outreach activities, the IPCC will take the specific context of different countries into account, which may require tailor-made outreach activities. For instance, communications needs of developing countries may be different to those of developed countries

¹ UNFCCC = United Nations Framework Convention on Climate Change / UN = United Nations

Table 2. Two sets of core conclusions by the Intergovernmental Panel on Climate Change (IPCC) and the US National Research Council (NRC). The first set shows (left column) literal overarching statements about the ‘Physical Science Basis’ of climate change in the IPCC’s Fifth Assessment Report as stated in the ‘Headline Statements’ (WGI Technical Support Unit 2014), and (right column) the number of climate outcomes (n) that are attributed to a given confidence and likelihood through those statements. The second set shows the endorsements by the NRC (2010) based on the IPCC’s outcomes of high and very high confidence after Cooke (2015).

IPCC statements	Mean rank ^{1,2} ± SE
<p>Observed Changes in the Climate System: Warming of the climate system is unequivocal, and since the 1950s, many of the observed changes are unprecedented over decades to millennia. The atmosphere and ocean have warmed, the amounts of snow and ice have diminished, sea level has risen, and the concentrations of greenhouse gases have increased.</p>	<p><i>Confidence</i> = 3.8 ± 0.3 (n = 4) <i>Likelihood</i> = 4.0 ± 1.0 (n = 3)</p>
<p>Drivers of Climate Change: Total radiative forcing is positive, and has led to an uptake of energy by the climate system. The largest contribution to total radiative forcing is caused by the increase in the atmospheric concentration of CO₂ since 1750.</p>	<p><i>Confidence</i> (n = 0) <i>Likelihood</i> (n = 0)</p>
<p>Understanding the Climate System and its Recent Changes: Human influence on the climate system is clear. This is evident from the increasing greenhouse gas concentrations in the atmosphere, positive radiative forcing, observed warming, and understanding of the climate system.</p>	<p><i>Confidence</i> = 5 (n = 1) <i>Likelihood</i> = 5 (n = 1)</p>
<p>Future Global and Regional Climate Change: Continued emissions of greenhouse gases will cause further warming and changes in all components of the climate system. Limiting climate change will require substantial and sustained reductions of greenhouse gas emissions.</p>	<p><i>Confidence</i> = 4 (n = 1) <i>Likelihood</i> = 3.0 ± 0.5 (n = 5)</p>
NRC endorsements	
i/ Earth is warming	
ii/ Most of the warming over the last several decades can be attributed to human activities.	
iii/ Natural climate variability cannot explain or offset the long-term warming trend.	
iv/ Global warming is closely associated with a broad spectrum of other changes.	
v/ Human-induced climate change and its impacts will continue for many decades.	
vi/ The ultimate magnitude of climate change and the severity of its impacts depend strongly on the actions that human societies take to respond to these risks.	

¹ **Confidence ranks:** very low = 1, low = 2, medium = 3, high = 4, very high = 5.

² **Likelihood ranks:** about as likely as not = 1, more likely than not = 2, likely or unlikely = 3, very likely or very unlikely = 4, extremely likely or extremely unlikely = 5, virtually certain or exceptionally unlikely = 6. See figure 1 and footnote of figure 2.

1
2 ***Table 3. Literal recommendations in the Intergovernmental Panel on Climate Change's guidance***
3 ***note for lead authors of the Fifth Assessment Report (Mastrandrea et al. 2011a) that enhance the***
4 ***frequency of weak-certainty statements.***
5

- 6
- 7 • Because risk is a function of probability and consequence, information on the tails of the
8 distribution of the outcomes can be specifically important. Low-probability outcomes can have
9 significant impacts, particularly when characterized by large magnitude, long persistence,
10 broad prevalence, and/or irreversibility. Author teams are therefore encouraged to provide
11 information on the tails of distributions of key variables, reporting quantitative estimates when
12 possible and supplying qualitative assessments and evaluations when appropriate.
13
 - 14 • For findings (effects) that are conditional on other findings (causes), consider independently
15 evaluating the degrees of certainty in both causes and effects, with the understanding that the
16 degree of certainty in the causes may be low.
17
 - 18 • The [*likelihood*] categories can be considered to have “fuzzy boundaries”. A statement that an
19 outcome is “likely” means that the probability of an outcome can range from $\geq 66\%$ (fuzzy
20 boundaries implied) to 100% probability... When there is sufficient information, it is
21 preferable to specify the full probability distribution or a probability range (e.g., 90-95%)
22 without using the [*likelihood*] terms.
23
 - 24 • Consider that, in some cases, it may be appropriate to describe findings for which evidence and
25 understanding are overwhelming as statements of fact without using uncertainty qualifiers.
26
27
28
29
-

FIGURE CAPTIONS

Figure 1. Procedures for assigning confidence and likelihood qualifiers to the scientific evidence for anthropogenic climate change in the Intergovernmental Panel on Climate Change's (IPCC) Fifth Assessment Report, and as proposed by the Core Writing Team for future assessments — modified from Mach et al. (2017). Numbered circles represent steps in the assessment process.

Figure 2. Proportion of confidence (top row) and likelihood (bottom row) qualifiers in the Intergovernmental Panel on Climate Change's (IPCC) Fifth Assessment Report (Working Group I: The Physical Science Basis). Counts cover the 'Summary for Policymakers' (a, b), the 'Technical Summary' (c, d), and the executive summaries (e, f) and main text (g, h) of the in-depth chapters. Histograms show decreasing uncertainty from lower to upper categories. Horizontal lines in grey are mean ranked¹ uncertainties \pm two standard errors (sample sizes reported in supplemental table S1).

Footnote (figure 2)

¹ **Confidence ranks:** very low = 1, low = 2, medium = 3, high = 4, very high = 5. **Likelihood ranks:** about as likely as not = 1 (33-66 %), more likely than not = 2 (>50 %), likely (> 33 %) or unlikely (< 66 %) = 3, very likely (> 90 %) or very unlikely (< 10 %) = 4, extremely likely (> 95 %) or extremely unlikely (< 5 %) = 5, virtually certain (> 99 %) or exceptionally unlikely (< 1 %) = 6

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Draft Manuscript

SUPPLEMENTAL MATERIAL

METHODS AND EXPANDED RESULTS

Statistical Language Backs Conservativeness in Climate-Change Assessments

Salvador Herrando-Pérez

Corey J. A. Bradshaw

Stephan Lewandowsky

David R. Vieites

Hereafter, hyperlinks in blue re-direct to the Intergovernmental Panel on Climate Change's (IPCC) website for full access of contents from the Fifth Assessment Report. Calibration guidelines for IPCC lead authors can be downloaded from www.ipcc.ch/pdf/supporting-material/uncertainty-guidance-note.pdf.

Study documents and calibrations

We focused on one component of the [IPCC's Fifth Assessment Report](#), namely 'The Physical Science Basis' (Working Group I: IPCC 2013a) because it deals with the scientific evidence for anthropogenic climate change for which there is robust support in the scientific community (Benestad et al. 2016, Cook et al. 2013, Cook et al. 2016, Oreskes 2004). Therefore, we counted the number of calibrated qualifiers of *confidence* and *likelihood* in the 'The Physical Science Basis'. *Confidence* and *likelihood* qualifiers therein can be easily tracked because they are italicized. For *likelihoods*, we pooled statements of identical probability, that is, *likely & unlikely*, *very likely & very unlikely*, *extremely likely & extremely unlikely*, and *virtually certain & exceptionally unlikely*, because the two elements of each of those duets represent the same

magnitude of uncertainty for a positive and negative statement, respectively (figure 1). We estimated mean ranked calibrations by transforming qualifiers to ranks for both *confidence* (ranks: *very low* =1, *low* = 2, *medium* = 3, *high* = 4, *very high* = 5) and *likelihood* (ranks: *about as likely as not* = 1, *more likely than not* = 2, *likely* or *unlikely* = 3, *very likely* or *very unlikely* = 4, *extremely likely* or *extremely unlikely* = 5, *virtually certain* or *exceptionally unlikely* = 6). So, qualifier duets and ranks are as follows:

Rank	<i>Likelihood</i>	<i>Confidence</i>
6	<i>virtually certain (99-100 %) or exceptionally unlikely (0-1%)</i>	
5	<i>extremely likely (95-100 %) or extremely unlikely (0-5%)</i>	<i>very high</i>
4	<i>very likely (90-100 %) or very unlikely (0-10%)</i>	<i>high</i>
3	<i>likely (66-100 %) or unlikely (0-33%)</i>	<i>medium</i>
2	<i>more likely than not (50-100 %)</i>	<i>low</i>
1	<i>about as likely as not (33-66 %)</i>	<i>very low</i>

The Physical Science Basis

This Fifth Assessment Report component consists of ‘Foreword, Preface and Dedication’, ‘[Summary for Policymakers](#)’, ‘[Technical Summary](#)’, 14 in-depth chapters, ‘[Headline Statements](#)’, and complementing information including frequently asked questions, glossaries, content translation from English into other languages, and a slide presentation (table S1). The 14 in-depth chapters are (Chapter number / Title / First page):

Chapter 1	Introduction.	119
Chapter 2	Observations: Atmosphere and Surface.	159
Chapter 3	Observations: Ocean.	255
Chapter 4	Observations: Cryosphere.	317
Chapter 5	Information from Paleoclimate Archives.	383
Chapter 6	Carbon and Other Biogeochemical Cycles.	465
Chapter 7	Clouds and Aerosols.	571
Chapter 8	Anthropogenic and Natural Radiative Forcing.	659
Chapter 9	Evaluation of Climate Models.	741
Chapter 10	Detection and Attribution of Climate Change: from Global to Regional.	867
Chapter 11	Near-term Climate Change: Projections and Predictability.	953
Chapter 12	Long-term Climate Change: Projections, Commitments and Irreversibility .	1029
Chapter 13	Sea Level Change.	1137

1
2
3 [Chapter 14](#) Climate Phenomena and their Relevance for Future Regional
4 Climate Change. 1217
5
6
7
8

9 **Frequency of calibrations**

10 We counted the frequency of calibrated qualifiers in two batches: (i) from the printed booklets of
11 the ‘Summary for Policymakers’ (IPCC 2013b) and the ‘Technical Summary’ (Stocker et al.
12 2013) directly posted to lead author SHP by the IPCC’s headquarters in Geneva (Switzerland);
13 and (ii) from the digital version (using the ‘Find’ command in Acrobat Reader[®]) of in-depth
14 Chapters 2 to 14 including climate assessments (IPCC 2013a) and available from the IPCC’s
15 website (www.ipcc.ch/report/ar5/wg1). We excluded Chapter 1 from the counts because it is an
16 introduction to concepts, definitions, climate-change indicators (and how they compare to the
17 Fourth Assessment Report), scenarios and the state of the art of climate science as used in the
18 remaining chapters. Throughout, we eliminated *confidence* calibrations that were not assigned to
19 categories from *very low* to *very high*, for which only ‘strength of evidence’ and ‘agreement’ had
20 been provided (see figure 1).
21
22
23
24
25
26
27
28

29 We refer to boxes, figures, and tables complementing the main text of any given
30 component of the IPCC’s ‘The Physical Science Basis’ collectively as ‘displays’. Displays in
31 Chapter 14 (‘Climate Phenomena and their Relevance for Future Regional Climate Change’; see
32 above) accounted for 28 % ($n = 454$) of the total number of qualifiers found in all of the in-depth
33 chapters ($n = 1604$), while displays in Chapters 2 to 13 altogether only accounted for 12 % ($n =$
34 195) of the total. To avoid biasing our analyses of calibrations by climate findings about future
35 regional climate change, we present in figure 1 the frequency of calibrations of the main text of
36 all in-depth chapters, and in figure S1 the frequency of calibrations of the displays distinguishing
37 Chapter 14 from the remaining chapters. The executive summaries of individual in-depth
38 chapters lack displays, so this caveat did not affect those summaries. On the other hand, in the
39 ‘Summary for Policymakers’ and the ‘Technical Summary’, calibrations of the same statements
40 were reported sometimes in the main text and in some displays, so we only counted once the
41 calibrated qualifiers of those statements (79 in total). This caveat did not affect the ‘Headline
42 Statements’ (no displays therein), nor the in-depth chapters because, as stated above, we reported
43 the frequency of calibrated qualifiers separately for the main text and displays.
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Data

We have stored statements including calibrated qualifiers from the ‘Summary for Policymakers’ and the ‘Technical Summary’ in an Excel file, while we have highlighted qualifiers in the in-depth chapters in yellow in a copy of the full report by the IPCC’s Working Group I. Both the Excel file and the highlighted report are available upon request from the lead author (salherra@gmail.com / salvador.herrando-perez@adelaide.edu.au).

Draft Manuscript

Table S1. Structure of the Intergovernmental Panel on Climate Change's (IPCC) Fifth Assessment Report.

Publication	Content
Synthesis Report	<ul style="list-style-type: none"> • Foreword, Preface, Dedication • Summary for Policymakers • Introduction + Topics 1 to 4 • Annexes (I to VI) • Index and Errata • Full report in Arabic, Chinese, English, French, German, Korean, Russian and Spanish • Summary for Policymakers in Arabic, Catalan, Chinese, English, French, German, Hungarian, Korean, Russian, Spanish • Headline statements from the Summary for Policymakers in Arabic, Chinese, English, French, Russian, Spanish • Drafts and review materials • Slide presentation
Working Group I The Physical Science Basis (IPCC 2013a; 1535 p)	<ul style="list-style-type: none"> • Foreword, Preface, Dedication • Summary for Policy makers • Technical Summary • Chapters 1 (Introduction) to 14 • Annexes I to VI • Index and Errata • Summary for Policymakers, Technical Summary and FAQ in Arabic, Chinese, English, French, Russian and Spanish • Summary for Policymakers in Czech, Dutch, German, Italian, Japanese, Korean, Polish and Slovenian • Headline statements from the Summary for Policymakers in Arabic, Chinese, English, French, Russian, Spanish • Drafts and review materials • Slide presentation
Working Group II Impacts, Adaptation, and Vulnerability (IPCC 2014a, b; 1820 p)	<ul style="list-style-type: none"> • Part A: Global and Sectoral Aspects Foreword, Preface, Dedication Summary for Policymakers Technical Summary Cross-chapter Boxes (15 in total) Chapters 1 to 20 • Part B: Regional Aspects Chapters 21 to 30 Annexes I to IV Index and Errata • Summary for Policymakers, Technical Summary, FAQ and cross-chapter boxes in Arabic, Chinese, English, French, Russian and Spanish • Summary for policymakers in Czech, German, Japanese, Korean, Portuguese, Swedish • Top level findings from the Summary for Policymakers in Arabic, Chinese, English, French, Russian and Spanish • Drafts and review materials • Slide presentation
Working Group III	<ul style="list-style-type: none"> • Foreword, Preface, Dedication, <i>In Memoriam</i> • Summary for Policymakers • Technical Summary • Introductory Chapter, Chapters 1 to 16

Mitigation of**Climate Change**

(IPCC 2014c; 1435

p)

- Annexes I to VI
- Index and Errata
- Summary for Policymakers, Technical Summary and FAQ in Arabic, Chinese, English, French, Russian, Spanish
- Summary for Policymakers in German
- Drafts and review materials
- Slide presentation

Draft Manuscript

Table S2. Mean \pm standard error and median [90% interquartile ranges] of confidence and likelihood (2nd and 3rd columns) in statements from the main text (upper data row) and displays* (lower data row) different components (1st column) of Working Group I's 'The Physical Sciences Basis' in the Fifth Assessment Report by the Intergovernmental Panel on Climate Change (IPCC). Means and medians obtained after ranking qualifiers from lowest = 1 to highest = 5 (confidence¹) or 6 (likelihood²) strength of evidence. nC = number of confidence qualifiers, nL = number of likelihood qualifiers.

'The Physical Science Basis'	Confidence	Likelihood
Summary for Policymakers (nC = 136, nL = 120)	3.3 \pm 0.1 3 [2,5]	3.5 \pm 0.2 3 [3,6]
Technical Summary (nC = 322, nL = 245)	3.2 \pm 0.1 3 [2,5]	3.5 \pm 0.1 3 [3,6]
Executive summaries (in-depth chapters) (nC = 269, nL = 223)	3.2 \pm 0.1 3 [2,5]	3.5 \pm 0.1 3 [3,6]
Main text (in-depth chapters) (nC = 603, nL = 533)	3.1 \pm 0.1 3 [2,4]	3.5 \pm 0.1 3 [3,5]
Displays ³ (in-depth chapters) (nC = 649, nL = 91)	3.3 \pm 0.1 3 [2,4]	3.5 \pm 0.2 3 [3,5]

¹ **Confidence ranks:** very low = 1, low = 2, medium = 3, high = 4, very high = 5.

² **Likelihood ranks:** about as likely as not = 1 (33-66 %), more likely than not = 2 (> 50 %), likely (> 66 %) or unlikely = 3 (< 33 %), very likely (> 90 %) or very unlikely (< 10 %) = 4, extremely likely (> 95 %) or extremely unlikely (< 5 %) = 5, virtually certain (> 99 %) or exceptionally unlikely (< 1 %) = 6.

³ **Displays** = boxes, figures and tables

Table S3. Sample of critiques to the Intergovernmental Panel on Climate Change's (IPCC) calibrated statements by contrarians to, or deniers or sceptics of, the science supporting anthropogenic climate change. Both statements and critiques are literal quotations.

IPCC statement	Critique of calibration	Reference
Direct comparisons between assessment of uncertainties in findings in this report and those in the IPCC Fourth Assessment Report ... are difficult, because of the application of the revised guidance note on uncertainties [i.e., calibrations], as well as the availability of new information	We learn that one cannot really compare the confidence/certainty assessments of AR5 [Fifth Assessment Report] with previous reports, so it's not safe to say that things have "grown more certain" despite what various news and interest-group reports claim. As one can see, the reality of the IPCC's certainty is that it's really just a best guess, a self-assessment by authors with a vested interest in having their work believed by policymakers	American Enterprise (Green 2017)
It is <i>very likely</i> that anthropogenic greenhouse gas increases caused most of the observed increase in [globally-averaged land and sea surface absolute temperature]	Here as elsewhere the IPCC assigns a 90% confidence interval to "very likely", rather than the customary 95% (two standard deviations). There is no good statistical basis for any such quantification, for the object to which it is applied is, in the formal sense, chaotic	American I Society (Monckton)
Most of the observed warming over the last 50 years is <i>likely</i> to have been due to the increase in greenhouse gas concentrations ... natural forcing alone [solar and/or volcanic activity] is <i>unlikely</i> to explain the increased rate of global warming since the middle of the 20th century	The promiscuous use of such vague terms as "likely" and "unlikely" by scientists who are trained in precision speaks volumes about how much is unknown. At the very least, such language makes it impossible to accept the Greens' claim that "the debate is over", particularly given all the uncertainty – fully discussed in the IPCC report – regarding long-term climate records and important data on atmospheric feedbacks	CATO Inst (Taylor 2007)
A footnote in the new report [draft of the 5 th Assessment Report] explains how their ideas have been applied: If the report says something is "virtually certain," it means there's a 99 percent chance that it's true. "Very likely" refers to any probability between 90 percent and 99 percent, "more likely than not" refers to a chance greater than 50 percent, and "unlikely" is somewhere between 10 percent and 33 percent.	The uncertainty cops argue that in the face of global warming—and the spin campaign to discredit it—we must do whatever it takes to boost the credibility of the experts. If the public is more inclined to believe in percentages, then the experts should give them percentages. It's a reasonable argument and one that could help us to address the precipitous rise in greenhouse-gas emissions. But we have to acknowledge that the new headline-grabbing rhetoric of climate change has elements of propaganda. However valid its conclusions, the report toys with our intuitions about science—that a number is more precise than a word, that a statistic is more accurate than a belief.	Engber (2017)
It is <i>extremely likely</i> that human influence has been the dominant cause of the observed warming since the mid-20th century	[This statement] is only a restatement of the opinions of activists and advocates in the field of global warming, and not a statement about the underlying science, which remains incomplete and uncertain. This is the same flawed reasoning and semantic games as used by the IPCC to make the same statement. It is not a statement of scientific fact, but rather of "some experts' opinions" without any basis in probability analysis or scientific forecasting	Heartland I (Bast 2017)
[<i>Low confidence</i>] ... that damaging increases will occur in either drought or tropical cyclone activity	By admitting it has "low confidence" in predictions of more frequent or more extreme droughts and tropical cyclones, IPCC is specifically revoking its previous more alarmist claims	NIPCC (Idso et al.)
According to the "IPCC Guidance Notes", their "Quantitatively calibrated levels of confidence" means for "Medium confidence" "about 5 out of 10 chance".	There is hence a "medium confidence" of getting heads or tails by flipping a coin, or an answer like "yes" or "no" to a question. I would call this pure chance instead of medium confidence. In statistics we were taught to make numerical estimates based on probabilities of a large population, in order to be allowed to use statistical expressions. Not like IPCC using statistical expressions based on subjective expert judgments! In this way IPCC is making a false impression that serious numerical statistical estimates have been made, while they have not.	Segalstad (2017)
It is <i>extremely likely</i> that more than half of the observed increase in global average surface temperature from 1951 to 2010 was caused by the anthropogenic increase in greenhouse gas concentrations and other anthropogenic forcings together	There is no established probability distribution presented. Thus, the term "extremely likely" is more based on the opinion of the political actors writing the SPM [Summary for Policymakers], than on any objective probability distribution	The Scienc Environme Policy Proj (Haapala 2017)

¹ With regard to this publication, the author stated '...For what it's worth, I know longer hold these opinions' (Jerry Taylor, pers. comm., 02/04/2018)

Figure S1. Proportion of confidence (top row) and likelihood (bottom row) qualifiers in the in-depth Chapters¹ 2 to 14 of the Intergovernmental Panel on Climate Change's (IPCC) Fifth Assessment Report (Working Group I: The Physical Science Basis). Counts cover the executive summaries² (a, b; one per chapter), the main text² (c, d), and displays³ of Chapters 2 to 13 (e, f) and Chapter 14 (g, h). Histograms show decreasing uncertainty from lower to upper categories. Horizontal lines in grey are mean ranked⁴ uncertainties \pm two standard errors (sample sizes reported in footnote ⁵).


¹ Chapter 1 is an introduction to concepts, definitions, climate-change indicators (and how they compare to the Fourth Assessment Report), scenarios and the state of the art of climate science as used in the remaining chapters.

² Panels a, b, c and d in figure S1 are the same as panels e, f, g, h in figure 1, respectively.

³ Displays = boxes, figures and tables

⁴ Confidence ranks: very low = 1, low = 2, medium = 3, high = 4, very high = 5. Likelihood ranks: about as likely as not = 1 (33-66%), more likely than not = 2 (> 50%), likely (> 66%) or unlikely = 3 (< 33%), very likely (> 90%) or very unlikely (< 10%) = 4, extremely likely (> 95%) or extremely unlikely (< 5%) = 5, virtually certain (> 99%) or exceptionally unlikely (< 1%) = 6.

⁵ Samples sizes (NC = number of confidence qualifiers, NL = number of likelihood qualifiers): executive summaries (NC = 269, NL = 223), main text (NC = 603, NL = 533), chapters 2 to 13 (NC = 195, NL = 84), and chapter 14 (NC = 345, NL = 7). Reported likelihoods in chapter 14 were seven times only likely (90-100%) so the standard error across different calibrations is 0.



References cited in Supplemental Material

- Bast J. 2017. Scientific critique of USGCRP's 2017 Climate Science Special Report in Milloy S, ed. JunkScience.com (accessed on 03/11/2017).
- Benestad RE, Nuccitelli D, Lewandowsky S, Hayhoe K, Hygen HO, van Dorland R, Cook J. 2016. Learning from mistakes in climate research. *Theoretical and Applied Climatology* 126:699-703.
- Cook J, Nuccitelli D, Green SA, Richardson M, Winkler B, Painting R, Way R, Jacobs P, Skuce A. 2013. Quantifying the consensus on anthropogenic global warming in the scientific literature. *Environmental Research Letters* 8:024024.
- Cook J, et al. 2016. Consensus on consensus: a synthesis of consensus estimates on human-caused global warming. *Environmental Research Letters* 11:048002.
- Engber D. 2013. You are getting warmer... How do scientists quantify their doubt? *Slate*, accessed on 20/08/2013.
- Green KP. 2013. The 'science' of global warming, Part 1. Pages American Enterprise Institute: Washington, US. *The American*, Washington, US, accessed on 07/10/2013.
- Haapala K. 2015. Attribution, IPCC. Pages *The Science and Environmental Project*: Arlington, Virginia, US. *The Week That Was*, accessed on 21/11/2015.
- Idso CD, Carter RM, Singer SF, Soon W. 2013. *Scientific Critique of IPCC's 2013 "Summary for Policymakers"*. Arlington Heights, Illinois, US: Nongovernmental International Panel on Climate Change (NIPCC, Heartland Institute).
- IPCC. 2013a. *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, UK: Intergovernmental Panel on Climate Change.


- 1
2
3 ---. 2013b. Summary for Policymakers. Pages 3-29 in Stocker TF, Qin D, Plattner G-K,
4 Tignor M, Allen SK, Boschung J, Nauels A, Xia Y, Bex V, Midgley PM, eds. Climate
5 Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth
6 Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge-UK
7 & New York-US: Cambridge University Press.
8
9
10 ---. 2014a. Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global
11 and Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report
12 of the Intergovernmental Panel on Climate Change. Cambridge University Press.
13
14 ---. 2014b. Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part B: Regional
15 Aspects. Contribution of Working Group II to the Fifth Assessment Report of the
16 Intergovernmental Panel on Climate Change. Cambridge University Press.
17
18 ---. 2014c. Climate Change 2014: Mitigation of Climate Change. Contribution of Working
19 Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate
20 Change. Cambridge University Press.
21
22 ---. 2014d. Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II
23 and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate
24 Change. Geneva, Switzerland: IPCC.
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42 Monckton C. 2008. Climate sensitivity reconsidered. *Forum on Physics and Society*
43 (American Physical Society) 37:6-19.
44
45
46
47 Oreskes N. 2004. The scientific consensus on climate change. *Science* 306:1686-1686.
48
49
50
51
52 Segalstad TV. 2018. Web info about CO₂ and the asserted "Greenhouse Effect" doom.
53 (www.co2web.info, accessed on 07/04/2018)
54
55
56
57 Stocker TF, et al. 2013. Technical Summary. Pages 33-115 in Stocker TF, Qin D, Plattner
58 G-K, Tignor M, Allen SK, Boschung J, Nauels A, Xia Y, Bex V, Midgley PM, eds.

1
2
3 Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to
4 the Fifth Assessment Report of the Intergovernmental Panel on Climate Change.
5
6


7 Cambridge-UK & New York-US: Cambridge University Press.
8
9

10 Taylor J. 2005. Hot enough for you? The state of the global-warming debate, and
11
12 politicking. CATO Institute (Commentary extracted from National Review), accessed on
13
14 06/05/2018.
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Draft Manuscript



280x227mm (300 x 300 DPI)



1270x846mm (72 x 72 DPI)