


The Serbian Society for Ceramic Materials
The Academy of Engineering Sciences of Serbia
Institute for Multidisciplinary Research - University of Belgrade
Institute of Physics - University of Belgrade
Vinča Institute of Nuclear Sciences - University of Belgrade



Edited by:
Branko Matović
Zorica Branković
Dušan Bućevac
Vladimir V. Srdić

Programme and Book of Abstracts of The Third Conference of The Serbian Society for Ceramic Materilas **publishes abstracts from the field of ceramics, which are presented at international Conference.**

Editors-in-Chief

Dr Branko Matović
Dr. Zorica Branković
Dr. Dušan Bučevac
Prof. Vladimir V. Srdić

Publisher

Institute for Multidisciplinary Research, University of Belgrade
Kneza Višeslava 1, 11000 Belgrade, Serbia

For Publisher

Prof. Dr Sonja Veljović Jovanović

Printing layout

Vladimir V. Srdić

Press

Zonex, Beograd, Serbia

CIP – Каталогизација у публикацији
Народна библиотека Србије, Београд

666.3/.7(048)
66.017/.018(048)

DRUŠTVO za keramičke materijale Srbije. Konferencija (3 ; 2015 ; Beograd)

Programme ; and the Book of Abstracts / 3rd Conference of the Serbian Society for Ceramic Materials, 3CSCS-2015, June 15-17, 2015, Belgrade, Serbia ; [organizers] The Serbian Society for Ceramic Materials... [et al.] ; edited by Branko Matović ... [et al.]. - Belgrade : Institute for Multidisciplinary Research, University, 2015 (Beograd : Zonex). - 128 str. ; 24 cm

Tiraž 140. - Str. 6: Welcome Message / Branko Matovic. - Registar.

ISBN 978-86-80109-19-0

a) Керамика - Апстракти b) Наука о материјалима - Апстракти c)
Наноматеријали - Апстракти

COBISS.SR-ID 215704332

**The Serbian Society for Ceramic Materials
The Academy of Engineering Sciences of Serbia
Institute for Multidisciplinary Research-University of Belgrade
Institute of Physics-University of Belgrade
Vinča Institute of Nuclear Sciences-University of Belgrade**

PROGRAMME AND THE BOOK OF ABSTRACTS

**3rd Conference of The Serbian Society for
Ceramic Materials**

**June 15-17, 2015
Belgrade, Serbia
3CSCS-2015**

Edited by:
**Branko Matović
Zorica Branković
Dušan Bućevac
Vladimir V. Srdić**

P-29

TWO STEP SINTERING OF THE ZnTiO₃ NANOPOWDER

Zorka Z. Vasiljevic¹, D. Vasiljevic-Radovic², Maria V. Nikolic³,
Nebojsa Labus¹

¹*Institute of Technical Sciences of SASA, Belgrade, Serbia*

²*Institute of Chemistry, Technology and Metallurgy, Department of Catalysis
and Chemical Engineering, University of Belgrade, Belgrade, Serbia*

Metastable nanopowder ZnTiO₃ pressed into cylindrical compacts at 200 MPa was submitted to conventional heating with isothermal holding at 931°C for 10 minutes, 25 minutes and 40 minutes. Same compacts were heated with two-step sintering schedule with maximal 912°C and isothermal holding at 896°C, for approximately the same holding times as with isothermal. Shrinkage during heating was monitored with dilatometric device, while microstructure was determined with atomic force microscopy. XRD patterns were collected for the most prominent samples. Sintered specimens microstructure showed differences introduced during last sintering stage by two heating schedules.

P-30

TAILORING THE MICROSTRUCTURE OF Mn-Zn FERRITE TO ELECTRONIC PROPERTIES

Obrad S. Aleksic¹, Predrag Milutinov², Maria V. Nikolic¹, Nelu Blaz²,
Miloljub D. Lukovic¹, Zorka Z. Vasiljevic³, Smilja Markovic³,
Ljiljana D. Zivanov²

¹*Institute for Multidisciplinary Research, University of Belgrade, Serbia*

²*Faculty of Technical Sciences, University of Novi Sad, Serbia*

³*Institute of Technical Sciences of SASA, Belgrade, Serbia*

Commercial Mn-Zn ferrite powder was milled in a planetary ball mill for 30-240 minutes. Particle size distribution in the milled powders was analyzed using a laser particle size analyzer and correlated with XRD and SEM analysis of the milled powders. Green disc and torroid samples were sintered in air in the temperature interval 800 -1300°C for 2 hours. SEM/EDS, AFM/MFM analysis of the sintered samples and measurements of their electrical properties such as DC resistance up to 500 MHz enabled establishment of a correlation between the microstructure and properties in the high-frequency range.