ISSN 2532-8034 (Online)



Notiziario della Società Botanica Italiana

VOL. 2(2) 2018



Citizens and scientists work together to monitor marine alien macrophytes

A.M. Mannino, P. Balistreri, A. Deidun

The introduction of non-indigenous species (NIS) is an ongoing phenomenon which has been pointed out as a major threat to biodiversity at different levels (Wallentinus, Nyberg 2007, Katsanevakis et al. 2014, Vergés et al. 2016). NIS may in time become invasive (Invasive Alien Species "IAS") and may cause biodiversity loss and ecosystem service changes (Brunel et al. 2013, Giakoumi 2014, Vergés et al. 2016). The Mediterranean Sea is an important hotspot for marine NIS (ca. 1,000 such species recorded to date, Zenetos et al. 2012, Galil et al. 2015, Verlaque et al. 2015). To reduce the risk of future IAS introduction and to better understand their invasive potential and spread dynamics, monitoring and surveillance plans are required. The creation of permanent alarm systems and public awareness campaigns are crucial for reducing the risk of IAS introduction. Since intensive monitoring programs could be very expensive, citizen science, involving citizens (e.g. tourists, fishermen, divers) in the collection of data, could be a useful tool for providing data on IAS, that would otherwise be impossible to collect because of limitations on time and resources. Citizen science is having an increasing success worldwide. Citizen science projects has rapidly and enormously increased in recent years (Conrad, Hilchey 2011), also thanks to the wide availability of mobile technologies and internet access that enable an easy and cheap way to communicate, share and interchange data. The value of citizen science has been widely recognized. Of course, in order to be used for scientific purposes and management decisions, the collected data need appropriate quality assurance measures such as validation and verification by taxonomic experts. We report on the experience of two citizen science projects: the Project "Caulerpa cylindracea - Egadi Islands" and the Project "Invasive Algae", included within the "Seawatchers" platform. The first one, sponsored by the STEBICEF Department of the University of Palermo and by the Egadi Islands Marine Protected Area (MPA), aimed at creating a database on the spread dynamics of Caulerpa cylindracea Sonder within the Egadi Islands MPA (western coast of Sicily,

Tyrrhenian Sea). Among IAS, C. cylindracea, introduced from Australia and New Caledonia (Belton et al. 2014), has raised serious concern due to its ascertained impact on Mediterranean communities (Klein, Verlaque 2008, Papini et al. 2013, Katsanevakis et al. 2014). The project, presented during the International Congress GeoSub2016 (Mannino et al. 2016), allowed to gather 156 sightings, mainly recorded by citizens (Fig. 1). Useful information on the behaviour strategies of the alga was also collected. The second one, coordinated by the Institute of Marine Sciences of Barcelona (CSIC, Spain), collects data on 10 marine IAS (Acrothamnion preissii (Sonder) E.M. Wollaston, Asparagopsis armata Harvey, A. taxiformis (Delile) Trevisan, C. cylindracea, C. taxifolia (M. Vahl) C. Agardh, Codium fragile subsp. fragile (Suringar) Hariot, Halimeda incrassate (J. Ellis) J.V. Lamouroux, Lophocladia lallemandii (Montagne) F. Schmitz, Stypopodium schimperi (Kützing) Verlaque & Boudouresque, Womersleyella setacea (Hollenberg) R.E.Norris). These projects highlight how important the contribution of citizen science campaigns is for collecting new data and information on marine NIS and to significantly improve the efficacy of monitoring and surveillance plans. Moreover, in areas particularly vulnerable to biological invasions, such as Sicily, they represent an opportunity to promote the creation of early-warning systems, and an effective tool in the management of present and future introductions of NIS within the Mediterranean Sea.




Fig. 1 Main results of the project "Caulerpa cylindracea – Egadi Islands": sightings recorded in the main islands, groups of volunteers involved in the project, substrates colonized by Caulerpa cylindracea.

Letteratura citata

Belton GS, Prud'homme van Reine WF, Huisman JM, Draisma SGA, Gurgel CFD (2014) Resolving phenotypic plasticity and species designation in the morphologically challenging *Caulerpa racemosa–peltata* complex (Chlorophyta, Caulerpaceae). Journal of Phycology 50: 32-54.

- Brunel S, Fernández-Galiano E, Genovesi P, Vernon HH, Kueffer C, Richardson DM (2013) Invasive alien species: a growing but neglected threat? In: Late lessons from early warning: science, precaution, innovation. Lessons for preventing harm. EEA Report 1/2013, Copenhagen, p. 518–540.
- Conrad CC, Hilchey KG (2011) A review of citizen science and community-based environmental monitoring: issues and opportunities. Environmental Monitoring and Assessment 176: 273-291.
- Galil B, Boero F, Fraschetti S, Piraino S, Campbell M, Hewitt C, Carlton J, Cook E, Jelmert A, Macpherson E, Marchini A, Occhipinti-Ambrogi A, Mckenzie C, Minchin D, Ojaveer H, Olenin S, Ruiz G (2015). The enlargement of the Suez Canal and introduction of non-indigenous species to the Mediterranean Sea. Limnology and Oceanography Bulletin 24: 41-43.
- Giakoumi S (2014) Distribution patterns of the invasive herbivore *Siganus luridus* (Rüppell, 1829) and its relation to native benthic communities in the central Aegean Sea, Northeastern Mediterranean. Marine Ecology 35: 96-105.
- Katsanevakis S, Coll M, Piroddi C, Steenbeek J, Ben Rais Lasram F, Zenetos A, Cardoso AC (2014) Invading the Mediterranean Sea: biodiversity patterns shaped by human activities. Frontiers in Marine Science 1: 32. doi:10.3389/fmars.2014.00032 Klein J, Verlaque M (2008) The *Caulerpa racemosa* invasion: a critical review. Marine Pollution Bulletin 56: 205-225.
- Mannino AM, Donati S, Balistreri P (2016) The Project "Caulerpa cylindracea in the Egadi Islands": citizens and scientists working together to monitor marine alien species. Biodiversity Journal 7 (4): 907-912.
- Papini A, Mosti S, Santosuosso U (2013) Tracking the origin of the invading *Caulerpa* (Caulerpales, Chlorophyta) with Geographic Profiling, a criminological technique for a killer alga. Biological Invasions 15: 1613-1621.
- Vergés A, Doropoulos C, Malcolm HA, Skye M, Garcia-Pizá M, Marzinelli EM, Campbell AH, Ballesteros E, Hoey AS, Vila-Concejo A, Bozec YM, Steinberg PD (2016) Long-term empirical evidence of ocean warming leading to tropicalization of fish communities, increased herbivory, and loss of kelp. Proceedings of the National Academy of Sciences U.S.A. 113: 13791-13796
- Verlaque M, Ruitton S, Mineur F, Boudouresque CF (2015) Vol. 4 Macrophytes. In: Briand F (Ed) CIESM Atlas of exotic species in the Mediterranean. CIESM publ., Monaco. 1–364 pp.
- Wallentinus I, Nyberg CD (2007) Introduced marine organisms as habitats modifiers. Marine Pollution Bulletin 55: 323-332. Zenetos A, Gofas S, Morri C, Rosso A, Violanti D, García Raso JE, Çinar ME, Almogi-Labin A, Ates As, Azzurro E, Ballesteros E, Bianchi Cn, Bilecenoglu M, Gambi Mc, Giangrande A, Gravili C, Hyams-Kaphzan O, Karachle Pk, Katsanevakis S, Lipej L, Mastrototaro F, Mineur F, Pancucci-Papadopoulou Ma, Ramos Esplá A, Salas C, San Martín G, A. Sfriso A, Streftaris N, Verlaque M (2012) Alien species in the Mediterranean Sea by 2012. A contribution to the application of European Union's Marine Strategy Framework Directive (MSFD). Part 2. Patterns in introduction trends and pathways. Mediterranean Marine Science 13: 328-352.

AUTORI

Anna Maria Mannino (annamaria.mannino@unipa.it), Dipartimento di Scienze e Tecnologie Biologiche, Chimiche e Farmaceutiche, Sezione di Botanica e Ecologia vegetale, Università di Palermo, Via Archirafi 38, 90123 Palermo Paolo Balistreri, Vicolo Giotto 6, 91023 Favignana

Alan Deidun, Department of Geosciences, University of Malta, Msida, Malta

Autore di riferimento: Anna Maria Mannino