

## 2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

### Explanation of Column Headings

SegID and Name:	The unique identifier (SegID), segment name, and location of the water body. The SegID may be one of two types of numbers. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (0218A), not defined in the Standards, though associated with a classified water body because it is in the same watershed. The segment name and description immediately follow SegID. The segment size is expressed in miles (length) for streams, square miles for estuaries, and acres for reservoirs.
Segment Type:	The type of water body (e.g. Reservoir, Estuary, Freshwater Stream, Tidal Stream, etc.)
Area:	Assessment Unit (AU) ID (e.g., 0101A_01) is the alpha-numeric identifier of one portion of a segment. The AU descriptions immediately follow the AU ID. The area is the size of the AU expressed in miles (length) for streams, square miles for estuaries, and acres for reservoirs.
Flow Type:	Type of flow regime (perennial, intermittent, intermittent with perennial pools) for streams. For non-stream water bodies, Flow type and Segment Type are typically the same.
Flow Type Source:	This is the reference source used to determine the flow type of an AU.
ALU Designation:	This is the designated Aquatic Life Use associated with the AU (exceptional, high, intermediate, limited, and minimal).
ALU Designation Source:	This is the reference source of the ALU designation.
Station ID(s):	Station IDs are the numbers that identify specific monitoring sites. Some assessment units do not have monitoring stations; other information may have been evaluated to determine support status for those AUs.

<b>SegID 0101</b>	<b>Canadian River Below Lake Meredith</b>
From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County	
<u>Segment Type</u>	Freshwater Stream
<u>Segment Size</u>	108 Miles

AU\_ID 0101\_01 portion in Hemphill County

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	37.00 Miles
<u>Station ID(s)</u>	10032			

AU\_ID 0101\_02 portion in Roberts County

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	36.00 Miles
<u>Station ID(s)</u>	10033			

AU\_ID 0101\_03 portion in Hutchinson County

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	21.00 Miles
<u>Station ID(s)</u>	10034			

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

*AU\_ID 0101\_04 portion above Dixon Creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	14.00 Miles
<b>Station ID(s)</b> 10035				

**SegID 0101A Dixon Creek (unclassified water body)**

From confluence of the Canadian River to the upstream perennial portion of the stream east of Borger in Hutchinson County

<b>Segment Type</b>	<b>Segment Size</b>
Freshwater Stream	19 Miles

*AU\_ID 0101A\_01 Dixon Creek downstream of Phillips*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	5.50 Miles
<b>Station ID(s)</b> 10016				

*AU\_ID 0101A\_02 Dixon Creek upstream of Phillips*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	13.50 Miles
<b>Station ID(s)</b> 17045				

**SegID 0101B Rock Creek (unclassified water body)**

Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

<b>Segment Type</b>	<b>Segment Size</b>
Freshwater Stream	20 Miles

*AU\_ID 0101B\_01 Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	7.00 Miles
<b>Station ID(s)</b> 10024; 10025				

*AU\_ID 0101B\_02 Rock Creek above SH 136*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	13.00 Miles
<b>Station ID(s)</b>				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0102 Lake Meredith**

From Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to normal pool level of 2936.5 feet (impounds Canadian River)

**Segment Type** Reservoir **Segment Size** 16504 Acres

*AU\_ID 0102\_01 Downstream half of lake including Big Blue Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	Exceptional	TWQS-Appendix A	5000.00 Acres

**Station ID(s)** 10036; 10037; 10038; 10043; 10044; 10045; 10050; 10051; 10052

*AU\_ID 0102\_02 Upstream half of lake, above Big Blue Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	Exceptional	TWQS-Appendix A	11504.00 Acres

**Station ID(s)** 10039; 10040; 10041; 10042; 10046; 10047; 10048; 10049

**SegID 0102A Big Blue Creek (unclassified water body)**

From confluence of Lake Meredith in Carson County to the upstream perennial portion of the stream in Moore County

**Segment Type** Freshwater Stream **Segment Size** 28 Miles

*AU\_ID 0102A\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	28.00 Miles

**Station ID(s)** 15270

**SegID 0103 Canadian River Above Lake Meredith**

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

**Segment Type** Freshwater Stream **Segment Size** 111 Miles

*AU\_ID 0103\_01 Lake Meredith headwaters to Sand Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	31.00 Miles

**Station ID(s)** 10054

*AU\_ID 0103\_02 Sand Creek to Punta de Agua Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	21.00 Miles

**Station ID(s)** 10056

*AU\_ID 0103\_03 Punta de Agua Creek to New Mexico State Line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	59.00 Miles

**Station ID(s)** 16344

**SegID 0103A East Amarillo Creek (unclassified water body)**

From the confluence of the Canadian River to the upstream perennial portion of the stream northwest of Amarillo in Potter County

**Segment Type** Freshwater Stream **Segment Size** 23 Miles

*AU\_ID 0103A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	23.00 Miles

**Station ID(s)** 10017; 10018

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0103B Punta De Agua Creek (unclassified water body)**

From the confluence of the Canadian River to the New Mexico State Line in Hartley County

**Segment Type** Freshwater Stream **Segment Size** 46 Miles

*AU\_ID 0103B\_01 Lower 25 miles of water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Intermediate	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 10003

*AU\_ID 0103B\_02 Remainder of water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Intermediate	Presumption from Flow Type	37.00 Miles

**Station ID(s)**

**SegID 0104 Wolf Creek**

From the Oklahoma State Line in Lipscomb County to a point 2.0 kilometers (1.2 miles) upstream of FM 3045 in Ochiltree County

**Segment Type** Freshwater Stream **Segment Size** 78 Miles

*AU\_ID 0104\_01 Oklahoma State Line to Plum Creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles

**Station ID(s)** 10059

*AU\_ID 0104\_02 Plum Creek to Lake Fryer Dam*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	35.00 Miles

**Station ID(s)** 10058

*AU\_ID 0104\_03 Lake Fryer to upstream end of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 17465

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0105 Rita Blanca Lake**

From Rita Blanca Dam in Hartley County up to normal pool level of 3860 feet (impounds Rita Blanca Creek)

**Segment Type** Reservoir **Segment Size** 524 Acres

*AU\_ID 0105\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	Limited	TWQS-Appendix A	524.00 Acres
<b>Station ID(s)</b> 10060				

**SegID 0199A Palo Duro Reservoir (unclassified water body)**

From Palo Duro dam up to normal pool elevation of 2,892 feet north of Spearman in Hansford County (impounds Palo Duro Creek)

**Segment Type** Reservoir **Segment Size** 2410 Acres

*AU\_ID 0199A\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	2410.00 Acres
<b>Station ID(s)</b> 10005				

**SegID 0201 Lower Red River**

From the Arkansas State Line in Bowie County to the Arkansas-Oklahoma State Line in Bowie County

**Segment Type** Freshwater Stream **Segment Size** 65 Miles

*AU\_ID 0201\_01 Arkansas State Line to Walnut Bayou (Oklahoma)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles
<b>Station ID(s)</b> 10123				

*AU\_ID 0201\_02 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	24.00 Miles
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0201A Mud Creek (unclassified water body)**

From the confluence of the Red River to the upstream perennial portion of the stream northwest of De Kalb in Bowie County

**Segment Type** Freshwater Stream **Segment Size** 31 Miles

*AU\_ID 0201A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	31.00 Miles
<b>Station ID(s)</b> 15319				

**SegID 0202 Red River Below Lake Texoma**

From the Arkansas-Oklahoma State Line in Bowie County to Denison Dam in Grayson County

**Segment Type** Freshwater Stream **Segment Size** 200 Miles

*AU\_ID 0202\_01 End of segment to Pecan Bayou confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	35.00 Miles
<b>Station ID(s)</b> 10125				

*AU\_ID 0202\_02 Pecan Bayou to Pine Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	54.00 Miles
<b>Station ID(s)</b> 15779				

*AU\_ID 0202\_03 Pine Creek to Bois d'Arc Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	46.00 Miles
<b>Station ID(s)</b> 10126				

*AU\_ID 0202\_04 Bois d'Arc Creek to SH 78*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	33.00 Miles
<b>Station ID(s)</b> 10127				

*AU\_ID 0202\_05 SH 78 to Denison Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	32.00 Miles
<b>Station ID(s)</b> 13684				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0202A Bois D' Arc Creek (unclassified water body)**

From the confluence of the Red River to the upstream perennial portion of the stream southwest of Bonham in Fannin County

**Segment Type** Freshwater Stream **Segment Size** 70 Miles

*AU\_ID 0202A\_01 From the confluence with the Red River to the confluence with Sandy Creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 15318

*AU\_ID 0202A\_02 Perennial stream from the confluence with Sandy Creek upstream to the confluence with Pace Creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	22.00 Miles

**Station ID(s)**

*AU\_ID 0202A\_03 From the confluence with Pace Creek to the upper end of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	23.00 Miles

**Station ID(s)**

**SegID 0202C Pecan Bayou (unclassified water body)**

From the confluence with the Red River in northeast Red River County to the upstream perennial portion northeast of Clarksville

**Segment Type** Freshwater Stream **Segment Size** 39 Miles

*AU\_ID 0202C\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	39.00 Miles

**Station ID(s)** 16001



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0202D Pine Creek (unclassified water body)**

From the confluence of the Red River to the upstream perennial portion of the stream west of Paris in Lamar County

**Segment Type** Freshwater Stream **Segment Size** 29 Miles

*AU\_ID 0202D\_01 Perennial and intermittent stream from the confluence with the Red River upstream to the dam forming Lake Crook*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	29.00 Miles

**Station ID(s)** 10118; 10120

**SegID 0202E Post Oak Creek (unclassified water body)**

From the confluence of Choctaw Creek southeast of Sherman to the upstream perennial portion of the stream northwest of Sherman in Grayson County

**Segment Type** Freshwater Stream **Segment Size** 13 Miles

*AU\_ID 0202E\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	13.00 Miles

**Station ID(s)** 10115; 17599

**SegID 0202F Choctaw Creek (unclassified water body)**

From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

**Segment Type** Freshwater Stream **Segment Size** 40 Miles

*AU\_ID 0202F\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	40.00 Miles

**Station ID(s)** 16123; 18370

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0202G Smith Creek (unclassified water body)**

From the confluence with Pine Creek north of Paris to the upstream portion of the stream in north Paris in Lamar County

**Segment Type** Freshwater Stream **Segment Size** 5.6 Miles

*AU\_ID 0202G\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	WQS/Permits program	Minimal	Previous TCEQ Permit Decision	5.60 Miles
<b>Station ID(s)</b> 17044				

**SegID 0203 Lake Texoma**

From Denison Dam in Grayson County to a point immediately upstream of the confluence of Sycamore Creek in Cooke County, up to normal pool elevation of 617 feet (impounds Red River)

**Segment Type** Reservoir **Segment Size** 89000 Acres

*AU\_ID 0203\_01 Near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	5000.00 Acres
<b>Station ID(s)</b> 10128; 15440				

*AU\_ID 0203\_02 Little Mineral arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	2500.00 Acres
<b>Station ID(s)</b> 17480				

*AU\_ID 0203\_03 Mid-lake near Big Mineral arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	11000.00 Acres
<b>Station ID(s)</b> 10130				

*AU\_ID 0203\_04 Upper end of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	14000.00 Acres
<b>Station ID(s)</b> 10131				

*AU\_ID 0203\_05 Remainder of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	56500.00 Acres
<b>Station ID(s)</b>				

**SegID 0203A Big Mineral Creek (unclassified water body)**

From the confluence of Lake Texoma to the confluence of North/Middle/South Big Mineral Creeks north of Whitesboro in Grayson County

**Segment Type** Freshwater Stream **Segment Size** 14.3 Miles

*AU\_ID 0203A\_01 From Lake Texoma upstream to the confl. with an unnamed 2nd order trib. on North Branch 2.4 km upstream of US 377 and upstream to the confl. with an unnamed 2nd order trib. on South Branch 1.1 km upstream of US 377 north of the City of Whitesboro*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	14.30 Miles

**Station ID(s)** 15320; 15750; 17502; 17505; 17589

**SegID 0203C Mustang Creek (unclassified water body)**

From the confluence with Big Mineral Creek upstream to headwaters approximately 3.3 km southeast of Whitesboro

**Segment Type** Freshwater Stream **Segment Size** 9 Miles

*AU\_ID 0203C\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	9.00 Miles

**Station ID(s)** 17504

**SegID 0203D Deaver Creek (unclassified water body)**

From the confluence with Big Mineral Creek upstream to headwaters approximately 6.5 km wsw of Southmayd

**Segment Type** Freshwater Stream **Segment Size** 13 Miles

*AU\_ID 0203D\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	13.00 Miles

**Station ID(s)** 17503

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0204 Red River Above Lake Texoma**

From a point immediately upstream of the confluence of Sycamore Creek in Cooke County to the confluence of the Wichita River in Clay County

Segment Type Freshwater Stream Segment Size 156 Miles

*AU\_ID 0204\_01 Segment end to Fish Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	28.00 Miles

Station ID(s) 10132

*AU\_ID 0204\_02 Fish Creek to Farmers Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	52.00 Miles

Station ID(s)

*AU\_ID 0204\_03 Farmers Creek to Little Wichita River*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	38.00 Miles

Station ID(s) 10133

*AU\_ID 0204\_04 Little Wichita River to end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	38.00 Miles

Station ID(s)

**SegID 0204B Moss Lake (unclassified water body)**

From Fish Creek Dam to spillway elevation of 715 feet (impounds Fish Creek)

Segment Type Reservoir Segment Size 1125 Acres

*AU\_ID 0204B\_01 Entire lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	1125.00 Acres

Station ID(s) 15447

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0205 Red River Below Pease River**

From the confluence of the Wichita River in Clay County to the confluence of the Pease River in Wilbarger County

Segment Type Freshwater Stream Segment Size 76 Miles

*AU\_ID 0205\_01 From lower end of segment to IH 44*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles

Station ID(s) 10134

*AU\_ID 0205\_02 China Creek to upstream end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	47.00 Miles

Station ID(s) 16733

**SegID 0206 Red River Above Pease River**

From the confluence of the Pease River in Wilbarger County to a point immediately upstream of the confluence of Buck Creek in Hardeman County

Segment Type Freshwater Stream Segment Size 89 Miles

*AU\_ID 0206\_01 Downstream segment boundary to Groesbeck Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	61.00 Miles

Station ID(s)

*AU\_ID 0206\_02 Groesbeck Creek to upstream segment boundary*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	28.00 Miles

Station ID(s) 10135

**SegID 0206A Groesbeck Creek (unclassified water body)**

From the confluence of Prairie Dog Town Fork Red River north of Quanah in Hardeman County to the upstream perennial portion of the stream east of Childress in Childress County

Segment Type Freshwater Stream Segment Size 29 Miles

*AU\_ID 0206A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	29.00 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0206B South Groesbeck Creek (unclassified water body)**

From the confluence of Groesbeck Creek NNW of Quanah in Hardeman County to the upstream portion 7.8 miles (12.6 Km) southwest of Childress

**Segment Type** Freshwater Stream **Segment Size** 30 Miles

*AU\_ID 0206B\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	30.00 Miles
<b>Station ID(s)</b> 16000				

**SegID 0207 Lower Prairie Dog Town Fork Red River**

From a point immediately upstream of the confluence of Buck Creek in Hardeman County to the confluence of a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

**Segment Type** Freshwater Stream **Segment Size** 116 Miles

*AU\_ID 0207\_01 Lower end of segment to US 62/83*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	38.00 Miles
<b>Station ID(s)</b> 10136				

*AU\_ID 0207\_02 US 62/83 to Parker Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	22.00 Miles
<b>Station ID(s)</b>				

*AU\_ID 0207\_03 Parker Creek to SH 70*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	33.00 Miles
<b>Station ID(s)</b> 16037				

*AU\_ID 0207\_04 SH 70 to upstream end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	44.00 Miles
<b>Station ID(s)</b> 13637				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0207A Buck Creek (unclassified water body)**

From Oklahoma State Line east of Childress in Childress County to the upstream perennial portion of the stream west of Wellington in Collinsworth County

Segment Type Freshwater Stream Segment Size 68 Miles

*AU\_ID 0207A\_01 From Oklahoma state line to House Log Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Flow Questionnaire	High	Presumption from Flow Type	28.00 Miles

Station ID(s) 15811

*AU\_ID 0207A\_02 House Log Creek to upper end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Flow Questionnaire	High	Presumption from Flow Type	40.00 Miles

Station ID(s)

**SegID 0208 Lake Crook**

From Lake Crook Dam in Lamar County up to normal pool elevation of 476 feet (impounds Pine Creek)

Segment Type Reservoir Segment Size 1226 Acres

*AU\_ID 0208\_01 Entire lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	1226.00 Acres

Station ID(s)

**SegID 0209 Pat Mayse Lake**

From Pat Mayse Dam in Lamar County up to normal pool elevation of 451 feet (impounds Sanders Creek)

Segment Type Reservoir Segment Size 5993 Acres

*AU\_ID 0209\_01 Lower half of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	2997.00 Acres

Station ID(s) 10138; 16343

*AU\_ID 0209\_02 Upper half of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	2996.00 Acres

Station ID(s) 16342; 18439

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0210 Farmers Creek Reservoir**

From Farmer Creek Dam in Montague County up to normal pool elevation of 827 feet (impounds Farmers Creek)

**Segment Type** Reservoir **Segment Size** 1470 Acres

*AU\_ID 0210\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1470.00 Acres
<b>Station ID(s)</b> 10139				

**SegID 0211 Little Wichita River**

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

**Segment Type** Freshwater Stream **Segment Size** 49 Miles

*AU\_ID 0211\_01 Lower end of segment to East Fork confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	20.00 Miles
<b>Station ID(s)</b>				

*AU\_ID 0211\_02 East Fork confluence to dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	29.00 Miles
<b>Station ID(s)</b> 10141; 13633; 17479				

**SegID 0212 Lake Arrowhead**

From Lake Arrowhead Dam in Clay County up to normal pool elevation of 926 feet (impounds the Little Wichita River)

**Segment Type** Reservoir **Segment Size** 9800 Acres

*AU\_ID 0212\_01 Entire lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	9800.00 Acres
<b>Station ID(s)</b> 10142				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0213 Lake Kickapoo**

From Kickapoo Dam in Archer County up to normal pool elevation of 1045 feet (impounds the North Fork Little Wichita River)

**Segment Type** Reservoir **Segment Size** 6390 Acres

*AU\_ID 0213\_01 Entire lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6390.00 Acres
<b>Station ID(s)</b> 10143				

**SegID 0214 Wichita River Below Diversion Lake Dam**

From the confluence with the Red River in Clay County to Diversion Dam in Archer County

**Segment Type** Freshwater Stream **Segment Size** 111 Miles

*AU\_ID 0214\_01 Lower end of segment to FM 2393*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	31.00 Miles
<b>Station ID(s)</b> 10145				

*AU\_ID 0214\_02 FM 2393 to River Road WWTP*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles
<b>Station ID(s)</b> 10148; 10149				

*AU\_ID 0214\_03 From River Road WWTP to confluence with Buffalo Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles
<b>Station ID(s)</b> 10150; 10151; 10153; 15999; 16734; 16735				

*AU\_ID 0214\_04 From Buffalo Creek to the confluence with Beaver Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles
<b>Station ID(s)</b> 10154				

*AU\_ID 0214\_05 From Beaver Creek to Diversion Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles
<b>Station ID(s)</b> 10155; 10156				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0214A Beaver Creek (unclassified water body)**

From the confluence of the Wichita River west of Wichita Falls in Wichita County to the upstream perennial portion of the stream south of Vernon in Wilbarger County

**Segment Type** Freshwater Stream **Segment Size** 48 Miles

*AU\_ID 0214A\_01 From Wichita River to confluence with Bull Creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 15120

*AU\_ID 0214A\_02 From Bull Creek to Santa Rosa Lake dam*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	23.00 Miles

**Station ID(s)** 15121

**SegID 0214B Buffalo Creek (unclassified water body)**

From the confluence of the Wichita River west of Wichita Falls in Wichita County to the upstream perennial portion of the stream east of Electra in Wichita County

**Segment Type** Freshwater Stream **Segment Size** 9 Miles

*AU\_ID 0214B\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Routine Flow Data	Intermediate	Presumption from Flow Type	9.00 Miles

**Station ID(s)** 10097

**SegID 0214C Holliday Creek (unclassified water body)**

From the confluence of the Wichita River in Wichita Falls in Wichita County to the Lake Wichita dam

**Segment Type** Freshwater Stream **Segment Size** 9 Miles

*AU\_ID 0214C\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	9.00 Miles

**Station ID(s)** 10095

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0215 Diversion Lake**

From Diversion Dam in Archer County to a point 1.5 kilometers (0.9 miles) downstream of the confluence of Cottonwood Creek in Baylor County, up to the normal pool elevation of 1051 feet (impounds Wichita River)

Segment Type Reservoir Segment Size 3350 Acres

*AU\_ID 0215\_01 Entire lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3419.00 Acres
<u>Station ID(s)</u> 10157				

**SegID 0216 Wichita River Below Lake Kemp Dam**

From a point 1.5 kilometers (0.9 miles) downstream of the confluence of Cottonwood Creek in Baylor County to Lake Kemp Dam in Baylor County

Segment Type Freshwater Stream Segment Size 13 Miles

*AU\_ID 0216\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	13.00 Miles
<u>Station ID(s)</u> 10158				

**SegID 0217 Lake Kemp**

From Lake Kemp Dam in Baylor County to a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County, up to pool elevation of 1144 feet (impounds Wichita River)

Segment Type Reservoir Segment Size 15300 Acres

*AU\_ID 0217\_01 Lower half of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	7700.00 Acres
<u>Station ID(s)</u> 10159				

*AU\_ID 0217\_02 Upper half of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	7600.00 Acres
<u>Station ID(s)</u> 10160				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0218 Wichita/North Fork Wichita River**

From a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County to a point 8.5 kilometers (5.3 miles) downstream of the most upstream crossing of FM 193 in Dickens County)

Segment Type Freshwater Stream Segment Size 144 Miles

*AU\_ID 0218\_01 Lower end of segment to confluence with South Wichita River*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	21.00 Miles

Station ID(s) 10161

*AU\_ID 0218\_02 From the confluence with South Wichita River to Confluence with Deadman Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	33.00 Miles

Station ID(s) 15177

*AU\_ID 0218\_03 From the confluence with Deadman Creek to the confluence with Middle Wichita River*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10162

*AU\_ID 0218\_04 From the confluence with Middle Wichita River to confluence with Salt Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	26.00 Miles

Station ID(s) 15119

*AU\_ID 0218\_05 King County line to end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	28.00 Miles

Station ID(s)

**SegID 0218A Middle Fork Wichita River (unclassified water body)**

From the confluence of the North Wichita River southwest of Crowell in Foard County to the upstream perennial portion of the stream northeast of Guthrie in King County

Segment Type Freshwater Stream Segment Size 47 Miles

*AU\_ID 0218A\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	47.00 Miles

Station ID(s) 14900

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0219 Lake Wichita**

From Lake Wichita Dam in Wichita County up to the normal pool elevation of 980.5 feet (impounds Holliday Creek)

**Segment Type** Reservoir **Segment Size** 2200 Acres

*AU\_ID 0219\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2200.00 Acres
<b>Station ID(s)</b> 10163				

**SegID 0219A Holliday Creek above Lake Wichita (unclassified water body)**

From the headwaters of Lake Wichita to the upstream perennial portion of the stream southwest of Holliday in Archer County

**Segment Type** Freshwater Stream **Segment Size** 29 Miles

*AU\_ID 0219A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	29.00 Miles
<b>Station ID(s)</b> 15122				

**SegID 0220 Upper Pease/North Fork Pease River**

From the confluence with Canal Creek at the Hardeman-Foard county line to 6.0 kilometers (3.7 miles) upstream of the confluence of Dick Moore Canyon in Floyd County

**Segment Type** Freshwater Stream **Segment Size** 108 Miles

*AU\_ID 0220\_01 Lower end to Middle Pease confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	34.00 Miles
<b>Station ID(s)</b> 10167				

*AU\_ID 0220\_02 Middle Pease to end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	74.00 Miles
<b>Station ID(s)</b> 10168				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0221 Middle Fork Pease River**

From the confluence with the North Fork Pease River in Cottle County to the confluence of Boggy Creek and Mott Creek in Motley County

**Segment Type** Freshwater Stream **Segment Size** 66 Miles

*AU\_ID 0221\_01 Lower end of segment to South Pease River confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10170

*AU\_ID 0221\_02 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	41.00 Miles

**Station ID(s)**

**SegID 0222 Salt Fork Red River**

From the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County

**Segment Type** Freshwater Stream **Segment Size** 66 Miles

*AU\_ID 0222\_01 Oklahoma State Line to Lake Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	27.00 Miles

**Station ID(s)** 10171

*AU\_ID 0222\_02 Lake Creek to upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	49.00 Miles

**Station ID(s)**

**SegID 0222A Lelia Lake Creek (unclassified water body)**

From the confluence of the Salt Fork Red River north of Hedley in Donley County of the upstream perennial portion of the stream west of Hedley

**Segment Type** Freshwater Stream **Segment Size** 20 Miles

*AU\_ID 0222A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	17.00 Miles

**Station ID(s)** 10076

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0223 Greenbelt Lake**

From Greenbelt Dam in Donley County up to normal pool elevation of 2664 feet (impounds Salt Fork Red River)

**Segment Type** Reservoir **Segment Size** 1570 Acres

*AU\_ID 0223\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1570.00 Acres

**Station ID(s)** 10173

**SegID 0224 North Fork Red River**

From the Oklahoma State Line in Wheeler County to a point 4.0 kilometers (2.4 miles) upstream of FM 2300 in Gray County

**Segment Type** Freshwater Stream **Segment Size** 83 Miles

*AU\_ID 0224\_01 Oklahoma State Line to confluence with McClellan Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	42.00 Miles

**Station ID(s)** 10178

*AU\_ID 0224\_02 From McClellan Creek to upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	41.00 Miles

**Station ID(s)**

**SegID 0225 McKinney Bayou**

From the Arkansas State Line in Bowie County to a point 100 meters (110 yards) upstream of FM 2300 in Gray County

**Segment Type** Freshwater Stream **Segment Size** 6 Miles

*AU\_ID 0225\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	6.00 Miles

**Station ID(s)**

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0226 South Fork Wichita River**

From the confluence with the North Fork Wichita River in Knox County to a point 15.0 kilometers (9.3 miles) upstream of US 82 in Dickens County

**Segment Type** Freshwater Stream **Segment Size** 144 Miles

*AU\_ID 0226\_01 Lower end of segment to SH 6*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	42.00 Miles

**Station ID(s)** 10185

*AU\_ID 0226\_02 From SH 6 to confluence with Willow Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	50.00 Miles

**Station ID(s)**

*AU\_ID 0226\_03 From confluence with Willow Creek to confluence with Long Canyon Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	28.00 Miles

**Station ID(s)** 13635; 13636

*AU\_ID 0226\_04 Low-water dam to 0.5 mile upstream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	0.50 Miles

**Station ID(s)**

**SegID 0227 South Fork Pease River**

From the confluence with the Middle Fork Pease River in Cottle County to the confluence of Wolf Creek and Rustler Creek in Motley County

**Segment Type** Freshwater Stream **Segment Size** 54 Miles

*AU\_ID 0227\_01 Lower end of segment to Motley County line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles

**Station ID(s)** 10187

*AU\_ID 0227\_02 Motley County line to end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	32.00 Miles

**Station ID(s)**



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0228 Mackenzie Reservoir**

From Mackenzie Dam in Briscoe County up to the normal pool elevation of 3100 feet (impounds Tule Creek)

**Segment Type** Reservoir **Segment Size** 896 Acres

*AU\_ID 0228\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	896.00 Acres

**Station ID(s)** 10188

**SegID 0229 Upper Prairie Dog Town Fork Red River**

From a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

**Segment Type** Freshwater Stream **Segment Size** 41 Miles

*AU\_ID 0229\_01 Lower end of segment to Palo Duro State Park northern boundary*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles

**Station ID(s)** 10191

*AU\_ID 0229\_02 Palo Duro Canyon State Park upstream boundary to upper end of segment at Tanglewood Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	24.00 Miles

**Station ID(s)** 18317

**SegID 0229A Lake Tanglewood (unclassified water body)**

From Randall County Dam up to normal pool elevation south of Amarillo (impounds Prairie Dog Town Fork Red River)

**Segment Type** Reservoir **Segment Size** 264 Acres

*AU\_ID 0229A\_01 Entire lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	264.00 Acres

**Station ID(s)** 10192

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0229B Tierra Blanca Creek (unclassified water body)**

From the confluence with Palo Duro Creek in Randall County to the New Mexico State Line in Deaf Smith County

**Segment Type** Freshwater Stream **Segment Size** 103 Miles

*AU\_ID 0229B\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	103.00 Miles
<b>Station ID(s)</b>				

**SegID 0230 Pease River**

From the confluence with the Red River in Wilbarger County upstream to the confluence with Canal Creek at the Hardeman-Foard county line

**Segment Type** Freshwater Stream **Segment Size** 54 Miles

*AU\_ID 0230\_01 Red River to confluence with Mule Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	41.00 Miles
<b>Station ID(s)</b> 10165				

*AU\_ID 0230\_02 County line to end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	13.00 Miles
<b>Station ID(s)</b>				

**SegID 0230A Paradise Creek (unclassified water body)**

From the confluence with the Pease River east of Vernon to the upstream perennial portion near Thalia in Foard County

**Segment Type** Freshwater Stream **Segment Size** 39 Miles

*AU\_ID 0230A\_03 Lower 5 miles of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	5.00 Miles
<b>Station ID(s)</b> 10094				

*AU\_ID 0230A\_04 Remainder of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	34.00 Miles
<b>Station ID(s)</b> 17600				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0299A Sweetwater Creek (unclassified water body)**

From the Oklahoma State Line in Wheeler County to the upstream perennial portion of the stream northwest of Wheeler in Wheeler County (tributary of North Fork Red River)

**Segment Type** Freshwater Stream **Segment Size** 56 Miles

*AU\_ID 0299A\_01 From Oklahoma State Line to confluence with Graham Creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	36.00 Miles

**Station ID(s)** 10072; 10074

*AU\_ID 0299A\_02 Remainder of creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	20.00 Miles

**Station ID(s)**

**SegID 0301 Sulphur River Below Wright Patman Lake**

From the Arkansas State Line in Bowie/Cass County to Wright Patman Lake Dam in Bowie/Cass County

**Segment Type** Freshwater Stream **Segment Size** 19 Miles

*AU\_ID 0301\_01 Lower 9 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	WQS/Permits program	High	TWQS-Appendix A	9.00 Miles

**Station ID(s)** 13783

*AU\_ID 0301\_02 Upper 10 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	WQS/Permits program	High	TWQS-Appendix A	10.00 Miles

**Station ID(s)** 10212

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0302 Wright Patman Lake**

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 225 feet (impounds the Sulphur River)

Segment Type Reservoir Segment Size 20300 Acres

*AU\_ID 0302\_01 800 acres near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	800.00 Acres

Station ID(s) 14097; 14098

*AU\_ID 0302\_02 300 acres at International Paper intake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	300.00 Acres

Station ID(s) 16859

*AU\_ID 0302\_03 1600 acres southwest of dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	1600.00 Acres

Station ID(s) 10213

*AU\_ID 0302\_04 500 acres in the northeast corner of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	500.00 Acres

Station ID(s) 15061

*AU\_ID 0302\_05 200 acres in the northwestern tip of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	200.00 Acres

Station ID(s) 14099

*AU\_ID 0302\_06 Big Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	2300.00 Acres

Station ID(s) 14100; 16860

*AU\_ID 0302\_07 4000 acres mid-lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	4000.00 Acres

Station ID(s) 14102

*AU\_ID 0302\_08 1600 acres in upper mid-lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	1600.00 Acres

Station ID(s) 14103

*AU\_ID 0302\_09 5000 acres mid-lake, below Hwy 8*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	5000.00 Acres

Station ID(s) 16205; 16857

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

*AU\_ID 0302\_10 4000 acres in upper portion of lake*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	WQS/Permits program	High	TWQS-Appendix A	4000.00 Acres
<b>Station ID(s)</b> 10214; 16858				

*The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Aiken Creek, Andersen Creek, East Fork Elliott Creek.*

**SegID 0302A Big Creek (unclassified water body)**

Intermittent stream with perennial pools from FM 2149 up to 1.3 kilometers south of U.S. 82 south-east of New Boston

<b>Segment Type</b>	Freshwater Stream	<b>Segment Size</b>	10 Miles
---------------------	-------------------	---------------------	----------

*AU\_ID 0302A\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	10.00 Miles
<b>Station ID(s)</b> 16864				

**SegID 0302B Boone Creek (unclassified water body)**

From the confluence with Wright Patman Lake upstream to approximately 3.5 miles north of highway 67 in Bowie County

<b>Segment Type</b>	Freshwater Stream	<b>Segment Size</b>	6 Miles
---------------------	-------------------	---------------------	---------

*AU\_ID 0302B\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	5.90 Miles
<b>Station ID(s)</b> 17326				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0303 Sulphur/South Sulphur River**

From a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County to Cooper Lake Dam in Delta/Hopkins County

**Segment Type** Freshwater Stream **Segment Size** 181 Miles

*AU\_ID 0303\_01 Lower 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10215; 10216

*AU\_ID 0303\_02 Middle 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10218; 10219

*AU\_ID 0303\_03 Upper 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10222

*AU\_ID 0303\_04 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	106.00 Miles

**Station ID(s)**

The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Bassett Creek, Cuthand Creek, Kickapoo Creek, Little Mustang Creek

**SegID 0303A Big Creek Lake (unclassified water body)**

From Big Creek Dam up to normal pool elevation of 458 feet north of Cooper (impounds Big Creek)

**Segment Type** Reservoir **Segment Size** 700 Acres

*AU\_ID 0303A\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	700.00 Acres

**Station ID(s)** 16856

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0303B White Oak Creek (unclassified water body)**

From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

**Segment Type** Freshwater Stream **Segment Size** 108 Miles

*AU\_ID 0303B\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 10198

*AU\_ID 0303B\_02 Middle 25 miles near Hwy 271*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 10199

*AU\_ID 0303B\_03 Upper 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 10201

*AU\_ID 0303B\_04 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	33.00 Miles

**Station ID(s)**

**SegID 0303C Morrison Branch (unclassified water body)**

Intermittent stream with perennial pools from the confluence with Little Mustang Creek upstream to approximately 0.7 km south of FM 909 southeast of the City of Bogata

**Segment Type** Freshwater Stream **Segment Size** 6 Miles

*AU\_ID 0303C\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	6.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0303E East Caney Creek (unclassified water body)**

From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County

**Segment Type** Freshwater Stream **Segment Size** 16 Miles

*AU\_ID 0303E\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	16.00 Miles
<b>Station ID(s)</b> 17909				

**SegID 0303F Stouts Creek (unclassified water body)**

From the confluence with White Oak Creek to approximately 7 miles due east of Como in Hopkins County

**Segment Type** Freshwater Stream **Segment Size** 20 Miles

*AU\_ID 0303F\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	20.00 Miles
<b>Station ID(s)</b> 18189				

**SegID 0303G North Caney Creek (unclassified water body)**

From the confluence with White Oak Creek in Hopkins County to Farm Road 71

**Segment Type** Freshwater Stream **Segment Size** 29 Miles

*AU\_ID 0303G\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	29.00 Miles
<b>Station ID(s)</b> 17908				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0303H Big Creek (unclassified water body)**

From the confluence with Sulphur/South Sulphur River in Delta County northwest to just south of FM 128

**Segment Type** Freshwater Stream **Segment Size** 19 Miles

*AU\_ID 0303H\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	19.00 Miles

**Station ID(s)** 17618

**SegID 0303I Big Creek (unclassified water body)**

From the confluence with White Oak Creek south to approximately .5 miles north of FM 900 in Hopkins County

**Segment Type** Freshwater Stream **Segment Size** 18 Miles

*AU\_ID 0303I\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	18.00 Miles

**Station ID(s)** 17906

**SegID 0304 Days Creek**

From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 0304\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	Intermediate	TWQS-Appendix A	5.00 Miles

**Station ID(s)** 10226; 10227; 10228; 10229; 14432

*The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Nix Creek.*

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0304A Swampoodle Creek (unclassified water body)**

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

**Segment Type** Freshwater Stream **Segment Size** 3 Miles

*AU\_ID 0304A\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	3.00 Miles
<b>Station ID(s)</b> 15256; 15342				

**SegID 0304B Cowhorn Creek (unclassified water body)**

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

**Segment Type** Freshwater Stream **Segment Size** 4.5 Miles

*AU\_ID 0304B\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	4.50 Miles
<b>Station ID(s)</b> 15254				

**SegID 0304C Wagner Creek (unclassified water body)**

Perennial stream from the confluence with Days Creek to a point 1.5 km upstream of IH 30

**Segment Type** Freshwater Stream **Segment Size** 7 Miles

*AU\_ID 0304C\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	7.00 Miles
<b>Station ID(s)</b> 14431; 17325; 18355				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0305 North Sulphur River**

From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 miles) upstream of FM 68 in Fannin County

**Segment Type** Freshwater Stream **Segment Size** 48 Miles

*AU\_ID 0305\_01 Lower 25 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10231

*AU\_ID 0305\_02 Upper 23 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	WQS/Permits program	High	TWQS-Appendix A	23.00 Miles

**Station ID(s)** 17613

*The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Big Sandy Creek, Auds Creek, Hickory Creek.*

**SegID 0305A Rowdy Creek (unclassified water body)**

From the confluence with the North Sulphur River in Lamar county, northwest to US HWY 82

**Segment Type** Freshwater Stream **Segment Size** 12.5 Miles

*AU\_ID 0305A\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	12.50 Miles

**Station ID(s)** 17617

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0306 Upper South Sulphur River**

From a point 1.0 km (0.6 miles) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

**Segment Type** Freshwater Stream **Segment Size** 42 Miles

*AU\_ID 0306\_01 Lower 5 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	Intermediate	TWQS-Appendix A	5.00 Miles

**Station ID(s)**

*AU\_ID 0306\_02 25 miles above SH 11*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	Intermediate	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10238; 17510; 17511; 17512; 17513; 17514

*AU\_ID 0306\_03 Remainder of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	Intermediate	TWQS-Appendix A	11.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0307 Cooper Lake**

from Cooper Lake dam in Delta/Hopkins County to a point 1.0 kilometers (0.6 mile) upstream of SH 71 on the South Sulphur River arm in Delta/Hopkins County and 300 meters (330 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm in Delta County, up to a conservation pool elevation of 440 feet (impounds the Middle Sulphur/South Sulphur River)

**Segment Type** Reservoir **Segment Size** 19305 Acres

*AU\_ID 0307\_01 Lower 5000 acres near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5000.00 Acres

**Station ID(s)** 13855

*AU\_ID 0307\_02 Lower 3000 acre Doctors Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3000.00 Acres

**Station ID(s)** 13856; 17075

*AU\_ID 0307\_03 Middle 5000 acres*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5000.00 Acres

**Station ID(s)** 10233; 13857

*AU\_ID 0307\_04 Middle 2000 acre Johns Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2000.00 Acres

**Station ID(s)** 13858

*AU\_ID 0307\_05 Middle 1000 acres near Finley Branch*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1000.00 Acres

**Station ID(s)** 15211

*AU\_ID 0307\_06 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3305.00 Acres

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0307A Middle Sulphur River (unclassified water body)**

From the confluence Cooper Lake in Hopkins County to the upstream perennial portion of the stream east of Wolfe City in Hunt County

**Segment Type** Freshwater Stream **Segment Size** 29 Miles

*AU\_ID 0307A\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	29.00 Miles

**Station ID(s)** 13632

**SegID 0307B Jernigan Creek (unclassified water body)**

From the confluence with Cooper Lake to the confluence with the east and west forks of Jernigan Creek in Delta County

**Segment Type** Freshwater Stream **Segment Size** 2.7 Miles

*AU\_ID 0307B\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	2.70 Miles

**Station ID(s)** 17614

**SegID 0307C Pecan Creek (unclassified water body)**

From the confluence with the Middle Sulphur River to 2,5 miles below Ladonia discharge in Hunt County

**Segment Type** Freshwater Stream **Segment Size** 14.5 Miles

*AU\_ID 0307C\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	14.50 Miles

**Station ID(s)** 17615

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0401 Caddo Lake**

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

**Segment Type** Reservoir **Segment Size** 25800 Acres

*AU\_ID 0401\_01 Lower 5000 acres*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5000.00 Acres

**Station ID(s)** 10283

*AU\_ID 0401\_02 Harrison Bayou arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	650.00 Acres

**Station ID(s)** 10285; 10286; 14946; 16365

*AU\_ID 0401\_03 Goose Prairie arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	300.00 Acres

**Station ID(s)** 15275

*AU\_ID 0401\_05 Clinton Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2000.00 Acres

**Station ID(s)** 14236

*AU\_ID 0401\_06 Pine Island*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	100.00 Acres

**Station ID(s)**

*AU\_ID 0401\_07 Mid-lake near Uncertain*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1000.00 Acres

**Station ID(s)** 15249; 17867

*AU\_ID 0401\_08 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	16750.00 Acres

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0401A Harrison Bayou (unclassified water body)**

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

**Segment Type** Freshwater Stream **Segment Size** 16 Miles

*AU\_ID 0401A\_01 Lower 5 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	5.00 Miles

**Station ID(s)** 15509

*AU\_ID 0401A\_02 Middle 3 miles near FM 134*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	3.00 Miles

**Station ID(s)** 15508

*AU\_ID 0401A\_03 Middle 3 miles near Bill Coleman Road*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	3.00 Miles

**Station ID(s)** 15506

*AU\_ID 0401A\_04 Upper 5 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	5.00 Miles

**Station ID(s)** 15507

**SegID 0401B Kitchen Creek (unclassified water body)**

From the confluence with Clinton Lake to near Payne in Marion County

**Segment Type** Freshwater Stream **Segment Size** 15 Miles

*AU\_ID 0401B\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	15.00 Miles

**Station ID(s)** 14998



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0402 Big Cypress Creek Below Lake O' the Pines**

From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

**Segment Type** Freshwater Stream **Segment Size** 42 Miles

*AU\_ID 0402\_01 Lower 9 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.00 Miles

**Station ID(s)** 10295; 15022; 15023

*AU\_ID 0402\_02 11 miles below Black Cypress Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles

**Station ID(s)** 14471; 16254

*AU\_ID 0402\_03 Middle 15 miles near Jefferson*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	15.00 Miles

**Station ID(s)** 15511

*AU\_ID 0402\_04 Upper 7 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.00 Miles

**Station ID(s)** 13630; 15135

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0402A Black Cypress Bayou (unclassified water body)**

Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

**Segment Type** Freshwater Stream **Segment Size** 56 Miles

*AU\_ID 0402A\_01 Lower 15 miles of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	15.00 Miles

**Station ID(s)** 10245

*AU\_ID 0402A\_02 Middle 17 miles near CR 1617*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	17.00 Miles

**Station ID(s)** 16705

*AU\_ID 0402A\_03 Middle 1 mile, Pruitt Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	1.00 Miles

**Station ID(s)** 10246

*AU\_ID 0402A\_04 Middle 13 miles near FM 250*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	13.00 Miles

**Station ID(s)** 10247

*AU\_ID 0402A\_05 Upper 10 miles of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	10.00 Miles

**Station ID(s)** 10248

**SegID 0402B Hughes Creek (unclassified water body)**

Perennial stream from the confluence with Black Cypress Creek upstream to the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250

**Segment Type** Freshwater Stream **Segment Size** 14 Miles

*AU\_ID 0402B\_01 Entire Segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	High	TWQS-Appendix D	14.00 Miles

**Station ID(s)** 16936

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0402C Haggerty Creek (unclassified water body)**

From the confluence with Big Cypress Bayou to approximately 6 miles east of Marshall in Harrison County

**Segment Type** Freshwater Stream **Segment Size** 14 Miles

*AU\_ID 0402C\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	14.00 Miles
<b>Station ID(s)</b> 16253				

**SegID 0402D Flat Creek (unclassified water body)**

From the confluence with Black Cypress Creek in Cass County, north to approximately 2 miles south of State HWY 77

**Segment Type** Freshwater Stream **Segment Size** 24 Miles

*AU\_ID 0402D\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	24.00 Miles
<b>Station ID(s)</b> 16935				

**SegID 0402E Kelly Creek (unclassified water body)**

From the confluence with Black Cypress Creek in Cass County, north to approximately 2 miles southwest of where State HWY 338 and US HWY 259 merge

**Segment Type** Freshwater Stream **Segment Size** 26 Miles

*AU\_ID 0402E\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	26.00 Miles
<b>Station ID(s)</b> 16934				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0403 Lake O' the Pines**

From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

**Segment Type** Reservoir **Segment Size** 18700 Acres

*AU\_ID 0403\_01 Lower 5000 acres*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5000.00 Acres

**Station ID(s)** 10296; 13974; 13975; 13976; 13978; 16448; 16452; 17967; 17968

*AU\_ID 0403\_02 Middle 5000 acres*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5000.00 Acres

**Station ID(s)** 13977; 13979; 16156; 16449; 16450

*AU\_ID 0403\_03 Middle 5000 acres below Hwy 155*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	5000.00 Acres

**Station ID(s)** 10297

*AU\_ID 0403\_04 Upper 3700 acres*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3700.00 Acres

**Station ID(s)** 10298; 10300; 13980; 16868; 17087

*The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Kitchen Branch.*

**SegID 0404 Big Cypress Creek Below Lake Bob Sandlin**

From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

**Segment Type** Freshwater Stream **Segment Size** 33 Miles

*AU\_ID 0404\_01 Lower 15 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	15.00 Miles

**Station ID(s)** 13631; 15257; 16458

*AU\_ID 0404\_02 Upper 18 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	18.00 Miles

**Station ID(s)** 10307; 10308; 10310; 10311; 16457

*The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Dragoo Creek, Unnamed Tributary of Dragoo Creek, Tankersley Lake, Unnamed Tributary of Tankersl*

**SegID 0404A Ellison Creek Reservoir (unclassified water body)**

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

**Segment Type** Reservoir **Segment Size** 1516 Acres

*AU\_ID 0404A\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	1516.00 Acres
<b>Station ID(s)</b> 14473; 14994				

**SegID 0404B Tankersley Creek (unclassified water body)**

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

**Segment Type** Freshwater Stream **Segment Size** 8 Miles

*AU\_ID 0404B\_01 Lower 3 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	3.00 Miles
<b>Station ID(s)</b> 10261				

*AU\_ID 0404B\_02 Middle 2 miles near FM 127*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	2.00 Miles
<b>Station ID(s)</b> 10263				

*AU\_ID 0404B\_03 3 miles below Tankersley Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	3.00 Miles
<b>Station ID(s)</b> 10264; 15513				

*AU\_ID 0404B\_04 Upper 2 miles above Tankersley Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	Miles
<b>Station ID(s)</b> 15494; 15512				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0404C Hart Creek (unclassified water body)**

Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402

Segment Type Freshwater Stream Segment Size 15 Miles

AU\_ID 0404C\_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	15.00 Miles
<u>Station ID(s)</u> 10266; 10272				

**SegID 0404D Welsh Reservoir (unclassified water body)**

From Titus County Dam up to normal pool level located between Mt. Pleasant and Daingerfield in Titus County (impounds Swauano and Justiss Creeks)

Segment Type Reservoir Segment Size 1365 Acres

AU\_ID 0404D\_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	1365.00 Acres
<u>Station ID(s)</u> 10267; 10268; 17567				

**SegID 0404E Dry Creek (unclassified water body)**

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence of Mile Branch and Little Creek

Segment Type Freshwater Stream Segment Size 9 Miles

AU\_ID 0404E\_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	9.00 Miles
<u>Station ID(s)</u> 10274; 10275				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0404F Sparks Branch (unclassified water body)**

Perennial stream from the confluence with Dry Creek upstream to US 271

**Segment Type** Freshwater Stream **Segment Size** 3 Miles

*AU\_ID 0404F\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	3.00 Miles
<b>Station ID(s)</b> 10277				

**SegID 0404I Boggy Creek (unclassified water body)**

From the confluence with Big Cypress Creek in Morris County to a point near SH 67 west of Omaha.

**Segment Type** Freshwater Stream **Segment Size** 31 Miles

*AU\_ID 0404I\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	31.00 Miles
<b>Station ID(s)</b> 15894				

**SegID 0404J Prairie Creek (unclassified water body)**

From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County

**Segment Type** Freshwater Stream **Segment Size** 16 Miles

*AU\_ID 0404J\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	16.00 Miles
<b>Station ID(s)</b> 15836				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0404K Walkers Creek (unclassified water body)**

From the confluence with Big Cypress Creek to approximately 2 miles west of Pittsburg in Camp County

**Segment Type** Freshwater Stream **Segment Size** 8.5 Miles

*AU\_ID 0404K\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	8.50 Miles
<b>Station ID(s)</b> 16454; 16714				

**SegID 0404L Swauano Creek (unclassified water body)**

From the confluence of Big Cypress Creek below Lake Bob Sandlin to approximately 6 miles north of SH 49.

**Segment Type** Freshwater Stream **Segment Size** 18.5 Miles

*AU\_ID 0404L\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	18.50 Miles
<b>Station ID(s)</b> 15738				

**SegID 0404M Greasy Creek (unclassified water body)**

From the confluence of Big Cypress Creek below Lake Bob Sandlin to approximately 4 miles SW of FM 557.

**Segment Type** Freshwater Stream **Segment Size** 19.4 Miles

*AU\_ID 0404M\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	19.40 Miles
<b>Station ID(s)</b> 16016				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0404N Lake Daingerfield (unclassified water body)**

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

**Segment Type** Reservoir **Segment Size** 62 Acres

*AU\_ID 0404N\_01 Entire lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	62.00 Acres
<b>Station ID(s)</b> 17337				

**SegID 0405 Lake Cypress Springs**

From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)

**Segment Type** Reservoir **Segment Size** 3400 Acres

*AU\_ID 0405\_01 Lower 800 acres*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	800.00 Acres
<b>Station ID(s)</b> 10312; 17868; 17869; 17870; 17871				

*AU\_ID 0405\_02 Upper 2600 acres*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2000.00 Acres
<b>Station ID(s)</b> 10313; 16937; 16939; 17872				

*AU\_ID 0405\_03 Panther Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	600.00 Acres
<b>Station ID(s)</b> 16938; 16940; 17518; 17548				

**SegID 0405A Big Cypress Creek (unclassified water body)**

From the confluence with Lake Cypress springs in Franklin County, to approximately 5 miles west of State HWY 37

**Segment Type** Freshwater Stream **Segment Size** 10.5 Miles

*AU\_ID 0405A\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	10.50 Miles
<b>Station ID(s)</b> 15260				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0405B Panther Creek (unclassified water body)**

From the confluence with Lake Cypress springs in Franklin County, to approximately .25 miles west of State HWY 37

**Segment Type** Freshwater Stream **Segment Size** 4 Miles

*AU\_ID 0405B\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	4.00 Miles
<b>Station ID(s)</b> 17322				

**SegID 0405C Blair Creek (unclassified water body)**

From the confluence with Lake Cypress springs in Franklin County, to approximately .5 miles south of FM 900

**Segment Type** Freshwater Stream **Segment Size** 3 Miles

*AU\_ID 0405C\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	3.00 Miles
<b>Station ID(s)</b> 17952				

**SegID 0406 Black Bayou**

From the Louisiana State Line in Cass County to FM 96 in Cass County

**Segment Type** Freshwater Stream **Segment Size** 24 Miles

*AU\_ID 0406\_01 Lower 12 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	12.00 Miles
<b>Station ID(s)</b> 10314				

*AU\_ID 0406\_02 Upper 12 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	12.00 Miles
<b>Station ID(s)</b> 10316; 16157				

The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Haw Creek.

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0407 James' Bayou**

From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

**Segment Type** Freshwater Stream **Segment Size** 40 Miles

*AU\_ID 0407\_01 Lower 15 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	15.00 Miles

**Station ID(s)** 10319

*AU\_ID 0407\_02 Upper 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10320; 10321; 18200

**SegID 0407A Beach Creek (unclassified water body)**

Perennial stream from Iron Ore Lake upstream to the confluence with an unnamed tributary 0.48 km upstream of Hwy 59

**Segment Type** Freshwater Stream **Segment Size** 6.7 Miles

*AU\_ID 0407A\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	6.70 Miles

**Station ID(s)** 10256

**SegID 0407B Frazier Creek (unclassified water body)**

From the confluence with James Bayou to approximately 4 miles northwest of SH 8 near Red Hill in Cass County

**Segment Type** Freshwater Stream **Segment Size** 35 Miles

*AU\_ID 0407B\_01 Upper 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 10259

*AU\_ID 0407B\_02 Remainder of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	10.00 Miles

**Station ID(s)** 17619

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0408 Lake Bob Sandlin**

From Fort Sherman Dam in Camp/Titus County to Franklin County Dam in Franklin County up to normal pool elevation of 337.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir Segment Size 9460 Acres

*AU\_ID 0408\_01 Lower 2000 acres near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2000.00 Acres

Station ID(s) 10329; 17059; 17060

*AU\_ID 0408\_02 Middle 4460 acres*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4460.00 Acres

Station ID(s) 10330

*AU\_ID 0408\_03 Upper 3000 acres*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3000.00 Acres

Station ID(s) 16158

**SegID 0408A Lake Monticello (unclassified water body)**

Reservoir southwest of Mt. Pleasant in Titus County

Segment Type Reservoir Segment Size 2100 Acres

*AU\_ID 0408A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	2100.00 Acres

Station ID(s) 10278

**SegID 0408B Andy's Creek (unclassified water body)**

From the confluence with Lake Bob Sandlin in Titus County to the headwaters in Franklin County approximately .25 miles south of Farm Road 21

Segment Type Freshwater Stream Segment Size 7.5 Miles

*AU\_ID 0408B\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	7.50 Miles

Station ID(s) 17323

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0408C Brushy Creek (unclassified water body)**

From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY 37

**Segment Type** Freshwater Stream **Segment Size** 13 Miles

*AU\_ID 0408C\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	13.00 Miles
<b>Station ID(s)</b> 15261				

**SegID 0408D Blundell Creek (unclassified water body)**

From the confluence with Lake Bob Sandlin in Titus County to the headwaters in Franklin County approximately .25 miles south of Farm Road 21

**Segment Type** Freshwater Stream **Segment Size** 10.5 Miles

*AU\_ID 0408D\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	10.50 Miles
<b>Station ID(s)</b> 15262				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0409 Little Cypress Bayou (Creek)**

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

**Segment Type** Freshwater Stream **Segment Size** 93 Miles

*AU\_ID 0409\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10332

*AU\_ID 0409\_02 Middle 18 miles above Hwy 154*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles

**Station ID(s)** 15773; 16861

*AU\_ID 0409\_03 Middle 25 miles below Hwy 271*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10333; 10334; 10335

*AU\_ID 0409\_04 Upper 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 14975; 16017

*The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Caney Creek, Clear Creek, Grays Creek, Gum Creek, Moccasin Creek, Sugar Creek.*

**SegID 0409A Lilly Creek (unclassified water body)**

From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

**Segment Type** Freshwater Stream **Segment Size** 14.5 Miles

*AU\_ID 0409A\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	14.50 Miles

**Station ID(s)** 15834

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0409B South Lilly Creek (unclassified water body)**

From the confluence of Lilly Creek to approximately 2 miles west of FM 1647

**Segment Type** Freshwater Stream **Segment Size** 15.2 Miles

*AU\_ID 0409B\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	15.20 Miles
<b>Station ID(s)</b> 17953; 17954				

**SegID 0409C Kelsey Creek (unclassified water body)**

From the confluence of Little Cypress Creek to the headwaters near SH 154 west of Gilmer.

**Segment Type** Freshwater Stream **Segment Size** 18.2 Miles

*AU\_ID 0409C\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	Miles
<b>Station ID(s)</b>				

**SegID 0409D Lake Gilmer (unclassified water body)**

Unclassified reservoir bisecting Kelsey Creek, approximately 2 miles west of US Hwy 271 and 1 mile south of Little Cypress Bayou.

**Segment Type** Reservoir **Segment Size** 1000 Acres

*AU\_ID 0409D\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	Presumption from Flow Type	Acres
<b>Station ID(s)</b> 16453; 17478				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0501 Sabine River Tidal**

From the confluence with Sabine Lake in Orange County to West Bluff in Orange County

**Segment Type** Tidal Stream **Segment Size** 24 Miles

*AU\_ID 0501\_01 Lower 10 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	10.00 Miles

**Station ID(s)** 10391; 18055

*AU\_ID 0501\_02 Upper 14 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	14.00 Miles

**Station ID(s)** 10394

**SegID 0501B Little Cypress Bayou (unclassified water body)**

From the confluence with the Sabine River to the headwaters west of Reese in Orange County.

**Segment Type** Tidal Stream **Segment Size** 8.2 Miles

*AU\_ID 0501B\_01 Lower 4.2 miles of bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Flow Questionnaire	High	Presumption from Flow Type	4.20 Miles

**Station ID(s)** 14503

*AU\_ID 0501B\_02 0.3 mile upstream to 0.5 mile downstream of Bear Path Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Flow Questionnaire	High	Presumption from Flow Type	0.80 Miles

**Station ID(s)** 15520

*AU\_ID 0501B\_03 Upper 3.2 miles of bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Flow Questionnaire	High	Presumption from Flow Type	3.20 Miles

**Station ID(s)** 16690



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0502 Sabine River Above Tidal**

From West Bluff in Orange County to the confluence with Caney Creek in Newton County

**Segment Type** Freshwater Stream **Segment Size** 77 Miles

*AU\_ID 0502\_01 Lower 11 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles

**Station ID(s)** 10395

*AU\_ID 0502\_02 Middle 25 miles around SH 12*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10397

*AU\_ID 0502\_03 Upper 41 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	41.00 Miles

**Station ID(s)**

**SegID 0502A Nichols Creek (unclassified water body)**

From the confluence of the Sabine River to the upstream perennial portion of the stream south of Kirbyville in Newton and Jasper Counties

**Segment Type** Freshwater Stream **Segment Size** 31.5 Miles

*AU\_ID 0502A\_01 Lower 25 miles of creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 15652

*AU\_ID 0502A\_02 Upper 6.5 miles of creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	6.50 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0502B Caney Creek (unclassified water body)**

Perennial stream from the Sabine River upstream to the confluence with Martin Branch

Segment Type Freshwater Stream Segment Size 24.7 Miles

*AU\_ID 0502B\_01 Perennial stream from the Sabine River upstream to the confluence with Martin Branch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D	24.70 Miles

Station ID(s) 14491

*AU\_ID 0502B\_02 From Davison Street upstream to the confluence with Caney Branch and Little Caney Branch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D	11.00 Miles

Station ID(s) 17464

**SegID 0502C Sabine River Authority Canal (unclassified water body)**

Segment Type Freshwater Stream Segment Size 8.5 Miles

*AU\_ID 0502C\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Routine Flow Data	High	Presumption from Flow Type	8.50 Miles

Station ID(s) 10345

**SegID 0502D Dempsey Creek (unclassified water body)**

From the confluence with Sabine River to 8.3 miles upstream near FM 363

Segment Type Freshwater Stream Segment Size 8.3 Miles

*AU\_ID 0502D\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	8.30 Miles

Station ID(s) 14966

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0503 Sabine River Above Caney Creek**

From a point immediately upstream of the confluence with Caney Creek in Newton County up to Toledo Bend Dam in Newton County

**Segment Type** Freshwater Stream **Segment Size** 60 Miles

*AU\_ID 0503\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10398; 17433

*AU\_ID 0503\_02 Approx. 7 miles upstream to 18 miles downstream of SH 63*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 17432

*AU\_ID 0503\_03 Upper 10 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.00 Miles

**Station ID(s)** 10399; 10400; 10401

**SegID 0503D Little Cow Creek (unclassified water body)**

From the confluence with Sabine River to 2.75 miles upstream of Rt 255

**Segment Type** Freshwater Stream **Segment Size** 26.5 Miles

*AU\_ID 0503D\_01 From confluence with Sabine River to confluence with McGraw Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	10.60 Miles

**Station ID(s)** 14969

*AU\_ID 0503D\_02 From confluence with McGraw Creek to 2.75 miles upstream of Rt 255*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	15.70 Miles

**Station ID(s)** 18321

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0504 Toledo Bend Reservoir**

From Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds the Sabine River)

Segment Type Reservoir Segment Size 181600 Acres

*AU\_ID 0504\_01 Lowermost 5200 acres of reservoir, adjacent to dam, including Indian Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5200.00 Acres

Station ID(s) 10404; 16696

*AU\_ID 0504\_02 Six Mile Boat Lane arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6400.00 Acres

Station ID(s) 10407

*AU\_ID 0504\_03 Sunshine Bay arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3000.00 Acres

Station ID(s) 10411

*AU\_ID 0504\_04 Near SH 21*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5800.00 Acres

Station ID(s) 10402

*AU\_ID 0504\_05 Patroon Bayou Branch arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3500.00 Acres

Station ID(s) 15655

*AU\_ID 0504\_06 Tenaha Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3800.00 Acres

Station ID(s) 10412

*AU\_ID 0504\_07 Uppermost 5120 acres of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6000.00 Acres

Station ID(s) 10403; 18051

*AU\_ID 0504\_08 Negreet Bayou arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3400.00 Acres

Station ID(s) 18054

*AU\_ID 0504\_09 San Miguel arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6000.00 Acres

Station ID(s) 15656; 18053

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

*AU\_ID 0504\_10 San Patricia arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	2800.00 Acres
<b><u>Station ID(s)</u></b> 15657				

*AU\_ID 0504\_11 Toledo Bend reservoir near Buzzard Bend*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	6000.00 Acres
<b><u>Station ID(s)</u></b> 18052				

*AU\_ID 0504\_12 Remainder of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	129700.00 Acres
<b><u>Station ID(s)</u></b>				

**SegID 0504C Palo Gaucho Bayou (unclassified water body)**

From the confluence with Toledo Bend Reservoir in Sabine County to the headwaters northeast of San Augustine in San Augustine County

<b><u>Segment Type</u></b>	Freshwater Stream	<b><u>Segment Size</u></b>	23.6 Miles
----------------------------	-------------------	----------------------------	------------

*AU\_ID 0504C\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	23.60 Miles
<b><u>Station ID(s)</u></b> 16695				

**SegID 0504D Tenaha Creek (unclassified water body)**

From the confluence with Flat Fork Creek upstream to the confluence with Porter and Huana Creeks

<b><u>Segment Type</u></b>	Freshwater Stream	<b><u>Segment Size</u></b>	18.5 Miles
----------------------------	-------------------	----------------------------	------------

*AU\_ID 0504D\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	18.50 Miles
<b><u>Station ID(s)</u></b> 10339				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0504E Clear Lake**

Oxbow lake 12 miles northwest of Logansport, LA

**Segment Type** Reservoir **Segment Size** 15 Acres

*AU\_ID 0504E\_01 Oxbow lake 12 miles northwest of Logansport, LA*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	Presumption from Flow Type	15.00 Acres
<b>Station ID(s)</b> 18426				

**SegID 0505 Sabine River Above Toledo Bend Reservoir**

From a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

**Segment Type** Freshwater Stream **Segment Size** 104 Miles

*AU\_ID 0505\_01 Lower 20 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles
<b>Station ID(s)</b> 10415				

*AU\_ID 0505\_02 32 mile reach near SH 59*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	32.00 Miles
<b>Station ID(s)</b> 10418; 13628				

*AU\_ID 0505\_03 22 mile reach near SH 149*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles
<b>Station ID(s)</b> 10423				

*AU\_ID 0505\_04 10 mile reach near US 259*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	10.00 Miles
<b>Station ID(s)</b> 10426				

*AU\_ID 0505\_05 Upper 20 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles
<b>Station ID(s)</b> 10427				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0505B Grace Creek (unclassified water body)**

Perennial stream from the confluence with the Sabine River up to FM 1844 in Gregg County

**Segment Type** Freshwater Stream **Segment Size** 14 Miles

*AU\_ID 0505B\_01 Lower 1.7 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	1.70 Miles

**Station ID(s)**

*AU\_ID 0505B\_02 Upper 12.3 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	12.30 Miles

**Station ID(s)** 14499; 16686; 16689

**SegID 0505C Hawkins Creek (unclassified water body)**

From the confluence of the Sabine River in Gregg County to the upstream perennial portion of the stream north west of Longview in Gregg County Standards: Perennial stream from confluence with the Sabine River upstream to FM 2605 in White Oak

**Segment Type** Freshwater Stream **Segment Size** 25 Miles

*AU\_ID 0505C\_01 Perennial stream from the confluence with the Sabine River upstream to FM 2605 in White Oak*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	Miles

**Station ID(s)** 10383; 10384; 15487

*AU\_ID 0505C\_02 From FM 2605 upstream 1.3 km (0.8 mile)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	0.80 Miles

**Station ID(s)** 16683; 16684

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0505D Rabbit Creek (unclassified water body)**

From the confluence with the Sabine River near Kilgore in Gregg County to the headwaters west of Overton in Smith County.

**Segment Type** Freshwater Stream **Segment Size** 26.4 Miles

*AU\_ID 0505D\_01 Perennial stream from the confluence with the Sabine River in Gregg County up to the confluence with Little Rabbit Creek in Rusk County*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix A	18.30 Miles

**Station ID(s)** 10371; 16681

*AU\_ID 0505D\_02 From the confluence with Little Rabbit Creek upstream to the headwaters west of Overton in Smith County*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	8.10 Miles

**Station ID(s)** 16693

**SegID 0505E Brandy Branch Reservoir (unclassified water body)**

From Harrison County Dam up to normal pool elevation of 340 feet southwest of Marshall in Harrison County (impounds Brandy Branch)

**Segment Type** Reservoir **Segment Size** 1240 Acres

*AU\_ID 0505E\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	1240.00 Acres

**Station ID(s)** 17571; 17572

**SegID 0505F Martin Creek Reservoir (unclassified water body)**

From Rusk County Dam up to normal pool elevation of 306 feet northeast of Henderson in Rusk County

**Segment Type** Reservoir **Segment Size** 5020 Acres

*AU\_ID 0505F\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	5020.00 Acres

**Station ID(s)** 13601; 13602; 17568; 17569; 17570



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0505G Wards Creek (unclassified water body)**

From the confluence with Hatley Creek to the headwaters east of Hallsville in Harrison County

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 0505G\_01 Wards Creek from the confluence with Sewell Creek upstream to the confluence with unnamed 2nd order stream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	2.50 Miles

**Station ID(s)** 15188

*AU\_ID 0505G\_02 From 2nd order stream to headwaters*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D	2.50 Miles

**Station ID(s)**

**SegID 0505O Hills Lake**

Oxbow lake 13 miles east of Carthage

**Segment Type** Reservoir **Segment Size** 40 Acres

*AU\_ID 0505O\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	40.00 Acres

**Station ID(s)** 18422

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0506 Sabine River Below Lake Tawakoni**

From a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County

**Segment Type** Freshwater Stream **Segment Size** 118 Miles

*AU\_ID 0506\_01 From US 271 upstream to the confluence with Big Sandy Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	15.00 Miles

**Station ID(s)** 10428

*AU\_ID 0506\_02 From the confluence with Big Sandy Creek upstream to the confluence with Lake Fork Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.00 Miles

**Station ID(s)** 10429

*AU\_ID 0506\_03 From the confluence with Lake Fork Creek upstream to the confluence with Grand Saline Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles

**Station ID(s)** 10430

*AU\_ID 0506\_04 From the confluence with Grand Saline Creek upstream to SH 19*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	26.00 Miles

**Station ID(s)** 17065

*AU\_ID 0506\_05 From SH 19 upstream to Iron Bridge dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.00 Miles

**Station ID(s)** 10432

**SegID 0506A Harris Creek (unclassified water body)**

From the confluence of the Sabine River northeast of Winona in Smith County to the upstream perennial portion of the stream east of Tyler in Smith County

**Segment Type** Freshwater Stream **Segment Size** 21 Miles

*AU\_ID 0506A\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	21.00 Miles

**Station ID(s)** 14500

**SegID 0506C Wiggins Creek (unclassified water body)**

Perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

**Segment Type** Freshwater Stream **Segment Size** 6.3 Miles

*AU\_ID 0506C\_01 Appendix D - From the confluence with Harris Creek upstream to Smith County WWTP*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	0.70 Miles

**Station ID(s)** 14507

*AU\_ID 0506C\_02 From Smith County WWTP upstream to dam impounding unnamed reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	5.60 Miles

**Station ID(s)** 16362

**SegID 0506G Little White Oak Creek (unclassified water body)**

From the confluence with the Sabine River to the headwaters southwest of Gilmer in Upshur County

**Segment Type** Freshwater Stream **Segment Size** 11.5 Miles

*AU\_ID 0506G\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	11.50 Miles

**Station ID(s)** 15986

**SegID 0506H Lake Gladewater (unclassified water body)**

From the dam up to the normal pool elevation of 300.2 ft northeast of Gladewater (impounds Glade Creek)

**Segment Type** Reservoir **Segment Size** 800 Acres

*AU\_ID 0506H\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	800.00 Acres

**Station ID(s)** 17062; 17585

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0507 Lake Tawakoni**

From Iron Bridge Dam in Rains County up to normal pool elevation of 437 feet (impounds Sabine River)

**Segment Type** Reservoir **Segment Size** 37879 Acres

*AU\_ID 0507\_01 Lowermost 5,120 acres of reservoir, adjacent to dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 10434

*AU\_ID 0507\_02 Kitsee Inlet*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 10435

*AU\_ID 0507\_03 South Fork of Sabine River cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2133.00 Acres

**Station ID(s)**

*AU\_ID 0507\_04 Cowleech Fork of Sabine River arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3695.00 Acres

**Station ID(s)** 10440; 17836

*AU\_ID 0507\_05 5120 acres near SH 276*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 10437

*AU\_ID 0507\_06 5120 acres near Spring Point*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 17835

*AU\_ID 0507\_07 Remainder of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	11571.00 Acres

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0507A Cowleech Fork Sabine River (unclassified water body)**

From the confluence of Lake Tawakoni southeast of Greenville in Hunt County to the upstream perennial portion of the stream south of Celeste in Hunt County

**Segment Type** Freshwater Stream **Segment Size** 30 Miles

*AU\_ID 0507A\_01 Lower 10 miles, downstream of Long Branch confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	Minimal	Previous TCEQ Permit Decision	10.00 Miles

**Station ID(s)** 10343

*AU\_ID 0507A\_02 Upper 20 miles, upstream of Long Branch confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	WQS/Permits program	Minimal	Presumption from Flow Type	20.00 Miles

**Station ID(s)** 14493; 14971; 15661; 15989

**SegID 0507B Long Branch (unclassified water body)**

From the confluence with Cowleech Fork Sabine River to the upstream perennial portion of the stream in Greenville in Hunt County

**Segment Type** Freshwater Stream **Segment Size** 8.5 Miles

*AU\_ID 0507B\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	8.50 Miles

**Station ID(s)** 15993; 17508

**SegID 0507D Hickory Creek (unclassified water body)**

From the confluence of Cowleech Fork Sabine River to FM 272 east of Celeste in Hunt County

**Segment Type** Freshwater Stream **Segment Size** 11.5 Miles

*AU\_ID 0507D\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	12.20 Miles

**Station ID(s)** 15992

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0507E Horse Creek (unclassified water body)**

From the confluence of Cowleech Fork Sabine River to 0.95 km (0.6 miles) upstream of SH 34

**Segment Type** Freshwater Stream **Segment Size** 12.2 Miles

*AU\_ID 0507E\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	12.20 Miles
<b>Station ID(s)</b> 17507				

**SegID 0507F Tidwell Creek (unclassified water body)**

From the confluence of Cowleech Fork Sabine River to 0.8 km (0.5 mile) upstream of FM 1566

**Segment Type** Freshwater Stream **Segment Size** 11.6 Miles

*AU\_ID 0507F\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	11.60 Miles
<b>Station ID(s)</b> 15991				

**SegID 0507G South Fork of Sabine River (unclassified water body)**

From the confluence with Lake Tawakoni upstream to the confluence with Klutts and Sabine Creeks

**Segment Type** Freshwater Stream **Segment Size** 16.6 Miles

*AU\_ID 0507G\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	16.60 Miles
<b>Station ID(s)</b> 14967				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0507H Caddo Creek (unclassified water body)**

From the confluence with Lake Tawakoni at Caddo Inlet upstream to the confluence with East Caddo and West Caddo Creeks

**Segment Type** Freshwater Stream **Segment Size** 7 Miles

*AU\_ID 0507H\_01 Entire creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	7.00 Miles

**Station ID(s)** 10439

**SegID 0508 Adams Bayou Tidal**

From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County

**Segment Type** Tidal Stream **Segment Size** 8 Miles

*AU\_ID 0508\_01 Lower 3 miles of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal	TSWQS	High	TWQS-Appendix A	3.00 Miles

**Station ID(s)** 10441

*AU\_ID 0508\_02 2 mile reach near Western Avenue*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal	TSWQS	High	TWQS-Appendix A	2.00 Miles

**Station ID(s)**

*AU\_ID 0508\_03 1 mile reach near Green Avenue*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal	TSWQS	High	TWQS-Appendix A	1.00 Miles

**Station ID(s)**

*AU\_ID 0508\_04 Upper 2 miles of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal	TSWQS	High	TWQS-Appendix A	2.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0508A Adams Bayou Above Tidal (unclassified water body)**

From a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northwest of Orange in Orange Count

Segment Type Freshwater Stream Segment Size 8 Miles

*AU\_ID 0508A\_01 Entire bayou above tidal*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	8.00 Miles
<u>Station ID(s)</u> 15107				

**SegID 0508B Gum Gully (unclassified water body)**

From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

Segment Type Freshwater Stream Segment Size 3.5 Miles

*AU\_ID 0508B\_01 Entire creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	3.50 Miles
<u>Station ID(s)</u>				

**SegID 0508C Hudson Gully (unclassified water body)**

From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

Segment Type Tidal Stream Segment Size 0.5 Miles

*AU\_ID 0508C\_01 Entire creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal	Water body description	High	Presumption from Flow Type	0.50 Miles
<u>Station ID(s)</u> 16041				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0509 Murvaul Lake**

From Murvaul Dam in Panola County up to the normal pool elevation of 265.3 feet (impounds Murvaul Bayou)

**Segment Type** Reservoir **Segment Size** 3827 Acres

*AU\_ID 0509\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3827.00 Acres
<b>Station ID(s)</b> 10444; 16954				

**SegID 0510 Lake Cherokee**

From Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

**Segment Type** Reservoir **Segment Size** 3981 Acres

*AU\_ID 0510\_01 Lower 2352 acres of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2352.00 Acres
<b>Station ID(s)</b> 15514				

*AU\_ID 0510\_02 Upper 1629 acres of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1629.00 Acres
<b>Station ID(s)</b> 15195				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0511 Cow Bayou Tidal**

From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County

**Segment Type** Tidal Stream **Segment Size** 20 Miles

*AU\_ID 0511\_01 Lower 5 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	5.00 Miles

**Station ID(s)** 10446; 10449; 10451

*AU\_ID 0511\_02 6 mile reach near FM 105*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	6.00 Miles

**Station ID(s)** 10454; 17877

*AU\_ID 0511\_03 5 mile reach near FM 1442 (north crossing)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	5.00 Miles

**Station ID(s)** 13781

*AU\_ID 0511\_04 Upper 4 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	4.00 Miles

**Station ID(s)**

**SegID 0511A Cow Bayou Above Tidal (unclassified water body)**

From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

**Segment Type** Freshwater Stream **Segment Size** 10.6 Miles

*AU\_ID 0511A\_01 Lower 5.3 miles of above-tidal reach*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	5.30 Miles

**Station ID(s)**

*AU\_ID 0511A\_02 Upper 5.3 miles of above-tidal reach*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	5.30 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0511B Coon Bayou (unclassified water body)**

From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

Segment Type Tidal Stream Segment Size 4.7 Miles

*AU\_ID 0511B\_01 Entire tidal reach*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal	TWQS-Appendix D	High	TWQS-Appendix D	4.70 Miles

Station ID(s)

**SegID 0511C Cole Creek (unclassified water body)**

From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange Count

Segment Type Tidal Stream Segment Size 9.5 Miles

*AU\_ID 0511C\_01 Entire tidal reach*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal	Water body description	High	Presumption from Flow Type	9.50 Miles

Station ID(s) 16060

**SegID 0511E Terry Gully (unclassified water body)**

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

Segment Type Freshwater Stream Segment Size 8.6 Miles

*AU\_ID 0511E\_01 Entire creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	8.60 Miles

Station ID(s) 16040

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0512 Lake Fork Reservoir**

From Lake Fork Dam in Wood County up to normal pool elevation of 403 feet (impounds Lake Fork Creek)

**Segment Type** Reservoir **Segment Size** 27690 Acres

*AU\_ID 0512\_01 Lowermost 5120 acres of reservoir, adjacent to dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 10458

*AU\_ID 0512\_02 Caney Creek arm, centering on FM 515*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 10461

*AU\_ID 0512\_03 Running Creek cove, centering on FM 2966*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	301.00 Acres

**Station ID(s)** 13704; 16192

*AU\_ID 0512\_04 Lake Fork Creek arm, centering on FM 515*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 10462

*AU\_ID 0512\_05 Uppermost 5120 acres of Lake Fork Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 16691

*AU\_ID 0512\_06 Remainder of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6909.00 Acres

**Station ID(s)**

**SegID 0512A Running Creek (unclassified water body)**

From the confluence with Lake Fork Reservoir to the headwaters southeast of Martin Springs in Hopkins County

**Segment Type** Freshwater Stream **Segment Size** 11.6 Miles

*AU\_ID 0512A\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	11.60 Miles

**Station ID(s)** 14264; 14275

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0512B Elm Creek (unclassified water body)**

From the confluence with Lake Fork Reservoir in Rains County to the headwaters northwest of Shirley in Hopkins County

**Segment Type** Freshwater Stream **Segment Size** 9.8 Miles

*AU\_ID 0512B\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	9.80 Miles

**Station ID(s)**

**SegID 0513 Big Cow Creek**

From the confluence with the Sabine River in Newton County to a point 4.6 km (2.9 miles) upstream of CR 255 in Newton County

**Segment Type** Freshwater Stream **Segment Size** 30 Miles

*AU\_ID 0513\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.00 Miles

**Station ID(s)** 10465

**SegID 0514 Big Sandy Creek**

From the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 miles) upstream of SH 11 in Hopkins County

**Segment Type** Freshwater Stream **Segment Size** 34 Miles

*AU\_ID 0514\_01 From confluence with Sabine River to just upstream of FM 49*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10467; 10468; 16011

*AU\_ID 0514\_02 From just upstream of FM 49 to upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles

**Station ID(s)** 16867

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0515 Lake Fork Creek**

From the confluence with the Sabine River in Wood County to Lake Fork Dam in Wood County

**Segment Type** Freshwater Stream **Segment Size** 21 Miles

*AU\_ID 0515\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	21.00 Miles
<b>Station ID(s)</b> 10469; 10470				

**SegID 0601 Neches River Tidal**

From the confluence with the Sabine Lake in Orange County to a point 11.3 km (7.0 miles) upstream of IH 10 in Orange County

**Segment Type** Tidal Stream **Segment Size** 27 Miles

*AU\_ID 0601\_01 Lower boundary to top of first oxbow*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal	TSWQS	Intermediate	TWQS-Appendix A	4.70 Miles
<b>Station ID(s)</b> 10563				

*AU\_ID 0601\_02 Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal	TSWQS	Intermediate	TWQS-Appendix A	7.20 Miles
<b>Station ID(s)</b> 10566				

*AU\_ID 0601\_03 Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City S.RR bridge*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal	TSWQS	Intermediate	TWQS-Appendix A	4.60 Miles
<b>Station ID(s)</b> 10570				

*AU\_ID 0601\_04 Top of last oxbow below Kansas City S.RR bridge to top of boundary*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal	TSWQS	Intermediate	TWQS-Appendix A	10.50 Miles
<b>Station ID(s)</b> 10575				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0601A Star Lake Canal (unclassified water body)**

North of Groves in Jefferson County

**Segment Type** Tidal Stream **Segment Size** 3.2 Miles

*AU\_ID 0601A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	WQS/Permits program	intermediate	Previous TCEQ Permit Decision	3.20 Miles
<b>Station ID(s)</b> 10485				

**SegID 0602 Neches River Below B. A. Steinhagen Lake**

From a point 11.3 km (7.0 miles) upstream of IH 10 in Orange County to Town Bluff Dam in Jasper/Tyler County

**Segment Type** Freshwater Stream **Segment Size** 84 Miles

*AU\_ID 0602\_01 Lower boundary to confluence with Village Creek (0608)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.20 Miles
<b>Station ID(s)</b> 15343				

*AU\_ID 0602\_02 confluence with Village Creek (0608) to 18.4 miles upstream Evadale*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	33.70 Miles
<b>Station ID(s)</b> 10580				

*AU\_ID 0602\_03 18.4 miles upstream Evadale to 5.4 miles upstream FM 1013*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.70 Miles
<b>Station ID(s)</b> 10581				

*AU\_ID 0602\_04 5.4 miles upstream FM 1013 to Town Bluff Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.40 Miles
<b>Station ID(s)</b> 13626				

*Reviewed: Unclassified stream Walnut Run was sampled 5 times for flow and 2 times for DO. Flow was <0.1 in 4 of the 5 flow samples. Not enough samples were collected to assess.*

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0602A Booger Branch (unclassified water body)**

From the confluence of Massey Lake Slough south of Silsbee to a point 0.6 miles (1.0 km) upstream of US 96 in Hardin County

**Segment Type** Freshwater Stream **Segment Size** 6 Miles

*AU\_ID 0602A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	6.00 Miles
<b>Station ID(s)</b> 16128				

**SegID 0603 B. A. Steinhagen Lake**

From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm in Jasper County, up to the normal pool elevation of 83 feet (impounds Neches River)

**Segment Type** Reservoir **Segment Size** 13700 Acres

*AU\_ID 0603\_01 Main pool by dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b> 10582				

*AU\_ID 0603\_02 Remainder of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	8580.00 Acres
<b>Station ID(s)</b> 10583				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0603A Sandy Creek (unclassified water body)**

From the confluence of B.A. Steinhagen Lake southwest of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in Jasper in Jasper County

**Segment Type** Freshwater Stream **Segment Size** 23 Miles

*AU\_ID 0603A\_01 Lower 11.5 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TWQS-Appendix D	High	TWQS-Appendix D	11.50 Miles

**Station ID(s)** 10484

*AU\_ID 0603A\_02 Upper 11.5 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TWQS-Appendix D	High	TWQS-Appendix D	11.50 Miles

**Station ID(s)** 16129

**SegID 0603B Wolf Creek (unclassified water body)**

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

**Segment Type** Freshwater Stream **Segment Size** 11.8 Miles

*AU\_ID 0603B\_01 Entire creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	11.80 Miles

**Station ID(s)** 15344

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0604 Neches River Below Lake Palestine**

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

**Segment Type** Freshwater Stream **Segment Size** 231 Miles

*AU\_ID 0604\_01 Lower boundary to US 69*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	36.30 Miles

**Station ID(s)** 10585

*AU\_ID 0604\_02 From US 69 to SH 94*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	34.10 Miles

**Station ID(s)** 10586

*AU\_ID 0604\_03 From SH 94 to SH 21*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	33.80 Miles

**Station ID(s)** 17067

*AU\_ID 0604\_04 From SH 21 to US 84*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	31.60 Miles

**Station ID(s)** 10588; 14794

*AU\_ID 0604\_05 From US 84 to CR 336*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	43.10 Miles

**Station ID(s)** 10591; 13627

**SegID 0604A Cedar Creek (unclassified water body)**

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

**Segment Type** Freshwater Stream **Segment Size** 23 Miles

*AU\_ID 0604A\_01 Lower area downstream of FM 2497*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	12.50 Miles

**Station ID(s)**

*AU\_ID 0604A\_02 Upper area upstream of FM 2497*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	10.50 Miles

**Station ID(s)** 10478; 10479; 13528

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0604B Hurricane Creek (unclassified water body)**

From the confluence of Cedar Creek south of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

**Segment Type** Freshwater Stream **Segment Size** 4 Miles

*AU\_ID 0604B\_01 Upper 2 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	2.00 Miles
<b>Station ID(s)</b> 13529				

**SegID 0604C Jack Creek (unclassified water body)**

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

**Segment Type** Freshwater Stream **Segment Size** 16 Miles

*AU\_ID 0604C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	16.00 Miles
<b>Station ID(s)</b> 10492				

**SegID 0604D Piney Creek (unclassified water body)**

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

**Segment Type** Freshwater Stream **Segment Size** 70 Miles

*AU\_ID 0604D\_01 Lower 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles
<b>Station ID(s)</b> 16081				

*AU\_ID 0604D\_02 Upper 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	45.00 Miles
<b>Station ID(s)</b> 10530; 16095; 16096				

**SegID 0604H One Eye Creek (unclassified water body)**

Perennial stream from the confluence with Beans Creek southwest of Rusk to the dam at State Hospital Reservoir north of Rusk in Cherokee County

**Segment Type** Freshwater Stream **Segment Size** 9.4 Miles

*AU\_ID 0604H\_01 Entire length*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	9.40 Miles
<b>Station ID(s)</b> 16293				

**SegID 0604M Biloxi Creek (unclassified water body)**

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

**Segment Type** Freshwater Stream **Segment Size** 23.3 Miles

*AU\_ID 0604M\_02 Lower portion below CR 228*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	12.90 Miles
<b>Station ID(s)</b> 16097				

*AU\_ID 0604M\_03 Upper portion above CR 228*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	10.40 Miles
<b>Station ID(s)</b> 10499				

**SegID 0604N Buck Creek (unclassified water body)**

From its confluence with Biloxi Creek south of Huntington to a point 2.1 mi upstream of FM 1475, northwest of Huntington in Angelina County

**Segment Type** Freshwater Stream **Segment Size** 22.6 Miles

*AU\_ID 0604N\_01 Lower 13.6 miles near FM 1818*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	13.60 Miles
<b>Station ID(s)</b> 16098				

*AU\_ID 0604N\_02 Upper 9 miles near US 69*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	9.00 Miles
<b>Station ID(s)</b> 16297				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

---

**SegID 0604T Lake Ratcliff (unclassified water body)**

Lake in Houston County 3.4 miles northeast of Kennard

**Segment Type** Reservoir **Segment Size** 52.9 Acres

*AU\_ID 0604T\_01 Entire lake*

<b><u>Flow Type</u></b>	<b><u>Flow Type Source</u></b>	<b><u>ALU Designation</u></b>	<b><u>ALU Designation Source</u></b>	<b><u>AU Size</u></b>
reservoir	Water body description	High	Presumption from Flow Type	52.90 Acres

**Station ID(s)** 17339

*Not assessed for other parameters*

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0605 Lake Palestine**

From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

Segment Type Reservoir Segment Size 23500 Acres

*AU\_ID 0605\_01 Lower portion of reservoir near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3098.00 Acres

Station ID(s) 16159; 17966

*AU\_ID 0605\_02 Lower Mid-lake near SH 155*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	7290.00 Acres

Station ID(s) 10593

*AU\_ID 0605\_03 Mid-lake near Tyler PWS intake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4667.00 Acres

Station ID(s) 16346

*AU\_ID 0605\_04 Upper lake (Neches arm)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1075.00 Acres

Station ID(s) 10594

*AU\_ID 0605\_05 Indian Creek Cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	65.00 Acres

Station ID(s) 16345

*AU\_ID 0605\_06 Headwaters (Neches River)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	40.00 Acres

Station ID(s) 10595

*AU\_ID 0605\_07 Headwaters (Kickapoo Creek arm)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1611.00 Acres

Station ID(s) 17550

*AU\_ID 0605\_08 Flat Creek Headwaters*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	568.00 Acres

Station ID(s) 17549

*AU\_ID 0605\_09 Flat Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2080.00 Acres

Station ID(s) 18371; 18557

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

*AU\_ID 0605\_10 Upper Lake*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	3006.00 Acres
<b>Station ID(s)</b> 18643				

**SegID 0605A Kickapoo Creek (unclassified water body)**

From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchinson in Henderson County

**Segment Type** Freshwater Stream **Segment Size** 42.6 Miles

*AU\_ID 0605A\_01 Downstream of FM 1803*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	10.90 Miles
<b>Station ID(s)</b> 10517				

*AU\_ID 0605A\_02 From CR 3514 to CR 3806*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	9.20 Miles
<b>Station ID(s)</b> 16796				

*AU\_ID 0605A\_03 From CR 3806 to FM 1881*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	8.90 Miles
<b>Station ID(s)</b> 16797				

*AU\_ID 0605A\_04 From FM 1881 to headwaters*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	13.60 Miles
<b>Station ID(s)</b> 16798				

**SegID 0605F Lake Athens (unclassified water body)**

From the dam 5.5 miles East of Athens, 1.8 miles South of FN 317 on Flat Ck, to a point one mile west of FM 2495 in Henderson County.

**Segment Type** Reservoir **Segment Size** 1472.6 Acres

*AU\_ID 0605F\_01 Entire lake*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	Presumption from Flow Type	1472.60 Acres
<b>Station ID(s)</b> 15288; 17575				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0606 Neches River Above Lake Palestine**

From a point 6.7 km (4.2 miles) downstream of FM 279 in Henderson/Smith County to Rhines Lake Dam in Van Zandt County

Segment Type Freshwater Stream Segment Size 27 Miles

*AU\_ID 0606\_01 Lower boundary to Prairie Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	3.80 Miles

Station ID(s) 10596

*AU\_ID 0606\_02 Prairie Creek to river mile 7.0*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	3.20 Miles

Station ID(s) 10597

*AU\_ID 0606\_03 River mile 7.0 to headwaters*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	20.00 Miles

Station ID(s) 10598

**SegID 0606A Prairie Creek (unclassified water body)**

From the confluence of the Neches River west of Tyler in Smith County to the upstream perennial portion of the stream south of Lindale in Smith County

Segment Type Freshwater Stream Segment Size 13 Miles

*AU\_ID 0606A\_01 Lower 4 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	4.00 Miles

Station ID(s) 10520

*AU\_ID 0606A\_02 Upper 9 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	9.00 Miles

Station ID(s) 10518



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0607 Pine Island Bayou**

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

**Segment Type** Freshwater Stream **Segment Size** 81 Miles

*AU\_ID 0607\_01 Mouth to river mile 5.7*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5.70 Miles

**Station ID(s)** 10599

*AU\_ID 0607\_02 River Mile 5.7 to mile 12.1*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.40 Miles

**Station ID(s)** 10602

*AU\_ID 0607\_03 River Mile 12.1 to mile 35.4 at confluence with Willow Creek (0607C)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	23.30 Miles

**Station ID(s)** 10606; 10607; 10608

*AU\_ID 0607\_04 River Mile 35.4 at confluence with Willow Creek (0607C) to mile 60.4*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 15367

*AU\_ID 0607\_05 River Mile 60.4 to top of segment at FM 787*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.60 Miles

**Station ID(s)**

**SegID 0607A Boggy Creek (unclassified water body)**

From the confluence of Pine Island Bayou south of Lumberton in Hardin County to the upstream perennial portion of the stream west of Lumberton in Hardin County

**Segment Type** Freshwater Stream **Segment Size** 12 Miles

*AU\_ID 0607A\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	12.00 Miles

**Station ID(s)** 16127

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0607B Little Pine Island Bayou (unclassified water body)**

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

**Segment Type** Freshwater Stream **Segment Size** 50 Miles

*AU\_ID 0607B\_01 Lower 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 15346

*AU\_ID 0607B\_02 Upper 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 15545

**SegID 0607C Willow Creek (unclassified water body)**

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

**Segment Type** Freshwater Stream **Segment Size** 15 Miles

*AU\_ID 0607C\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	15.00 Miles

**Station ID(s)** 15345

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0608 Village Creek**

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

**Segment Type** Freshwater Stream **Segment Size** 53 Miles

*AU\_ID 0608\_01 From confluence with Neches River to FM 418*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	WQS/Permits program	High	TWQS-Appendix A	27.70 Miles

**Station ID(s)** 10609

*AU\_ID 0608\_02 From FM 418 to Lake Kimble dam*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	25.30 Miles

**Station ID(s)** 13625

*Reviewed: Big Cypress Creek, Horsepen Creek and Woods Creek. All three waterbodies are upstream of 0608 and were part of a targeted monitoring study. The data collected from these studies were not appropriate for the assessment.*

**SegID 0608A Beech Creek (unclassified water body)**

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

**Segment Type** Freshwater Stream **Segment Size** 39 Miles

*AU\_ID 0608A\_01 Lower 20 miles of water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	20.00 Miles

**Station ID(s)** 15355

*AU\_ID 0608A\_02 Upper 19 miles of water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	19.00 Miles

**Station ID(s)** 10529; 17903

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0608B Big Sandy Creek (unclassified water body)**

From the confluence of Village Creek northwest of Kountze in Hardin County to the upstream perennial portion of the stream northeast of Livingston in Polk County

**Segment Type** Freshwater Stream **Segment Size** 46.9 Miles

*AU\_ID 0608B\_01 Lower 30 miles downstream of US 190*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	30.00 Miles

**Station ID(s)** 15353

*AU\_ID 0608B\_02 Upper 16.9 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	16.90 Miles

**Station ID(s)** 15354

**SegID 0608C Cypress Creek (unclassified water body)**

From the confluence of Village Creek east of Kountze in Hardin County to the upstream perennial portion of the stream northwest of Kountze in Hardin County

**Segment Type** Freshwater Stream **Segment Size** 24 Miles

*AU\_ID 0608C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	Presumption from Flow Type	24.00 Miles

**Station ID(s)** 15352; 16728

*Reviewed: Unnamed intermittent tributary of Cypress Creek near Kountze WWTP outfall. Not enough data were collected to be evaluated for the assessment, but very low DO values were reported from a special study that also reported all flow measurements <0.1*

**SegID 0608D Hickory Creek (unclassified water body)**

From the confluence of Village Creek north of Kountze in Hardin County to the upstream perennial portion of the stream south of Woodville in Tyler County

**Segment Type** Freshwater Stream **Segment Size** 26.2 Miles

*AU\_ID 0608D\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	26.20 Miles

**Station ID(s)** 15349

**SegID 0608E Mill Creek (unclassified water body)**

From the confluence of Village Creek southwest of Silsbee in Hardin County to the upstream perennial portion of the stream northwest of Silsbee in Hardin County

**Segment Type** Freshwater Stream **Segment Size** 8 Miles

*AU\_ID 0608E\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	8.00 Miles
<b>Station ID(s)</b> 16126				

**SegID 0608F Turkey Creek (unclassified water body)**

From the confluence of Village Creek north of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

**Segment Type** Freshwater Stream **Segment Size** 41.6 Miles

*AU\_ID 0608F\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	25.00 Miles
<b>Station ID(s)</b> 15356				

*AU\_ID 0608F\_02 Upper 16.6 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	16.60 Miles
<b>Station ID(s)</b> 14138				

**SegID 0608G Lake Kimball (unclassified water body)**

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

**Segment Type** Reservoir **Segment Size** 3584 Acres

*AU\_ID 0608G\_01 Entire lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	3584.00 Acres
<b>Station ID(s)</b> 15641				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

---

**SegID 0609 Angelina River Below Sam Rayburn Reservoir**

From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County

**Segment Type** Freshwater Stream **Segment Size** 12.5 Miles

*AU\_ID 0609\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	12.50 Miles
<b><u>Station ID(s)</u></b> 10610				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0610 Sam Rayburn Reservoir**

From Sam Rayburn Dam in Jasper County to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm in Angelina/Nacogdoches County and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm in Nacogdoches/San Augustine County, up to the normal pool elevation of 164 ft (except on the Angelina River Arm)(impounds Angelina River and Attoyac Bayou)

**Segment Type** Reservoir **Segment Size** 106666 Acres

*AU\_ID 0610\_01 Main pool by the dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	12355.00 Acres
<b>Station ID(s)</b> 14906				

*AU\_ID 0610\_02 Lower Angelina River arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	23565.00 Acres
<b>Station ID(s)</b> 15522				

*AU\_ID 0610\_03 Mid-Angelina River arm (SH 147)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	22701.00 Acres
<b>Station ID(s)</b> 10612				

*AU\_ID 0610\_04 Upper mid-Angelina River arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	12810.00 Acres
<b>Station ID(s)</b> 15524				

*AU\_ID 0610\_05 Lower Attoyac Bayou arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4486.00 Acres
<b>Station ID(s)</b> 15523				

*AU\_ID 0610\_06 Upper Attoyac Bayou arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3790.00 Acres
<b>Station ID(s)</b> 10614				

*AU\_ID 0610\_07 Upper Angelina River arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	9395.00 Acres
<b>Station ID(s)</b> 10613				

*AU\_ID 0610\_08 Bear Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6029.00 Acres
<b>Station ID(s)</b> 15527				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

*AU\_ID 0610\_09 Lower Ayish Bayou arm*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	6028.00 Acres
<b>Station ID(s)</b> 15526				

*AU\_ID 0610\_10 Upper Ayish Bayou arm*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	5507.00 Acres
<b>Station ID(s)</b> 14907				

**SegID 0610A Ayish Bayou (unclassified water body)**

From the confluence of Sam Rayburn Reservoir south of San Augustine in San Augustine County to the upstream perennial portion of the stream north of San Augustine in San Augustine County

<b>Segment Type</b>	<b>Segment Size</b>
Freshwater Stream	32 Miles

*AU\_ID 0610A\_01 Lower portion downstream of US 96*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	18.50 Miles
<b>Station ID(s)</b> 15361				

*AU\_ID 0610A\_02 Middle portion from US 96 to SH 21*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	5.00 Miles
<b>Station ID(s)</b> 15364				

*AU\_ID 0610A\_03 Upper portion from SH 21 to headwaters*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	8.50 Miles
<b>Station ID(s)</b> 15365				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0611 Angelina River Above Sam Rayburn Reservoir**

From the aqueduct crossing 1.0 km (0.6 miles) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

Segment Type Freshwater Stream Segment Size 104 Miles

*AU\_ID 0611\_01 Lower boundary to FM 1911*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.90 Miles

Station ID(s) 10627

*AU\_ID 0611\_02 FM 1911 to FM 343*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	23.00 Miles

Station ID(s) 10630

*AU\_ID 0611\_03 FM 343 to US 84*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	19.80 Miles

Station ID(s) 10633

*AU\_ID 0611\_04 US 84 to headwaters*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.30 Miles

Station ID(s) 10635

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0611A East Fork Angelina River (unclassified water body)**

From the confluence of the Angelina River at the Rusk/Nacogdoches county line to the upstream perennial portion of the stream west of Mount Enterprise in Rusk County

**Segment Type** Freshwater Stream **Segment Size** 30.4 Miles

*AU\_ID 0611A\_01 Confluence with Grassy Lake area*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	9.20 Miles

**Station ID(s)** 10551

*AU\_ID 0611A\_02 Grassy Lake area to county road near Happy Valley*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	8.10 Miles

**Station ID(s)** 10552

*AU\_ID 0611A\_03 County road near Happy Valley to Wooten Creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	6.10 Miles

**Station ID(s)** 13788

*AU\_ID 0611A\_04 Wooten Creek to headwaters*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	7.00 Miles

**Station ID(s)** 16290

*Other carry-forwards (5c-D) include those for bacteria and lead (see 2004 list)*

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0611B La Nana Bayou (unclassified water body)**

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

Segment Type Freshwater Stream Segment Size 32 Miles

*AU\_ID 0611B\_01 Mouth to unimproved road near FM 3228/1275*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	13.40 Miles

Station ID(s) 10474

*AU\_ID 0611B\_02 Unimproved road near FM 3228/1275 to SH 7*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	5.20 Miles

Station ID(s) 10475

*AU\_ID 0611B\_03 SH 7 to headwaters*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	high	TWQS-Appendix D	13.40 Miles

Station ID(s) 16301

**SegID 0611C Mud Creek (unclassified water body)**

From the confluence of the Angelina River east of Rusk in Cherokee County to the upstream perennial portion of the stream west of Troup in Smith County

Segment Type Freshwater Stream Segment Size 45 Miles

*AU\_ID 0611C\_01 Lower portion of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	12.40 Miles

Station ID(s) 10532; 14477

*AU\_ID 0611C\_02 Upper portion of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	32.60 Miles

Station ID(s) 10536; 16586; 17103

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0611D West Mud Creek (unclassified water body)**

From the confluence of Mud Creek southwest of Troup in Cherokee County to the upstream perennial portion of the stream south of Tyler in Smith County

**Segment Type** Freshwater Stream **Segment Size** 23 Miles

*AU\_ID 0611D\_01 Mouth to US 69*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	14.40 Miles
<b>Station ID(s)</b> 10538; 10540				

**SegID 0611H Ragsdale Creek (unclassified water body)**

Perennial stream from the confluence with Keys Creek to the confluence of an unnamed tributary 250 meters upstream of Canada Street in Jacksonville

**Segment Type** Freshwater Stream **Segment Size** 5.5 Miles

*AU\_ID 0611H\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	5.50 Miles
<b>Station ID(s)</b> 16298				

**SegID 0611Q Lake Nacogdoches (unclassified water body)**

Located approximately 10 miles west of Nacogdoches in Nacogdoches County

**Segment Type** Reservoir **Segment Size** 2210 Acres

*AU\_ID 0611Q\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	2210.00 Acres
<b>Station ID(s)</b> 15801; 17818				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0611R Lake Striker (unclassified water body)**

From the dam approximately 0.5 mile west of CR2430 to the north end of the lake close to US HWY 79 in Ruck County north of Reklaw.

**Segment Type** Reservoir **Segment Size** Acres

*AU\_ID 0611R\_01 Entire Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	1957.80 Acres

**Station ID(s)** 17822; 17824

**SegID 0612 Attoyac Bayou**

From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

**Segment Type** Freshwater Stream **Segment Size** 81.7 Miles

*AU\_ID 0612\_01 Mouth to 8.2 miles downstream of SH 7*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Water body description	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10636

*AU\_ID 0612\_02 8.2 miles below SH 7 to Bear Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.00 Miles

**Station ID(s)** 15253

*AU\_ID 0612\_03 Bear Creek to headwaters*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	26.70 Miles

**Station ID(s)** 16076

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0612B Waffelow Creek (unclassified water body)**

From the confluence of Attoyac Bayou north of Martinsville in Nacogdoches County to the upstream perennial portion of the stream northeast of Nacogdoches in Nacogdoches County

**Segment Type** Freshwater Stream **Segment Size** 10.5 Miles

*AU\_ID 0612B\_01 Lower portion downstream of CR 234*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	4.00 Miles

**Station ID(s)** 16083

*AU\_ID 0612B\_02 Upper portion upstream of CR 234*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	6.50 Miles

**Station ID(s)** 16085

**SegID 0612C Pinkston Reservoir (unclassified water body)**

Located approximately 12 miles southwest of Center in Shelby County (impounds Sandy Creek)

**Segment Type** Reservoir **Segment Size** 523 Acres

*AU\_ID 0612C\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	523.00 Acres

**Station ID(s)** 15802

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0613 Lake Tyler/Lake Tyler East**

From Whitehouse Dam and Mud Creek Dam in Smith County up to the normal pool elevation of 375.38 feet (impounds Prairie Creek and Mud Creek)

**Segment Type** Reservoir **Segment Size** 4880 Acres

*AU\_ID 0613\_01 Lake Tyler lower reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1220.00 Acres

**Station ID(s)** 10637

*AU\_ID 0613\_02 Lake Tyler upper reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1220.00 Acres

**Station ID(s)** 15210

*AU\_ID 0613\_03 Lake Tyler East lower reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1220.00 Acres

**Station ID(s)** 10638

*AU\_ID 0613\_04 Lake Tyler East upper reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1220.00 Acres

**Station ID(s)** 14235; 17929

**SegID 0614 Lake Jacksonville**

From Buckner Dam in Cherokee County up to the normal pool elevation of 422 feet (impounds Gum Creek)

**Segment Type** Reservoir **Segment Size** 1320 Acres

*AU\_ID 0614\_01 Lower reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	660.00 Acres

**Station ID(s)** 10639

*AU\_ID 0614\_02 Upper reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	660.00 Acres

**Station ID(s)** 16535

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0615 Angelina River/Sam Rayburn Reservoir**

The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to a point 2.75 kilometers (1.71 miles) upstream of the confluence of Paper Mill Creek

**Segment Type** Reservoir **Segment Size** 5068 Acres

*AU\_ID 0615\_01 Upstream of Papermill Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	388.00 Acres

**Station ID(s)** 10623

*AU\_ID 0615\_02 Downstream of Papermill Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	Intermediate	TWQS-Appendix A	4679.00 Acres

**Station ID(s)** 10621

**SegID 0615A Papermill Creek (unclassified water body)**

From the confluence of Sam Rayburn Reservoir (Angelina River Arm) northeast of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

**Segment Type** Freshwater Stream **Segment Size** 9 Miles

*AU\_ID 0615A\_01 Lower 9 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	TWQS-Appendix D	Minimal	TWQS-Appendix D	9.00 Miles

**Station ID(s)** 10502



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0701 Taylor Bayou Above Tidal**

From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

**Segment Type** Freshwater Stream **Segment Size** 33 Miles

*AU\_ID 0701\_01 From saltwater lock to 8 miles upstream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	8.00 Miles

**Station ID(s)** 10668

*AU\_ID 0701\_02 from 8 miles upstream of saltwater lock to the confluence of N and S Forks Taylor Bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	7.80 Miles

**Station ID(s)** 10669

*AU\_ID 0701\_03 From the confluence with N and S forks of Taylor Bayou to LNVA canal*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	18.00 Miles

**Station ID(s)**

**SegID 0701D Shallow Prong Lake (unclassified water body)**

Reservoir on Big Hill Bayou located approximately 3.5 miles downstream of the confluence with Taylor Bayou in Jefferson County

**Segment Type** Reservoir **Segment Size** 150 Acres

*AU\_ID 0701D\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
freshwater wetland	not available	High	not available	150.00 Acres

**Station ID(s)** 10642

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0702 Intracoastal Waterway Tidal**

From the confluence with Galveston Bay at Port Bolivar in Galveston County to the confluence with the Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County

Segment Type Tidal Stream Segment Size 63 Miles

*AU\_ID 0702\_01 From East Bay to confluence with Sabine-Neches Canal Tidal (0703)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	36.50 Miles

Station ID(s) 10679; 17426

*AU\_ID 0702\_02 Taylor Bayou tidal*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	3.00 Miles

Station ID(s) 10640

*AU\_ID 0702\_03 From Port Bolivar to top of East Bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	23.50 Miles

Station ID(s) 15233; 17082; 17083; 17084

**SegID 0702A Alligator Bayou (unclassified water body)**

From the Alligator Bayou pump station at the Jefferson County hurricane protection levee one mile downstream of Spur 215 in Port Arthur to a point immediately upstream of the confluence with Jefferson county Drainage District No. 7 city outfall canal

Segment Type Freshwater Stream Segment Size 7.11 Miles

*AU\_ID 0702A\_02 Lower portion from SH82 to its confluence with Taylor Bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	1.35 Miles

Station ID(s) 10643

*AU\_ID 0702A\_03 Upper portion from its headwaters at the Port Arthur Canal to SH82*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	2.40 Miles

Station ID(s) 14410

*AU\_ID 0702A\_04 Drainage canal leading into Alligator Bayou approx. 0.8 miles north of SH82*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	3.36 Miles

Station ID(s) 14411

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0703 Sabine-Neches Canal Tidal**

From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County

**Segment Type** Tidal Stream **Segment Size** 16 Miles

*AU\_ID 0703\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	16.00 Miles
<b>Station ID(s)</b> 10652; 10683				

**SegID 0704 Hillebrandt Bayou**

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

**Segment Type** Freshwater Stream **Segment Size** 14 Miles

*AU\_ID 0704\_01 From confluence with Taylor Bayou to confluence with Bayou Din*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	6.00 Miles
<b>Station ID(s)</b> 10685				

*AU\_ID 0704\_02 From confluence with Bayou Din to upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	8.00 Miles
<b>Station ID(s)</b> 10686				

**SegID 0704A Willow Marsh Bayou (unclassified water body)**

Perennial stream from the confluence with Hillebrandt Bayou upstream to the confluence with an unnamed tributary immediately upstream of Old Sour Lake Road

**Segment Type** Freshwater Stream **Segment Size** 11.5 Miles

*AU\_ID 0704A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	11.50 Miles
<b>Station ID(s)</b> 16711				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0704B Kidd Gully (unclassified water body)**

From the confluence with Pevitot Bayou to approximately 3.5 miles upstream of IH 10 in Jefferson County.

**Segment Type** Freshwater Stream **Segment Size** 10.5 Miles

*AU\_ID 0704B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	10.50 Miles
<b>Station ID(s)</b> 16125				

**SegID 0704C Pevitot Gully (unclassified water body)**

From the confluence with Hillebrandt Bayou to approximately 1.8 miles upstream of IH-10 in Jefferson County

**Segment Type** Freshwater Stream **Segment Size** 7.4 Miles

*AU\_ID 0704C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	7.40 Miles
<b>Station ID(s)</b> 16710				

**SegID 0801 Trinity River Tidal**

From the confluence with Anahuac Channel in Chambers County to a point 3.1 km (1.9 miles) downstream of US 90 in Liberty County

**Segment Type** Tidal Stream **Segment Size** 37 Miles

*AU\_ID 0801\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 10892				

*AU\_ID 0801\_02 Upper 12 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	12.00 Miles
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0801A Lost River (unclassified water body)**

From IH 10 in Chambers County to approximately 6 KM upstream of confluence with John Wiggins Bayou.

**Segment Type** Tidal Stream **Segment Size** 7 Miles

*AU\_ID 0801A\_01 Entire Segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	7.00 Miles
<b>Station ID(s)</b> 17879; 17880; 17881				

**SegID 0801B Old River (unclassified water body)**

From IH 10 in Chambers County to approximately 9 miles upstream of confluence with Cherry Point Gully.

**Segment Type** Tidal Stream **Segment Size** 9 Miles

*AU\_ID 0801B\_01 Entire Segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Water body description	High	Presumption from Flow Type	9.00 Miles
<b>Station ID(s)</b> 18360				

**SegID 0801C Cotton Bayou (unclassified water body)**

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point approximately 1 mile north of IH 10 in Chambers County

**Segment Type** Tidal Stream **Segment Size** 5 Miles

*AU\_ID 0801C\_01 Upper half of bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	2.50 Miles
<b>Station ID(s)</b>				

*AU\_ID 0801C\_02 Lower half of bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	2.50 Miles
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0802 Trinity River Below Lake Livingston**

From a point 3.1 km (1.9 miles) downstream of US 90 in Liberty County to Livingston Dam in Polk/San Jacinto County

**Segment Type** Freshwater Stream **Segment Size** 84 Miles

*AU\_ID 0802\_01 Lower 17 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.00 Miles

**Station ID(s)** 10894

*AU\_ID 0802\_02 Approx. 9 miles upstream to approx. 15 miles downstream of SH 105*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10895

*AU\_ID 0802\_03 11 miles upstream to approx. 9 miles downstream of FM 787*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles

**Station ID(s)** 10896

*AU\_ID 0802\_04 5 miles upstream to 11 miles downstream of US 59*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	16.00 Miles

**Station ID(s)** 10897

*AU\_ID 0802\_05 Upper 6 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.00 Miles

**Station ID(s)** 16998

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0803 Lake Livingston**

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

Segment Type Reservoir Segment Size 82600 Acres

*AU\_ID 0803\_01 Lowermost portion of reservoir, adjacent to dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 10899; 14003; 14004

*AU\_ID 0803\_02 Lower portion of reservoir, East Wolf Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 14005

*AU\_ID 0803\_03 Lower portion of reservoir, East Willow Springs*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 14006

*AU\_ID 0803\_04 Middle portion of reservoir, East Pointblank*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 14007; 14008

*AU\_ID 0803\_05 Middle portion of reservoir, downstream of Kickapoo Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 10909; 14009

*AU\_ID 0803\_06 Middle portion of reservoir, centering on US 190*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 10911; 14010

*AU\_ID 0803\_07 Upper portion of reservoir, west of Carlisle*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4841.00 Acres

Station ID(s) 10913; 14013

*AU\_ID 0803\_08 Cove off upper portion of reservoir, East Trinity*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4146.00 Acres

Station ID(s) 14014

*AU\_ID 0803\_09 West Carolina Creek cove, off upper portion of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	675.00 Acres

Station ID(s) 14011

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

*AU\_ID 0803\_10 Upper portion of reservoir, centering on SH 19*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	2799.00 Acres
<b>Station ID(s)</b> 10914; 14012				

*AU\_ID 0803\_11 Riverine portion of reservoir, centering on SH 21*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	324.00 Acres
<b>Station ID(s)</b> 10917				

*AU\_ID 0803\_12 Remainder of reservoir*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	39095.00 Acres
<b>Station ID(s)</b>				

**SegID 0803A Harmon Creek (unclassified water body)**

From the confluence with Lake Livingston (normal pool elevation of 131 feet) to the headwaters east of Huntsville in Walker County

**Segment Type** Freshwater Stream **Segment Size** 16 Miles

*AU\_ID 0803A\_01 Entire creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TWQS-Appendix D	High	TWQS-Appendix D	16.00 Miles
<b>Station ID(s)</b>				

**SegID 0803B White Rock Creek (unclassified water body)**

From the confluence of Lake Livingston northeast of Trinity in Trinity County to the upstream perennial portion of the stream east of Lovelady in Houston County

**Segment Type** Freshwater Stream **Segment Size** 38 Miles

*AU\_ID 0803B\_01 lower 25 miles of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles
<b>Station ID(s)</b> 10696				

*AU\_ID 0803B\_02 Upper 13 miles of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	13.00 Miles
<b>Station ID(s)</b>				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0804 Trinity River Above Lake Livingston**

From a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

Segment Type Freshwater Stream Segment Size 160 Miles

*AU\_ID 0804\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 13690

*AU\_ID 0804\_02 12 miles upstream to 13 miles downstream US 79*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10919

*AU\_ID 0804\_03 9.5 miles upstream to 15.5 miles downstream of US 287*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10920

*AU\_ID 0804\_04 Upper 22 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles

Station ID(s) 10921

*AU\_ID 0804\_05 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	63.00 Miles

Station ID(s)

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0804F Tehuacana Creek (unclassified water body)**

From the confluence with the Trinity River northeast of Fairfield in Freestone County to the headwaters northwest of Mexia in Limestone County

**Segment Type** Freshwater Stream **Segment Size** 55.4 Miles

*AU\_ID 0804F\_01 12 miles upstream to 13 miles downstream of US 75*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Water body description	Limited	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 10705

*AU\_ID 0804F\_02 Remainder of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Water body description	Limited	Presumption from Flow Type	30.40 Miles

**Station ID(s)**

**SegID 0804G Catfish Creek (unclassified water body)**

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

**Segment Type** Freshwater Stream **Segment Size** 12 Miles

*AU\_ID 0804G\_01 Entire Segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	20.00 Miles

**Station ID(s)** 10717

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0805 Upper Trinity River**

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

Segment Type Freshwater Stream Segment Size 100 Miles

*AU\_ID 0805\_01 25 mile reach near FM 85*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10924

*AU\_ID 0805\_02 25 mile reach near SH 34*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10925

*AU\_ID 0805\_03 11 mile reach near S. Loop 12*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles

Station ID(s) 10934

*AU\_ID 0805\_04 Upper 8 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	8.00 Miles

Station ID(s) 10937

*AU\_ID 0805\_05 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	31.00 Miles

Station ID(s)

*AU\_ID 0805\_06 From 15.57 mi. upstream of SH 34 to 4.71 mi. downstream of S Loop 12*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	19.40 Miles

Station ID(s) 10930; 10932

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0805A Red Oak Creek (unclassified water body)**

From confluence with segment 0805 Trinity River 12 miles upstream to I 45.

Segment Type Freshwater Stream Segment Size 12 Miles

*AU\_ID 0805A\_01 Entire Segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	12.00 Miles
<u>Station ID(s)</u> 17506				

**SegID 0805B Parsons Slough (unclassified water body)**

From confluence with segment 0805 Trinity River in Kaufman County, 11 miles upstream to Malloy Bridge Road in Dallas Co.

Segment Type Freshwater Stream Segment Size 11 Miles

*AU\_ID 0805B\_01 Entire Segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	11.00 Miles
<u>Station ID(s)</u> 10839				

**SegID 0806 West Fork Trinity River Below Lake Worth**

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

Segment Type Freshwater Stream Segment Size 33 Miles

*AU\_ID 0806\_01 Lower 22 miles of the segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles
<u>Station ID(s)</u> 10938; 10939; 16120; 17368; 17662				

*AU\_ID 0806\_02 Upper 11 miles of the segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles
<u>Station ID(s)</u>				

*AU\_ID 0806\_FA1 Lower 22 mi of segment 0806*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles
<u>Station ID(s)</u>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0806A Fosdic Lake (unclassified water body)**

From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

**Segment Type** Reservoir **Segment Size** 6 Acres

AU\_ID 0806A\_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	Presumption from Flow Type	6.00 Acres
<b>Station ID(s)</b> 16818				

**SegID 0806B Echo Lake (unclassified water body)**

From Echo Lake Dam to the reservoirs headwaters in Tarrant County

**Segment Type** Reservoir **Segment Size** 17 Acres

AU\_ID 0806B\_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	17.00 Acres
<b>Station ID(s)</b> 16813				

**SegID 0806C Big Fossil Creek (unclassified water body)**

From confluence with Little Fossil Creek in Haltem City, to HWY 183 in Tarrant Co.

**Segment Type** Freshwater Stream **Segment Size** 3 Miles

AU\_ID 0806C\_01 Entire Segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	3.00 Miles
<b>Station ID(s)</b> 17133				

**SegID 0806D Marine Creek (unclassified water body)**

Two mile stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tennmile Bridge Road in Fort Worth.

**Segment Type** Freshwater Stream **Segment Size** 2 Miles

*AU\_ID 0806D\_01 Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tennmile Bridge Rd. in Ft. Worth*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	2.00 Miles

**Station ID(s)** 17370

**SegID 0806E Sycamore Creek (unclassified water body)**

Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 0806E\_01 Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	Miles

**Station ID(s)** 17369

**SegID 0807 Lake Worth**

From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594.3 feet (impounds West Fork Trinity River)

**Segment Type** Reservoir **Segment Size** 3560 Acres

*AU\_ID 0807\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3560.00 Acres

**Station ID(s)** 10942; 15166

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0808 West Fork Trinity River Below Eagle Mountain Reservoir**

From a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County

**Segment Type** Freshwater Stream **Segment Size** 2 Miles

*AU\_ID 0808\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	2.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0809 Eagle Mountain Reservoir**

From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County up to normal pool elevation of 649.1 feet (impounds West Fork Trinity River)

Segment Type Reservoir Segment Size 9200 Acres

*AU\_ID 0809\_01 Lowermost portion of reservoir near east end of dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	548.00 Acres

Station ID(s) 10944

*AU\_ID 0809\_02 Dosier Slough cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	189.00 Acres

Station ID(s) 10947

*AU\_ID 0809\_03 Ash Creek cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	135.00 Acres

Station ID(s) 10949; 10950; 10951

*AU\_ID 0809\_04 Lowermost portion of reservoir near west end of dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1949.00 Acres

Station ID(s) 10945

*AU\_ID 0809\_05 Lower portion of reservoir east of Walnut Creek cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1641.00 Acres

Station ID(s) 10952

*AU\_ID 0809\_06 Walnut Creek cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	348.00 Acres

Station ID(s) 10954

*AU\_ID 0809\_07 Old Ranch cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	21.00 Acres

Station ID(s) 10958; 10959

*AU\_ID 0809\_08 Middle portion of reservoir near Cole subdivision*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	402.00 Acres

Station ID(s) 10956

*AU\_ID 0809\_09 Indian Creek cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	125.00 Acres

Station ID(s) 10961; 10962



**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

<i>AU_ID</i>	<i>0809_10</i>	<i>Upper portion of reservoir near Indian Creek cove</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
reservoir	TSWQS	High	TWQS-Appendix A	1290.00 Acres	
<b>Station ID(s)</b>	10960				
<i>AU_ID</i>	<i>0809_11</i>	<i>Darrett Creek cove</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
reservoir	TSWQS	High	TWQS-Appendix A	36.00 Acres	
<b>Station ID(s)</b>	10965				
<i>AU_ID</i>	<i>0809_12</i>	<i>Upper portion of reservoir near Newark Beach</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
reservoir	TSWQS	High	TWQS-Appendix A	737.00 Acres	
<b>Station ID(s)</b>	10964				
<i>AU_ID</i>	<i>0809_13</i>	<i>Remainder of reservoir</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
reservoir	TSWQS	High	TWQS-Appendix A	889.00 Acres	
<b>Station ID(s)</b>					
<i>AU_ID</i>	<i>0809_14</i>	<i>Mid-Lake, from just above Walnut Cr. Cove to Oakwood Rd. peninsula</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
reservoir	TSWQS	High	TWQS-Appendix A	890.00 Acres	
<b>Station ID(s)</b>	17667				

**SegID 0810 West Fork Trinity River Below Bridgeport Reservoir**  
 From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County  
**Segment Type** Freshwater Stream **Segment Size** 36 Miles

<i>AU_ID</i>	<i>0810_01</i>	<i>Lower 25 miles of segment</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles	
<b>Station ID(s)</b>	10967; 10968; 10969; 14246; 17844				
<i>AU_ID</i>	<i>0810_02</i>	<i>Upper 11 miles of segment</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles	
<b>Station ID(s)</b>	14904				

**SegID 0810A Big Sandy Creek (unclassified water body)**

Fifteen mile stretch of Sycamore Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

**Segment Type** Freshwater Stream **Segment Size** 15 Miles

*AU\_ID 0810A\_01 Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	Presumption from Flow Type	15.00 Miles
<b>Station ID(s)</b> 15688				

**SegID 0810B Garrett Creek (unclassified water body)**

Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County

**Segment Type** Freshwater Stream **Segment Size** 18 Miles

*AU\_ID 0810B\_01 Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	18.00 Miles
<b>Station ID(s)</b> 16767				

**SegID 0810C Martin Branch (unclassified water body)**

The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

**Segment Type** Freshwater Stream **Segment Size** 8 Miles

*AU\_ID 0810C\_01 Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	8.00 Miles
<b>Station ID(s)</b> 17848				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0810D Salt Creek (unclassified water body)**

Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

**Segment Type** Freshwater Stream **Segment Size** 11 Miles

*AU\_ID 0810D\_01 Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TSWQS	Limited	Presumption from Flow Type	11.00 Miles
<b>Station ID(s)</b> 16766				

**SegID 0811 Bridgeport Reservoir**

From Bridgeport Dam in Wise County to a point immediately upstream of the confluence of Bear Hollow in Jack County, up to normal pool elevation of 836 feet (impounds West Fork Trinity River)

**Segment Type** Reservoir **Segment Size** 13000 Acres

*AU\_ID 0811\_01 Southeast portion of main body of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1844.00 Acres
<b>Station ID(s)</b> 16762				

*AU\_ID 0811\_02 Southwest portion of main body of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1865.00 Acres
<b>Station ID(s)</b> 15165				

*AU\_ID 0811\_03 Central portion of main body of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3028.00 Acres
<b>Station ID(s)</b> 10970				

*AU\_ID 0811\_04 Northern portion of main body of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1204.00 Acres
<b>Station ID(s)</b> 15164				

*AU\_ID 0811\_05 Remainder of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5059.00 Acres
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0812 West Fork Trinity River Above Bridgeport Reservoir**

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

**Segment Type** Freshwater Stream **Segment Size** 85 Miles

*AU\_ID 0812\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 10972; 18058; 18059

*AU\_ID 0812\_02 Upper 60 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	60.00 Miles

**Station ID(s)**

**SegID 0813 Houston County Lake**

From Houston County Dam in Houston County up to the normal pool elevation of 260 feet (impounds Little Elkhart Creek)

**Segment Type** Reservoir **Segment Size** 1282 Acres

*AU\_ID 0813\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1282.00 Acres

**Station ID(s)** 10973

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0814 Chambers Creek Above Richland-Chambers Reservoir**

From a point 4.0 km (2.5 miles) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

**Segment Type** Freshwater Stream **Segment Size** 49 Miles

*AU\_ID 0814\_01 From confluence with Cummins Creek to a point 16.5 miles upstream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	16.50 Miles

**Station ID(s)** 10977

*AU\_ID 0814\_02 Upper 24 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	24.00 Miles

**Station ID(s)** 10978

*AU\_ID 0814\_03 Lower 8.5 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	8.50 Miles

**Station ID(s)** 10975

**SegID 0814A Mill Creek (unclassified water body)**

Twenty-five mile stretch of Mill Creek running upstream from confluence with Chambers Creek in Navarro Co., to Union Pacific RR in Milford, Ellis Co.

**Segment Type** Freshwater Stream **Segment Size** 25 Miles

*AU\_ID 0814A\_01 Twenty-five mile stretch of Mill Creek running upstream from confluence with Chambers Creek in Navarro Co. to Union Pacific RR in Milford, Ellis Co.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 18566

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0815 Bardwell Reservoir**

From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)

**Segment Type** Reservoir **Segment Size** 3570 Acres

*AU\_ID 0815\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3570.00 Acres
<b>Station ID(s)</b> 10979; 16700; 18549; 18550				

**SegID 0815A Waxahachie Creek (unclassified water body)**

Perennial stream from the confluence with Bardwell Reservoir (normal pool elevation 421 feet) to the headwaters west of Waxahachie in Ellis County

**Segment Type** Freshwater Stream **Segment Size** 18.2 Miles

*AU\_ID 0815A\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	18.20 Miles
<b>Station ID(s)</b> 13686				

**SegID 0816 Lake Waxahachie**

From South Prong Dam in Ellis County up to normal pool elevation of 531.5 feet (impounds South Prong Creek)

**Segment Type** Reservoir **Segment Size** 690 Acres

*AU\_ID 0816\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	690.00 Acres
<b>Station ID(s)</b> 10980				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0817 Navarro Mills Lake**

From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet (impounds Richland Creek)

**Segment Type** Reservoir **Segment Size** 5070 Acres

*AU\_ID 0817\_01 Entire reservoir*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	5070.00 Acres
<b>Station ID(s)</b> 10981; 17442; 18545; 18546; 18547; 18548				

**SegID 0817A Richland Creek (unclassified water body)**

Ten mile stretch of Richland Creek running upstream from 0.5 mi. downstream of FM 744 in Navarro Co., to FM 308 south of Mertens, Hill Co.

**Segment Type** Freshwater Stream **Segment Size** 10 Miles

*AU\_ID 0817A\_01 Ten mile stretch of Richland Creek running upstream from 0.5 miles downstream of FM 744 in Navarro Co., to FM 308 South of Mertens, Hill Co.*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	10.00 Miles
<b>Station ID(s)</b> 18518				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0818 Cedar Creek Reservoir**

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

**Segment Type** Reservoir **Segment Size** 33750 Acres

*AU\_ID 0818\_01 Lowermost portion of reservoir adjacent to dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2961.00 Acres

**Station ID(s)** 13845; 16748

*AU\_ID 0818\_02 Caney Creek cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1686.00 Acres

**Station ID(s)** 16744

*AU\_ID 0818\_03 Clear Creek cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1761.00 Acres

**Station ID(s)** 16743

*AU\_ID 0818\_04 Lower portion of reservoir east of Key Ranch Estates*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2879.00 Acres

**Station ID(s)** 13848; 16749

*AU\_ID 0818\_05 Cove off lower portion of reservoir adjacent to Clearview Estates*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	648.00 Acres

**Station ID(s)** 16746

*AU\_ID 0818\_06 Middle portion of reservoir downstream of Twin Creeks cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4478.00 Acres

**Station ID(s)** 15812; 16747; 16750

*AU\_ID 0818\_07 Twin Creeks cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2205.00 Acres

**Station ID(s)** 16739

*AU\_ID 0818\_08 Prairie Creek cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	402.00 Acres

**Station ID(s)** 16751; 16752

*AU\_ID 0818\_09 Upper portion of reservoir adjacent to Lacy Fork cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5450.00 Acres

**Station ID(s)** 13854; 16753



**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

<i>AU_ID</i>	<i>0818_10</i>	<i>Lacy Fork cove</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
reservoir	TSWQS	High	TWQS-Appendix A	1604.00 Acres	
<b>Station ID(s)</b>	16771				
<i>AU_ID</i>	<i>0818_11</i>	<i>Upper portion of reservoir east of Tolosa</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
reservoir	TSWQS	High	TWQS-Appendix A	3360.00 Acres	
<b>Station ID(s)</b>	16772				
<i>AU_ID</i>	<i>0818_12</i>	<i>Uppermost portion of reservoir downstream of Kings Creek</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
reservoir	TSWQS	High	TWQS-Appendix A	1880.00 Acres	
<b>Station ID(s)</b>	16774				
<i>AU_ID</i>	<i>0818_13</i>	<i>Cedar Creek cove</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
reservoir	TSWQS	High	TWQS-Appendix A	981.00 Acres	
<b>Station ID(s)</b>	16773				
<i>AU_ID</i>	<i>0818_14</i>	<i>Remainder of reservoir</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
reservoir	TSWQS	High	TWQS-Appendix A	3455.00 Acres	
<b>Station ID(s)</b>					

**SegID 0819    East Fork Trinity River**

From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

<b>Segment Type</b>	Freshwater Stream	<b>Segment Size</b>	29 Miles
---------------------	-------------------	---------------------	----------

<i>AU_ID</i>	<i>0819_01</i>	<i>Entire segment</i>			
<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>	
perennial	TSWQS	Intermediate	TWQS-Appendix A	29.00 Miles	
<b>Station ID(s)</b>	10987; 10990; 10991; 10992; 10996; 13612				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0820 Lake Ray Hubbard**

From Rockwall-Forney Dam in Kaufman County to Lavon Dam in Collin County, up to normal pool elevation of 435.5 feet (impounds East Fork Trinity River)

**Segment Type** Reservoir **Segment Size** 22745 Acres

*AU\_ID 0820\_01 Lower portion of East Fork arm, centering on IH 30*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 16809

*AU\_ID 0820\_02 Middle portion of East Fork arm, centering on SH 66*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 16829

*AU\_ID 0820\_03 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3905.00 Acres

**Station ID(s)**

*AU\_ID 0820\_04 Lower portion of main body of reservoir extending up from dam to Yankee Cr. Arm.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3500.00 Acres

**Station ID(s)** 10998

*AU\_ID 0820\_05 Mid-reservoir, I30 crossing Rowlett Cr. Arm to Yankee Cr. Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5000.00 Acres

**Station ID(s)** 17829

*AU\_ID 0820\_06 Outfall canal from Lake Lavon Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	100.00 Acres

**Station ID(s)** 17846

**SegID 0820C Muddy Creek (unclassified water body)**

From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

**Segment Type** Freshwater Stream **Segment Size** 16 Miles

*AU\_ID 0820C\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	16.00 Miles

**Station ID(s)** 16828

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0821 Lake Lavon**

From Lavon Dam in Collin County, up to normal pool elevation of 492 feet (impounds East Fork Trinity River)

**Segment Type** Reservoir **Segment Size** 21400 Acres

*AU\_ID 0821\_01 Lowermost portion of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5577.00 Acres

**Station ID(s)** 15684; 15685

*AU\_ID 0821\_02 East Fork arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3593.00 Acres

**Station ID(s)** 15686

*AU\_ID 0821\_03 Middle portion of Sister Grove Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5019.00 Acres

**Station ID(s)** 15687

*AU\_ID 0821\_04 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	7211.00 Acres

**Station ID(s)**

**SegID 0821A Pilot Grove Creek (unclassified water body)**

Perennial stream from confluence of Desert Creek up to FM 121 near Blue Ridge

**Segment Type** Freshwater Stream **Segment Size** 26.6 Miles

*AU\_ID 0821A\_01 From confluence of Desert Creek up to FM 121 near Blue Ridge*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	26.60 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0821B Sister Grove Creek (unclassified water body)**

From the confluence with Lake Lavon in Collin County to the confluence of West Prong Sister Grove Creek/East Prong Sister Grove Creek, east of Van Alstyne in Grayson County

**Segment Type** Freshwater Stream **Segment Size** 20.2 Miles

*AU\_ID 0821B\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	Presumption from Flow Type	20.20 Miles
<b>Station ID(s)</b> 13613				

**SegID 0822 Elm Fork Trinity River Below Lewisville Lake**

From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County

**Segment Type** Freshwater Stream **Segment Size** 30 Miles

*AU\_ID 0822\_01 Lower 11 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles
<b>Station ID(s)</b> 16436; 17163; 17164; 18310				

*AU\_ID 0822\_02 4.5 miles upstream to 7.5 miles downstream DWU intake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.00 Miles
<b>Station ID(s)</b> 11024; 16438; 17162				

*AU\_ID 0822\_03 1.0 mi upstream to 4.5 miles downstream SH 121*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5.50 Miles
<b>Station ID(s)</b> 13615; 18358				

*AU\_ID 0822\_04 Upper 1.5 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	1.50 Miles
<b>Station ID(s)</b> 15252; 16437				

**SegID 0822A Cottonwood Branch (unclassified water body)**

A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

**Segment Type** Freshwater Stream **Segment Size** 6 Miles

*AU\_ID 0822A\_01 A 2.5 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 miles downstream of N. Story Rd., Dallas Co.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	2.50 Miles

**Station ID(s)** 17167; 17168; 18359

*AU\_ID 0822A\_02 A 3.5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	3.50 Miles

**Station ID(s)** 17165; 17166

**SegID 0822B Grapevine Creek (unclassified water body)**

A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1.5 miles upstream of SH 21, Tarrant County.

**Segment Type** Freshwater Stream **Segment Size** 5.5 Miles

*AU\_ID 0822B\_01 A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1.5 miles upstream of SH 21, Tarrant County.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	5.50 Miles

**Station ID(s)** 17169; 17531; 17939

**SegID 0822C Hackberry Creek (unclassified water body)**

A 5.5 mile stretch of Hackberry Creek running upstream from confluence with Cottonwood Branch, to approximately 2.4 miles upstream of SH 114, in Irving, Dallas County.

**Segment Type** Freshwater Stream **Segment Size** 7.6 Miles

*AU\_ID 0822C\_01 A 5.5 mile stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 miles upstream of SH 114 in Irving, Dallas Co.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	Miles

**Station ID(s)** 17170; 17171; 17172; 17532; 17938

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0822D Ski Lake (unclassified water body)**

A 65 acre reservoir locate just south of the intersection of US 35E and spur 482 in Irving.

Segment Type Reservoir Segment Size 65 Acres

*AU\_ID 0822D\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	65.00 Acres
<u>Station ID(s)</u> 17849				

**SegID 0823 Lewisville Lake**

From Lewisville Dam in Denton County to a point 100 meters (110 yards) upstream of US 380 in Denton County, up to normal pool elevation of 515 feet (impounds Elm Fork Trinity River)

Segment Type Reservoir Segment Size 23280 Acres

*AU\_ID 0823\_01 Lowermost portion of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5736.00 Acres
<u>Station ID(s)</u> 13995; 13996				

*AU\_ID 0823\_02 Stewart Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1528.00 Acres
<u>Station ID(s)</u> 13997; 16808				

*AU\_ID 0823\_03 Hickory Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2616.00 Acres
<u>Station ID(s)</u> 11027; 13998				

*AU\_ID 0823\_04 Little Elm Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3589.00 Acres
<u>Station ID(s)</u> 11026; 17830				

*AU\_ID 0823\_05 Middle portion of reservoir east of Lake Dallas*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5851.00 Acres
<u>Station ID(s)</u> 13999; 14001				

*AU\_ID 0823\_06 Remainder of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3960.00 Acres
<u>Station ID(s)</u>				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0823A Little Elm Creek (unclassified water body)**

From confluence with Lake Lewisville in Denton Co., up to 1.4 km above FM 453 in Collin Co.

**Segment Type** Freshwater Stream **Segment Size** 27 Miles

*AU\_ID 0823A\_01 From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment).*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TWQS-Appendix D	High	Presumption from Flow Type	27.00 Miles

**Station ID(s)** 13617; 16826

*AU\_ID 0823A\_02 From FM 455 in Collin Co., up to 1.4 km above FM 121 in Grayson, Co. near Guenther. (Upper 15 miles of segment).*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	15.00 Miles

**Station ID(s)**

**SegID 0823B Stewart Creek (unclassified water body)**

From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

**Segment Type** Freshwater Stream **Segment Size** 9.3 Miles

*AU\_ID 0823B\_01 Entire segment.*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	9.30 Miles

**Station ID(s)** 10860

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0823C Clear Creek (unclassified water body)**

From the confluence with Lake Lewisville in Denton County to the headwaters west of Montague in Montague County

**Segment Type** Freshwater Stream **Segment Size** 65 Miles

*AU\_ID 0823C\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 16827

*AU\_ID 0823C\_02 Upper 40 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	40.00 Miles

**Station ID(s)**

**SegID 0824 Elm Fork Trinity River Above Ray Roberts Lake**

From a point 9.5 km (5.9 miles) downstream of the confluence of Pecan Creek in Cooke County to US 82 in Montague County

**Segment Type** Freshwater Stream **Segment Size** 86 Miles

*AU\_ID 0824\_01 Lower 7.5 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.50 Miles

**Station ID(s)** 11029; 11031

*AU\_ID 0824\_02 2 mile reach near unmarked county road, 1.4 km downstream Gainesville WWTP*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.00 Miles

**Station ID(s)** 11033

*AU\_ID 0824\_03 3.5 mile reach near SH 51*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3.50 Miles

**Station ID(s)** 15635; 17670

*AU\_ID 0824\_04 25 mile reach near FM 3108*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 16432

*AU\_ID 0824\_05 Upper 48 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	48.00 Miles

**Station ID(s)**



**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0825 Denton Creek**

From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County

**Segment Type** Freshwater Stream **Segment Size** 12 Miles

*AU\_ID 0825\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	12.00 Miles
<b><u>Station ID(s)</u></b> 11034; 14244				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

<b>SegID</b> 0826	<b>Grapevine Lake</b>
From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (impounds Denton Creek)	
<u>Segment Type</u>	Reservoir
<u>Segment Size</u>	7380 Acres

AU\_ID 0826\_01 Lowermost portion of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	597.00 Acres
<u>Station ID(s)</u> 13873; 13874; 16113; 17827				

AU\_ID 0826\_02 Morehead Creek cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	90.00 Acres
<u>Station ID(s)</u> 11036; 11037; 16118				

AU\_ID 0826\_03 Lower portion of reservoir north of Oak Grove Park

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	978.00 Acres
<u>Station ID(s)</u> 16114				

AU\_ID 0826\_04 North Main Slough cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	89.00 Acres
<u>Station ID(s)</u> 16116; 16117				

AU\_ID 0826\_05 Middle portion of reservoir east of Meadowmere Park

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1351.00 Acres
<u>Station ID(s)</u> 13875; 16115				

AU\_ID 0826\_06 Middle portion of reservoir southeast of Walnut Grove Park

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1523.00 Acres
<u>Station ID(s)</u> 13876; 16112; 17828				

AU\_ID 0826\_07 Upper portion of reservoir east of Marshall Creek Park

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1399.00 Acres
<u>Station ID(s)</u> 13877; 13878; 16111				

AU\_ID 0826\_08 Remainder of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1353.00 Acres
<u>Station ID(s)</u>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0826A Denton Creek (unclassified water body)**

Perennial stream from the confluence with Grapevine Lake in Denton County to the headwaters northeast of Bowie in Montague County

**Segment Type** Freshwater Stream **Segment Size** 76.8 Miles

*AU\_ID 0826A\_01 Lower 7.9 miles of creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	7.90 Miles

**Station ID(s)** 14485

*AU\_ID 0826A\_02 15.7 miles upstream to 7.4 miles down stream of FM 156*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	23.10 Miles

**Station ID(s)** 14483

*AU\_ID 0826A\_03 9.3 miles upstream to 15.7 miles downstream of Greenwood Rd.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	25.00 Miles

**Station ID(s)**

*AU\_ID 0826A\_04 Upper 20.8 miles of creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	20.80 Miles

**Station ID(s)**

**SegID 0826C Henrietta Creek (unclassified water body)**

A 3 mile stretch of Henrietta Creek, running upstream from the confluence with Denton Creek to confluence with Elizabeth Creek.

**Segment Type** Freshwater Stream **Segment Size** 3 Miles

*AU\_ID 0826C\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	3.00 Miles

**Station ID(s)** 16825

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0827 White Rock Lake**

From White Rock Dam in Dallas County up to the normal pool elevation of 458 feet (impounds White Rock Creek)

**Segment Type** Reservoir **Segment Size** 1119 Acres

*AU\_ID 0827\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1119.00 Acres

**Station ID(s)**

**SegID 0827A White Rock Creek (unclassified water body)**

Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison

**Segment Type** Freshwater Stream **Segment Size** 10 Miles

*AU\_ID 0827A\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	10.00 Miles

**Station ID(s)** 18517

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0828 Lake Arlington**

From Arlington Dam in Tarrant County up to the normal pool elevation of 550 feet (impounds Village Creek)

**Segment Type** Reservoir **Segment Size** 2275 Acres

*AU\_ID 0828\_01 Lowermost portion of lake along western half of dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	111.00 Acres

**Station ID(s)** 13905

*AU\_ID 0828\_02 Lowermost portion of lake along eastern half of dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	79.00 Acres

**Station ID(s)** 13904

*AU\_ID 0828\_03 Western half of lower portion of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	349.00 Acres

**Station ID(s)** 13903

*AU\_ID 0828\_04 Eastern half of lower portion of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	333.00 Acres

**Station ID(s)** 13901

*AU\_ID 0828\_05 Western half of upper portion of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	394.00 Acres

**Station ID(s)** 13899

*AU\_ID 0828\_06 Eastern half of upper portion of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	377.00 Acres

**Station ID(s)** 11042; 13898

*AU\_ID 0828\_07 Uppermost portion of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	80.00 Acres

**Station ID(s)** 13897

*AU\_ID 0828\_08 Remainder of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	552.00 Acres

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0828A Village Creek**

From the confluence with Lake Arlington in Tarrant County to the headwaters east of Joshua in Johnson County

**Segment Type** Freshwater Stream **Segment Size** 23.2 Miles

*AU\_ID 0828A\_01 From Lake Arlington to the headwaters*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	TSWQS	Limited	Presumption from Flow Type	23.20 Miles
<b>Station ID(s)</b> 10780; 10786				

**SegID 0829 Clear Fork Trinity River Below Benbrook Lake**

From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

**Segment Type** Freshwater Stream **Segment Size** 14 Miles

*AU\_ID 0829\_01 Lower mile of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	1.00 Miles
<b>Station ID(s)</b>				

*AU\_ID 0829\_02 9 mile reach near Bryant-Irvin Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.00 Miles
<b>Station ID(s)</b> 11045				

*AU\_ID 0829\_03 Upper 4 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	4.00 Miles
<b>Station ID(s)</b> 13623				

**SegID 0829A Lake Como (unclassified water body)**

From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

**Segment Type** Reservoir **Segment Size** 15 Acres

*AU\_ID 0829A\_01 Entire lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	15.00 Acres
<b>Station ID(s)</b> 16814				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0830 Benbrook Lake**

From Benbrook Dam in Tarrant County to a point 200 meters (220 yards) downstream of US 377 in Tarrant County, up to normal pool elevation of 694 feet (impounds Clear Fork Trinity River)

**Segment Type** Reservoir **Segment Size** 3770 Acres

*AU\_ID 0830\_01 Lower portion of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1051.00 Acres

**Station ID(s)** 15151

*AU\_ID 0830\_02 Middle portion of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	924.00 Acres

**Station ID(s)** 15156

*AU\_ID 0830\_03 Upper portion of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1042.00 Acres

**Station ID(s)** 15158

*AU\_ID 0830\_04 Remainder of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	753.00 Acres

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0831 Clear Fork Trinity River Below Lake Weatherford**

From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

**Segment Type** Freshwater Stream **Segment Size** 19 Miles

*AU\_ID 0831\_01 Lower 12.75 miles, downstream from South Fork Trinity River confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.75 Miles

**Station ID(s)** 13691; 17444

*AU\_ID 0831\_03 From the confluence with South Fork of Trinity R. to a point 2 mi upstream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.00 Miles

**Station ID(s)** 17445

*AU\_ID 0831\_04 2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.00 Miles

**Station ID(s)** 11060

*AU\_ID 0831\_05 From the confluence of Squaw Ck. to Lake Weatherford Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.50 Miles

**Station ID(s)** 17446

**SegID 0831A South Fork Trinity River (unclassified water body)**

Eleven mile stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

**Segment Type** Freshwater Stream **Segment Size** 11 Miles

*AU\_ID 0831A\_01 Eleven mile stretch of S. Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	11.00 Miles

**Station ID(s)** 17454; 17455



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0832 Lake Weatherford**

From Weatherford Dam in Parker County to a point 3.1 km (1.9 miles) upstream of FM 1707 in Parker County, up to the normal pool elevation of 896 feet (impounds Clear Fork Trinity River)

**Segment Type** Reservoir **Segment Size** 1210 Acres

*AU\_ID 0832\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1210.00 Acres
<b>Station ID(s)</b> 11061				

**SegID 0833 Clear Fork Trinity River Above Lake Weatherford**

From a point 3.1 km (1.9 miles) upstream of FM 1707 in Parker County, to FM 3107 in Parker County

**Segment Type** Freshwater Stream **Segment Size** 29.5 Miles

*AU\_ID 0833\_02 Upper 11 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles
<b>Station ID(s)</b> 16415; 17459; 17460; 17463				

*AU\_ID 0833\_03 From the confluence of McKnight Branch to the confluence of Cottonwood Ck.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.50 Miles
<b>Station ID(s)</b> 11062				

*AU\_ID 0833\_04 From the confluence with Dobbs Branch to confluence with McKnight Branch*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.00 Miles
<b>Station ID(s)</b> 17461				

*AU\_ID 0833\_05 From the confluence of Dobbs Ck. to the lower end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.50 Miles
<b>Station ID(s)</b> 17462				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 0834 Lake Amon G. Carter**

From Amon G. Carter Dam in Montague County up to the normal pool elevation of 920 feet (impounds Big Sandy Creek)

**Segment Type** Reservoir **Segment Size** 1540 Acres

*AU\_ID 0834\_01 Entire reservoir*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	1540.00 Acres

**Station ID(s)** 11063

**SegID 0835 Richland Creek Below Richland-Chambers Reservoir**

From the confluence with the Trinity River in Freestone County to Richland-Chambers Dam in Freestone County

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 0835\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	5.00 Miles

**Station ID(s)** 11064

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0836 Richland-Chambers Reservoir**

From Richland-Chambers Dam in Freestone County to the confluence of Pin Oak Creek on the Richland Creek Arm in Navarro County and to a point 4.0 km (2.5 miles) downstream of Tupelo Branch on the Chambers Creek Arm in Navarro County, up to normal pool elevation of 315 feet (impounds Richland and Chambers Creeks)

**Segment Type** Reservoir **Segment Size** 44752 Acres

*AU\_ID 0836\_01 Lowermost portion of reservoir, adjacent to dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b> 15168				

*AU\_ID 0836\_02 Confluence of Richland and Chambers Creek arms*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b> 15169				

*AU\_ID 0836\_03 Lower portion of Chambers Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b> 15170				

*AU\_ID 0836\_04 Upper portion of Chambers Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b> 15199				

*AU\_ID 0836\_05 Lower portion of Richland Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b> 11068				

*AU\_ID 0836\_06 Upper portion of Richland Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b> 15172				

*AU\_ID 0836\_07 Remainder of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	14032.00 Acres
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0837 Richland Creek Above Richland-Chambers Reservoir**

From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County

**Segment Type** Freshwater Stream **Segment Size** 27 Miles

*AU\_ID 0837\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	27.00 Miles
<b>Station ID(s)</b> 18344				

**SegID 0838 Joe Pool Lake**

From Joe Pool Dam in Dallas County up to the normal pool elevation of 522 feet (impounds Mountain Creek)

**Segment Type** Reservoir **Segment Size** 7470 Acres

*AU\_ID 0838\_01 Lowermost portion of reservoir adjacent to the dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2823.00 Acres
<b>Station ID(s)</b> 11073; 13890; 13891; 13893; 13894				

*AU\_ID 0838\_02 Mountain Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2591.00 Acres
<b>Station ID(s)</b> 11071; 13895; 13896; 17864				

*AU\_ID 0838\_03 Walnut Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2056.00 Acres
<b>Station ID(s)</b> 11072				

**SegID 0838A Mountain Creek (unclassified water body)**

Ten mile stretch of Mountain Creek running upstream from US 287 in Ellis Co., to confluence with Fish Spring Branch in Johnson County.

**Segment Type** Freshwater Stream **Segment Size** 10 Miles

*AU\_ID 0838A\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	10.00 Miles
<b>Station ID(s)</b> 13622				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0838B Sugar Creek (unclassified water body)**

A 1.6 mile stretch of Sugar Creek running upstream from Tarrant/Dallas County line, to just upstream of Britton Road in Mansfield, Tarrant County.

**Segment Type** Freshwater Stream **Segment Size** 1.6 Miles

*AU\_ID 0838B\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	1.60 Miles
<b>Station ID(s)</b> 17860				

**SegID 0838C Walnut Creek (unclassified water body)**

A 7 mile stretch of Walnut Creek running upstream from Holland Road, to confluence with Willow Branch, NW Mansfield, Tarrant County.

**Segment Type** Freshwater Stream **Segment Size** 7 Miles

*AU\_ID 0838C\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	7.00 Miles
<b>Station ID(s)</b> 13621				

**SegID 0839 Elm Fork Trinity River Below Ray Roberts Lake**

From a point 100 meters (110 yards) upstream of US 380 in Denton County to Ray Roberts Dam in Denton County

**Segment Type** Freshwater Stream **Segment Size** 12 Miles

*AU\_ID 0839\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.00 Miles
<b>Station ID(s)</b> 13619				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

---

**SegID 0839A Clear Creek (unclassified water body)**

A 25 mile stretch of Clear Creek running upstream from confluence with Elm Fork Trinity, to FM 455 just west of Bolivar, Denton County.

**Segment Type** Freshwater Stream **Segment Size** 25 Miles

*AU\_ID 0839A\_01 Entire segment.*

<b><u>Flow Type</u></b>	<b><u>Flow Type Source</u></b>	<b><u>ALU Designation</u></b>	<b><u>ALU Designation Source</u></b>	<b><u>AU Size</u></b>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	25.00 Miles
<b><u>Station ID(s)</u></b> 10859; 13618				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0840 Ray Roberts Lake**

From Ray Roberts Dam in Denton County to a point 9.5 km (5.9 miles) upstream of the confluence of Pecan Creek in Cooke County, up to the normal pool elevation of 632.5 feet (impounds Elm Fork Trinity River)

Segment Type Reservoir Segment Size 29350 Acres

*AU\_ID 0840\_01 Lowermost portion of reservoir adjacent to dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2981.00 Acres

Station ID(s) 17834

*AU\_ID 0840\_02 Lower portion of Jordan Creek arm west of Pilot Point*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 11076

*AU\_ID 0840\_03 Upper portion of Jordan Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2739.00 Acres

Station ID(s) 16823

*AU\_ID 0840\_04 Buck Creek cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	1065.00 Acres

Station ID(s) 16822

*AU\_ID 0840\_05 Lower portion of Elm Fork arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3045.00 Acres

Station ID(s)

*AU\_ID 0840\_06 Middle portion of Elm Fork arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3059.00 Acres

Station ID(s)

*AU\_ID 0840\_07 Upper portion of Elm Fork arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3513.00 Acres

Station ID(s) 16824

*AU\_ID 0840\_08 Remainder of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7828.00 Acres

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0840A Unnamed tributary of Jordan Creek (unclassified water body)**

From the confluence with Jordan Creek south of CR 226 to the headwaters near South Neathery Street in Collinsville in Grayson County

**Segment Type** Freshwater Stream **Segment Size** 1.8 Miles

*AU\_ID 0840A\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	1.80 Miles
<b>Station ID(s)</b>				

**SegID 0841 Lower West Fork Trinity River**

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

**Segment Type** Freshwater Stream **Segment Size** 27 Miles

*AU\_ID 0841\_01 Lower 14 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	14.00 Miles
<b>Station ID(s)</b> 11079; 11080; 11081; 11089; 17669				

*AU\_ID 0841\_02 Upper 13 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	13.00 Miles
<b>Station ID(s)</b> 11084; 11087; 17160				

**SegID 0841A Mountain Creek Lake (unclassified water body)**

From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

**Segment Type** Reservoir **Segment Size** 2710 Acres

*AU\_ID 0841A\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	2710.00 Acres
<b>Station ID(s)</b>				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0841B Bear Creek (unclassified water body)**

A 10 mile stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to just upstream of HWY 183, Dallas County.

**Segment Type** Freshwater Stream **Segment Size** 10 Miles

*AU\_ID 0841B\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	10.00 Miles
<b>Station ID(s)</b> 10864; 10865; 10866; 10867; 10868; 17663; 18313; 18315				

**SegID 0841C Arbor Creek (unclassified water body)**

A 2.2 mile stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 miles upstream of Tarrant/Dallas county line.

**Segment Type** Freshwater Stream **Segment Size** 2.2 Miles

*AU\_ID 0841C\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	2.20 Miles
<b>Station ID(s)</b> 17666				

**SegID 0841D Big Bear Creek (unclassified water body)**

An 8 mile stretch of Big Bear Creek running upstream from confluence with Little Bear Creek to SH 26, Tarrant Co.

**Segment Type** Freshwater Stream **Segment Size** 8 Miles

*AU\_ID 0841D\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	8.00 Miles
<b>Station ID(s)</b> 17089				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0841E Copart Branch Mountain Creek (unclassified water body)**

A 2.8 mile stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 miles upstream of Camden Road on Dallas Naval Academy, Dallas County.

**Segment Type** Freshwater Stream **Segment Size** 2.8 Miles

*AU\_ID 0841E\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	2.80 Miles
<b>Station ID(s)</b> 17672				

**SegID 0841F Cottonwood Creek (unclassified water body)**

A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

**Segment Type** Freshwater Stream **Segment Size** 6.5 Miles

*AU\_ID 0841F\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	6.50 Miles
<b>Station ID(s)</b> 10723; 17674; 17676				

**SegID 0841G Dalworth Creek (unclassified water body)**

A 2.2 mile stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

**Segment Type** Freshwater Stream **Segment Size** 2.2 Miles

*AU\_ID 0841G\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	2.20 Miles
<b>Station ID(s)</b> 17671				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0841H Delaware Creek (unclassified water body)**

An 8.5 mile stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

**Segment Type** Freshwater Stream **Segment Size** 8.5 Miles

*AU\_ID 0841H\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	8.50 Miles
<b>Station ID(s)</b> 10871; 17175; 17176; 17177; 17178; 18314				

**SegID 0841I Dry Branch Creek (unclassified water body)**

An 1.5 mile stretch of Dry Branch Creek running upstream from confluence with Lower W. Fork Trinity to Rock Island Road in Irving, Dallas County.

**Segment Type** Freshwater Stream **Segment Size** 1.5 Miles

*AU\_ID 0841I\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	1.50 Miles
<b>Station ID(s)</b> 17173				

**SegID 0841J Estelle Creek (unclassified water body)**

A 4 mile stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.

**Segment Type** Freshwater Stream **Segment Size** 4 Miles

*AU\_ID 0841J\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	4.00 Miles
<b>Station ID(s)</b> 17174				

**SegID 0841K Fish Creek (unclassified water body)**

A 10.5 mile stretch of Fish Creek running upstream from approx. 100 m downstream of FM 382 in Grand Prairie, Dallas Co., to approx. 0.25 mi. upstream of Collins Rd. in Arlington, Tarrant Co. Includes north and south branches of Fish Creek.

Segment Type Freshwater Stream Segment Size 10.5 Miles

AU\_ID 0841K\_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	10.50 Miles
<u>Station ID(s)</u> 10724; 10725; 17677; 17679				

**SegID 0841L Johnson Creek (unclassified water body)**

Four mile stretch of Johnson Creek running upstream from confluence with the Arbor Creek to just upstream of I30 in Grand Prairie, Tarrant Co.

Segment Type Freshwater Stream Segment Size 4 Miles

AU\_ID 0841L\_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	4.00 Miles
<u>Station ID(s)</u> 10719; 10721; 17664; 17665; 18311				

**SegID 0841M Kee Branch (unclassified water body)**

Three mile stretch of Kee Branch running upstream from confluence with Rush Creek to approx. 300 m upstream of Polly-Webb Road in Arlington, Tarrant Co. Sta. ID 10792

Segment Type Freshwater Stream Segment Size 3 Miles

AU\_ID 0841M\_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	3.00 Miles
<u>Station ID(s)</u> 10792				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0841N Kirby Creek (unclassified water body)**

Four mile stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

**Segment Type** Freshwater Stream **Segment Size** 4 Miles

*AU\_ID 0841N\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	4.00 Miles
<b>Station ID(s)</b> 17675				

**SegID 0841O Mountain Creek (unclassified water body)**

Four mile stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mile downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

**Segment Type** Freshwater Stream **Segment Size** 4 Miles

*AU\_ID 0841O\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	Miles
<b>Station ID(s)</b> 10815; 13672; 17681; 17682				

**SegID 0841P North Fork Cottonwood Creek (unclassified water body)**

A 4.4 mile stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi. upstream of Carter St. in Arlington, Tarrant Co.

**Segment Type** Freshwater Stream **Segment Size** 4.4 Miles

*AU\_ID 0841P\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	4.40 Miles
<b>Station ID(s)</b> 10722; 17673				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0841Q North Fork Fish Creek (unclassified water body)**

A 5 mile stretch of North Fork Fish Creek running upstream from confluence with Fish Creek in Dallas Co., to SH 360 in, Tarrant Co.

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 0841Q\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	0.20 Miles
<b>Station ID(s)</b> 17678				

**SegID 0841R Rush Creek (unclassified water body)**

A 5 mile stretch of Rush Creek running upstream from confluence with Village Creek to confluence with Kee Branch in Arlington, Tarrant Co.

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 0841R\_01 Entire segment.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	5.00 Miles
<b>Station ID(s)</b> 10788; 10790; 10791; 17190; 17191				

**SegID 0841S Vilbig Lakes (unclassified water body)**

A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

**Segment Type** Reservoir **Segment Size** 5 Acres

*AU\_ID 0841S\_01 A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	5.00 Acres
<b>Station ID(s)</b> 15624				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0841T Village Creek (unclassified water body)**

A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.

**Segment Type** Freshwater Stream **Segment Size** 7 Miles

*AU\_ID 0841T\_01 A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	7.00 Miles

**Station ID(s)** 10778; 17189

**SegID 0841U West Irving Creek (unclassified water body)**

A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 0841U\_01 A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	4.00 Miles

**Station ID(s)** 17179

**SegID 0901 Cedar Bayou Tidal**

From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

**Segment Type** Tidal Stream **Segment Size** 19 Miles

*AU\_ID 0901\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	19.00 Miles

**Station ID(s)** 11111

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 0902 Cedar Bayou Above Tidal**

From a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 miles) upstream of FM 1960 in Liberty County

**Segment Type** Freshwater Stream **Segment Size** 25 Miles

*AU\_ID 0902\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 11120				

**SegID 1001 San Jacinto River Tidal**

From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

**Segment Type** Tidal Stream **Segment Size** 17 Miles

*AU\_ID 1001\_01 From Lake Houston Dam to US Hwy 90*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	TSWQS	High	TWQS-Appendix A	4.90 Miles
<b>Station ID(s)</b> 11200; 11201				

*AU\_ID 1001\_02 From US Hwy 90 to IH 10*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	TSWQS	High	TWQS-Appendix A	12.10 Miles
<b>Station ID(s)</b> 11193; 11198; 16622; 17919				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1002 Lake Houston**

From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44.5 feet (impounds San Jacinto River)

Segment Type Reservoir Segment Size 12140 Acres

*AU\_ID 1002\_01 Confluence with Red Gully to FM 1960 East Pass*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1440.00 Acres

Station ID(s) 11212; 13954

*AU\_ID 1002\_02 West Lake Houston Parkway to FM 1960 West Pass*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1930.00 Acres

Station ID(s) 11211; 13957; 14148

*AU\_ID 1002\_03 FM 1960 to Missouri Pacific Railroad Tracks*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1580.00 Acres

Station ID(s) 11208; 13948; 13951

*AU\_ID 1002\_04 Missouri Pacific Railroad to Foley Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2610.00 Acres

Station ID(s) 16668

*AU\_ID 1002\_05 From Foley Road to Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2670.00 Acres

Station ID(s) 11204; 13942

*AU\_ID 1002\_06 Confluence with Spring Creek to West Lake Houston Pkwy*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1040.00 Acres

Station ID(s) 11213

*AU\_ID 1002\_07 Confluence with East Fork San Jacinto River to confluence with Red Gully*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	870.00 Acres

Station ID(s) 16623

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1002B Luce Bayou (unclassified water body)**

From confluence with Lake Houston (Harris County) to FM 1008 (Liberty County).

**Segment Type** Freshwater Stream **Segment Size** 22.3 Miles

*AU\_ID 1002B\_01 From FM 1008 to confluence with Tarkington Bayou*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Intermediate	Presumption from Flow Type	9.30 Miles

**Station ID(s)**

*AU\_ID 1002B\_02 From confluence with Tarkington Bayou to upstream of Key Gully*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	7.70 Miles

**Station ID(s)** 13610

*AU\_ID 1002B\_03 Upstream of Key Gully to confluence with Lake Houston*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	5.30 Miles

**Station ID(s)** 11187; 18671

**SegID 1003 East Fork San Jacinto River**

From the confluence of Caney Creek in Harris County to US 190 in Walker County

**Segment Type** Freshwater Stream **Segment Size** 75 Miles

*AU\_ID 1003\_01 Confluence with Caney Creek upstream to US 59*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	23.00 Miles

**Station ID(s)** 11235

*AU\_ID 1003\_02 US Hwy 59 to 25 miles upstream (just upstream of Clear Creek confluence)*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 11238; 14242

*AU\_ID 1003\_03 25 miles upstream of US 59 to US 190 (upper segment boundary)*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	27.00 Miles

**Station ID(s)** 17431

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1004 West Fork San Jacinto River**

From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

**Segment Type** Freshwater Stream **Segment Size** 40 Miles

*AU\_ID 1004\_01 Lake Conroe Dam to IH45*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.40 Miles

**Station ID(s)** 11245; 11250; 11251

*AU\_ID 1004\_02 IH 45 to the Spring Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.60 Miles

**Station ID(s)** 13611; 16624

**SegID 1004D Crystal Creek (unclassified water body)**

From the confluence of the east and west forks of Crystal Creek to the confluence with the West Fork of the San Jacinto River.

**Segment Type** Freshwater Stream **Segment Size** 6.2 Miles

*AU\_ID 1004D\_01 Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	6.20 Miles

**Station ID(s)** 16635

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1004E Stewarts Creek (unclassified water body)**

From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River.

**Segment Type** Freshwater Stream **Segment Size** 18 Miles

*AU\_ID 1004E\_01 From headwaters NW of Old Montgomery Road to an unnamed impoundment at Airport Rd N of SH 105*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	11.40 Miles

**Station ID(s)**

*AU\_ID 1004E\_02 From Airport Rd to confluence with West Fork San Jacinto River*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	6.60 Miles

**Station ID(s)** 16626

**SegID 1005 Houston Ship Channel/San Jacinto River Tidal**

From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

**Segment Type** Tidal Stream **Segment Size** 12 Miles

*AU\_ID 1005\_01 Downstream I-10 to Lynchburg Ferry Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	2.50 Miles

**Station ID(s)** 16619; 16621

*AU\_ID 1005\_02 Lynchburg Ferry Road to Goose Island*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	3.20 Miles

**Station ID(s)** 11258; 15897; 16195

*AU\_ID 1005\_03 Goose Island to SH 146*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	3.10 Miles

**Station ID(s)** 11254; 16618

*AU\_ID 1005\_04 SH 146 to Morgans Point*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	3.20 Miles

**Station ID(s)** 11252

**SegID 1005A Crystal Bay (unclassified water body)**

Segment Type Estuary Segment Size 0.52 Sq. Miles

*AU\_ID 1005A\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	Water body description	High	Presumption from Flow Type	0.52 Sq. Miles
<u>Station ID(s)</u> 17921				

**SegID 1006 Houston Ship Channel Tidal**

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

Segment Type Tidal Stream Segment Size 25.6 Miles

*AU\_ID 1006\_01 Houston Ship Channel Tidal-Greens Bayou confluence to Patrick Bayou confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A	3.80 Miles
<u>Station ID(s)</u> 11270; 11271; 15979; 16617				

*AU\_ID 1006\_02 Houston Ship Channel Tidal- Patrick Bayou confluence to lower segment boundary*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A	2.20 Miles
<u>Station ID(s)</u> 11264; 11266				

*AU\_ID 1006\_03 Greens Bayou Tidal*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A	15.50 Miles
<u>Station ID(s)</u> 11275; 11277; 11279; 16981; 18363				

*AU\_ID 1006\_04 Patrick Bayou Tidal*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A	2.50 Miles
<u>Station ID(s)</u> 11273; 15302; 16876; 16877; 17145; 17146; 17148; 17149; 17150; 17151; 17152; 17153; 17154; 17155				

*AU\_ID 1006\_05 Goodyear Creek Tidal*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A	1.60 Miles
<u>Station ID(s)</u> 16664				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1006D Halls Bayou (unclassified water body)**

Perennial stream from the confluence with Greens Bayou up to US 59 in Harris County

**Segment Type** Freshwater Stream **Segment Size** 19.9 Miles

*AU\_ID 1006D\_01 From the confluence with Greens Bayou to US 59*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix D	8.60 Miles

**Station ID(s)** 11127; 15862; 15863; 15864

*AU\_ID 1006D\_02 From Hirsch Road to Homestead Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	11.30 Miles

**Station ID(s)** 11126; 17490; 17491

**SegID 1006F Big Gulch Above Tidal (unclassified water body)**

From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

**Segment Type** Freshwater Stream **Segment Size** 1.2 Miles

*AU\_ID 1006F\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	Intermediate	Previous TCEQ Permit Decision	1.20 Miles

**Station ID(s)** 16662

**SegID 1006H Spring Gully Above Tidal (unclassified water body)**

From confluence with Greens Bayou to US 90 in Harris County

**Segment Type** Freshwater Stream **Segment Size** 0.5 Miles

*AU\_ID 1006H\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type	0.50 Miles

**Station ID(s)** 16663

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1006I Unnamed Tributary of Halls Bayou (unclassified water body)**

From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County

**Segment Type** Freshwater Stream **Segment Size** 0.72 Miles

*AU\_ID 1006I\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	Limited	Previous TCEQ Permit Decision	0.72 Miles
<b>Station ID(s)</b> 16666; 16667				

**SegID 1006J Unnamed Tributary of Halls Bayou (unclassified water body)**

From the confluence of Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

**Segment Type** Freshwater Stream **Segment Size** 2 Miles

*AU\_ID 1006J\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	Limited	Presumption from Flow Type	2.00 Miles
<b>Station ID(s)</b> 16665				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1007 Houston Ship Channel/Buffalo Bayou Tidal**

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

**Segment Type** Tidal Stream **Segment Size** 30.8 Miles

*AU\_ID 1007\_01 Houston Ship Channel/Buffalo Bayou Tidal*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	Minimal	TWQS-Appendix A	14.00 Miles

**Station ID(s)** 11283; 11284; 11286; 11287; 11292; 16620

*AU\_ID 1007\_02 Sims Bayou Tidal (upstream of SH 35 to Houston Ship Channel confluence)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	Minimal	TWQS-Appendix A	6.30 Miles

**Station ID(s)** 11302; 11304

*AU\_ID 1007\_03 Hunting Bayou Tidal (I-10 to confluence with Houston Ship Channel)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	Minimal	TWQS-Appendix A	4.30 Miles

**Station ID(s)** 11298; 18362

*AU\_ID 1007\_04 Brays Bayou Tidal (downstream of I 45 to confluence with the Houston Ship Channel)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	Minimal	TWQS-Appendix A	3.60 Miles

**Station ID(s)** 11306; 11307; 11309

*AU\_ID 1007\_05 Vince Bayou Tidal (SH 225 to confluence with the Houston Ship Channel)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	Minimal	TWQS-Appendix A	0.60 Miles

**Station ID(s)** 11299; 11300

*AU\_ID 1007\_06 Berry Bayou Tidal (2.4 km upstream of the Sims Bayou confluence)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	Minimal	TWQS-Appendix A	1.50 Miles

**Station ID(s)** 16660

*AU\_ID 1007\_07 Buffalo Bayou (US 59 to upstream of 69th Street WWTP)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	Minimal	TWQS-Appendix A	3.80 Miles

**Station ID(s)** 11296; 15841

*AU\_ID 1007\_08 Little Vince Bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	Minimal	TWQS-Appendix A	6.20 Miles

**Station ID(s)** 17488



**SegID 1007A Canal C-147 tributary of Sims Bayou Above Tidal (unclassified water body)**

Houston Ship Channel/Buffalo Bayou Tidal tributary

**Segment Type** Freshwater Stream **Segment Size** 2.1 Miles

*AU\_ID 1007A\_01 From confluence with an unnamed flood control ditch near Corsair St to the confluence with Sims Bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	Limited	Previous TCEQ Permit Decision	2.10 Miles
<b>Station ID(s)</b> 15875				

**SegID 1007B Brays Bayou Above Tidal (unclassified water body)**

Perennial stream from 11.5 km upstream of confluence with Houston Ship Channel up to SH 6

**Segment Type** Freshwater Stream **Segment Size** 27.5 Miles

*AU\_ID 1007B\_01 From 11.5km upstream of confluence with Brays Bayou Tidal to SH 6*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	19.70 Miles
<b>Station ID(s)</b> 11138; 11139; 11140; 15849; 15850; 15851; 15852; 15853; 15854; 15855; 15859; 16479; 18561				

*AU\_ID 1007B\_02 SH 6 to Clodine Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	WQS/Permits program	Limited	Presumption from Flow Type	3.00 Miles
<b>Station ID(s)</b> 15848				

**SegID 1007C Keegans Bayou Above Tidal (unclassified water body)**

Perennial stream from confluence with Brays Bayou upstream to Harris County line

**Segment Type** Freshwater Stream **Segment Size** 12.4 Miles

*AU\_ID 1007C\_01 From Harris County line to confluence with Brays Bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	12.40 Miles
<b>Station ID(s)</b> 11169				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1007D Sims Bayou Above Tidal (unclassified water body)**

Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

Segment Type Freshwater Stream Segment Size 15.7 Miles

*AU\_ID 1007D\_01 From 0.4 miles north of Beltway 8 to Hiram Clark*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type	2.90 Miles

Station ID(s) 11135; 16656

*AU\_ID 1007D\_02 From Hirman Clark to 11 miles upstream of the confluence with the Houston Ship Channel*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	8.20 Miles

Station ID(s) 11133; 15876

*AU\_ID 1007D\_03 From 11 miles upstream of the Houston Ship Channel confluence to SH 35*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	Limited	Presumption from Flow Type	4.60 Miles

Station ID(s) 11132; 15877; 15878

**SegID 1007E Willow Waterhole Bayou Above Tidal (unclassified water body)**

Perennial stream from confluence with Brays Bayou upstream to South Garden (in Missouri City)

Segment Type Freshwater Stream Segment Size 6.5 Miles

*AU\_ID 1007E\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	6.50 Miles

Station ID(s) 16652

**SegID 1007F Berry Bayou Above Tidal (unclassified water body)**

Perennial stream from 2.4 km upstream from the confluence with Sims Bayou to the southern city limits of South Houston

Segment Type Freshwater Stream Segment Size 2 Miles

*AU\_ID 1007F\_01 1.5 miles upstream from confluence with Sims Bayou to SH 3*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	2.00 Miles

Station ID(s) 16661

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1007G Kuhlman Gully Above Tidal (unclassified water body)**

From confluence with Brays Bayou in Harris County to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

**Segment Type** Freshwater Stream **Segment Size** 1.2 Miles

*AU\_ID 1007G\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	1.20 Miles
<b>Station ID(s)</b> 16653				

**SegID 1007H Pine Gully Above Tidal (unclassified water body)**

From the confluence with Sims Bayou in Harris County to Broadway in Harris County

**Segment Type** Freshwater Stream **Segment Size** 1 Miles

*AU\_ID 1007H\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type	1.00 Miles
<b>Station ID(s)</b> 16659				

**SegID 1007I Plum Creek Above Tidal (unclassified water body)**

From the confluence with Sims Bayou in Harris County to Telephone Road in Harris County

**Segment Type** Freshwater Stream **Segment Size** 3.8 Miles

*AU\_ID 1007I\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type	3.80 Miles
<b>Station ID(s)</b> 16658				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1007K Country Club Bayou Above Tidal (unclassified water body)**

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

Segment Type Freshwater Stream Segment Size 2 Miles

*AU\_ID 1007K\_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type	2.00 Miles
<u>Station ID(s)</u> 16650; 16651				

**SegID 1007L Unnamed Non-Tidal Tributary of Brays Bayou (unclassified water body)**

From the confluence with Brays Bayou near Fondren Road to a point 0.60 miles upstream in Harris County

Segment Type Freshwater Stream Segment Size 0.6 Miles

*AU\_ID 1007L\_01 Entire perennial portion of water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Water body description	Intermediate	Presumption from Flow Type	0.60 Miles
<u>Station ID(s)</u> 16654				

**SegID 1007M Unnamed Non-Tidal Tributary of Hunting Bayou (unclassified water body)**

From the confluence with Hunting Bayou to Mercury Road in Harris County

Segment Type Freshwater Stream Segment Size 1.1 Miles

*AU\_ID 1007M\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	Intermediate	Previous TCEQ Permit Decision	1.10 Miles
<u>Station ID(s)</u> 16657				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1007N Unnamed Non-Tidal Tributary of Sims Bayou (unclassified water body)**

From confluence with Sims Bayou, south of Airport Road, to Reed Road, east of SH 288 in Harris County

**Segment Type** Freshwater Stream **Segment Size** 1.4 Miles

*AU\_ID 1007N\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type	1.40 Miles
<b>Station ID(s)</b> 16655				

**SegID 1007O Unnamed Non-Tidal Tributary of Buffalo Bayou (unclassified water body)**

From confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

**Segment Type** Freshwater Stream **Segment Size** 1 Miles

*AU\_ID 1007O\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type	1.00 Miles
<b>Station ID(s)</b> 16649				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1007R Hunting Bayou Above Tidal (unclassified water body)**

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

**Segment Type** Freshwater Stream **Segment Size** 11 Miles

*AU\_ID 1007R\_01 From Bain Street to Sayers Street (South Fork)*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	WQS/Permits program	High	Presumption from Flow Type	0.90 Miles

**Station ID(s)** 15869

*AU\_ID 1007R\_02 From just east of Elysian Street to Falls Street (North Fork)*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	WQS/Permits program	High	Presumption from Flow Type	1.20 Miles

**Station ID(s)** 11131; 15867; 15868

*AU\_ID 1007R\_03 From Falls Street to Loop 610 East*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	WQS/Permits program	High	Presumption from Flow Type	4.80 Miles

**Station ID(s)** 11129; 15873

*AU\_ID 1007R\_04 From Loop 610 East to IH 10*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type	4.10 Miles

**Station ID(s)** 11128

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1008 Spring Creek**

From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the most upstream crossing of FM 1736 in Waller County

Segment Type Freshwater Stream Segment Size 69 Miles

*AU\_ID 1008\_01 FM 1736 to Field Store Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.00 Miles

Station ID(s)

*AU\_ID 1008\_02 Field Store Road to SH 249*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	23.00 Miles

Station ID(s) 11314; 11315; 11323

*AU\_ID 1008\_03 SH 249 to IH 45*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	23.00 Miles

Station ID(s) 11313; 17489; 18198

*AU\_ID 1008\_04 IH 45 to confluence with Lake Houston*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.00 Miles

Station ID(s) 11311; 11312

**SegID 1008B Upper Panther Branch (unclassified water body)**

Intermittent stream with perennial pools from the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

Segment Type Freshwater Stream Segment Size 6.7 Miles

*AU\_ID 1008B\_01 From Old Conroe Road to the confluence with Bear Branch*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	4.80 Miles

Station ID(s) 16629; 16630

*AU\_ID 1008B\_02 From the confluence with Bear Branch to confluence with Lake Woodlands*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D	1.90 Miles

Station ID(s) 16634

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1008C Lower Panther Branch (unclassified water body)**

Perennial stream from the confluence with Spring Creek upstream to the dam impounding Lake Woodlands in Montgomery County

**Segment Type** Freshwater Stream **Segment Size** 5.2 Miles

*AU\_ID 1008C\_01 From the Lake Woodlands Dam to Saw Dust Road*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	2.00 Miles

**Station ID(s)** 16627

*AU\_ID 1008C\_02 From Saw Dust Road to confluence with Spring Creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	Intermediate	TWQS-Appendix D	3.20 Miles

**Station ID(s)** 16628

**SegID 1008E Bear Branch (unclassified water body)**

From confluence with Upper Panther Branch to south of FM 1488 in Montgomery County

**Segment Type** Freshwater Stream **Segment Size** 8.7 Miles

*AU\_ID 1008E\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	8.70 Miles

**Station ID(s)** 16631



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1008F Lake Woodlands (unclassified water body)**

From Lake Woodlands Dam to confluence with Upper Panther Branch Creek in Montgomery County (impounds Upper Panther Branch)

**Segment Type** Reservoir **Segment Size** 284 Acres

*AU\_ID 1008F\_01 Upper end of segment to Northshore Park/Woodlock Forest*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	75.50 Acres

**Station ID(s)** 16484

*AU\_ID 1008F\_02 Northshore Park/Woodlock Forest to inflow from unnamed tributary*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	103.50 Acres

**Station ID(s)** 16483

*AU\_ID 1008F\_03 From inflow of unnamed tributary to dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	83.50 Acres

**Station ID(s)** 16482

*AU\_ID 1008F\_04 Arm near dam adjacent to West Isle Drive and Pleasure Cove Drive*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	21.50 Acres

**Station ID(s)** 16481

**SegID 1008H Willow Creek (unclassified water body)**

From 0.3 miles north of Juergen Rd to the confluence with Spring Creek

**Segment Type** Freshwater Stream **Segment Size** 18.3 Miles

*AU\_ID 1008H\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	18.30 Miles

**Station ID(s)** 11185

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1009 Cypress Creek**

From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

**Segment Type** Freshwater Stream **Segment Size** 53 Miles

*AU\_ID 1009\_01 Upper portion of segment to downstream of US 290*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	21.50 Miles

**Station ID(s)** 11333

*AU\_ID 1009\_02 US 290 to SH 249*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.00 Miles

**Station ID(s)** 11331; 11332

*AU\_ID 1009\_03 SH 249 to IH 45*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.20 Miles

**Station ID(s)** 11328; 11330

*AU\_ID 1009\_04 IH 45 to confluence with Spring Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.30 Miles

**Station ID(s)** 11324

**SegID 1009C Faulkey Gully (unclassified water body)**

Perennial stream from its confluence with Cypress Creek upstream 3.2 km, which is approximately 1.0 km upstream of Louetta Road

**Segment Type** Freshwater Stream **Segment Size** 6.8 Miles

*AU\_ID 1009C\_01 From an unnamed lake 0.3 miles southeast of Telge Road to the confluence with Cypress Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	6.80 Miles

**Station ID(s)** 17496

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1009D Spring Gully (unclassified water body)**

Perennial stream from a point 1 km upstream of Louetta Road upstream to Spring Cypress Road

**Segment Type** Freshwater Stream **Segment Size** 3.9 Miles

*AU\_ID 1009D\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	3.90 Miles
<b>Station ID(s)</b> 17481				

**SegID 1009E Little Cypress Creek**

From the confluence with Cypress Creek upstream to Hwy 290A.

**Segment Type** Freshwater Stream **Segment Size** 19.6 Miles

*AU\_ID 1009E\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	19.60 Miles
<b>Station ID(s)</b> 14159				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1010 Caney Creek**

From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

**Segment Type** Freshwater Stream **Segment Size** 57 Miles

*AU\_ID 1010\_01 remaining upper portion of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.50 Miles

**Station ID(s)**

*AU\_ID 1010\_02 FM 1097 to SH 105*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	8.00 Miles

**Station ID(s)** 14241

*AU\_ID 1010\_03 SH 105 to FM 2090*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.50 Miles

**Station ID(s)** 11335

*AU\_ID 1010\_04 FM 2090 to lower segment boundary*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	19.00 Miles

**Station ID(s)** 11334

**SegID 1011 Peach Creek**

From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

**Segment Type** Freshwater Stream **Segment Size** 52 Miles

*AU\_ID 1011\_01 Upper segment boundary to US Hwy 59*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	27.00 Miles

**Station ID(s)** 11337; 11338; 16625

*AU\_ID 1011\_02 US Hwy 59 to confluence with Caney Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 11336

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1012 Lake Conroe**

From Conroe Dam in Montgomery County up to the normal pool elevation of 201 feet (impounds West Fork San Jacinto River)

**Segment Type** Reservoir **Segment Size** 19320 Acres

*AU\_ID 1012\_01 West Fork San Jacinto River arm to FM1375*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1478.00 Acres

**Station ID(s)** 11344; 13922

*AU\_ID 1012\_02 FM 1375 to Johnson Bluff*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2400.00 Acres

**Station ID(s)** 16645

*AU\_ID 1012\_03 Lewis Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	874.00 Acres

**Station ID(s)** 16644

*AU\_ID 1012\_04 Caney Creek arm to Hunters Point*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1543.00 Acres

**Station ID(s)** 13921; 16643

*AU\_ID 1012\_05 Johnson Bluff to FM 1097*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2291.00 Acres

**Station ID(s)** 13920; 16642

*AU\_ID 1012\_06 Little Lake Creek arm to Walden Estates*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1613.00 Acres

**Station ID(s)** 13919; 16640

*AU\_ID 1012\_07 Lewis Creek arm to Bowsprit Point*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	489.00 Acres

**Station ID(s)** 16641

*AU\_ID 1012\_08 Atkins Creek/Stewart Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1988.00 Acres

**Station ID(s)** 13916; 16638

*AU\_ID 1012\_09 Live Branch Creek arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	620.00 Acres

**Station ID(s)**

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

*AU\_ID 1012\_10 FM 1097 to Walden Estates (main lake)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	1955.00 Acres

Station ID(s)

*AU\_ID 1012\_11 Walden Estates to dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	4069.00 Acres

Station ID(s) 11342; 13914; 13915; 13917; 13918; 16639

**SegID 1012C Lake Raven (unclassified water body)**

Adjacent to Park Road 40 within the boundaries of Huntsville State Park.

<u>Segment Type</u>	<u>Segment Size</u>
Reservoir	208.5 Acres

*AU\_ID 1012C\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	Water body description	High	Presumption from Flow Type	208.50 Acres

Station ID(s) 17338

**SegID 1013 Buffalo Bayou Tidal**

From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepard Drive in Harris County

<u>Segment Type</u>	<u>Segment Size</u>
Tidal Stream	4 Miles

*AU\_ID 1013\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal stream	TSWQS	Intermediate	TWQS-Appendix A	4.00 Miles

Station ID(s) 11345; 11347; 11351; 15825; 15843

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1013A Little White Oak Bayou (unclassified water body)**

Perennial stream from the confluence with Whiteoak Bayou up to RR tracks north of IH 610

**Segment Type** Freshwater Stream **Segment Size** 4.3 Miles

*AU\_ID 1013A\_01 From RR tracks north of IH 610 to Trimble St*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	Limited	Presumption from Flow Type	2.40 Miles

**Station ID(s)** 11148

*AU\_ID 1013A\_02 From Trimble St to confluence with White Oak Bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type	1.90 Miles

**Station ID(s)** 16648

**SegID 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal (unclassified water body)**

Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

**Segment Type** Freshwater Stream **Segment Size** 0.6 Miles

*AU\_ID 1013C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	0.60 Miles

**Station ID(s)** 16675

**SegID 1014 Buffalo Bayou Above Tidal**

From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County

**Segment Type** Freshwater Stream **Segment Size** 21 Miles

*AU\_ID 1014\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	24.00 Miles

**Station ID(s)** 11353; 11354; 11356; 11357; 11358; 11359; 11360; 11361; 11362; 11363; 11364; 15844; 15845; 15846

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1014A Bear Creek (unclassified water body)**

Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Logenbaugh Road

**Segment Type** Freshwater Stream **Segment Size** 17.9 Miles

*AU\_ID 1014A\_01 Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	17.90 Miles

**Station ID(s)** 17484

**SegID 1014B Buffalo Bayou (unclassified water body)**

Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

**Segment Type** Freshwater Stream **Segment Size** 18.5 Miles

*AU\_ID 1014B\_01 From SH6 to the confluence with Willow Fork Buffalo Bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	18.50 Miles

**Station ID(s)** 17492

**SegID 1014E Langham Creek (unclassified water body)**

Perennial stream from the confluence with Dinner Creek upstream to FM 529

**Segment Type** Freshwater Stream **Segment Size** 9.8 Miles

*AU\_ID 1014E\_01 Confluence with Bear Creek upstream to the confluence with Dinner Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	8.80 Miles

**Station ID(s)** 17482

*AU\_ID 1014E\_02 Confluence with Dinner Creek upstream to FM 529*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	2.70 Miles

**Station ID(s)**



**SegID 1014H South Mayde Creek (unclassified water body)**

Perennial stream in the Addicks Reservoir flood pool area, from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road.

**Segment Type** Freshwater Stream **Segment Size** 11.5 Miles

*AU\_ID 1014H\_01 From the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	6.30 Miles

**Station ID(s)** 11163

*AU\_ID 1014H\_02 From the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	5.20 Miles

**Station ID(s)** 17493

**SegID 1014K Turkey Creek (unclassified water body)**

Perennial stream from the confluence with South Mayde Creek in Harris County upstream to the headwaters south of Clay Road in Harris County

**Segment Type** Freshwater Stream **Segment Size** 8.7 Miles

*AU\_ID 1014K\_01 From the confluence with South Mayde Creek upstream to a point south of Clay Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	5.50 Miles

**Station ID(s)** 15847

*AU\_ID 1014K\_02 From south of Clay Road upstream to north of Tanner Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type	3.20 Miles

**Station ID(s)** 17330; 17483

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1014L Mason Creek (unclassified water body)**

Perennial stream from the confluence with Buffalo Bayou upstream to channelization, 1.55 km south of Franz Road

**Segment Type** Freshwater Stream **Segment Size** 8.7 Miles

*AU\_ID 1014L\_01 Confluence with Buffalo Bayou upstream to the channelization south of Franz Rd.*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	4.60 Miles

**Station ID(s)** 17494

*AU\_ID 1014L\_02 South of Franz Rd to Katy-Hockley Cut Off Rd*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	4.10 Miles

**Station ID(s)**

**SegID 1014M Neimans Bayou (unclassified water body)**

From confluence with Buffalo Bayou Above Tidal to upstream of IH 10

**Segment Type** Freshwater Stream **Segment Size** 1 Miles

*AU\_ID 1014M\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type	1.00 Miles

**Station ID(s)** 16597

**SegID 1014N Rummel Creek (unclassified water body)**

From confluence with Buffalo Bayou Above Tidal in Harris County to IH 10/Beltway 8 in Harris County

**Segment Type** Freshwater Stream **Segment Size** 2.1 Miles

*AU\_ID 1014N\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type	2.10 Miles

**Station ID(s)** 11188

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 10140 Spring Branch (unclassified water body)**

From confluence with Buffalo Bayou in Harris County to Blalock Road in Harris County

**Segment Type** Freshwater Stream **Segment Size** 4 Miles

*AU\_ID 10140\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type	4.00 Miles
<b>Station ID(s)</b> 16591; 16592				

**SegID 1015 Lake Creek**

From the confluence with the West Fork San Jacinto River in Montgomery County to a point 4.0 km (2.5 miles) upstream of SH 30 in Grimes County

**Segment Type** Freshwater Stream **Segment Size** 48 Miles

*AU\_ID 1015\_01 SH 30 to just upstream of Landrum Creek confluence*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	23.00 Miles
<b>Station ID(s)</b> 18192; 18194				

*AU\_ID 1015\_02 Just upstream of confluence with Landrum Creek to confluence with West Fork San Jacinto River*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 11367; 18191				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1016 Greens Bayou Above Tidal**

From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

Segment Type Freshwater Stream Segment Size 24 Miles

*AU\_ID 1016\_01 Upper segment boundary (FM 1960) to IH 45*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	5.50 Miles

Station ID(s) 11374; 11376; 17495

*AU\_ID 1016\_02 IH 45 to US 59*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	8.00 Miles

Station ID(s) 11371; 13778

*AU\_ID 1016\_03 US 59 to lower segment boundary at the Halls Bayou confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	10.50 Miles

Station ID(s) 11369; 11370

**SegID 1016A Garners Bayou (unclassified water body)**

Perennial stream from the confluence with Williams Gully upstream to 1.5 km north of Atascocita Road

Segment Type Freshwater Stream Segment Size 7.2 Miles

*AU\_ID 1016A\_01 From Atascocita Road upstream to 1.7 km upstream of Will Clayton Pkwy*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	2.00 Miles

Station ID(s)

*AU\_ID 1016A\_02 From the confluence with Williams Gully upstream to 1.5 km north of Atascocita Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	3.60 Miles

Station ID(s) 16589

*AU\_ID 1016A\_03 From the confluence with Greens Bayou upstream to the confluence with Williams Gully*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	1.60 Miles

Station ID(s) 11125

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1016B Unnamed Tributary of Greens Bayou (unclassified water body)**

From confluence with Greens Bayou to Hirsch Road in Harris County

**Segment Type** Freshwater Stream **Segment Size** 5.1 Miles

*AU\_ID 1016B\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	Limited	Presumption from Flow Type	5.10 Miles
<b>Station ID(s)</b> 16590				

**SegID 1016C Unnamed Tributary of Greens Bayou (unclassified water body)**

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

**Segment Type** Freshwater Stream **Segment Size** 2.2 Miles

*AU\_ID 1016C\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	Limited	Previous TCEQ Permit Decision	2.20 Miles
<b>Station ID(s)</b> 11124				

**SegID 1016D Unnamed Tributary of Greens Bayou (unclassified water body)**

From confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

**Segment Type** Freshwater Stream **Segment Size** 2.75 Miles

*AU\_ID 1016D\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	2.75 Miles
<b>Station ID(s)</b> 16676				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1017 Whiteoak Bayou Above Tidal**

From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County

**Segment Type** Freshwater Stream **Segment Size** 23 Miles

*AU\_ID 1017\_01 Huffsmith Rd to the confluence with Vogel Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	12.70 Miles

**Station ID(s)** 11395; 11396

*AU\_ID 1017\_02 Vogel Creek to the Cole Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	1.50 Miles

**Station ID(s)** 15831

*AU\_ID 1017\_03 Cole Creek confluence to the Brickhouse Gully confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	1.60 Miles

**Station ID(s)** 15829

*AU\_ID 1017\_04 Brickhouse Gully confluence to lower segment boundary*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	7.40 Miles

**Station ID(s)** 11387; 11390; 15826; 15827; 15828; 16637

**SegID 1017A Brickhouse Gully/Bayou (unclassified water body)**

Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

**Segment Type** Freshwater Stream **Segment Size** 6 Miles

*AU\_ID 1017A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	6.00 Miles

**Station ID(s)** 16594

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1017B Cole Creek (unclassified water body)**

Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

**Segment Type** Freshwater Stream **Segment Size** 6.8 Miles

*AU\_ID 1017B\_01 From south of Beltway 8 to Flintlock Street*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	TSWQS	Minimal	Presumption from Flow Type	2.80 Miles

**Station ID(s)**

*AU\_ID 1017B\_02 From Flintlock Street to confluence with White Oak Bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	4.00 Miles

**Station ID(s)** 16593

**SegID 1017C Vogel Creek (unclassified water body)**

Perennial stream from the confluence with Whiteoak Bayou to a point 3.2 kilometers upstream of the confluence with Whiteoak Bayou

**Segment Type** Freshwater Stream **Segment Size** 5.46 Miles

*AU\_ID 1017C\_01 Confluence with White Oak Bayou to the railroad tracks 0.8 miles west of SH 249.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	1.66 Miles

**Station ID(s)** 11155

*AU\_ID 1017C\_02 From a point 3.2 km upstream of the confluence with White Oak Bayou to the railroad tracks 0.8 miles west of SH 249.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Water body description	Limited	Presumption from Flow Type	3.80 Miles

**Station ID(s)**

**SegID 1017D Unnamed Tributary of Whiteoak Bayou (unclassified water body)**

From confluence with Whiteoak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

**Segment Type** Freshwater Stream **Segment Size** 1.4 Miles

*AU\_ID 1017D\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	Limited	Presumption from Flow Type	1.40 Miles

**Station ID(s)** 16595

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1017E Unnamed Tributary of White Oak Bayou (unclassified water body)**

From the confluence with White Oak Bayou, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County

**Segment Type** Freshwater Stream **Segment Size** 1.6 Miles

*AU\_ID 1017E\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	Limited	Presumption from Flow Type	1.60 Miles
<b>Station ID(s)</b> 16596				

**SegID 1101 Clear Creek Tidal**

From the confluence with Clear Lake at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

**Segment Type** Tidal Stream **Segment Size** 12 Miles

*AU\_ID 1101\_01 Upper segment boundary to Chigger Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	2.40 Miles
<b>Station ID(s)</b> 11448				

*AU\_ID 1101\_02 Chigger Creek confluence to IH 45*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	4.20 Miles
<b>Station ID(s)</b> 11447; 16576; 16577				

*AU\_ID 1101\_03 IH45 to Cow Bayou confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	3.50 Miles
<b>Station ID(s)</b> 11446; 15458; 16575				

*AU\_ID 1101\_04 Cow Bayou confluence to confluence with Clear Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	2.00 Miles
<b>Station ID(s)</b> 16572; 16573				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1101B Chigger Creek (unclassified water body)**

From the confluence of Clear Creek Tidal to the Brazos River Authority Canal near CR 143 in Galveston County

Segment Type Freshwater Stream Segment Size 9.8 Miles

*AU\_ID 1101B\_01 From the headwaters to FM 528*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Water body description	Limited	Presumption from Flow Type	8.00 Miles

Station ID(s) 16493; 17072; 17078

*AU\_ID 1101B\_02 FM 528 to the confluence with Clear Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Water body description	Limited	Presumption from Flow Type	1.80 Miles

Station ID(s) 16472

**SegID 1101C Cow Bayou (unclassified water body)**

From downstream of SH 3 and Bay Area Blvd to confluence with Clear Creek Tidal.

Segment Type Tidal Stream Segment Size 2.6 Miles

*AU\_ID 1101C\_01 From downstream of SH 3 and Bay Area Blvd to confluence with Clear Creek Tidal.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal stream	not available	High	Presumption from Flow Type	2.60 Miles

Station ID(s) 17928

**SegID 1101D Robinson Bayou (unclassified water body)**

From confluence with Clear Creek to 0.33 mile upstream of Webster Street in Galveston County

Segment Type Tidal Stream Segment Size 1.4 Miles

*AU\_ID 1101D\_01 From headwater to Abilene St.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal stream	Water body description	High	Presumption from Flow Type	0.78 Miles

Station ID(s) 16486

*AU\_ID 1101D\_02 From Abilene St. to confluence with Clear Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal	Water body description	High	Presumption from Flow Type	0.62 Miles

Station ID(s) 16475

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1102 Clear Creek Above Tidal**

From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

Segment Type Freshwater Stream Segment Size 30 Miles

*AU\_ID 1102\_01 Upper segment boundary (Rouen Road) to SH 288*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.20 Miles

Station ID(s) 17073; 17077

*AU\_ID 1102\_02 SH 288 to Hickory Slough confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	8.20 Miles

Station ID(s) 11452; 17076; 17079

*AU\_ID 1102\_03 Hickory Slough confluence to Turkey Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.40 Miles

Station ID(s) 11451; 14229; 17074

*AU\_ID 1102\_04 Turkey Creek confluence to Mary's Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3.60 Miles

Station ID(s) 11450

*AU\_ID 1102\_05 Mary's Creek confluence to lower segment boundary*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.60 Miles

Station ID(s) 11449

**SegID 1102A Cowart Creek (unclassified water body)**

Intermittent stream with perennial pools from the confluence with Clear Creek in Galveston County to SH 35 in Brazoria County

Segment Type Freshwater Stream Segment Size 6.4 Miles

*AU\_ID 1102A\_01 Sunset Drive to SH35*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	TWQS-Appendix D	Limited	TWQS-Appendix D	4.60 Miles

Station ID(s) 11426; 16477

*AU\_ID 1102A\_02 Confluence with Clear Creek to Sunset Drive*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D	1.80 Miles

Station ID(s) 11425; 16478

**SegID 1102B Mary's Creek/ North Fork Mary's Creek (unclassified water body)**

Perennial stream from the confl. with Clear Creek upstrm to confl. with N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW of Pearland. Includes perennial portion of N. Fork Mary's Creek to confl. with unnamed trib approx. 3.2 km upstrm of FM 1128

Segment Type Freshwater Stream Segment Size 10.9 Miles

*AU\_ID 1102B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	10.90 Miles
<u>Station ID(s)</u> 16473				

**SegID 1102C Hickory Slough (unclassified water body)**

From approximately 0.3 miles upstream of CR 92 to the confluence with Clear Creek.

Segment Type Freshwater Stream Segment Size 10.4 Miles

*AU\_ID 1102C\_01 From confluence with Clear Creek to (approx. 0.3 miles) upstream of CR 93*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	10.40 Miles
<u>Station ID(s)</u> 17068				

**SegID 1102D Turkey Creek (unclassified water body)**

From IH 45 to confluence with Clear Creek

Segment Type Freshwater Stream Segment Size 3 Miles

*AU\_ID 1102D\_01 Confluence with Clear Creek to IH 45*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	3.00 Miles
<u>Station ID(s)</u> 17069				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1102E Mud Gully (unclassified water body)**

From Beamer Rd to the confluence with Clear Creek

**Segment Type** Freshwater Stream **Segment Size** 2.66 Miles

*AU\_ID 1102E\_01 Beamer Road to confluence with Clear Creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	2.66 Miles
<b>Station ID(s)</b> 17070; 17071				

**SegID 1103 Dickinson Bayou Tidal**

From the confluence with Dickinson Bay 2.1 km (1.3 miles) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County

**Segment Type** Tidal Stream **Segment Size** 15 Miles

*AU\_ID 1103\_01 From 25 miles downstream of FM 517 to the Bordens Gully confluence*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	TSWQS	High	TWQS-Appendix A	5.20 Miles
<b>Station ID(s)</b> 11462; 11464; 18649; 18651				

*AU\_ID 1103\_02 From the Bordens Gully confluence to the Benson Bayou confluence*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	TSWQS	High	TWQS-Appendix A	1.00 Miles
<b>Station ID(s)</b> 11461; 18650				

*AU\_ID 1103\_03 From the Benson Bayou confluence to the confluence with Gum Bayou*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	TSWQS	High	TWQS-Appendix A	4.00 Miles
<b>Station ID(s)</b> 11457; 11460; 16679; 16979				

*AU\_ID 1103\_04 From the Gum Bayou to 1.3 miles downstream of SH 146*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	TSWQS	High	TWQS-Appendix A	4.80 Miles
<b>Station ID(s)</b> 11455				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1103A Bensons Bayou (unclassified water body)**

From the confluence with Dickinson Bayou Tidal to 0.37 miles upstream of FM 646 in Galveston County

**Segment Type** Tidal Stream **Segment Size** 2.3 Miles

*AU\_ID 1103A\_01 From confluence with Dickinson Bayou Tidal to 0.37 miles upstream of FM 646*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	Water body description	High	Presumption from Flow Type	2.30 Miles
<b>Station ID(s)</b> 16471				

**SegID 1103B Bordens Gully (unclassified water body)**

From confluence with Dickinson Bayou Tidal to upstream of Calder Road in Galveston County

**Segment Type** Tidal Stream **Segment Size** 2.5 Miles

*AU\_ID 1103B\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	Water body description	High	Presumption from Flow Type	2.50 Miles
<b>Station ID(s)</b> 16469				

**SegID 1103C Geisler Bayou (unclassified water body)**

From confluence with Dickinson Bayou tidal to IH 45 in Galveston County

**Segment Type** Tidal Stream **Segment Size** 1.8 Miles

*AU\_ID 1103C\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	Water body description	High	Presumption from Flow Type	1.80 Miles
<b>Station ID(s)</b> 16470				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1103D Gum Bayou (unclassified water body)**

From confluence with Dickinson Bayou to FM 3436 in Galveston County

**Segment Type** Tidal Stream **Segment Size** 3.1 Miles

*AU\_ID 1103D\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	3.10 Miles
<b>Station ID(s)</b> 11436				

**SegID 1103E Cedar Creek (unclassified water body)**

From just upstream of the American Canal to the confluence with Dickinson Bayou

**Segment Type** Tidal Stream **Segment Size** 1.3 Miles

*AU\_ID 1103E\_01 Confluence with Dickinson Bayou Tidal to just upstream of American Canal*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Water body description	High	Presumption from Flow Type	1.30 Miles
<b>Station ID(s)</b> 11434				

**SegID 1104 Dickinson Bayou Above Tidal**

From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County

**Segment Type** Freshwater Stream **Segment Size** 7 Miles

*AU\_ID 1104\_01 From lower segment boundary upstream to FM 517*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	2.50 Miles
<b>Station ID(s)</b> 11465				

*AU\_ID 1104\_02 From lower segment boundary upstream to FM 517*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	2.50 Miles
<b>Station ID(s)</b> 11467; 11472				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1105 Bastrop Bayou Tidal**

From the confluence with Bastrop Bay 1.1 km (0.7 miles) downstream of the Intracoastal Waterway in Brazoria County to Old Clute Road at Lake Jackson in Brazoria County

Segment Type Tidal Stream Segment Size 25 Miles

*AU\_ID 1105\_01 Lower segment boundary to confluence with Austin Bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	12.50 Miles

Station ID(s) 14652

*AU\_ID 1105\_02 From confluence with Austin Bayou to upper segment boundary (Old Clute Rd)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	12.50 Miles

Station ID(s) 11475; 18049; 18505

**SegID 1107 Chocolate Bayou Tidal**

From the confluence with Chocolate Bay 1.4 km (0.9 miles) downstream of FM 2004 in Brazoria County to a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County

Segment Type Tidal Stream Segment Size 14 Miles

*AU\_ID 1107\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	14.00 Miles

Station ID(s) 11478

**SegID 1108 Chocolate Bayou Above Tidal**

From a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County to SH 6 in Brazoria County

Segment Type Freshwater Stream Segment Size 22 Miles

*AU\_ID 1108\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles

Station ID(s) 11484

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1109 Oyster Creek Tidal**

From the confluence with the Intracoastal Waterway in Brazoria County to a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County

**Segment Type** Tidal Stream **Segment Size** 25 Miles

*AU\_ID 1109\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 11485

**SegID 1110 Oyster Creek Above Tidal**

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County

**Segment Type** Freshwater Stream **Segment Size** 77 Miles

*AU\_ID 1110\_01 From 4 miles upstream of South Texas Water Co. Canal to upper segment boundary*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	13.00 Miles

**Station ID(s)**

*AU\_ID 1110\_02 4 mi upstream South Texas Water Co. Canal to just above Ramsey Prison Unit*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 11493

*AU\_ID 1110\_03 From just upstream of Ramsey Prison Unit (Cow Cr) to CR 290/S Walker St.*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles

**Station ID(s)** 11489

*AU\_ID 1110\_04 From CR 290/S Walker St. to FM 2004*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	10.00 Miles

**Station ID(s)**



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1111 Old Brazos River Channel Tidal**

From the confluence with the Intracoastal Waterway in Brazoria County to SH 288 in Brazoria County

Segment Type Estuary Segment Size 0.9 Sq. miles

*AU\_ID 1111\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	0.90 Sq. miles

Station ID(s) 11498

**SegID 1113 Armand Bayou Tidal**

From the confluence with Clear Lake (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff road in Pasadena in Harris County (includes Mud Lake)

Segment Type Tidal Stream Segment Size 8 Miles

*AU\_ID 1113\_01 Upper segment boundary to confluence with Big Island Slough*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	4.00 Miles

Station ID(s) 11505; 17623

*AU\_ID 1113\_02 Big Island Slough confluence to Horsepen Bayou confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	1.40 Miles

Station ID(s) 11503; 17319; 17622

*AU\_ID 1113\_03 Horsepen Bayou confluence to lower segment boundary (Nasa Rd 1)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	2.60 Miles

Station ID(s) 11499; 11500; 11501

**SegID 1113A Armand Bayou Above Tidal (unclassified water body)**

From a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County

Segment Type Freshwater Stream Segment Size 5.9 Miles

*AU\_ID 1113A\_01 0.5 miles downstream of Genoa Red Bluff to Preston Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	5.90 Miles

Station ID(s) 11404; 11405

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1113B Horsepen Bayou (unclassified water body)**

From SH3 to the confluence of Armand Bayou Tidal

**Segment Type** Tidal Stream **Segment Size** 6.7 Miles

*AU\_ID 1113B\_01 Confluence with Armand Bayou to SH 3*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	Water body description	High	Presumption from Flow Type	6.40 Miles
<b>Station ID(s)</b> 11408; 11409; 17317; 17318				

**SegID 1113C Unnamed tributary to Horsepen Bayou (unclassified water body)**

From Reseda Rd (at Clear Lake Golf Course) to the confluence with Horsepen Bayou

**Segment Type** Tidal Stream **Segment Size** 2 Miles

*AU\_ID 1113C\_01 Confluence with Horsepen Bayou to Reseda Road*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	Water body description	High	Presumption from Flow Type	2.00 Miles
<b>Station ID(s)</b> 17485				

**SegID 1113D Willow Spring (unclassified water body)**

From West Pasadena Blvd to the confluence with Armand Bayou

**Segment Type** Tidal Stream **Segment Size** 6.26 Miles

*AU\_ID 1113D\_01 West Pasadena Blvd to confluence with Armand Bayou*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	Water body description	High	Presumption from Flow Type	6.26 Miles
<b>Station ID(s)</b> 17487				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1113E Big Island Slough (unclassified water body)**

From SH 225 to the confluence with Armand Bayou

**Segment Type** Tidal Stream **Segment Size** 7.4 Miles

*AU\_ID 1113E\_01 Confluence with Armand Bayou to SH 255*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal stream	Water body description	High	Presumption from Flow Type	7.40 Miles
<b>Station ID(s)</b> 11402; 17486				

**SegID 1201 Brazos River Tidal**

From the confluence with the Gulf of Mexico in Brazoria County to a point 100 meters (110 miles) upstream of SH 332 in Brazoria County

**Segment Type** Tidal Stream **Segment Size** 25 Miles

*AU\_ID 1201\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 11843; 16878				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1202 Brazos River Below Navasota River**

From a point 100 meters (110 yards) upstream of SH 332 in Brazoria County to the confluence of the Navasota River in Grimes County

**Segment Type** Freshwater Stream **Segment Size** 199 Miles

*AU\_ID 1202\_01 Lower segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	48.00 Miles

**Station ID(s)** 16355

*AU\_ID 1202\_02 Middle of segment to 2 miles downstream of Rosenberg*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles

**Station ID(s)** 11846

*AU\_ID 1202\_03 Middle of segment to the city of Fulsher*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	42.00 Miles

**Station ID(s)** 16387

*AU\_ID 1202\_04 Middle of segment to 2.5 mi N. of the City of San Felipe*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles

**Station ID(s)** 16386

*AU\_ID 1202\_05 Upper portion of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	40.00 Miles

**Station ID(s)** 11850

**SegID 1202H Allen's Creek (unclassified water body)**

From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

**Segment Type** Freshwater Stream **Segment Size** 15.82 Miles

*AU\_ID 1202H\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	15.82 Miles

**Station ID(s)** 11577

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1202I Bessie's Creek (unclassified water body)**

From the confluence with the Brazos River in Fort Bend County to the headwaters 1.5 miles east of Monaville in Waller County

**Segment Type** Freshwater Stream **Segment Size** 42.84 Miles

*AU\_ID 1202I\_01 Upstream portion of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision	24.53 Miles

**Station ID(s)** 11580

*AU\_ID 1202I\_02 Downstream portion of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision	18.31 Miles

**Station ID(s)**

**SegID 1202J Big Creek (unclassified water body)**

From the confluence of Cottonwood and Coon Creeks, 5 miles north of Needville in Fort Bend County, downstream to the confluence with the Brazos River

**Segment Type** Freshwater Stream **Segment Size** 36.82 Miles

*AU\_ID 1202J\_01 Upstream portion of water body to Whaley-Longpoint Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	15.00 Miles

**Station ID(s)** 11518; 17551; 18393

*AU\_ID 1202J\_02 Downstream portion of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	21.82 Miles

**Station ID(s)** 16353; 16354; 17932

**SegID 1202K Mill Creek (unclassified water body)**

From confluence of East and West Mill Creeks downstream to confluence with Brazos River

**Segment Type** Freshwater Stream **Segment Size** 17.19 Miles

*AU\_ID 1202K\_01 Downstream portion of creek to confluence with Brazos River*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	8.60 Miles

**Station ID(s)** 11576

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1202P Pond Creek (unclassified water body)**

From its confluence with Clear Creek upstream to its headwaters, 3 miles north of Prairie View in Waller County

**Segment Type** Freshwater Stream **Segment Size** 9.6 Miles

*AU\_ID 1202P\_01 entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	9.60 Miles
<b><u>Station ID(s)</u></b> 11579				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1203 Whitney Lake**

From Whitney Dam in Bosque/Hill County to a point immediately upstream of the confluence of Camp Creek on the Brazos River Arm in Bosque/Johnson County and to a point immediately upstream of the confluence of Rock Creek on the Nolan River arm in Hill County up to the normal pool elevation of 533 feet (impounds Brazos River)

**Segment Type** Reservoir **Segment Size** 15019 Acres

*AU\_ID 1203\_01 Portion near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	657.00 Acres
<b>Station ID(s)</b> 11851; 13987; 13988				

*AU\_ID 1203\_02 Main Body of Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	10187.00 Acres
<b>Station ID(s)</b> 11855; 13989; 13990; 13992; 13993				

*AU\_ID 1203\_03 Steele Creek Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2840.00 Acres
<b>Station ID(s)</b> 13991				

*AU\_ID 1203\_04 Riverine portion east of Morgan*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	930.00 Acres
<b>Station ID(s)</b> 13994				

*AU\_ID 1203\_05 Nolan River Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	204.00 Acres
<b>Station ID(s)</b> 11854				

*AU\_ID 1203\_06 Brazos River Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	201.00 Acres
<b>Station ID(s)</b> 11853				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1203A Steele Creek (unclassified water body)**

Perennial stream from the confluence with Whitney Lake up to 2.4 km above the confluence of Cox Branch

**Segment Type** Freshwater Stream **Segment Size** 26 Miles

*AU\_ID 1203A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	26.00 Miles
<b>Station ID(s)</b> 16411				

**SegID 1204 Brazos River Below Lake Granbury**

From a point immediately upstream of the confluence of Camp Creek in Bosque/Johnson County to DeCordova Bend Dam in Hood County

**Segment Type** Freshwater Stream **Segment Size** 52 Miles

*AU\_ID 1204\_01 Downstream portion of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	16.00 Miles
<b>Station ID(s)</b>				

*AU\_ID 1204\_02 Upstream portion of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	36.00 Miles
<b>Station ID(s)</b> 11856				

**SegID 1204A Camp Creek (unclassified water body)**

From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 miles north of US Hwy 67 in Johnson County.

**Segment Type** Freshwater Stream **Segment Size** 12.2 Miles

*AU\_ID 1204A\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
not available	not available	not available	not available	12.20 Miles
<b>Station ID(s)</b> 17533				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1205 Lake Granbury**  
 From DeCordova Bend Dam in Hood County to a point 100 meters (110 yards) upstream of FM 2580 in Parker County, up to normal pool elevation of 693 feet (impounds Brazos River)  
Segment Type Reservoir Segment Size 8700 Acres

AU\_ID 1205\_01 Upstream portion of lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	980.00 Acres

Station ID(s)

AU\_ID 1205\_02 Portion of lake adjacent to the City of Oak Trail Shores

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	2518.00 Acres

Station ID(s) 11862

AU\_ID 1205\_03 Portion of lake adjacent to the City of Granbury

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1458.00 Acres

Station ID(s) 11861

AU\_ID 1205\_04 Portion of lake downstream of Granbury

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1630.00 Acres

Station ID(s)

AU\_ID 1205\_05 Downstream portion of lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2114.00 Acres

Station ID(s) 11860

AU\_ID 1205\_SA1 Unnamed inlets and canals adjacent to AU 1205\_01

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	Acres

Station ID(s) 17930; 17931; 18004; 18005

AU\_ID 1205\_SA2 Unnamed inlets and canals adjacent to 1205\_02

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	Acres

Station ID(s) 18006; 18007; 18008; 18009; 18010; 18011; 18012; 18013; 18014; 18015

AU\_ID 1205\_SA3 Unnamed inlets and canals adjacent to 1205\_03

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	Acres

Station ID(s) 18017; 18018; 18019; 18020; 18021

AU\_ID 1205\_SA4 Unnamed inlets and canals adjacent to 1205\_04

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	Acres

Station ID(s) 18022; 18023; 18026; 18027; 18028; 18029; 18030; 18031; 18032; 18033; 18034; 18035; 18036; 18037; 18038; 18039; 18040

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

*AU\_ID 1205\_SA5 Unnamed inlets and canals adjacent to 1205\_05*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix A	Acres
<b>Station ID(s)</b> 18041; 18042; 18043; 18044; 18045				

**SegID 1205B Bee Creek (unclassified water body)**

Tributary to Lake Granbury, 2.2 miles north of Granbury in Hood County

<b>Segment Type</b>	<b>Segment Size</b>
Freshwater Stream	15.5 Miles

*AU\_ID 1205B\_01 entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	15.50 Miles
<b>Station ID(s)</b> 18016				

**SegID 1206 Brazos River Below Possum Kingdom Lake**

From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Shepard Dam in Palo Pinto County

<b>Segment Type</b>	<b>Segment Size</b>
Freshwater Stream	109 Miles

*AU\_ID 1206\_01 Downstream portion of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	28.00 Miles
<b>Station ID(s)</b> 13543				

*AU\_ID 1206\_02 Middle Portion of Segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	60.00 Miles
<b>Station ID(s)</b> 11863				

*AU\_ID 1206\_03 Upstream portion of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	21.00 Miles
<b>Station ID(s)</b> 11864				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

---

**SegID 1206D Palo Pinto Creek below Palo Pinto Reservoir (unclassified water body)**

From the confluence with the Brazos River to the Palo Pinto Reservoir in Palo Pinto County

**Segment Type** Freshwater Stream **Segment Size** 17.5 Miles

*AU\_ID 1206D\_01 Entire water body, downstream of Lake Palo Pinto*

<b><u>Flow Type</u></b>	<b><u>Flow Type Source</u></b>	<b><u>ALU Designation</u></b>	<b><u>ALU Designation Source</u></b>	<b><u>AU Size</u></b>
perennial	TWQS-Appendix D	High	TWQS-Appendix D	18.50 Miles

**Station ID(s)** 16408



## 2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

---

AU\_ID 1207\_10 Bluff Creek arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	Water body description	High	TWQS-Appendix A	1067.00 Acres

Station ID(s) 11866

AU\_ID 1207\_11 Jewell Creek arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	Water body description	High	TWQS-Appendix A	1191.00 Acres

Station ID(s) 14023; 14024

AU\_ID 1207\_12 Downstream portion of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	Water body description	High	TWQS-Appendix A	1359.00 Acres

Station ID(s) 11865

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1208 Brazos River Above Possum Kingdom Lake**

From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

Segment Type Freshwater Stream Segment Size 189 Miles

*AU\_ID 1208\_01 From confluence with Possum Kingdom upstream to confluence with Spring Branch*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	19.00 Miles

Station ID(s) 11869

*AU\_ID 1208\_02 Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles

Station ID(s) 13641

*AU\_ID 1208\_03 From confluence with Fish Creek upstream to confluence with Boggy Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	31.00 Miles

Station ID(s)

*AU\_ID 1208\_04 From confluence with Boggy Creek upstream to confluence with Millers Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	42.00 Miles

Station ID(s) 11870

*AU\_ID 1208\_05 From confluence with Millers Creek upstream to confluence with Lake Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles

Station ID(s) 11871

*AU\_ID 1208\_06 From confluence with Lake Creek upstream to the confluence with Salt and Double Mountain Forks of the Brazos River*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	64.00 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1208A Millers Creek Reservoir (unclassified water body)**

Impoundment of Millers Creek, 12.5 miles southwest of Seymour in Baylor County

**Segment Type** Reservoir **Segment Size** 17.7 Acres

*AU\_ID 1208A\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	17.70 Acres
<b>Station ID(s)</b> 11679				

**SegID 1209 Navasota River Below Lake Limestone**

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

**Segment Type** Freshwater Stream **Segment Size** 120 Miles

*AU\_ID 1209\_01 From lower segment boundary to confluence with Rocky Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 11872				

*AU\_ID 1209\_02 From confluence with Rocky Creek to confluence with Sandy Branch*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.60 Miles
<b>Station ID(s)</b> 11875				

*AU\_ID 1209\_03 From confluence with Sandy Branch to confluence with Shepherd Branch*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	21.00 Miles
<b>Station ID(s)</b> 16398				

*AU\_ID 1209\_04 From confluence with Shepherd Branch to confluence with Camp Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 18341				

*AU\_ID 1209\_05 From confluence with Camp Creek to 25 miles upstream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 11877				

*AU\_ID 1209\_06 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.40 Miles
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1209A Country Club Lake (unclassified water body)**

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

**Segment Type** Reservoir **Segment Size** 18 Acres

*AU\_ID 1209A\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	18.00 Acres
<b>Station ID(s)</b> 11792; 11793; 11794				

**SegID 1209B Fin Feather Lake (unclassified water body)**

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

**Segment Type** Reservoir **Segment Size** 25 Acres

*AU\_ID 1209B\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	25.00 Acres
<b>Station ID(s)</b> 11798; 11799; 11800				

**SegID 1209C Carters Creek (unclassified water body)**

Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County

**Segment Type** Freshwater Stream **Segment Size** 17 Miles

*AU\_ID 1209C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	22.30 Miles
<b>Station ID(s)</b> 11784; 11785				



**SegID 1209D Country Club Branch (unclassified water body)**

From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

**Segment Type** Freshwater Stream **Segment Size** 0.7 Miles

*AU\_ID 1209D\_01 entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Routine Flow Data	Intermediate	Presumption from Flow Type	0.80 Miles
<b>Station ID(s)</b> 11795				

**SegID 1209E Wickson Creek (unclassified water body)**

Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

**Segment Type** Freshwater Stream **Segment Size** 33.2 Miles

*AU\_ID 1209E\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	33.20 Miles
<b>Station ID(s)</b> 11789				

**SegID 1209G Cedar Creek (unclassified water body)**

From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

**Segment Type** Freshwater Stream **Segment Size** 23 Miles

*AU\_ID 1209G\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	23.00 Miles
<b>Station ID(s)</b> 11787				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1209H Duck Creek (unclassified water body)**

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

**Segment Type** Freshwater Stream **Segment Size** 19 Miles

*AU\_ID 1209H\_01 From the lower end of the creek to FM 2096*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	8.00 Miles

**Station ID(s)** 16389

*AU\_ID 1209H\_02 From FM 2096 to Twin Oak Reservoir dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	11.00 Miles

**Station ID(s)** 16390

**SegID 1209I Gibbons Creek (unclassified water body)**

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

**Segment Type** Freshwater Stream **Segment Size** 23.4 Miles

*AU\_ID 1209I\_01 From lower end to confluence with Dry Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	6.00 Miles

**Station ID(s)** 11756

*AU\_ID 1209I\_02 From confluence with Dry Creek to SH 90*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	17.40 Miles

**Station ID(s)** 17904

**SegID 1209J Shepherd Creek (unclassified water body)**

From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County

**Segment Type** Freshwater Stream **Segment Size** 13.8 Miles

*AU\_ID 1209J\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	13.80 Miles

**Station ID(s)** 11790

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1209K Steele Creek (unclassified water body)**

From confluence with Navasota River in Robertson County to a point 2.4 miles upstream of FM 147 in Limestone County

Segment Type Freshwater Stream Segment Size 40.6 Miles

*AU\_ID 1209K\_01 Downstream portion of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	9.80 Miles

Station ID(s)

*AU\_ID 1209K\_02 From the confluence with Willow Creek upstream to the end of the water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	35.80 Miles

Station ID(s) 16384

**SegID 1209L Burton Creek (unclassified water body)**

From the confluence with Carters Creek in College Station, upstream to its headwaters located 0.4 miles east of Fin Feather Lake in Brazos County.

Segment Type Freshwater Stream Segment Size 4.4 Miles

*AU\_ID 1209L\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Water body description	Limited	Presumption from Flow Type	4.40 Miles

Station ID(s) 11783

**SegID 1210 Lake Mexia**

From Bistone Dam in Limestone County up to the normal pool elevation of 448.3 feet (impounds Navasota River)

Segment Type Reservoir Segment Size 1001.2 Acres

*AU\_ID 1210\_01 Eastern end of reservoir, from dam to RR 2681 east of Washington Park*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	459.50 Acres

Station ID(s) 11878; 14238; 17586; 17587

*AU\_ID 1210\_02 Western end, from point where reservoir begins to widen, to upper end*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	541.70 Acres

Station ID(s) 17588

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1210A Navasota River above Lake Mexia (unclassified water body)**

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 miles upstream of SH 31 in Hill County

Segment Type Freshwater Stream Segment Size 25 Miles

*AU\_ID 1210A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	25.00 Miles
<u>Station ID(s)</u> 16391				

**SegID 1211 Yegua Creek**

From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County

Segment Type Freshwater Stream Segment Size 20 Miles

*AU\_ID 1211\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles
<u>Station ID(s)</u> 11880				

**SegID 1211A Davidson Creek (unclassified water body)**

Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

Segment Type Freshwater Stream Segment Size 31 Miles

*AU\_ID 1211A\_01 Downstream portion of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	35.50 Miles
<u>Station ID(s)</u>				

*AU\_ID 1211A\_02 Upper 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	23.20 Miles
<u>Station ID(s)</u> 11729				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1212 Somerville Lake**  
 From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)  
Segment Type Reservoir Segment Size 12560 Acres

*AU\_ID 1212\_01 Eastern end of reservoir near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4123.00 Acres

Station ID(s) 11881

*AU\_ID 1212\_02 Northern arm of reservoir near town of Somerville*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1184.00 Acres

Station ID(s) 11883

*AU\_ID 1212\_03 Middle of reservoir near Birch Creek State Park*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4483.00 Acres

Station ID(s) 11885; 16879

*AU\_ID 1212\_04 Western end of reservoir near upper segment boundary*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2770.00 Acres

Station ID(s) 11882

**SegID 1212A Middle Yegua Creek (unclassified water body)**  
 From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line  
Segment Type Freshwater Stream Segment Size 50 Miles

*AU\_ID 1212A\_01 Lower 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

Station ID(s) 11838; 11839; 11840

*AU\_ID 1212A\_02 Remainder of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1212B East Yegua Creek (unclassified water body)**

From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

**Segment Type** Freshwater Stream **Segment Size** 41.8 Miles

*AU\_ID 1212B\_01 Lower 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 11594

*AU\_ID 1212B\_02 Upper 16.8 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	16.80 Miles

**Station ID(s)** 16887

**SegID 1213 Little River**

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

**Segment Type** Freshwater Stream **Segment Size** 104 Miles

*AU\_ID 1213\_01 From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	38.70 Miles

**Station ID(s)** 11888

*AU\_ID 1213\_02 From the City of Cameron WWTP receiving water upstream to the confluence with the San Gabriel River*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.00 Miles

**Station ID(s)** 17499

*AU\_ID 1213\_03 From confluence with San Gabriel River upstream to confl. with Boggy Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	51.10 Miles

**Station ID(s)** 13544

*AU\_ID 1213\_04 From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	8.80 Miles

**Station ID(s)** 16409

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1214 San Gabriel River**

From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

**Segment Type** Freshwater Stream **Segment Size** 34 Miles

*AU\_ID 1214\_01 From confluence with Little River upstream to confl. with Alligator Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.00 Miles

**Station ID(s)** 11892

*AU\_ID 1214\_02 From confluence with Alligator Creek upstream to Lake Granger*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.00 Miles

**Station ID(s)** 13648; 17652

**SegID 1215 Lampasas River Below Stillhouse Hollow Lake**

From the confluence with the Leon River in Bell County to Stillhouse Hollow Lake Dam in Bell County

**Segment Type** Freshwater Stream **Segment Size** 17 Miles

*AU\_ID 1215\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.00 Miles

**Station ID(s)** 11893; 13547

**SegID 1216 Stillhouse Hollow Lake**

From Stillhouse Hollow Lake Dam in Bell County to a point immediately upstream of the confluence of Rock Creek in Bell County, up to normal pool elevation of 622 feet (impounds Lampasas River)

**Segment Type** Reservoir **Segment Size** 6677.8 Acres

*AU\_ID 1216\_01 Main Body of Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	Exceptional	TWQS-Appendix A	6223.90 Acres

**Station ID(s)** 11894

*AU\_ID 1216\_02 Riverine portion of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	Exceptional	TWQS-Appendix A	453.90 Acres

**Station ID(s)** 11895

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1217 Lampasas River Above Stillhouse Hollow Lake**

From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County

Segment Type Freshwater Stream Segment Size 94 Miles

*AU\_ID 1217\_01 Lower 26 miles of the segment to the FM 2657 crossing*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	26.00 Miles

Station ID(s) 11896

*AU\_ID 1217\_02 From the FM 2657 crossing to the CR 5 crossing*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles

Station ID(s) 11897

*AU\_ID 1217\_03 From the CR 5 crossing to the FM 1690 crossing*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	13.00 Miles

Station ID(s) 16404

*AU\_ID 1217\_04 From the FM 1690 crossing to the CR 117 crossing*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles

Station ID(s) 15770

*AU\_ID 1217\_05 From CR 117 crossing to the upper end of the segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	19.00 Miles

Station ID(s) 15762

**SegID 1217A Rocky Creek (unclassified water body)**

From the confluence of the Lampasas River north of Okalla in Burnet County to the confluences of the North and South Rocky Creeks south of Oakalla in Burnet County

Segment Type Freshwater Stream Segment Size 7 Miles

*AU\_ID 1217A\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	7.00 Miles

Station ID(s) 11724



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1217B Sulphur Creek (unclassified water body)**

From the confluence of the Lampasas River east of Lampasas in Lampasas County to the confluences of Donalson Creek and Espy Branch west of Lampasas in Lampasas County

Segment Type Freshwater Stream Segment Size 23 Miles

*AU\_ID 1217B\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	23.00 Miles
<u>Station ID(s)</u> 15250; 15781				

**SegID 1217C Simms Creek (unclassified water body)**

From the confluence with the Lampasas River in Coryell County to a point 2.3 miles upstream of CR 59 in Mills County

Segment Type Freshwater Stream Segment Size 25 Miles

*AU\_ID 1217C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	not available	High	not available	25.00 Miles
<u>Station ID(s)</u> 15763				

**SegID 1217D North Fork Rocky Creek (unclassified water body)**

From its confluence with South Rocky Creek, upstream to its headwaters 7 miles west of US Hwy 183 in Burnet County

Segment Type Freshwater Stream Segment Size 12.3 Miles

*AU\_ID 1217D\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	12.30 Miles
<u>Station ID(s)</u> 18334				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1217E South Fork Rocky Creek (unclassified water body)**

From its confluence with North Fork Rocky Creek, upstream to its headwaters 11 miles west of US Hwy 183 in Burnet County

**Segment Type** Freshwater Stream **Segment Size** 17.1 Miles

*AU\_ID 1217E\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	17.10 Miles
<b>Station ID(s)</b> 11725; 18333				

**SegID 1218 Nolan Creek/ South Nolan Creek**

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

**Segment Type** Freshwater Stream **Segment Size** 29 Miles

*AU\_ID 1218\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles
<b>Station ID(s)</b> 11907				

**SegID 1219 Leon River Below Belton Lake**

From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County

**Segment Type** Freshwater Stream **Segment Size** 17 Miles

*AU\_ID 1219\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.00 Miles
<b>Station ID(s)</b> 11916				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1220 Belton Lake**

From Belton Dam in Bell County to a point 100 meters (110 yards) upstream of FM 236 in Coryell County, up to the normal pool elevation of 594 feet (impounds Leon River)

**Segment Type** Reservoir **Segment Size** 12425.7 Acres

*AU\_ID 1220\_01 Portion of Lake near Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2502.00 Acres

**Station ID(s)** 11921

*AU\_ID 1220\_02 Cowhouse Creek Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3329.00 Acres

**Station ID(s)** 11922

*AU\_ID 1220\_03 Leon River Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6542.00 Acres

**Station ID(s)** 11923

**SegID 1220A Cowhouse Creek (unclassified water body)**

From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream perennial portion of the stream north of Goldthwaite in Mills County

**Segment Type** Freshwater Stream **Segment Size** 96 Miles

*AU\_ID 1220A\_01 Downstream portion of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	43.80 Miles

**Station ID(s)**

*AU\_ID 1220A\_02 Middle portion of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	39.30 Miles

**Station ID(s)** 11805

*AU\_ID 1220A\_03 Upstream portion of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	40.70 Miles

**Station ID(s)** 17546

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1221 Leon River Below Proctor Lake**

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

**Segment Type** Freshwater Stream **Segment Size** 173 Miles

*AU\_ID 1221\_01 Directly upstream of Lake Belton*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	50.10 Miles

**Station ID(s)** 11925; 11926; 11927

*AU\_ID 1221\_02 Portion directly downstream of City of Gatesville WWTP*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	2.10 Miles

**Station ID(s)** 11928; 17501

*AU\_ID 1221\_03 From confluence with Stillhouse Creek, upstream to confluence with Plum Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	14.70 Miles

**Station ID(s)** 17545

*AU\_ID 1221\_04 From the confluence with Plum Creek, upstream to the confluence with Pecan Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	47.70 Miles

**Station ID(s)** 11929

*AU\_ID 1221\_05 From confluence with Pecan Creek, upstream to confluence with South Leon Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	48.70 Miles

**Station ID(s)** 11932; 15769

*AU\_ID 1221\_06 From confluence with South Leon Creek upstream to confluence with Walnut Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	23.20 Miles

**Station ID(s)** 17591

*AU\_ID 1221\_07 From the confluence with Walnut Creek upstream to Lake Proctor*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3.90 Miles

**Station ID(s)** 11934

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1221A Resley Creek (unclassified water body)**

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

Segment Type Freshwater Stream Segment Size 21 Miles

*AU\_ID 1221A\_01 Downstream portion, from confluence with Leon River upstream to conf. with unnamed tributary, approx. 1.0 mile N. of Comanche County Line*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	20.50 Miles

Station ID(s) 17377

*AU\_ID 1221A\_02 From confluence with unnamed tributary, upstream to end of water body, approx. 1.0 mile north west of Dublin*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	13.90 Miles

Station ID(s) 17376

**SegID 1221B South Leon River (unclassified water body)**

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

Segment Type Freshwater Stream Segment Size 17 Miles

*AU\_ID 1221B\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type	17.00 Miles

Station ID(s) 11817

**SegID 1221C Pecan Creek (unclassified water body)**

Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton

Segment Type Freshwater Stream Segment Size 11.9 Miles

*AU\_ID 1221C\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	11.90 Miles

Station ID(s) 17547

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1221D Indian Creek (unclassified water body)**

Perennial stream from an unnamed second order tributary (approximately 0.7 km downstream of Live Oak Street crossing) upstream to the confluence with Bachelor Prong Creek

**Segment Type** Freshwater Stream **Segment Size** 30 Miles

*AU\_ID 1221D\_01 From confluence with Leon River, upstream to confluence with Armstrong Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	17.00 Miles

**Station ID(s)** 11818

*AU\_ID 1221D\_02 From confluence with Armstrong Creek upstream to headwaters of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	13.00 Miles

**Station ID(s)** 17542

**SegID 1221E Plum Creek (unclassified water body)**

From its confluence with the Leon River in Coryell county, upstream to its headwaters 2.4 miles east of US Hwy 281 in Hamilton County

**Segment Type** Freshwater Stream **Segment Size** 26 Miles

*AU\_ID 1221E\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	26.00 Miles

**Station ID(s)** 18405

**SegID 1221F Walnut Creek (unclassified water body)**

From its confluence with Leon River upstream to its headwaters 2.4 miles west of Dublin in Erath County

**Segment Type** Freshwater Stream **Segment Size** 14.7 Miles

*AU\_ID 1221F\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	14.70 Miles

**Station ID(s)** 17379

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1222 Proctor Lake**

From Proctor Dam in Comanche County to a point immediately upstream of the confluence of Mill Branch in Comanche County, up to the normal pool elevation of 1162 feet (impounds Leon River)

Segment Type Reservoir Segment Size 4707.5 Acres

*AU\_ID 1222\_01 Sabana River arm of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	2621.00 Acres

Station ID(s) 11936

*AU\_ID 1222\_02 Copperas / Duncan Creeks arm of lake.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1052.00 Acres

Station ID(s) 11937

*AU\_ID 1222\_03 Portion of water body near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	1034.60 Acres

Station ID(s) 11935

**SegID 1222A Duncan Creek (unclassified water body)**

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

Segment Type Freshwater Stream Segment Size 12 Miles

*AU\_ID 1222A\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	16.20 Miles

Station ID(s) 11825; 17544

**SegID 1222B Rush-Copperas Creek (unclassified water body)**

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

Segment Type Freshwater Stream Segment Size 32 Miles

*AU\_ID 1222B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	42.30 Miles

Station ID(s) 11824

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1222C Sabana River (unclassified water body)**

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

**Segment Type** Freshwater Stream **Segment Size** 51 Miles

*AU\_ID 1222C\_01 Downstream portion of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	36.50 Miles

**Station ID(s)** 13647

*AU\_ID 1222C\_02 Upstream portion of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	not available	38.20 Miles

**Station ID(s)**

**SegID 1222D Sowell's Creek (unclassified water body)**

From its confluence with Lake Proctor, upstream to its headwaters 1.3 miles west of Dublin in Erath County

**Segment Type** Freshwater Stream **Segment Size** 12.5 Miles

*AU\_ID 1222D\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	12.50 Miles

**Station ID(s)** 11827

**SegID 1222E Sweetwater Creek (unclassified water body)**

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 miles west of Comanche in Comanche County

**Segment Type** Freshwater Stream **Segment Size** 23.9 Miles

*AU\_ID 1222E\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	23.90 Miles

**Station ID(s)** 17541



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1222F Hackberry Creek (unclassified water body)**

From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 miles west of Stephenville in Erath County

**Segment Type** Freshwater Stream **Segment Size** 12.4 Miles

*AU\_ID 1222F\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	12.40 Miles
<b>Station ID(s)</b> 17543				

**SegID 1223 Leon River Below Leon Reservoir**

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

**Segment Type** Freshwater Stream **Segment Size** 35 Miles

*AU\_ID 1223\_01 Entire Segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	35.00 Miles
<b>Station ID(s)</b> 11938				

**SegID 1223A Armstrong Creek (unclassified water body)**

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 miles east of State Hwy 16.

**Segment Type** Freshwater Stream **Segment Size** 17 Miles

*AU\_ID 1223A\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	17.00 Miles
<b>Station ID(s)</b> 15765; 17539				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1223B Cow Creek (unclassified water body)**

From the confluence with Armstrong Creek, upstream to its headwaters in Erath County, 5 miles north of Dublin

**Segment Type** Freshwater Stream **Segment Size** 12 Miles

*AU\_ID 1223B\_01 entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	12.00 Miles
<b>Station ID(s)</b> 17540; 18046				

**SegID 1224 Leon Reservoir**

From Leon Dam in Eastland County up to the normal pool elevation of 1375 feet (impounds Leon River)

**Segment Type** Reservoir **Segment Size** 1628.5 Acres

*AU\_ID 1224\_01 Portion near dam*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix A	268.00 Acres
<b>Station ID(s)</b> 11939				

*AU\_ID 1224\_02 Headwater portion*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix A	1360.50 Acres
<b>Station ID(s)</b> 11941				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1225 Waco Lake**

From Waco Lake Dam in McLennan County to a point 100 meters (110 yards) upstream of FM 185 on the North Bosque River Arm in McLennan County and the confluence of the Middle Bosque River on the South Bosque River Arm in McLennan County, up to the normal pool elevation of 455 feet (impounds Bosque River)

**Segment Type** Reservoir **Segment Size** 7178 Acres

*AU\_ID 1225\_01 North Bosque River arm of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	2641.00 Acres
<b>Station ID(s)</b> 11945; 11946; 11947; 16995; 17204; 17205; 17206; 18543				

*AU\_ID 1225\_02 Portion of lake near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2016.00 Acres
<b>Station ID(s)</b> 11942; 11943; 11944; 16996; 17207; 17208; 17209; 18541; 18542				

*AU\_ID 1225\_03 Middle/South Bosque River arm of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2521.00 Acres
<b>Station ID(s)</b> 11599; 11600; 11948; 16997; 17210; 17211; 18539; 18540				

**SegID 1225A Hog Creek (unclassified water body)**

From the creek mouth at Lake Waco in McLennan County to the upstream perennial headwaters in northeast Coryell County

**Segment Type** Freshwater Stream **Segment Size** 45.3 Miles

*AU\_ID 1225A\_01 From its confluence with Live Oak Creek downstream to Lake Waco*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	24.10 Miles
<b>Station ID(s)</b> 11601; 17212				

*AU\_ID 1225A\_02 From its confluence with Live Oak Creek upstream to its headwaters*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	21.70 Miles
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1226 North Bosque River**

From a point 100 meters (110 yards) upstream of FM 185 in McLennan County to a point immediately above the confluence of Indian Creek in Erath County

Segment Type Freshwater Stream Segment Size 103 Miles

*AU\_ID 1226\_01 Downstream portion near Valley Mills*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	26.90 Miles

Station ID(s) 11953; 11954; 17605

*AU\_ID 1226\_02 Portion of segment near Clifton*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.30 Miles

Station ID(s) 11956; 17500; 18379; 18380

*AU\_ID 1226\_03 Portion of segment near Meridian*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	34.40 Miles

Station ID(s) 11958; 11960; 18003

*AU\_ID 1226\_04 Upstream portion of segment near Hico*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	34.20 Miles

Station ID(s) 11961; 11962; 15123; 15694

**SegID 1226A Duffau Creek (unclassified water body)**

From the confluence of the North Bosque River west of Iredell in Bosque County to the upstream perennial portion of the stream east of Stephenville in Erath County

Segment Type Freshwater Stream Segment Size 21 Miles

*AU\_ID 1226A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	21.00 Miles

Station ID(s) 11810

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1226B Green Creek (unclassified water body)**

From the confluence of the North Bosque River south of Clairette in Erath County to the upstream perennial portion of the stream south of Stephenville in Erath County

**Segment Type** Freshwater Stream **Segment Size** 22 Miles

*AU\_ID 1226B\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	22.00 Miles
<b>Station ID(s)</b> 13486				

**SegID 1226C Meridian Creek (unclassified water body)**

From the confluence of the North Bosque River northwest of Clifton in Bosque County to the upstream perennial portion of the stream northeast of Hamilton in Hamilton County

**Segment Type** Freshwater Stream **Segment Size** 30 Miles

*AU\_ID 1226C\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	30.00 Miles
<b>Station ID(s)</b> 14908; 17243				

**SegID 1226D Neils Creek (unclassified water body)**

From the confluence of the North Bosque River south of Clifton in Bosque County to the confluence of the North and Middle Fork Neils Creeks west of Clifton in Bosque County

**Segment Type** Freshwater Stream **Segment Size** 31 Miles

*AU\_ID 1226D\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	31.00 Miles
<b>Station ID(s)</b> 11826				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1226E Indian Creek (unclassified water body)**

From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County

**Segment Type** Freshwater Stream **Segment Size** 7.7 Miles

*AU\_ID 1226E\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	7.70 Miles

**Station ID(s)** 17235

**SegID 1226F Sims Creek (unclassified water body)**

From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County

**Segment Type** Freshwater Stream **Segment Size** 8.2 Miles

*AU\_ID 1226F\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	8.20 Miles

**Station ID(s)** 17240

**SegID 1226G Spring Creek (unclassified water body)**

From the confluence with the North Bosque River in Hamilton County to the headwaters 8.5 miles west of Hico in Hamilton County

**Segment Type** Freshwater Stream **Segment Size** 8 Miles

*AU\_ID 1226G\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	8.00 Miles

**Station ID(s)** 17242

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1226H Alarm Creek (unclassified water body)**

From its confluence with the North Bosque River, upstream to its headwaters 3 miles west of Stephenville in Erath County

**Segment Type** Freshwater Stream **Segment Size** 17 Miles

*AU\_ID 1226H\_01 entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	17.00 Miles
<b>Station ID(s)</b> 17604				

**SegID 1226I Gilmore Creek (unclassified water body)**

From its confluence with the North Bosque River, upstream to its headwaters 11 miles west of Hico in Erath County

**Segment Type** Freshwater Stream **Segment Size** 13.7 Miles

*AU\_ID 1226I\_01 entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	13.70 Miles
<b>Station ID(s)</b> 17610				

**SegID 1226J Honey Creek (unclassified water body)**

From its confluence with the North Bosque River, upstream to its headwaters 2.8 miles west of US 281 in Hamilton County

**Segment Type** Freshwater Stream **Segment Size** 14.1 Miles

*AU\_ID 1226J\_01 entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	14.10 Miles
<b>Station ID(s)</b> 17611				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1226K Little Duffau Creek (unclassified water body)**

From its confluence with Duffau Creek, upstream to its headwaters 2.4 miles south west of US 67 in Erath County

**Segment Type** Freshwater Stream **Segment Size** 14.1 Miles

*AU\_ID 1226K\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	14.10 Miles
<b>Station ID(s)</b> 17608				

**SegID 1226L South Fork Little Green Creek (unclassified water body)**

From its confluence with Little Green Creek, upstream to its headwaters 3.5 miles south east of Dublin in Erath County

**Segment Type** Freshwater Stream **Segment Size** 5.3 Miles

*AU\_ID 1226L\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	5.30 Miles
<b>Station ID(s)</b> 13488				

**SegID 1226M Little Green Creek (unclassified water body)**

From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 miles south of SH 6 in Erath County.

**Segment Type** Freshwater Stream **Segment Size** 5.8 Miles

*AU\_ID 1226M\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	5.80 Miles
<b>Station ID(s)</b> 17606				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1226N Indian Creek Reservoir (unclassified water body)**

Impounded Indian Creek in Erath County, 5.6 miles southeast of Stephenville

**Segment Type** Reservoir **Segment Size** 26.9 Acres

*AU\_ID 1226N\_01 entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	Presumption from Flow Type	26.90 Acres
<b>Station ID(s)</b> 17234				

**SegID 1226O Sims Creek Reservoir (unclassified water body)**

Impounded Sims Creek in Erath County, 6.8 miles south east of Stephenville

**Segment Type** Reservoir **Segment Size** 28.7 Acres

*AU\_ID 1226O\_01 entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	Presumption from Flow Type	28.70 Acres
<b>Station ID(s)</b> 17239				

**SegID 1226P Spring Creek Reservoir (unclassified water body)**

Impounded Spring Creek in Erath County, 3.4 miles northwest of Hico

**Segment Type** Reservoir **Segment Size** 36.3 Acres

*AU\_ID 1226P\_01 entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	Presumption from Flow Type	36.30 Acres
<b>Station ID(s)</b> 17241				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1227 Nolan River**

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

**Segment Type** Freshwater Stream **Segment Size** 16 Miles

*AU\_ID 1227\_01 Downstream portion, including Mustang Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	6.40 Miles

**Station ID(s)** 11966; 11967

*AU\_ID 1227\_02 Upstream portion, to Lake Pat Cleburne*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	10.10 Miles

**Station ID(s)** 11968; 11970; 11971; 11972; 14450

**SegID 1227A Buffalo Creek (unclassified water body)**

Intermittent stream from the confluence with the Nolan River up to the confluence of East Buffalo Creek and West Buffalo Creek

**Segment Type** Freshwater Stream **Segment Size** 5.8 Miles

*AU\_ID 1227A\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	TWQS-Appendix D	Limited	TWQS-Appendix D	5.80 Miles

**Station ID(s)** 11780

**SegID 1228 Lake Pat Cleburne**

From Cleburne Dam in Johnson County up to the normal pool elevation of 733.5 feet (impounds Nolan River)

**Segment Type** Reservoir **Segment Size** 1550 Acres

*AU\_ID 1228\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1550.00 Acres

**Station ID(s)** 11974; 11975; 14447

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1229 Paluxy River /North Paluxy River**

From the confluence with the Brazos River in Somervell County to the confluence of Rough Creek in Erath County

**Segment Type** Freshwater Stream **Segment Size** 57 Miles

*AU\_ID 1229\_01 Lower 7 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.00 Miles

**Station ID(s)** 11976

*AU\_ID 1229\_02 Middle 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 14481

*AU\_ID 1229\_03 Upper 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 14245

**SegID 1229A Squaw Creek Reservoir (unclassified water body)**

Impounded Squaw Creek in Hood and Somerville Counties, 2.4 miles north of Glen Rose.

**Segment Type** Reservoir **Segment Size** 3100 Acres

*AU\_ID 1229A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	3100.00 Acres

**Station ID(s)** 17110

**SegID 1230 Lake Palo Pinto**

From Palo Pinto Dam in Palo Pinto County up to the normal pool elevation of 867 feet (impounds Palo Pinto Creek)

**Segment Type** Reservoir **Segment Size** 2661 Acres

*AU\_ID 1230\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2661.00 Acres

**Station ID(s)** 11977

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1231 Lake Graham**

From Graham Dam and Eddleman Dam in Young County up to the normal pool elevation of 1076.3 feet (impounds Salt Creek and Flint Creek)

**Segment Type** Reservoir **Segment Size** 2550 Acres

*AU\_ID 1231\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2550.00 Acres
<b>Station ID(s)</b> 11979				

**SegID 1232 Clear Fork Brazos River**

From the confluence with the Brazos River in Young County to the most upstream crossing of US 180 in Fisher County

**Segment Type** Freshwater Stream **Segment Size** 284 Miles

*AU\_ID 1232\_01 From confluence with Brazos River, upstream to conf. With Hubbard Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.10 Miles
<b>Station ID(s)</b> 11982				

*AU\_ID 1232\_02 From confluence with Hubbard Creek upstream to confluence with Deadman Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	138.60 Miles
<b>Station ID(s)</b> 11985; 11990; 11991				

*AU\_ID 1232\_03 From confluence with Deadman Creek upstream to conf. With Bitter Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	32.90 Miles
<b>Station ID(s)</b> 11992				

*AU\_ID 1232\_04 From confluence with Bitter Creek upstream to end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	86.40 Miles
<b>Station ID(s)</b> 11999; 12001				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1232A California Creek (unclassified water body)**

From the confluence of Paint Creek southeast of Haskell in Haskell County to the upstream perennial portion of the stream southwest of Stamford in Jones County

**Segment Type** Freshwater Stream **Segment Size** 67 Miles

*AU\_ID 1232A\_01 Middle 25 miles near RR 142*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 11709

*AU\_ID 1232A\_02 Remainder of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	42.00 Miles

**Station ID(s)**

**SegID 1232B Deadman Creek (unclassified water body)**

From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the upstream perennial portion of the stream north of Hamby in Jones County

**Segment Type** Freshwater Stream **Segment Size** 31 Miles

*AU\_ID 1232B\_01 From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision	13.20 Miles

**Station ID(s)** 11695; 11698

*AU\_ID 1232B\_02 Upstream of WWTP outfall to headwaters*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	20.50 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1233 Hubbard Creek Reservoir**

From Hubbard Creek Dam in Stephens County up to the normal pool elevation of 1183 feet (impounds Hubbard Creek)

**Segment Type** Reservoir **Segment Size** 15184 Acres

*AU\_ID 1233\_01 Main body of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	7945.00 Acres

**Station ID(s)** 12002; 13888; 13889

*AU\_ID 1233\_02 Hubbard Creek Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	3887.00 Acres

**Station ID(s)** 13881; 13885; 13886

*AU\_ID 1233\_03 Big Sandy Creek Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	3352.00 Acres

**Station ID(s)** 13880; 13882; 13884

**SegID 1233A Big Sandy Creek (unclassified water body)**

From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 miles west of US 183 in Stephens County.

**Segment Type** Freshwater Stream **Segment Size** 20.3 Miles

*AU\_ID 1233A\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	20.30 Miles

**Station ID(s)** 13640

**SegID 1233B Hubbard Creek (unclassified water body)**

Portion of Huybbard Creek from its confluence with Hubbard Creek Reservoir upstream to its headwaters in Callahan County, 15 miles east of Abilene.

**Segment Type** Freshwater Stream **Segment Size** 49 Miles

*AU\_ID 1233B\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	49.00 Miles

**Station ID(s)** 13639

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1234 Lake Cisco**

From Williamson Dam in Eastland County up to the normal pool elevation of 1496 feet (impounds Sandy Creek)

**Segment Type** Reservoir **Segment Size** 445 Acres

*AU\_ID 1234\_01 Lake Cisco (mid-lake)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	445.00 Acres

**Station ID(s)** 12005

**SegID 1235 Lake Stamford**

From Stamford Dam in Haskell County up to the normal pool elevation of 1416.8 feet (impounds Paint Creek)

**Segment Type** Reservoir **Segment Size** 4690 Acres

*AU\_ID 1235\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4690.00 Acres

**Station ID(s)** 12006

**SegID 1236 Fort Phantom Hill Reservoir**

From Fort Phantom Hill Dam in Jones County up to the normal pool elevation of 1636 feet (impounds Elm Creek)

**Segment Type** Reservoir **Segment Size** 14246 Acres

*AU\_ID 1236\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	14246.00 Acres

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1236A Cedar Creek (unclassified water body)**

From its confluence with Phantom Hill Reservoir, upstream to its headwaters 4 miles north east of Tuscola, in Taylor County

**Segment Type** Freshwater Stream **Segment Size** 34.8 Miles

*AU\_ID 1236A\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	34.80 Miles

**Station ID(s)** 11645

**SegID 1237 Lake Sweetwater**

From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet (impounds Bitter Creek)

**Segment Type** Reservoir **Segment Size** 621 Acres

*AU\_ID 1237\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	621.00 Acres

**Station ID(s)**

**SegID 1238 Salt Fork Brazos River**

From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

**Segment Type** Freshwater Stream **Segment Size** 178 Miles

*AU\_ID 1238\_01 25 miles near Hwy 83*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12022

*AU\_ID 1238\_02 25 miles near Hwy 380 at Swenson*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 13683

*AU\_ID 1238\_03 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	128.00 Miles

**Station ID(s)**



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1238A Croton Creek (unclassified water body)**

From its confluence with the Salt Fork of the Brazos River, upstream to its headwaters 1.6 miles north of Dickens in Dickens County

Segment Type Freshwater Stream Segment Size 61.5 Miles

*AU\_ID 1238A\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	61.50 Miles
<u>Station ID(s)</u> 11553				

**SegID 1239 White River**

From the confluence of the Salt Fork Brazos River in Kent County to White River Dam in Crosby County

Segment Type Freshwater Stream Segment Size 25 Miles

*AU\_ID 1239\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles
<u>Station ID(s)</u>				

**SegID 1240 White River Lake**

From White River Dam in Crosby County up to normal pool elevation of 2369 feet (impounds White River)

Segment Type Reservoir Segment Size 2020 Acres

*AU\_ID 1240\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2020.00 Acres
<u>Station ID(s)</u> 12027; 16880; 16881				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1240A White River above White River Reservoir (unclassified water body)**

From White River Reservoir, north to confluence with Running Water Draw in Crosby County.

**Segment Type** Freshwater Stream **Segment Size** 58 Miles

*AU\_ID 1240A\_01 Lower 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 11552

*AU\_ID 1240A\_02 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	33.00 Miles

**Station ID(s)**

**SegID 1241 Double Mountain Fork Brazos River**

From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

**Segment Type** Freshwater Stream **Segment Size** 145 Miles

*AU\_ID 1241\_01 25 miles near Hwy 83*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12029

*AU\_ID 1241\_02 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	120.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1241A North Fork Double Mountain Fork Brazos River (unclassified water body)**

Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon

**Segment Type** Freshwater Stream **Segment Size** 85 Miles

*AU\_ID 1241A\_01 From confluence with Dbl. Mtn. Frk. Of Brazos to Lake Ransom Canyon*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	88.00 Miles

**Station ID(s)** 11527

*AU\_ID 1241A\_02 Upstream portion, from confluence with Yellow House Draw to Lake Buffalo Springs*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	18.40 Miles

**Station ID(s)** 11534

**SegID 1241B Lake Alan Henry (unclassified water body)**

Impounded Double Mountain Fork Brazos Rive, 20.0 miles south east of Post in Garza and Kent Counties.

**Segment Type** Reservoir **Segment Size** 781.1 Acres

*AU\_ID 1241B\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	781.00 Acres

**Station ID(s)** 18414

**SegID 1241C Buffalo Springs Lake (unclassified water body)**

Impounded North Fork Double Mountain Fork Brazos River within city limits of Buffalo Springs, Lubbock County.

**Segment Type** Reservoir **Segment Size** 248 Acres

*AU\_ID 1241C\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	248.00 Acres

**Station ID(s)** 11529

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1242 Brazos River Above Navasota River**

From a point immediately upstream of the confluence of the Navasota River in Brazos/Grimes/Washington County to the low water dam forming Lake Brazos in McLennan County

**Segment Type** Freshwater Stream **Segment Size** 183 Miles

*AU\_ID 1242\_01 Downstream portion of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	46.00 Miles

**Station ID(s)** 12030

*AU\_ID 1242\_02 Portion of segment upstream of Bryan*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	34.00 Miles

**Station ID(s)** 15767

*AU\_ID 1242\_03 Middle portion of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles

**Station ID(s)**

*AU\_ID 1242\_04 Portion of segment downstream of Marlin*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	27.00 Miles

**Station ID(s)** 12032

*AU\_ID 1242\_05 Portion of Segment downstream of Waco*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	39.00 Miles

**Station ID(s)** 12034

*AU\_ID 1242\_06 Portion of Segment within Waco City Limits*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	8.00 Miles

**Station ID(s)** 12038; 18521

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1242A Marlin City Lake System (unclassified water body)**

From New Marlin City Dam up to normal pool elevation northeast of Marlin in Falls County (impounds Big Sandy Creek)

**Segment Type** Reservoir **Segment Size** 700 Acres

*AU\_ID 1242A\_01 Old Marlin City Lake*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	Presumption from Flow Type	213.00 Acres

**Station ID(s)** 16783

*AU\_ID 1242A\_02 New Marlin City Lake*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	Presumption from Flow Type	487.00 Acres

**Station ID(s)** 16781

**SegID 1242B Cottonwood Branch (unclassified water body)**

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

**Segment Type** Freshwater Stream **Segment Size** 6.8 Miles

*AU\_ID 1242B\_01 Downstream portion, downstream of Sanderson Farms receiving water*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	0.80 Miles

**Station ID(s)** 17598

*AU\_ID 1242B\_02 Upstream portion, upstream of Sanderson Farms receiving water*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	6.80 Miles

**Station ID(s)** 17597

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1242C Still Creek (unclassified water body)**

Perennial stream from the confluence with Thompsons Creek upstream to the confluence with Cottonwood Branch

**Segment Type** Freshwater Stream **Segment Size** 9 Miles

*AU\_ID 1242C\_01 Downstream of Bryan WWTP*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	3.80 Miles

**Station ID(s)** 16882

*AU\_ID 1242C\_02 Portion upstream of city of Bryan WWTP*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	5.20 Miles

**Station ID(s)** 17378

**SegID 1242D Thompson Creek (unclassified water body)**

Intermittent stream with perennial pools from the confluence with the Brazos River upstream to the confluence with Thompson Branch north of FM 1687

**Segment Type** Freshwater Stream **Segment Size** 18 Miles

*AU\_ID 1242D\_01 Portion downstream of the confluence with Still Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	6.40 Miles

**Station ID(s)** 16397

*AU\_ID 1242D\_02 Portion of segment upstream of confluence with Still Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	11.60 Miles

**Station ID(s)** 16396

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1242E Little Brazos River (unclassified water body)**

Perennial stream from the confluence with the Brazos River in Brazos County to the confluence of Walnut Creek in Robertson Count west of Calvert

Segment Type Freshwater Stream Segment Size 67 Miles

*AU\_ID 1242E\_01 Upper 51 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	51.00 Miles

Station ID(s)

*AU\_ID 1242E\_02 Lower 16 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	16.00 Miles

Station ID(s) 11591

**SegID 1242F Pond Creek (unclassified water body)**

Perennial stream from the confluence with the Brazos River in Milam County up to the confluence with Live Oak Creek in Falls County

Segment Type Freshwater Stream Segment Size 28 Miles

*AU\_ID 1242F\_01 From the Brazos confluence upstream to Live Oak Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	28.00 Miles

Station ID(s) 16406

**SegID 1242I Campbells Creek (unclassified water body)**

From the confluence with the Little Brazos River upstream to the headwaters, one mile west of Old San Antonio Road

Segment Type Freshwater Stream Segment Size 10.52 Miles

*AU\_ID 1242I\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	10.52 Miles

Station ID(s) 16395

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1242J Deer Creek (unclassified water body)**

From the confluence with the Brazos River upstream to the confluence of West Fork Deer Creek and East Fork Deer Creek in Falls County

Segment Type Freshwater Stream Segment Size 27 Miles

*AU\_ID 1242J\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision	27.00 Miles
<u>Station ID(s)</u> 11723; 16407				

**SegID 1242K Mud Creek (unclassified water body)**

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

Segment Type Freshwater Stream Segment Size 12.4 Miles

*AU\_ID 1242K\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	12.40 Miles
<u>Station ID(s)</u> 16402				

**SegID 1242L Pin Oak Creek (unclassified water body)**

From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 miles south of Franklin

Segment Type Freshwater Stream Segment Size 14.3 Miles

*AU\_ID 1242L\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	15.50 Miles
<u>Station ID(s)</u> 16401				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1242M Spring Creek (unclassified water body)**

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

**Segment Type** Freshwater Stream **Segment Size** 14.7 Miles

*AU\_ID 1242M\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	16.90 Miles
<b>Station ID(s)</b> 16394				

**SegID 1242N Tehuacana Creek (unclassified water body)**

From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 miles south of Penelope in Hill County

**Segment Type** Freshwater Stream **Segment Size** 31 Miles

*AU\_ID 1242N\_01 Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	WQS/Permits program	High	Previous TCEQ Permit Decision	12.70 Miles
<b>Station ID(s)</b>				

*AU\_ID 1242N\_02 Upstream portion, from confluence with Little Tehuacana Creek upstream to headwaters*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	WQS/Permits program	High	Previous TCEQ Permit Decision	22.10 Miles
<b>Station ID(s)</b> 15771				

**SegID 1242O Walnut Creek (unclassified water body)**

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mile south of White Rock

**Segment Type** Freshwater Stream **Segment Size** 23 Miles

*AU\_ID 1242O\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	24.60 Miles
<b>Station ID(s)</b> 16403				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1242P Big Creek (unclassified water body)**

From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

**Segment Type** Freshwater Stream **Segment Size** 41.5 Miles

*AU\_ID 1242P\_01 Downstream portion of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	20.80 Miles

**Station ID(s)** 16400

*AU\_ID 1242P\_02 Upstream portion, including confluence with City of Mart wwtp rec. water*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	27.10 Miles

**Station ID(s)**

**SegID 1243 Salado Creek**

From the confluence with the Lampasas River in Bell County to the confluence of North Salado Creek and South Salado Creek in Williamson County

**Segment Type** Freshwater Stream **Segment Size** 27 Miles

*AU\_ID 1243\_01 Downstream portion of segment from confluence with Lampasas River, just upstream of Stagecoach outfall*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.00 Miles

**Station ID(s)** 12045; 12047; 12050; 12051

*AU\_ID 1243\_02 From confluence with unnamed tributary just upstream of Stagecoach discharge upstream to end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.00 Miles

**Station ID(s)** 12052; 12053

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1244 Brushy Creek**

From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

**Segment Type** Freshwater Stream **Segment Size** 66.4 Miles

*AU\_ID 1244\_01 From confluence with San Gabriel upstream to conf. With Mustang Crk.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	27.40 Miles

**Station ID(s)** 12056

*AU\_ID 1244\_02 From confluence with Mustang Crk, upstream to conf. With Cottonwood Branch.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.10 Miles

**Station ID(s)** 12058

*AU\_ID 1244\_03 From confluence with Cottonwood Branch upstream to City of Round Rock WWTP outfall*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.90 Miles

**Station ID(s)** 12060

*AU\_ID 1244\_04 From immediately upstream of City of Round Rock WWTP outfall upstream to end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.40 Miles

**Station ID(s)** 12067; 12068

**SegID 1244A Brushy Creek Above South Brushy Creek (unclassified water body)**

Perennial stream from the confluence of South Brushy Creek to the confluence of North Fork Brushy Creek and South Fork Brushy Creek in Williamson County

**Segment Type** Freshwater Stream **Segment Size** 11 Miles

*AU\_ID 1244A\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	11.00 Miles

**Station ID(s)** 11731; 17374

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1244B Lake Creek (unclassified water body)**

From its confluence with Brushy Creek, upstream to its headwaters 1 mile west of US 183 in Cedar Park, Williamson County.

**Segment Type** Freshwater Stream **Segment Size** 15.2 Miles

*AU\_ID 1244B\_01 entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	15.20 Miles

**Station ID(s)** 17375

**SegID 1244D South Brushy Creek (unclassified water body)**

From its confluence with Brushy Creek, upstream to its headwaters 1.5 miles west of US 183 in Cedar Park, Williamson County.

**Segment Type** Freshwater Stream **Segment Size** 7.6 Miles

*AU\_ID 1244D\_01 entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	WQS/Permits program	High	Previous TCEQ Permit Decision	7.60 Miles

**Station ID(s)** 11735

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1245 Upper Oyster Creek**

From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

Segment Type Freshwater Stream Segment Size 54.6 Miles

*AU\_ID 1245\_01 From the confluence with the Brazos River upstream to Dam #3*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	13.40 Miles

Station ID(s) 12074; 12075; 12077; 18211

*AU\_ID 1245\_02 From Dam #3 upstream to Harmon St. crossing in Sugar Land*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	5.20 Miles

Station ID(s) 12079; 12082; 12083; 17373

*AU\_ID 1245\_03 From Harmon St. crossing in Sugar Land upstream to the end of the segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	36.90 Miles

Station ID(s) 12085; 12086; 12087; 12088; 12089; 12090; 12091; 17685

**SegID 1245B Brown's Bayou (unclassified water body)**

From US Hwy 59 to its confluence with Upper Oyster Creek in Fort Bend County

Segment Type Freshwater Stream Segment Size 0.4 Miles

*AU\_ID 1245B\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	0.40 Miles

Station ID(s) 17380

**SegID 1245C Bullhead Bayou (unclassified water body)**

From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

Segment Type Freshwater Stream Segment Size 9.6 Miles

*AU\_ID 1245C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	9.60 Miles

Station ID(s) 17371

**SegID 1245D Unnamed tributary of Bullhead Bayou (unclassified water body)**

Tributary to Bullhead Bayou in Fort Bend County

Segment Type Freshwater Stream Segment Size 1.7 Miles

*AU\_ID 1245D\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	1.70 Miles
<u>Station ID(s)</u> 17382				

**SegID 1246 Middle Bosque/South Bosque River**

From the confluence with the South Bosque River in McLennan County to the confluence of Cave Creek and Middle Bosque Creek on the Middle Bosque River in Coryell County and from the confluence of the Middle Bosque River in McLennan County to FM 2671 on the South Bosque River in McLennan County

Segment Type Freshwater Stream Segment Size 47 Miles

*AU\_ID 1246\_01 Middle Bosque River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	High	TWQS-Appendix A	27.00 Miles
<u>Station ID(s)</u> 12093				

*AU\_ID 1246\_02 South Bosque River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles
<u>Station ID(s)</u> 12094; 17228; 17229				

**SegID 1246D Tonk Creek (unclassified water body)**

From the confluence with Wasp Creek in Crawford (McLennan County), upstream to the headwaters in Coryell County, 1.0 mile west of FM 929

Segment Type Freshwater Stream Segment Size 13 Miles

*AU\_ID 1246D\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	WQS/Permits program	High	Previous TCEQ Permit Decision	13.00 Miles
<u>Station ID(s)</u> 17232				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1246E Wasp Creek (unclassified water body)**

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mile east of FM 185

**Segment Type** Freshwater Stream **Segment Size** 11 Miles

*AU\_ID 1246E\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Previous TCEQ Permit Decision	11.00 Miles
<b>Station ID(s)</b> 17233				

**SegID 1247 Granger Lake**

From Granger Dam in Williamson County to a point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County, up to normal pool elevation of 504 feet (impounds San Gabriel River)

**Segment Type** Reservoir **Segment Size** 4408 Acres

*AU\_ID 1247\_01 Eastern end of lake near the dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2268.00 Acres
<b>Station ID(s)</b> 12095				

*AU\_ID 1247\_02 Willis Creek arm of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1267.00 Acres
<b>Station ID(s)</b> 12097				

*AU\_ID 1247\_03 Western end of lake on the San Gabriel River*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	873.00 Acres
<b>Station ID(s)</b> 12096				

**SegID 1247A Willis Creek (unclassified water body)**

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

**Segment Type** Freshwater Stream **Segment Size** 20.7 Miles

*AU\_ID 1247A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	22.40 Miles
<b>Station ID(s)</b> 11573				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1248 San Gabriel/North Fork San Gabriel River**

From point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

**Segment Type** Freshwater Stream **Segment Size** 23 Miles

*AU\_ID 1248\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	21.00 Miles
<b>Station ID(s)</b> 12102; 12106; 12108; 13692				

**SegID 1248A Berry Creek (unclassified water body)**

Perennial stream from the confluence with the San Gabriel River northeast of Georgetown in Williamson County to the confluence with Stapp Branch southwest of Florence in Williamson County

**Segment Type** Freshwater Stream **Segment Size** 23.5 Miles

*AU\_ID 1248A\_01 Entire creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	23.50 Miles
<b>Station ID(s)</b> 11572; 13496				

**SegID 1248B Huddleston Branch (unclassified water body)**

Perennial stream from the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

**Segment Type** Freshwater Stream **Segment Size** 2.7 Miles

*AU\_ID 1248B\_01 Entire reach*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Limited	Presumption from Flow Type	2.70 Miles
<b>Station ID(s)</b> 17052				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1248C Mankins Branch (unclassified water body)**

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

Segment Type Freshwater Stream Segment Size 5 Miles

*AU\_ID 1248C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	2.50 Miles
<u>Station ID(s)</u> 13497				

**SegID 1248D Middle Fork San Gabriel River (unclassified water body)**

From its confluence with the North Fork San Gabriel River, upstream to its headwaters 2.6 miles north of SH 29 in Williamson County.

Segment Type Freshwater Stream Segment Size 15.6 Miles

*AU\_ID 1248D\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
not available	not available	not available	not available	15.60 Miles
<u>Station ID(s)</u> 15754				

**SegID 1249 Lake Georgetown**

From North San Gabriel Dam in Williamson County to a point 6.6 km (4.1 miles) downstream of US 183 in Williamson County, up to normal pool elevation of 791 feet (impounds North Fork San Gabriel River)

Segment Type Reservoir Segment Size 1686 Acres

*AU\_ID 1249\_01 East end of reservoir near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	828.00 Acres
<u>Station ID(s)</u> 12111				

*AU\_ID 1249\_02 West end of reservoir near headwaters*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	858.00 Acres
<u>Station ID(s)</u> 12113				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1250 South Fork San Gabriel River**

From the confluence with the North Fork San Gabriel River in Williamson County to the most upstream crossing of SH 29 in Burnet County

**Segment Type** Freshwater Stream **Segment Size** 40 Miles

*AU\_ID 1250\_01 From confluence with N. Frk. San Gabriel, upstream to CR 268*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.00 Miles

**Station ID(s)** 12114; 12115

*AU\_ID 1250\_02 From CR 268 crossing to CR 279 crossing*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.50 Miles

**Station ID(s)** 12116

*AU\_ID 1250\_03 From CR 279 crossing to upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.50 Miles

**Station ID(s)** 12117

**SegID 1251 North Fork San Gabriel River**

From a point 6.6 km (4.1 miles) downstream of US 183 in Williamson County to the confluence of Allen Branch in Burnet County

**Segment Type** Freshwater Stream **Segment Size** 34 Miles

*AU\_ID 1251\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12120

*AU\_ID 1251\_02 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1252 Lake Limestone**

From Sterling C. Robertson Dam in Leon/Robertson County to a point 2.3 km (1.4 miles) downstream of SH 164 in Limestone County, up to normal pool elevation of 363 feet (impounds Navasota River)

**Segment Type** Reservoir **Segment Size** 15958.4 Acres

*AU\_ID 1252\_01 South end of lake near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1439.40 Acres

**Station ID(s)** 12123

*AU\_ID 1252\_02 Main body of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	7371.40 Acres

**Station ID(s)** 12125

*AU\_ID 1252\_03 Lambs Creek arm on east side of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1170.70 Acres

**Station ID(s)** 12124

*AU\_ID 1252\_04 Big Creek Arm of Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1940.70 Acres

**Station ID(s)** 13971

*AU\_ID 1252\_05 Navasota River Arm near headwaters*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4036.20 Acres

**Station ID(s)** 13970

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1253 Navasota River Below Lake Mexia**

From a point 2.3 km (1.4 miles) downstream of SH 164 in Limestone County to Bistone Dam in Limestone County

**Segment Type** Freshwater Stream **Segment Size** 19 Miles

*AU\_ID 1253\_01 From headwaters of Lake Limestone upstream to confluence with Plummer's Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles

**Station ID(s)** 12126

*AU\_ID 1253\_02 From confluence with Plummer's Creek upstream to Springfield Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	8.50 Miles

**Station ID(s)** 13650; 16393

*AU\_ID 1253\_03 From headwaters of Springfield Lake upstream to confluence with Lake Mexia*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5.50 Miles

**Station ID(s)** 17039

**SegID 1253A Springfield Lake (unclassified water body)**

Impoundment of Navasota River below Lake Mexia in Limestone County.

**Segment Type** Reservoir **Segment Size** 733.7 Acres

*AU\_ID 1253A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	733.70 Acres

**Station ID(s)** 16247

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1254 Aquilla Reservoir**

From Aquilla Dam in Hill County up to the normal pool elevation of 537.5 feet (impounds Aquilla Creek)

**Segment Type** Reservoir **Segment Size** 3943 Acres

*AU\_ID 1254\_01 South end of reservoir near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1209.00 Acres

**Station ID(s)** 12127

*AU\_ID 1254\_02 Aquilla Creek arm on the west*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1394.00 Acres

**Station ID(s)** 12128

*AU\_ID 1254\_03 Hackberry Creek arm on the east*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1340.00 Acres

**Station ID(s)** 12129; 17321

**SegID 1254A Hackberry Creek (unclassified water body)**

From its confluence with Aquilla Reservoir, upstream to its headwaters 1.3 miles west of Itasca in Hill County

**Segment Type** Freshwater Stream **Segment Size** 20 Miles

*AU\_ID 1254A\_01 Portion of water body downstream of Hillsboro WWTP*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	2.90 Miles

**Station ID(s)** 13645

*AU\_ID 1254A\_02 Portion of water body upstream of Hillsboro WWTP*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	17.10 Miles

**Station ID(s)**

**SegID 1254B Aquilla Creek upstream of Aquilla Reservoir (unclassified water body)**

From its confluence with Aquilla Creek Reservoir, upstream to its headwaters 5.3 miles east of Rio Vista in Johnson County.

**Segment Type** Freshwater Stream **Segment Size** 29.2 Miles

*AU\_ID 1254B\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
not available	not available	not available	not available	29.20 Miles
<b>Station ID(s)</b> 13643				

**SegID 1255 Upper North Bosque River**

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

**Segment Type** Freshwater Stream **Segment Size** 17.5 Miles

*AU\_ID 1255\_01 Lower portion of segment downstream of Stephenville*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	10.80 Miles
<b>Station ID(s)</b> 11963; 11964				

*AU\_ID 1255\_02 Upper portion of segment, upstream of Stephenville*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	6.70 Miles
<b>Station ID(s)</b> 17226				

**SegID 1255A Goose Branch (unclassified water body)**

From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County

**Segment Type** Freshwater Stream **Segment Size** 5.8 Miles

*AU\_ID 1255A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	7.20 Miles
<b>Station ID(s)</b> 17215				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1255B North Fork Upper North Bosque River (unclassified water body)**

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219

**Segment Type** Freshwater Stream **Segment Size** 16.5 Miles

*AU\_ID 1255B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	16.50 Miles
<b>Station ID(s)</b> 17413				

**SegID 1255C Scarborough Creek (unclassified water body)**

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 1255C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	5.00 Miles
<b>Station ID(s)</b> 17221; 17222				

**SegID 1255D South Fork North Bosque River (unclassified water body)**

From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 miles (4.8 km) north of FM 219 in Erath County

**Segment Type** Freshwater Stream **Segment Size** 17 Miles

*AU\_ID 1255D\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	6.40 Miles
<b>Station ID(s)</b> 17218; 17602				

**SegID 1255E Unnamed tributary of Goose Branch (unclassified water body)**

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

Segment Type Freshwater Stream Segment Size 2.6 Miles

*AU\_ID 1255E\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	2.60 Miles
<u>Station ID(s)</u> 17213; 17214				

**SegID 1255F Unnamed tributary of Scarborough Creek (unclassified water body)**

From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Erath County, upstream to the headwaters, 0.3 mile north of FM 219

Segment Type Freshwater Stream Segment Size 3 Miles

*AU\_ID 1255F\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	3.00 Miles
<u>Station ID(s)</u> 17223				

**SegID 1255G Woodhollow Branch (unclassified water body)**

From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County

Segment Type Freshwater Stream Segment Size 3.8 Miles

*AU\_ID 1255G\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	3.80 Miles
<u>Station ID(s)</u> 17217				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1255H South Fork Upper North Bosque River Reservoir (unclassified water body)**

Impoundment of South Fork Upper North Bosque River, 8 miles north west of Stephenville in Erath County

**Segment Type** Reservoir **Segment Size** 17.5 Acres

*AU\_ID 1255H\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	17.50 Acres

**Station ID(s)** 17219

**SegID 1255I Dry Branch (unclassified water body)**

From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 miles east of SH 106 in Erath County

**Segment Type** Freshwater Stream **Segment Size** 7.3 Miles

*AU\_ID 1255I\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	7.30 Miles

**Station ID(s)** 17603

**SegID 1255J Goose Branch Reservoir (unclassified water body)**

Impoundment of Goose Branch, 5 miles west of Stephenville in Erath County.

**Segment Type** Reservoir **Segment Size** 50.4 Acres

*AU\_ID 1255J\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	50.40 Acres

**Station ID(s)** 17216

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1255K Scarborough Creek Reservoir (unclassified water body)**

Impoundment of Scarborough Creek, 5 miles north west of Stephenville in Erath County

**Segment Type** Reservoir **Segment Size** 43.5 Acres

*AU\_ID 1255K\_01 entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	43.50 Acres
<b>Station ID(s)</b> 17224				

**SegID 1256 Brazos River/Lake Brazos**

From the low water dam forming Lake Brazos in McLennan County to a point immediately upstream of the confluence of Aquilla Creek in McLennan County (includes the Bosque River Arm to the Waco Lake Dam)

**Segment Type** Freshwater Stream **Segment Size** 19 Miles

*AU\_ID 1256\_01 Brazos River portion of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5.00 Miles
<b>Station ID(s)</b> 14948				

*AU\_ID 1256\_02 Lake Brazos portion of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	14.00 Miles
<b>Station ID(s)</b> 12041; 14226				

**SegID 1256A Aquilla Creek (unclassified water body)**

From the confluence with the Brazos River 4 miles (6.4 km) west of Elm Mott, upstream to the Aquilla Lake Dam in McLennan County

**Segment Type** Freshwater Stream **Segment Size** 23 Miles

*AU\_ID 1256A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	23.00 Miles
<b>Station ID(s)</b> 11593; 13646				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1257 Brazos River Below Lake Whitney**

From a point immediately upstream of the confluence of Aquilla Creek in McLennan County to Whitney Dam in Bosque/Hill County

Segment Type Freshwater Stream Segment Size 27 Miles

*AU\_ID 1257\_01 Downstream portion of segment from confluence with Aquilla Creek upstream to confluence with Coon Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	24.70 Miles

Station ID(s) 12044; 16782

*AU\_ID 1257\_02 Upstream portion of segment from confluence with Coon Creek upstream to Lake Whitney Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.30 Miles

Station ID(s) 13642

**SegID 1301 San Bernard River Tidal**

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County

Segment Type Tidal Stream Segment Size 32 Miles

*AU\_ID 1301\_01 Entire Segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	32.00 Miles

Station ID(s) 12146

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1302 San Bernard River Above Tidal**

From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

**Segment Type** Freshwater Stream **Segment Size** 107 Miles

*AU\_ID 1302\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12147; 15272

*AU\_ID 1302\_02 25 miles from just upstream of FM 442 to downstream of US 90A*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 17420; 18345

*AU\_ID 1302\_03 25 miles from downstream of US 90A to upstream of FM 3013*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 16373; 17421

*AU\_ID 1302\_04 Upper 24 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	24.00 Miles

**Station ID(s)** 17422

**SegID 1302A Gum Tree Branch (unclassified water body)**

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 miles upstream near RR 102

**Segment Type** Freshwater Stream **Segment Size** 15 Miles

*AU\_ID 1302A\_01 The entire 15 miles of the segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type	15.00 Miles

**Station ID(s)** 16371

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1302B West Bernard Creek (unclassified water body)**

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 miles upstream near FM 1093

**Segment Type** Freshwater Stream **Segment Size** 40 Miles

*AU\_ID 1302B\_01 Lower 15 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	Intermediate	Presumption from Flow Type	15.00 Miles

**Station ID(s)** 12131; 17419

*AU\_ID 1302B\_02 Upper 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	Intermediate	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 16374

**SegID 1304 Caney Creek Tidal**

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County

**Segment Type** Tidal Stream **Segment Size** 32 Miles

*AU\_ID 1304\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12148; 12150; 17439

*AU\_ID 1304\_02 Upper 7 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.00 Miles

**Station ID(s)** 12151

**SegID 1304A Linnville Bayou (unclassified water body)**

Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County up to a point 0.1 km above SH 35 in Brazoria/Matagorda Counties

**Segment Type** Freshwater Stream **Segment Size** 23 Miles

*AU\_ID 1304A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	TWQS-Appendix D	Limited	TWQS-Appendix D	23.00 Miles

**Station ID(s)** 12141

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1305 Caney Creek Above Tidal**

From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to Old Caney Road in Wharton County

Segment Type Freshwater Stream Segment Size 98 Miles

*AU\_ID 1305\_01 Lower 18 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles

Station ID(s) 12152; 15951

*AU\_ID 1305\_02 25 miles surrounding SH 35*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 12154; 12155

*AU\_ID 1305\_03 Upper 55 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	55.00 Miles

Station ID(s) 17498

**SegID 1401 Colorado River Tidal**

From the confluence with the Gulf of Mexico in Matagorda County to a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County

Segment Type Tidal Stream Segment Size 27 Miles

*AU\_ID 1401\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	27.00 Miles

Station ID(s) 12281

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1402 Colorado River Below La Grange**

From a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County to a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County

**Segment Type** Freshwater Stream **Segment Size** 150 Miles

*AU\_ID 1402\_01 Lower end to Wharton County line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles

**Station ID(s)** 12284

*AU\_ID 1402\_02 Wharton County line to US 59*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	20.00 Miles

**Station ID(s)** 12286

*AU\_ID 1402\_03 US 59 to Colorado County line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	26.00 Miles

**Station ID(s)**

*AU\_ID 1402\_04 Colorado County line to US 90A*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	20.00 Miles

**Station ID(s)** 12287; 18351

*AU\_ID 1402\_05 US 90A to Cummins Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles

**Station ID(s)** 12289

*AU\_ID 1402\_06 Cummins Creek to 5 mi above Fayette County line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12290

*AU\_ID 1402\_07 Upper 17 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	17.00 Miles

**Station ID(s)** 12292

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1402A Cummins Creek (unclassified water body)**

Perennial stream from the confluence with the Colorado River upstream to the confluence of Boggy Creek at 1291 in Colorado County

Segment Type Freshwater Stream Segment Size 55 Miles

*AU\_ID 1402A\_01 From the confluence with the Colorado River upstream to the confluence of Boggy Creek at FM 1291 in Colorado County*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Exceptional	TWQS-Appendix D	25.00 Miles

Station ID(s) 12249; 17015

*AU\_ID 1402A\_02 From the confluence of Boggy Creek at FM 1291 upstream to the confluence of West Fork Cummins Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Water body description	High	Presumption from Flow Type	30.00 Miles

Station ID(s) 16173

**SegID 1402C Buckners Creek (unclassified water body)**

Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County

Segment Type Freshwater Stream Segment Size 16.8 Miles

*AU\_ID 1402C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	16.80 Miles

Station ID(s) 16160; 17053

**SegID 1402F Blue Creek (unclassified water body)**

From the confluence with the Colorado River near Bay City in Matagorda County to the headwaters near El Campo in Wharton County

Segment Type Freshwater Stream Segment Size 25 Miles

*AU\_ID 1402F\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	25.00 Miles

Station ID(s) 16907



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1402G Fayette Reservoir (unclassified water body)**

From Cedar Creek Dam to pool elevation of 391 feet - power plant cooling reservoir

**Segment Type** Reservoir **Segment Size** 2425 Acres

*AU\_ID 1402G\_01 Near discharge canal*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix D	720.00 Acres

**Station ID(s)** 17018

*AU\_ID 1402G\_02 Near intake canal*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix D	740.00 Acres

**Station ID(s)** 17016

*AU\_ID 1402G\_03 Mid-lake near dam*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix D	965.00 Acres

**Station ID(s)** 17017

**SegID 1402H Skull Creek (unclassified water body)**

From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

**Segment Type** Freshwater Stream **Segment Size** 30 Miles

*AU\_ID 1402H\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	30.00 Miles

**Station ID(s)** 16805

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1403 Lake Austin**

From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to normal pool elevation of 492.8 feet (impounds Colorado River)

**Segment Type** Reservoir **Segment Size** 1830 Acres

*AU\_ID 1403\_01 From Tom Miller dam to Loop 360 bridge*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix A	860.00 Acres

**Station ID(s)** 12294; 13906; 13907; 13908; 13909; 13910

*AU\_ID 1403\_02 Loop 360 bridge to Quinlan Park*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix A	667.00 Acres

**Station ID(s)** 12297; 13911; 13912; 17497

*AU\_ID 1403\_03 Quinlan Park upstream to Mansfield Dam*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix A	303.00 Acres

**Station ID(s)** 12300; 13913; 17640

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1403A Bull Creek (unclassified water body)**

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 10 Miles

*AU\_ID 1403A\_01 From the confluence with Lake Austin to the confluence of West Bull Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	0.05 Miles

**Station ID(s)** 12215

*AU\_ID 1403A\_02 From the confluence of W Bull Creek upstream to the Loop 360 crossing near Lakewood Dr.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	1.00 Miles

**Station ID(s)** 16312

*AU\_ID 1403A\_03 From the Loop 360 crossing near Lakewood Dr. upstream to the Spicewood Springs Rd crossing near Yaupon Dr.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	2.00 Miles

**Station ID(s)** 12216

*AU\_ID 1403A\_04 From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	3.50 Miles

**Station ID(s)** 12218

*AU\_ID 1403A\_05 From the Spicewood Springs Rd. crossing near the Oak Grove cemetery upstream to the end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	3.45 Miles

**Station ID(s)** 16322

**SegID 1403B West Bull Creek (unclassified water body)**

From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis County upstream to a point north of FM 2222 in Travis County

**Segment Type** Freshwater Stream **Segment Size** 4.5 Miles

*AU\_ID 1403B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	4.50 Miles

**Station ID(s)** 16311; 17468

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1403C Cow Fork Bull Creek (unclassified water body)**

From the confluence of West Bull Creek south of FM 2222 in Austin in Travis County to a point south of Long Canyon Road in Travis County

Segment Type Freshwater Stream Segment Size 1.5 Miles

*AU\_ID 1403C\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	1.50 Miles
<u>Station ID(s)</u> 17263				

**SegID 1403D Barrow Preserve Tributary (unclassified water body)**

From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County to Barrow Preserve

Segment Type Freshwater Stream Segment Size 0.5 Miles

*AU\_ID 1403D\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	0.50 Miles
<u>Station ID(s)</u> 16315				

**SegID 1403E Stillhouse Hollow (unclassified water body)**

From the confluence of Bull Creek south of Loop 360 in Austin in Travis County to Spicewood Springs Park

Segment Type Freshwater Stream Segment Size 1 Miles

*AU\_ID 1403E\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type	1.00 Miles
<u>Station ID(s)</u> 16314				

**SegID 1403F Bull Creek Tributary 3 (unclassified water body)**

From the confluence of Bull Creek east of Spicewood Springs Road in Austin in Travis County to a point south of Fire Oak Drive in Travis County

Segment Type Freshwater Stream Segment Size 2.5 Miles

*AU\_ID 1403F\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	2.50 Miles

Station ID(s) 16323

**SegID 1403G Tanglewood Tributary to Bull Creek (unclassified water body)**

From the confluence of an unnamed creek west of Spicewood Springs Road in Austin in Travis County to the Williamson County Line

Segment Type Freshwater Stream Segment Size 1 Miles

*AU\_ID 1403G\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	1.00 Miles

Station ID(s) 16324

**SegID 1403H Bull Creek Tributary 6 (unclassified water body)**

From the confluence of Bull Creek Road west of Pickfair Drive in Austin in Travis County to a point east of Hwy 620 in Travis County

Segment Type Freshwater Stream Segment Size 3 Miles

*AU\_ID 1403H\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	3.00 Miles

Station ID(s) 16320; 17467

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1403I Bull Creek Tributary 5 (unclassified water body)**

From the confluence of an unnamed tributary to Bull Creek west of the intersection of Pickfair Drive and Brightling Lane in Austin in Travis County to a point east of Hwy 620 in Travis County

**Segment Type** Freshwater Stream **Segment Size** 1 Miles

*AU\_ID 1403I\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	1.00 Miles
<b>Station ID(s)</b> 16321				

**SegID 1403J Spicewood Tributary to Shoal Creek (unclassified water body)**

From the MoPac Expressway in north Austin in Travis County to a point west of Hart Lane in Travis County

**Segment Type** Freshwater Stream **Segment Size** 0.5 Miles

*AU\_ID 1403J\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	0.50 Miles
<b>Station ID(s)</b> 16316				

**SegID 1403K Taylor Slough South (unclassified water body)**

Form the confluence of Lake Austin in Travis County to a point west of Pecos Street in Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 0.3 Miles

*AU\_ID 1403K\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	0.30 Miles
<b>Station ID(s)</b> 17294				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1403L Running Deer Creek (unclassified water body)**

From the confluence of Lake Austin in Travis County to Geronimo Trail in Travis County

**Segment Type** Freshwater Stream **Segment Size** 0.5 Miles

*AU\_ID 1403L\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	0.50 Miles
<b>Station ID(s)</b> 16307				

**SegID 1403M Turkey Creek (unclassified water body)**

From the confluence of Lake Austin in Travis County to the upstream end west of Bell Mountain Road in Travis County

**Segment Type** Freshwater Stream **Segment Size** 4 Miles

*AU\_ID 1403M\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	4.00 Miles
<b>Station ID(s)</b> 17267				

**SegID 1403N Panther Hollow Creek (unclassified water body)**

From the confluence of Lake Austin in Travis County to the upstream end south of the intersection of FM 2222 and Bull Creek Road in Travis County

**Segment Type** Freshwater Stream **Segment Size** 4 Miles

*AU\_ID 1403N\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	4.00 Miles
<b>Station ID(s)</b> 16349				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1403O Cuernavaca Creek (unclassified water body)**

From the confluence of Lake Austin in Travis County to a point north of Bee Caves Road in Travis County

**Segment Type** Freshwater Stream **Segment Size** 3 Miles

*AU\_ID 1403O\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	3.00 Miles
<b>Station ID(s)</b> 17268				

**SegID 1403P Bee Creek (unclassified water body)**

From the confluence of Lake Austin in Travis County to Loop 360 south of Wild Basin Lodge Road in Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 3 Miles

*AU\_ID 1403P\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	3.00 Miles
<b>Station ID(s)</b> 17307				

**SegID 1403Q Bear Creek (unclassified water body)**

From the confluence of Lake Austin in Travis County to a point south of RR 620

**Segment Type** Freshwater Stream **Segment Size** 2.5 Miles

*AU\_ID 1403Q\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	2.50 Miles
<b>Station ID(s)</b> 17269				



**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

---

**SegID 1403R Westlake-Davenport Tributary to Lake Austin (unclassified water body)**

From the confluence of Lake Austin in Travis County to a point east of Loop 360 and The High Road in Travis County

**Segment Type** Freshwater Stream **Segment Size** 2 Miles

*AU\_ID 1403R\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	2.00 Miles

**Station ID(s)** 16310

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1404 Lake Travis**

From Mansfield Dam in Travis County to Max Starcke Dam on the Colorado River Arm in Burnet County and to a point immediately upstream of the confluence of Fall Creek on the Pedernales River Arm in Travis County, up to normal pool elevation of 681 feet (impounds the Colorado River)

**Segment Type** Reservoir **Segment Size** 18929 Acres

*AU\_ID 1404\_01 From Mansfield Dam upstream to the confluence with Big Sandy Creek Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	Exceptional	TWQS-Appendix A	2850.00 Acres

**Station ID(s)** 12302

*AU\_ID 1404\_02 Big Sandy Creek Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	Exceptional	TWQS-Appendix A	1500.00 Acres

**Station ID(s)** 12307; 12308

*AU\_ID 1404\_03 Arkansas Bend area, from Sandy Creek Arm upstream to Hurst Creek Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	Exceptional	TWQS-Appendix A	2650.00 Acres

**Station ID(s)** 12309

*AU\_ID 1404\_04 Lakeway area, from Hurst Creek arm upstream to the confluence with Cow Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	Exceptional	TWQS-Appendix A	2600.00 Acres

**Station ID(s)** 12311

*AU\_ID 1404\_05 From the confluence with Cow Creek upstream to the confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	Exceptional	TWQS-Appendix A	2500.00 Acres

**Station ID(s)** 12313

*AU\_ID 1404\_06 From the confluence with the Pedernales River upstream to Muleshoe Bend*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	Exceptional	TWQS-Appendix A	2600.00 Acres

**Station ID(s)** 12315

*AU\_ID 1404\_07 From Muleshoe Bend upstream to the confluence with Hickory Creed*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	Exceptional	TWQS-Appendix A	2400.00 Acres

**Station ID(s)** 12316

*AU\_ID 1404\_08 From Hickory Creek confluence upstream to the headwaters at Max Starcke Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	Exceptional	TWQS-Appendix A	1829.00 Acres

**Station ID(s)** 12318

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1404A Hamilton Creek (unclassified water body)**

Perennial stream from the confluence with Delaware Creek upstream to the confluence with an unnamed tributary in the City of Burnet 1.1 km upstream of the Southern Pacific Railroad

**Segment Type** Freshwater Stream **Segment Size** 23 Miles

*AU\_ID 1404A\_01 From the confluence with Lake Travis upstream to the confluence of Delaware Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	12.50 Miles

**Station ID(s)**

*AU\_ID 1404A\_02 From the confluence of the Delaware Creek upstream to the confluence of an unnamed tributary (Haynie Branch) in the City of Burnet 1.1 km upstream of the Southern Pacific Railroad*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	4.00 Miles

**Station ID(s)**

*AU\_ID 1404A\_03 From the confluence of Haynie Branch upstream to CR 110*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	6.50 Miles

**Station ID(s)** 17050

**SegID 1404B Cow Creek (unclassified water body)**

From the confluence with Lake Travis to the headwaters south of Bertram in Burnet County

**Segment Type** Freshwater Stream **Segment Size** 19 Miles

*AU\_ID 1404B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	High	Presumption from Flow Type	19.00 Miles

**Station ID(s)** 17054

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1404C Long Hollow Creek (unclassified water body)**

From the confluence of the Cypress Creek arm of Lake Travis upstream to a point approximately 1 mile south of Lime Creek Road in Travis County

**Segment Type** Freshwater Stream **Segment Size** 2.75 Miles

*AU\_ID 1404C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	2.75 Miles
<b>Station ID(s)</b> 17258				

**SegID 1404D Lick Creek (unclassified water body)**

From the confluence with the Pedernales River arm of Lake Travis upstream to a point 1 km northeast of the intersection of Reimers-Peacock Road and Hamilton Pool Road in Travis county

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 1404D\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	5.00 Miles
<b>Station ID(s)</b> 17334				

**SegID 1404E Hicks Hollow Creek (unclassified water body)**

From the confluence with Long Hollow Creek in Travis County upstream to the Travis/Williamson county line west of Leander

**Segment Type** Freshwater Stream **Segment Size** 3 Miles

*AU\_ID 1404E\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	3.50 Miles
<b>Station ID(s)</b> 15417				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1405 Marble Falls Lake**

From Max Starcke Dam in Burnet County to Alvin Wirtz Dam in Burnet County, up to normal pool elevation of 738 feet (impounds the Colorado River)

**Segment Type** Reservoir **Segment Size** 780 Acres

*AU\_ID 1405\_01 From Max Starcke Dam to Varnhagen Creek confluence*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix A	400.00 Acres

**Station ID(s)** 12319

*AU\_ID 1405\_02 From Varnhagen Creek confluence upstream to Alvin Wirtz Dam*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix A	380.00 Acres

**Station ID(s)** 12323

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1406 Lake Lyndon B. Johnson**

From Alvin Wirtz Dam in Burnet County to Roy Inks Dam on the Colorado River Arm in Burnet/Llano County and to a point immediately upstream of the confluence of Honey Creek on the Llano river Arm in Llano County, up to normal pool elevation of 825 feet (impounds the Colorado River)

**Segment Type** Reservoir **Segment Size** 6375 Acres

*AU\_ID 1406\_01 From Alvin Wirtz Dam upstream to Granite Shoals*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	1900.00 Acres

**Station ID(s)** 12324

*AU\_ID 1406\_02 Mid-lake from Granite Shoals upstream to Highland Haven*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	1900.00 Acres

**Station ID(s)** 12327; 17329

*AU\_ID 1406\_03 From Granite Shoals upstream to the Llano River confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	1200.00 Acres

**Station ID(s)** 12330

*AU\_ID 1406\_04 Llano River arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	650.00 Acres

**Station ID(s)** 12331

*AU\_ID 1406\_05 From the confluence with the Llano River arm upstream to a point north of Kingsland near Pair Lane*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	200.00 Acres

**Station ID(s)** 12333

*AU\_ID 1406\_06 From a point near Pair Lane in Kingsland upstream to Roy Inks Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	525.00 Acres

**Station ID(s)** 12335

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1406A Sandy Creek (unclassified water body)**

From the confluence of Lake Lyndon B. Johnson southeast of Llano in Llano County to the upstream perennial portion of the stream south of Llano in Llano County

**Segment Type** Freshwater Stream **Segment Size** 40 Miles

*AU\_ID 1406A\_01 From the confluence with Lake LBJ upstream to SH 16*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 12214; 17007

*AU\_ID 1406A\_02 From SH 16 upstream to Enchanted View Drive*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	15.00 Miles

**Station ID(s)**

**SegID 1407 Inks Lake**

From Roy Inks Dam on the Colorado River Arm in Burnet/Llano County to Buchanan Dam in Burnet/Llano County, up to normal pool elevation of 888 feet (impounds the Colorado River)

**Segment Type** Reservoir **Segment Size** 803 Acres

*AU\_ID 1407\_01 From Roy Inks Dam upstream to the Clear Creek Arm*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix A	500.00 Acres

**Station ID(s)** 12336

*AU\_ID 1407\_02 From Clear Creel Arm upstream to Buchanan Dam*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix A	303.00 Acres

**Station ID(s)** 12343

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1407A Clear Creek**

From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 miles (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

**Segment Type** Freshwater Stream **Segment Size** 9 Miles

*AU\_ID 1407A\_01 From the confluence with Inks Lake upstream to FM 2341*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Routine Flow Data	Intermediate	Presumption from Flow Type	6.50 Miles

**Station ID(s)** 18710

*AU\_ID 1407A\_02 FM 2341 upstream to headwaters near Potato Hill*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Flow Questionnaire	Limited	Presumption from Flow Type	2.50 Miles

**Station ID(s)**



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1408 Lake Buchanan**

From Buchanan Dam in Burnet/Llano County to a point immediately upstream of the confluence of Yancey Creek, up to normal pool elevation of 1020 feet (impounds Colorado River)

Segment Type Reservoir Segment Size 23060 Acres

*AU\_ID 1408\_01 Main pool near dam upstream to Flag Island area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	7000.00 Acres

Station ID(s) 12344

*AU\_ID 1408\_02 Rocky Point area, from Flag Island upstream to Shaw Island Park area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	7000.00 Acres

Station ID(s) 12347

*AU\_ID 1408\_03 From Shaw Island Park area upstream to Paradise Point Resort area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	6000.00 Acres

Station ID(s) 12350

*AU\_ID 1408\_04 From Paradise Point Resort area upstream to Willow Slough area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	2000.00 Acres

Station ID(s) 12352

*AU\_ID 1408\_05 From the Willow Slough area upstream to the Headwaters near the Yancey Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	1060.00 Acres

Station ID(s) 12353

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1409 Colorado River Above Lake Buchanan**

From a point immediately upstream of the confluence of Yancey Creek in Burnet/San Saba/Lampasas County to the confluence of the San Saba River in San Saba County

**Segment Type** Freshwater Stream **Segment Size** 37 Miles

*AU\_ID 1409\_01 From the Yancey Creek confluence upstream to the confluence with Cherokee Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	12.00 Miles

**Station ID(s)** 17358

*AU\_ID 1409\_02 From the confluence with Cherokee Creek upstream to the confluence of the San Saba River*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12355

**SegID 1409A Cherokee Creek (unclassified water body)**

From the confluence with the Colorado River in San Saba County to a point 1.5 km south of the Llano County line southwest of Cherokee

**Segment Type** Freshwater Stream **Segment Size** 40 Miles

*AU\_ID 1409A\_01 From the confluence with the Colorado River in San Saba County upstream to SH 16 north of Cherokee*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 12274

*AU\_ID 1409A\_02 From SH 16 upstream to a point 1 mile (1.5 km) south of the Llano County line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	15.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1410 Colorado River Below O. H. Ivie Reservoir**

From the confluence of the San Saba River in San Saba County to S. W. Freese Dam in Coleman/Concho County

**Segment Type** Freshwater Stream **Segment Size** 138 Miles

*AU\_ID 1410\_01 From the confluence of the San Saba River upstream to the confluence of Indian Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	64.00 Miles

**Station ID(s)** 17359; 17360; 17361

*AU\_ID 1410\_02 From the confluence of Indian Creek upstream to the confluence of Home Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	24.00 Miles

**Station ID(s)** 12358

*AU\_ID 1410\_03 From the confluence of Home Creek upstream to the confluence of Bull Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.00 Miles

**Station ID(s)**

*AU\_ID 1410\_04 From the confluence of Bull Creek upstream to O.H. Ivie Reservoir dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	30.00 Miles

**Station ID(s)** 13667

**SegID 1411 E. V. Spence Reservoir**

From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

**Segment Type** Reservoir **Segment Size** 14950 Acres

*AU\_ID 1411\_01 Main pool from the dam upstream to the Rough Creek confluence area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	8000.00 Acres

**Station ID(s)** 12359; 13863

*AU\_ID 1411\_02 From the Rough Creek confluence area upstream to the confluence of Little Silver Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	6950.00 Acres

**Station ID(s)** 12360

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1412 Colorado River Below Lake J. B. Thomas**

From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

**Segment Type** Freshwater Stream **Segment Size** 99 Miles

*AU\_ID 1412\_01 From the confluence of Little Silver Creek upstream to the confluence of Beals Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	19.00 Miles

**Station ID(s)** 12362; 17002

*AU\_ID 1412\_02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	32.00 Miles

**Station ID(s)** 12363; 12364

*AU\_ID 1412\_03 From the dam below Barber Reservoir pump station upstream to the confluence of Deep Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	18.00 Miles

**Station ID(s)** 12365

*AU\_ID 1412\_04 From the confluence of Deep Creek upstream to the Confluence of Willow Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	12.00 Miles

**Station ID(s)** 17003

*AU\_ID 1412\_05 From the confluence of Willow Creek upstream to Lake J.B. Thomas dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	18.00 Miles

**Station ID(s)** 12366

**SegID 1412A Lake Colorado City (unclassified water body)**

From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)

**Segment Type** Reservoir **Segment Size** 1612 Acres

*AU\_ID 1412A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	1612.00 Acres

**Station ID(s)** 12167

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1412B Beals Creek (unclassified water body)**

From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

**Segment Type** Freshwater Stream **Segment Size** 73 Miles

*AU\_ID 1412B\_01 From the confluence with the Colorado River upstream to the confluence of Bull Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D	25.00 Miles

**Station ID(s)** 12156

*AU\_ID 1412B\_02 From the confluence of Bull Creek upstream to the confluence of Gutherie Draw*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D	25.00 Miles

**Station ID(s)** 12157

*AU\_ID 1412B\_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D	23.00 Miles

**Station ID(s)** 12159; 12160

**SegID 1412C Deep Creek (unclassified water body)**

From the confluence of Big Sulphur Creek south of Snyder in Scurry County to the upstream perennial portion of the stream northwest of Snyder in Scurry County

**Segment Type** Freshwater Stream **Segment Size** 58 Miles

*AU\_ID 1412C\_01 From the confluence with the Colorado River upstream to the confluence with Hell Roaring Hollow Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	16.00 Miles

**Station ID(s)**

*AU\_ID 1412C\_02 From the confluence with Hell Roaring Hollow Creek upstream to the confluence with an unnamed first order tributary approx. 0.07 km downstream of RR 1605*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	5.00 Miles

**Station ID(s)**

*AU\_ID 1412C\_03 From the confluence with an unnamed first order tributary approx. 0.07 km downstream of RR 1605 upstream to point east of FM 1269*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Intermediate	Presumption from Flow Type	37.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1413 Lake J. B. Thomas**

From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

**Segment Type** Reservoir **Segment Size** 7808 Acres

*AU\_ID 1413\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	7808.00 Acres

**Station ID(s)** 12367

**SegID 1414 Pedernales River**

From a point immediately upstream of the confluence of Fall Creek in Travis County to FM 385 in Kimble County

**Segment Type** Freshwater Stream **Segment Size** 125 Miles

*AU\_ID 1414\_01 End of segment to falls in Pedernales Falls State Park*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	18.00 Miles

**Station ID(s)** 12369

*AU\_ID 1414\_02 Pedernales Falls to Johnson City Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	20.00 Miles

**Station ID(s)** 12372

*AU\_ID 1414\_03 Johnson City Dam to Gillespie County line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	16.00 Miles

**Station ID(s)** 12375

*AU\_ID 1414\_04 Gillespie County line to Gellermann Lane*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	11.00 Miles

**Station ID(s)** 12376; 15419

*AU\_ID 1414\_05 Gellermann Lane to Live Oak Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12377; 17472

*AU\_ID 1414\_06 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	35.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1414B Cypress Creek (unclassified water body)**

From the confluence with the Pedernales River west of Austin to the upstream perennial portion west of Round Mountain in Blanco County

**Segment Type** Freshwater Stream **Segment Size** 24 Miles

*AU\_ID 1414B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	24.00 Miles
<b>Station ID(s)</b> 12258				

**SegID 1414C Live Oak Creek (unclassified water body)**

From the confluence with the Pedernales River near Fredericksburg to the upstream perennial portion northwest of Fredericksburg in Gillespie County

**Segment Type** Freshwater Stream **Segment Size** 15 Miles

*AU\_ID 1414C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	15.00 Miles
<b>Station ID(s)</b> 17333				

**SegID 1414D Miller Creek (unclassified water body)**

From the confluence with the Pedernales River near Pedernales Falls State Park to the headwaters, southwest of Johnson City in Blanco County

**Segment Type** Freshwater Stream **Segment Size** 25 Miles

*AU\_ID 1414D\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	25.00 Miles
<b>Station ID(s)</b> 12261				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1414E Heinz Creek**

From the confluence with the Pedernales River in Travis County upstream to CR 962 in Blanco County

**Segment Type** Freshwater Stream **Segment Size** 4 Miles

*AU\_ID 1414E\_01 Entire water body*

<b><u>Flow Type</u></b>	<b><u>Flow Type Source</u></b>	<b><u>ALU Designation</u></b>	<b><u>ALU Designation Source</u></b>	<b><u>AU Size</u></b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	4.00 Miles
<b><u>Station ID(s)</u></b> 17335				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1415 Llano River**

From a point immediately upstream of the confluence of Honey Creek in Llano County to FM 864 on the North Llano River in Sutton County and to SH 55 on the South Llano River in Edwards County

**Segment Type** Freshwater Stream **Segment Size** 231 Miles

*AU\_ID 1415\_01 From the confluence of Honey Creek upstream to the dam in Llano*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	20.00 Miles

**Station ID(s)** 12383; 12384; 12386; 17012

*AU\_ID 1415\_02 From the dam in Llano upstream to US 87 in Mason County*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	30.00 Miles

**Station ID(s)** 12388; 17011; 17013; 17363; 17470

*AU\_ID 1415\_03 From US 87 upstream to Kimble County line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	26.00 Miles

**Station ID(s)**

*AU\_ID 1415\_04 From the Kimble County line upstream to the confluence of the North Concho River and the South Concho River Johnson Fork Creek east of Junction*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	28.00 Miles

**Station ID(s)** 14231; 17010; 17471

*AU\_ID 1415\_05 North Llano River from the confluence of the South Llano upstream to FM 864 in Sutton County*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	57.00 Miles

**Station ID(s)** 17008; 17425

*AU\_ID 1415\_06 South Llano from the confluence with the North Llano River to SH 55 in Edwards County*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	70.00 Miles

**Station ID(s)** 12391; 16701; 17009

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1415A Johnson Fork Creek (unclassified water body)**

Perennial stream from the confluence with the Llano River to source springs (Rio Bonito Springs) south of Segovia

**Segment Type** Freshwater Stream **Segment Size** 16 Miles

*AU\_ID 1415A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix A	16.00 Miles
<b>Station ID(s)</b> 12213; 13550				

**SegID 1416 San Saba River**

From the confluence with the Colorado River in San Saba County to the confluence of the North Valley Prong and the Middle Valley Prong in Schleicher County

**Segment Type** Freshwater Stream **Segment Size** 168 Miles

*AU\_ID 1416\_01 From the confluence with the Colorado River in San Saba County upstream to the US 190*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 12392				

*AU\_ID 1416\_02 From US 190 upstream to McCulloch County line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	34.00 Miles
<b>Station ID(s)</b>				

*AU\_ID 1416\_03 McCulloch County/San Saba County line upstream to McCulloch County/Mason County line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	24.00 Miles
<b>Station ID(s)</b> 17004				

*AU\_ID 1416\_04 Mason County to FM 2092*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles
<b>Station ID(s)</b>				

*AU\_ID 1416\_05 FM 2092 upstream to end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	36.00 Miles
<b>Station ID(s)</b> 16905				

**SegID 1416A Brady Creek (unclassified water body)**

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

**Segment Type** Freshwater Stream **Segment Size** 35 Miles

*AU\_ID 1416A\_01 From the confluence of the San Saba River upstream to the confluence of an unnamed tributary*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)**

*AU\_ID 1416A\_02 From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	4.00 Miles

**Station ID(s)** 14232

*AU\_ID 1416A\_03 From FM 714 upstream to Brady Lake dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	6.00 Miles

**Station ID(s)** 17005

**SegID 1416B Brady Creek Reservoir (unclassified water body)**

From Brady Creek Reservoir dam up to pool elevation 1,743 ft.

**Segment Type** Reservoir **Segment Size** 2020 Acres

*AU\_ID 1416B\_01 From Brady Creek Reservoir dam up to pool elevation 1,743 ft.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	2020.00 Acres

**Station ID(s)** 12179

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1417 Lower Pecan Bayou**

From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County

**Segment Type** Freshwater Stream **Segment Size** 30 Miles

*AU\_ID 1417\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	30.00 Miles

**Station ID(s)** 12394

**SegID 1418 Lake Brownwood**

From Lake Brownwood Dam in Brown County to a point 100 meters (110 yards) upstream of FM 2559 in Brown County, up to normal pool elevation of 1424.6 feet (impounds Pecan Bayou)

**Segment Type** Reservoir **Segment Size** 7290 Acres

*AU\_ID 1418\_01 Mid-lake near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	2430.00 Acres

**Station ID(s)** 12395

*AU\_ID 1418\_02 West arm of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	2430.00 Acres

**Station ID(s)** 12396

*AU\_ID 1418\_03 North arm of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	2430.00 Acres

**Station ID(s)** 12397; 18435

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1418A Hords Creek (unclassified water body)**

From the confluence of Jim Ned Creek east of Coleman in Coleman County Hords Creek Lake Dam west of Coleman in Coleman County

Segment Type Freshwater Stream Segment Size 28 Miles

*AU\_ID 1418A\_02 From the confluence of Jim Ned Ck to a point 0.5 m downstream of Live Oak Rd*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	13.00 Miles

Station ID(s) 12177

*AU\_ID 1418A\_03 From 0.5 m downstream of Live Oak Rd. to the confluence of Bachelor Prong Ck*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	6.00 Miles

Station ID(s)

*AU\_ID 1418A\_04 From the confluence of Bachelor Prong Ck. to Hords Creek Reservoir dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	9.00 Miles

Station ID(s) 14468

**SegID 1418B Jim Ned Creek (unclassified water body)**

From the confluence with Lake Brownwood in Brown County to Coleman Dam in Coleman County

Segment Type Freshwater Stream Segment Size 39 Miles

*AU\_ID 1418B\_01 From the confluence of Lake Brownwood in Brown County upstream to the confluence of Indian Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	25.00 Miles

Station ID(s) 12172

*AU\_ID 1418B\_02 From the confluence of Indian Creek upstream to Coleman Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	14.00 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1418C Hords Creek Reservoir (unclassified water body)**

From Hords Creek Dam 10 miles west of Coleman in Coleman County up to the normal pool elevation of 1900 ft. (impounds Hords Creek).

**Segment Type** Reservoir **Segment Size** 510 Acres

AU\_ID 1418C\_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	510.00 Acres

**Station ID(s)** 12178

**SegID 1419 Lake Coleman**

From Coleman Dam in Coleman County up to the normal pool elevation of 1717.5 feet (impounds Jim Ned Creek)

**Segment Type** Reservoir **Segment Size** 2000 Acres

AU\_ID 1419\_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2000.00 Acres

**Station ID(s)** 12398; 12399

**SegID 1420 Pecan Bayou Above Lake Brownwood**

From a point 100 meter (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong of Pecan Bayou in Callahan County

**Segment Type** Freshwater Stream **Segment Size** 51 Miles

AU\_ID 1420\_01 Lower 25 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12400; 16732

AU\_ID 1420\_02 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	26.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1421 Concho River**

From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

Segment Type Freshwater Stream Segment Size 66.5 Miles

*AU\_ID 1421\_01 Downstream end to Chandler Lake confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	14.00 Miles

Station ID(s) 12401

*AU\_ID 1421\_02 From Chandler Lake confluence upstream to confluence of Puddle Ck.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	11.00 Miles

Station ID(s) 12402

*AU\_ID 1421\_03 From the confluence of Puddle Creek upstream to the confluence of Willow Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	High	TWQS-Appendix A	5.00 Miles

Station ID(s) 12403

*AU\_ID 1421\_04 From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	4.00 Miles

Station ID(s) 12404

*AU\_ID 1421\_05 From the confluence of an unnamed tributary near Chandler Rd. upstream to the confluence of Red Ck.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	5.00 Miles

Station ID(s) 12405

*AU\_ID 1421\_06 From the confluence of Red Creek upstream to the dam near Vines Rd.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	7.00 Miles

Station ID(s) 12407

*AU\_ID 1421\_07 From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	7.00 Miles

Station ID(s) 12408; 12409

*AU\_ID 1421\_08 North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	6.50 Miles

Station ID(s) 12412; 15886

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

*AU\_ID 1421\_09 South Concho River, from the confluence with the North Concho upstream to Nasworthy Dam*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	TWQS-Appendix A	8.00 Miles

**Station ID(s)** 12416; 17348

**SegID 1421A Dry Hollow Creek (unclassified water body)**

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87

**Segment Type** Freshwater Stream **Segment Size** 17 Miles

*AU\_ID 1421A\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	17.00 Miles

**Station ID(s)** 12257

**SegID 1421B Kickapoo Creek (unclassified water body)**

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters northwest of Eden

**Segment Type** Freshwater Stream **Segment Size** 47 Miles

*AU\_ID 1421B\_01 Lower 25 miles of creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 12255

*AU\_ID 1421B\_02 Remainder of water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	22.00 Miles

**Station ID(s)**



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1421C Lipan Creek (unclassified water body)**

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 1223 in Tom Green County

Segment Type Freshwater Stream Segment Size 37 Miles

*AU\_ID 1421C\_01 Lower 25 miles of creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	25.00 Miles

Station ID(s) 12254

*AU\_ID 1421C\_02 Remainder of creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	12.00 Miles

Station ID(s)

**SegID 1421D Little Concho River (unclassified water body)**

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 2333 in Runnels County

Segment Type Freshwater Stream Segment Size 23 Miles

*AU\_ID 1421D\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	23.00 Miles

Station ID(s) 12256

**SegID 1422 Lake Nasworthy**

From Nasworthy Dam in Tom Green County to Twin Buttes Dam in Tom Green County, up to the normal pool elevation of 1872.2 feet (impounds South Concho River)

Segment Type Reservoir Segment Size 1596 Acres

*AU\_ID 1422\_01 Lower half of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	800.00 Acres

Station ID(s) 12418; 12421

*AU\_ID 1422\_02 Upper half of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	796.00 Acres

Station ID(s) 12419

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1423 Twin Buttes Reservoir**

From Twin Buttes Dam in Tom Green County to a point 100 meters (110 yards) upstream of US 67 on the Middle Concho River Arm in Tom Green County and to a point 4.0 km (2.5 miles) downstream of FM 2335 on the South Concho River Arm in Tom Green County, up t

**Segment Type** Reservoir **Segment Size** 9080 Acres

*AU\_ID 1423\_01 North pool*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	6000.00 Acres

**Station ID(s)** 12422

*AU\_ID 1423\_02 South pool*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	3080.00 Acres

**Station ID(s)** 12425

**SegID 1423A Spring Creek (unclassified water body)**

From the confluence of Twin Buttes Reservoir south of Tankersley in Tom Green County to the upstream perennial portion of the stream northeast of Ozona in Crockett County

**Segment Type** Freshwater Stream **Segment Size** 58 Miles

*AU\_ID 1423A\_01 From the confluence of Twin Buttes Reservoir upstream to Duncan Avenue crossing in Mertzon*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	20.00 Miles

**Station ID(s)** 12161

*AU\_ID 1423A\_02 From Duncan Avenue crossing in Mertzon upstream to the upstream perennial portion of the stream northeast of Ozona in Crockett County*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	38.00 Miles

**Station ID(s)** 17346

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1423B Dove Creek (unclassified water body)**

From the confluence with Spring Creek above Twin Buttes Reservoir to the headwaters near FM 1828 in Schleicher County

**Segment Type** Freshwater Stream **Segment Size** 35 Miles

*AU\_ID 1423B\_01 From the confluence of Spring Creek upstream to RR 915*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 12166

*AU\_ID 1423B\_02 Remainder of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	10.00 Miles

**Station ID(s)**

**SegID 1424 Middle Concho/South Concho River**

From a point 4.0 km (2.5 miles) downstream of FM 2335 in Tom Green County to the confluence of Bois d' Arc Draw on the South Concho River in Tom Green County, and from a point 100 meters (110 yards) upstream of US 67 in Tom Green County to the confluence of Three Bluff Draw and Indian Creek on the Middle Concho River in Reagan County

**Segment Type** Freshwater Stream **Segment Size** 75 Miles

*AU\_ID 1424\_01 South Concho River from a point 4 km downstream of FM 2335 to the confluence of Bois D'Arc Draw*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	12.50 Miles

**Station ID(s)** 12427; 17349

*AU\_ID 1424\_02 Middle Concho River from a point 100 m upstream of US 67 upstream to CR 412*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12428; 16903

*AU\_ID 1424\_03 Middle Concho from CR 412 upstream to the confluence of Three Bluff Draw and Indian Creek on the Middle Concho River in Reagan County*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	37.50 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1424A West Rocky Creek (unclassified water body)**

From the confluence of Middle Concho River to the upstream perennial portion of the stream north of Mertzon in Irion County

**Segment Type** Freshwater Stream **Segment Size** 25 Miles

*AU\_ID 1424A\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles
<b>Station ID(s)</b> 12165				

**SegID 1425 O. C. Fisher Lake**

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

**Segment Type** Reservoir **Segment Size** 5440 Acres

*AU\_ID 1425\_01 Entire reservoir*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	Water body description	High	TWQS-Appendix A	5440.00 Acres
<b>Station ID(s)</b> 12429				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1425A North Concho River (unclassified water body)**

From the headwaters of OC Fisher Lake near San Angelo in Tom Green County upstream to the Glasscock/Howard County line

**Segment Type** Freshwater Stream **Segment Size** 95 Miles

*AU\_ID 1425A\_01 Lower end of water body to Sterling County line*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	25.00 Miles
<b>Station ID(s)</b> 12170; 12171; 17245; 17350; 17351				

*AU\_ID 1425A\_02 Sterling County line to SH 163*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	26.00 Miles
<b>Station ID(s)</b> 16779				

*AU\_ID 1425A\_03 SH 163 to US 87*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	25.00 Miles
<b>Station ID(s)</b> 16780				

*AU\_ID 1425A\_04 Remainder of water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	19.00 Miles
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1426 Colorado River Below E. V. Spence Reservoir**

From a point 3.7 km (2.3 miles) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

**Segment Type** Freshwater Stream **Segment Size** 66 Miles

*AU\_ID 1426\_01 Lower end of segment to Country Club Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	19.00 Miles
<b>Station ID(s)</b> 12430; 12431; 17244				

*AU\_ID 1426\_02 Country Club Lake to Coke County line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	23.00 Miles
<b>Station ID(s)</b> 13651; 16901				

*AU\_ID 1426\_03 Coke County line to SH 208*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	20.00 Miles
<b>Station ID(s)</b> 12432; 16900				

*AU\_ID 1426\_04 SH 208 to dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	4.00 Miles
<b>Station ID(s)</b> 15147; 17475; 18338				

**SegID 1426A Oak Creek Reservoir (unclassified water body)**

From Oak Creek Dam up to normal pool elevation of 2,000.0 feet north of Bronte in Coke County (impounds Oak Creek)

**Segment Type** Reservoir **Segment Size** 2375 Acres

*AU\_ID 1426A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	2375.00 Acres
<b>Station ID(s)</b> 12180				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1426B Elm Creek (unclassified water body)**

From the confluence with the Colorado River near Ballinger in Runnels County to the Lake Winters dam east of Winters in Runnels County

**Segment Type** Freshwater Stream **Segment Size** 22 Miles

*AU\_ID 1426B\_01 From the confluence with the Colorado River upstream to the low water dam downstream of US 67*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	0.50 Miles

**Station ID(s)** 15536

*AU\_ID 1426B\_02 From the low water dam downstream of US 67 upstream to Lake Winters dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	21.50 Miles

**Station ID(s)** 12169; 12207

**SegID 1426C Bluff Creek (unclassified water body)**

From the confluence with Elm Creek in Runnels County upstream to a point 1 mile east of US Hwy 277 in Taylor County.

**Segment Type** Freshwater Stream **Segment Size** 36 Miles

*AU\_ID 1426C\_01 From the confluence with Elm Creek upstream to the confluence of Mill Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	20.00 Miles

**Station ID(s)** 17474

*AU\_ID 1426C\_02 From the confluence of Mill Creek upstream to the end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	16.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1426D Coyote Creek (unclassified water body)**

From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County.

**Segment Type** Freshwater Stream **Segment Size** 11 Miles

*AU\_ID 1426D\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	11.00 Miles
<b>Station ID(s)</b> 16899				

**SegID 1427 Onion Creek**

From the confluence with the Colorado River in Travis County to the most upstream crossing of FM 165 in Blanco County

**Segment Type** Freshwater Stream **Segment Size** 78 Miles

*AU\_ID 1427\_01 From the confluence with the Colorado River upstream to US 183*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	10.00 Miles
<b>Station ID(s)</b> 12434; 12435; 12436				

*AU\_ID 1427\_02 From US 183 upstream to FM 967*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles
<b>Station ID(s)</b> 12440; 12443; 12444; 12445; 12446; 12447; 12448; 17275				

*AU\_ID 1427\_03 From FM 967 upstream to Jackson Branch confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 12449; 12450; 12451; 12452				

*AU\_ID 1427\_04 From Jackson Branch confluence to end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 12454; 12455; 17276				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1427A Slaughter Creek (unclassified water body)**

Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

**Segment Type** Freshwater Stream **Segment Size** 16 Miles

*AU\_ID 1427A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	TWQS-Appendix D	High	TWQS-Appendix D	16.00 Miles
<b>Station ID(s)</b> 12185; 12186				

**SegID 1427B Williamson Creek (unclassified water body)**

From the confluence of Onion Creek in southeast Austin in Travis County to the upstream perennial portion southwest of Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 16 Miles

*AU\_ID 1427B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	16.00 Miles
<b>Station ID(s)</b> 12181; 12183; 13653; 14417; 14772; 15697; 17963				

**SegID 1427C Bear Creek (unclassified water body)**

From the confluence of Onion Creek in south Austin in Travis County to the upstream perennial portion southwest of Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 15 Miles

*AU\_ID 1427C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	15.00 Miles
<b>Station ID(s)</b> 12187; 12188				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1427D Boggy Creek (unclassified water body)**

Intermittent Stream from the confluence of Onion Creek upstream to a point north of West Dittmar Road in Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 4 Miles

*AU\_ID 1427D\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	4.00 Miles

**Station ID(s)** 17282

**SegID 1427E Marble Creek (unclassified water body)**

From the confluence of Onion Creek in Travis County upstream to a point 0.25 miles south of Old Lockhart Road in Travis County

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 1427E\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	TWQS-Appendix A	5.00 Miles

**Station ID(s)** 17300

**SegID 1427F Rinard Creek (unclassified water body)**

From the confluence of Onion Creek in Travis County upstream to a point 0.4 miles south of Turnersville Road in Travis County

**Segment Type** Freshwater Stream **Segment Size** 5.5 Miles

*AU\_ID 1427F\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	5.50 Miles

**Station ID(s)** 17281

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1427G Granada Hills Tributary to Slaughter Creek (unclassified water body)**

Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County

**Segment Type** Freshwater Stream **Segment Size** 1.5 Miles

*AU\_ID 1427G\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	1.50 Miles
<b>Station ID(s)</b> 17293				

**SegID 1427H Pier Branch (unclassified water body)**

From the confluence with Onion Creek upstream to US Hwy 290 in southwest Travis County

**Segment Type** Freshwater Stream **Segment Size** 4.5 Miles

*AU\_ID 1427H\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	4.50 Miles
<b>Station ID(s)</b> 17327				

**SegID 1428 Colorado River Below Town Lake**

From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County

**Segment Type** Freshwater Stream **Segment Size** 41 Miles

*AU\_ID 1428\_01 Lower end of segment to Gilleland Creek confluence*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	Exceptional	TWQS-Appendix A	21.00 Miles
<b>Station ID(s)</b> 12466				

*AU\_ID 1428\_02 From the confluence of Gilleland Creek upstream to the confluence of Walnut Ck.*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	Exceptional	TWQS-Appendix A	15.00 Miles
<b>Station ID(s)</b> 12469				

*AU\_ID 1428\_03 Walnut Creek to Longhorn Dam*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	Exceptional	TWQS-Appendix A	5.00 Miles
<b>Station ID(s)</b> 12474; 12475				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1428A Boggy Creek (unclassified water body)**

From the confluence of the Colorado River east of Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 7 Miles

*AU\_ID 1428A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	7.00 Miles
<b>Station ID(s)</b> 16325; 17253				

**SegID 1428B Walnut Creek (unclassified water body)**

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 20 Miles

*AU\_ID 1428B\_01 From the Colorado River upstream to FM 969*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	3.00 Miles
<b>Station ID(s)</b> 12231				

*AU\_ID 1428B\_02 From FM 969 upstream to Old Manor Rd.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	3.50 Miles
<b>Station ID(s)</b> 12232; 16187				

*AU\_ID 1428B\_03 From old Manor Road upstream to Dessau Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	5.50 Miles
<b>Station ID(s)</b> 17469				

*AU\_ID 1428B\_04 From Dessau Rd. upstream to MoPac/Loop 1*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	2.50 Miles
<b>Station ID(s)</b> 13669; 15743; 17299				

*AU\_ID 1428B\_05 From MoPac/Loop 1 upstream to railroad tracks west of Loop 1*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	2.50 Miles
<b>Station ID(s)</b> 17251				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1428C Gilleland Creek (unclassified water body)**

Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

**Segment Type** Freshwater Stream **Segment Size** 24 Miles

*AU\_ID 1428C\_01 From the Colorado River upstream to Taylor Lane*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	4.50 Miles

**Station ID(s)** 17257

*AU\_ID 1428C\_02 From Taylor Lane upstream to Old Highway 20*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	6.50 Miles

**Station ID(s)** 12235

*AU\_ID 1428C\_03 From Old Highway 20 to Cameron Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	High	TWQS-Appendix D	5.50 Miles

**Station ID(s)** 12236; 12237

*AU\_ID 1428C\_04 From Cameron Road to the spring source*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix D	7.50 Miles

**Station ID(s)** 15954

**SegID 1428D Little Walnut Creek (unclassified water body)**

From the confluence with the Colorado River in Austin in Travis County upstream to a point west of Lamar Blvd. in Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 6 Miles

*AU\_ID 1428D\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	6.00 Miles

**Station ID(s)** 12233; 13551; 16333

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1428E Fort Branch Creek (unclassified water body)**

From the confluence of Boggy Creek in Austin in Travis County upstream to Springdale Park in Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 1.5 Miles

*AU\_ID 1428E\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	1.50 Miles
<b>Station ID(s)</b> 17250				

**SegID 1428F Tannehill Branch Creek (unclassified water body)**

From the confluence of Boggy Creek in Austin in Travis County upstream to Bartholomew Park in Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 4 Miles

*AU\_ID 1428F\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	4.00 Miles
<b>Station ID(s)</b> 16327; 17314				

**SegID 1428G Wells Branch (unclassified water body)**

From the confluence of Walnut Creek in Austin in Travis County upstream to Bratton Lane Park in Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 1428G\_01 From Walnut Creek upstream to Howard Lane*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	2.50 Miles
<b>Station ID(s)</b> 15744				

*AU\_ID 1428G\_02 From Howard Lane to Bratton Lane Park*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	2.50 Miles
<b>Station ID(s)</b> 15961				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1428H Carson Creek (unclassified water body)**

From the confluence of the Colorado River to a point near the intersection of Montopolis Drive and SH 71 in Austin in Travis County

Segment Type Freshwater Stream Segment Size 5 Miles

*AU\_ID 1428H\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	5.00 Miles
<u>Station ID(s)</u> 17264				

**SegID 1428I Decker Creek (unclassified water body)**

From the confluence of Gilleland Creek to Walter E. Long Lake in Austin in Travis County

Segment Type Freshwater Stream Segment Size 6 Miles

*AU\_ID 1428I\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	6.00 Miles
<u>Station ID(s)</u> 17256				

**SegID 1428J Harris Branch (unclassified water body)**

From the confluence of Gilliland Creek to the confluence of an unnamed tributary west of Gregg Cemetery in Travis County

Segment Type Freshwater Stream Segment Size 5 Miles

*AU\_ID 1428J\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type	5.00 Miles
<u>Station ID(s)</u> 12240				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1429 Town Lake**

From Longhorn Dam in Travis County to Tom Miller Dam in Travis County, up to the normal pool elevation of 429 feet (impounds Colorado River)

Segment Type Reservoir Segment Size 500 Acres

*AU\_ID 1429\_01 Longhorn Dam upstream to Lamar Street bridge*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	250.00 Acres

Station ID(s) 12476; 12483; 14061; 14062; 14065; 14066; 14067; 14068

*AU\_ID 1429\_02 From Lamar Street bridge upstream to Tom Miller Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	250.00 Acres

Station ID(s) 12486; 14063; 14064; 14069; 14070; 14071; 14072

**SegID 1429A Shoal Creek (unclassified water body)**

From the confluence of Town Lake in Austin in Travis County to the upstream perennial portion of the Creek in north Austin in Travis County

Segment Type Freshwater Stream Segment Size 10 Miles

*AU\_ID 1429A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	10.00 Miles

Station ID(s) 13652; 15965; 17309; 17310; 17311

**SegID 1429B Eanes Creek (unclassified water body)**

From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

Segment Type Freshwater Stream Segment Size 6 Miles

*AU\_ID 1429B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	6.00 Miles

Station ID(s) 15964



**SegID 1429C Waller Creek (unclassified water body)**

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 5.25 Miles

*AU\_ID 1429C\_01 From the confluence with Town Lake to East MLK Blvd.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	1.50 Miles

**Station ID(s)** 12222

*AU\_ID 1429C\_02 From East MLK Blvd. to East 41st Street*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	1.50 Miles

**Station ID(s)** 15962

*AU\_ID 1429C\_03 Upper portion of creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	2.25 Miles

**Station ID(s)** 12228; 16331

**SegID 1429D East Bouldin Creek (unclassified water body)**

From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 3.5 Miles

*AU\_ID 1429D\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	3.50 Miles

**Station ID(s)** 15881; 16106; 16107; 17296; 17297

**SegID 1429E West Bouldin Creek (unclassified water body)**

From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in Travis County

**Segment Type** Freshwater Stream **Segment Size** 3 Miles

*AU\_ID 1429E\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	3.00 Miles

**Station ID(s)** 17255

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1429F Blunn Creek (unclassified water body)**

From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 3 Miles

*AU\_ID 1429F\_01 From the confluence with Town Lake upstream to East Mary Street*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	0.75 Miles

**Station ID(s)** 15885

*AU\_ID 1429F\_02 From East Mary Street to SH 71*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	2.25 Miles

**Station ID(s)** 15882; 15883; 15884

**SegID 1429G Harper's Branch (unclassified water body)**

From the confluence with Town Lake upstream to Woodland Avenue in Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 0.5 Miles

*AU\_ID 1429G\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	0.50 Miles

**Station ID(s)** 16104; 17312

**SegID 1429H Johnson Creek (unclassified water body)**

From the confluence with Town Lake to a point south of Windsor Road in Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 2 Miles

*AU\_ID 1429H\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	2.00 Miles

**Station ID(s)** 17313

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1430 Barton Creek**

From the confluence with Town Lake in Travis County to FM 12 in Hays County

**Segment Type** Freshwater Stream **Segment Size** 38 Miles

*AU\_ID 1430\_01 From confluence with Town Lake to downstream dam of Barton Springs Pool*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	0.50 Miles
<b>Station ID(s)</b> 13693				

*AU\_ID 1430\_02 From Barton Springs Pool upstream dam to a point 2 miles upstream of Loop 1*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	High	TWQS-Appendix A	6.50 Miles
<b>Station ID(s)</b> 12488; 12489; 12490; 12491; 15958; 17978; 17979				

*AU\_ID 1430\_03 From a point 2 miles upstream of Loop 1 to SH 71*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	High	TWQS-Appendix A	13.00 Miles
<b>Station ID(s)</b> 12492; 12495; 13555; 14902; 15959; 18187				

*AU\_ID 1430\_04 SH 71 upstream to Hays County Line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	High	TWQS-Appendix A	13.00 Miles
<b>Station ID(s)</b> 12496; 12497				

*AU\_ID 1430\_05 Hays County Line upstream to FM 12*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	5.00 Miles
<b>Station ID(s)</b> 12498				

**SegID 1430A Barton Springs (unclassified water body)**

Barton Springs 0.4 mile upstream of Barton Springs Road in Austin in Travis County

**Segment Type** Freshwater Stream **Segment Size** 0.2 Miles

*AU\_ID 1430A\_01 Barton Springs Pool - entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	0.20 Miles
<b>Station ID(s)</b> 15696				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1430B Tributaries to Barton Creek (unclassified water bodies)**

Tributaries to Barton Creek in Travis County and Hays County

**Segment Type** Freshwater Stream **Segment Size** 54.5 Miles

*AU\_ID 1430B\_01 Tributaries entering Barton Cr from a point 2 mi upstream of Loop 1 upstream to Barton Creek Blvd.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	12.00 Miles
<b>Station ID(s)</b> 17277; 17278; 17279; 17280; 17284; 17286; 17289; 17316				

*AU\_ID 1430B\_02 From Barton Creek Blvd. crossing upstream to SH 71*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	High	Presumption from Flow Type	8.00 Miles
<b>Station ID(s)</b> 17287; 17288; 17302; 17305; 17308				

*AU\_ID 1430B\_03 Little Barton Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	9.00 Miles
<b>Station ID(s)</b> 12252				

*AU\_ID 1430B\_04 Tributaries entering Barton Cr from SH 71 upstream to the Hays County line*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	14.50 Miles
<b>Station ID(s)</b> 12253; 17301; 17303; 17304				

*AU\_ID 1430B\_05 Tributaries entering Barton Creek from the Hays County line upstream to CR 169*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	11.00 Miles
<b>Station ID(s)</b> 12500; 17295; 17306				

**SegID 1431 Mid Pecan Bayou**

From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

**Segment Type** Freshwater Stream **Segment Size** 13 Miles

*AU\_ID 1431\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	Minimal	TWQS-Appendix A	13.00 Miles
<b>Station ID(s)</b> 12503; 12504; 12505				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1432 Upper Pecan Bayou**

From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

**Segment Type** Freshwater Stream **Segment Size** 15 Miles

*AU\_ID 1432\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	15.00 Miles
<b>Station ID(s)</b> 12508				

**SegID 1433 O. H. Ivie Reservoir**

From S. W. Freese Dam in Coleman/Concho County to a point 3.7 km (2.3 miles) below the confluence of Mustang Creek on the Colorado River Arm in Runnels County and to a point 2.0 km (1.2 miles) above the confluence of Fuzzy Creek on the Concho River Arm in Concho County, up to the normal pool elevation of 1551.5 feet (impounds Colorado River)

**Segment Type** Reservoir **Segment Size** 19150 Acres

*AU\_ID 1433\_01 Main pool near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	7000.00 Acres
<b>Station ID(s)</b> 12511				

*AU\_ID 1433\_02 Concho River arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	5000.00 Acres
<b>Station ID(s)</b> 12512				

*AU\_ID 1433\_03 Colorado River arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	4000.00 Acres
<b>Station ID(s)</b> 12513				

*AU\_ID 1433\_04 Remainder of reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	3150.00 Acres
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1434 Colorado River above La Grange**

From a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County to a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County

**Segment Type** Freshwater Stream **Segment Size** 74 Miles

*AU\_ID 1434\_01 From a point 100 m downstream of SH 71 upstream to the Southern Pacific Railroad crossing*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	Exceptional	TWQS-Appendix A	22.00 Miles

**Station ID(s)**

*AU\_ID 1434\_02 Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	Exceptional	TWQS-Appendix A	26.00 Miles

**Station ID(s)** 12293; 12457

*AU\_ID 1434\_03 From the confluence of Reeds Creek west of Smithville upstream to the end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	Exceptional	TWQS-Appendix A	26.00 Miles

**Station ID(s)** 12461; 12462

**SegID 1434B Cedar Creek (unclassified water body)**

Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

**Segment Type** Freshwater Stream **Segment Size** 21 Miles

*AU\_ID 1434B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	21.00 Miles

**Station ID(s)** 16176

**SegID 1434C Lake Bastrop (unclassified water body)**

From the Lake Bastrop dam to the normal pool elevation of 450 ft. (impounds Spicey Creek) in Bastrop County

Segment Type Reservoir Segment Size 906 Acres

*AU\_ID 1434C\_01 South arm of lake near intake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	270.00 Acres

Station ID(s) 17021

*AU\_ID 1434C\_02 Mid-lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	440.00 Acres

Station ID(s) 17020

*AU\_ID 1434C\_03 North arm of lake near discharge*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	196.00 Acres

Station ID(s) 17019

**SegID 1501 Tres Palacios Creek Tidal**

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County

Segment Type Tidal Stream Segment Size 8 Miles

*AU\_ID 1501\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	8.00 Miles

Station ID(s) 12515; 15321; 17887

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1502 Tres Palacios Creek Above Tidal**

From a point 1.0 km (0.6 miles) upstream of the confluence of Wilson Creek in Matagorda County to US 59 in Wharton County

Segment Type Freshwater Stream Segment Size 45 Miles

*AU\_ID 1502\_01 Middle 23 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	23.00 Miles

Station ID(s) 12517; 15325; 16910; 16911

*AU\_ID 1502\_02 Upper 10 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.00 Miles

Station ID(s) 16912

*AU\_ID 1502\_03 Lower 12 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.00 Miles

Station ID(s) 16909

**SegID 1601 Lavaca River Tidal**

From the confluence with Lavaca Bay in Calhoun/Jackson County to a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County

Segment Type Tidal Stream Segment Size 23 Miles

*AU\_ID 1601\_01 Upper 12.5 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Water body description	High	TWQS-Appendix A	12.50 Miles

Station ID(s) 15373

*AU\_ID 1601\_02 Middle 3.5 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3.50 Miles

Station ID(s) 15371; 15372

*AU\_ID 1601\_03 Lower 7.0 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.00 Miles

Station ID(s) 18336



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1601A Catfish Bayou (unclassified water body)**

From the confluence of Lavaca Bay north of Point Comfort in Calhoun County to the confluence of the Lavaca River south of Edna in Jackson County

**Segment Type** Tidal Stream **Segment Size** 1.8 Miles

*AU\_ID 1601A\_01 Entire bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	Water body description	High	Presumption from Flow Type	1.80 Miles
<b>Station ID(s)</b> 15369				

**SegID 1601B Redfish Bayou (unclassified water body)**

From the confluence of the Lavaca River north of Point Comfort in Jackson County to the confluence of Redfish Lake south of Edna in Jackson County

**Segment Type** Tidal Stream **Segment Size** 1.2 Miles

*AU\_ID 1601B\_01 Entire bayou*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	Water body description	High	Presumption from Flow Type	1.20 Miles
<b>Station ID(s)</b> 15370				

**SegID 1602 Lavaca River Above Tidal**

From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to a point 5.5 km (3.4 miles) upstream of SH 95 in Lavaca County

**Segment Type** Freshwater Stream **Segment Size** 94 Miles

*AU\_ID 1602\_01 Upper 29 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles
<b>Station ID(s)</b> 12526; 12527; 17138; 17139; 17140; 17141; 17341; 17396; 17594; 17595				

*AU\_ID 1602\_02 Middle 34 miles of segment between SH111 and US90*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	34.00 Miles
<b>Station ID(s)</b> 12525				

*AU\_ID 1602\_03 Lower 31 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	31.00 Miles
<b>Station ID(s)</b> 12524				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1603 Navidad River Tidal**

From the confluence with the Lavaca River in Jackson County to Palmetto Bend Dam in Jackson County

**Segment Type** Tidal Stream **Segment Size** 9 Miles

*AU\_ID 1603\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	9.00 Miles
<b>Station ID(s)</b> 15374; 15375; 15376				

**SegID 1604 Lake Texana**

From Palmetto Bend Dam in Jackson County to a point 100 meters (110 yards) downstream of FM 530 in Jackson County, up to normal pool elevation of 44 feet (impounds Navidad River)

**Segment Type** Reservoir **Segment Size** 11000 Acres

*AU\_ID 1604\_01 Navidad River arm of Lake Texana*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2551.20 Acres
<b>Station ID(s)</b> 13985				

*AU\_ID 1604\_02 East Mustang Creek arm of Lake Texana*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1342.33 Acres
<b>Station ID(s)</b> 13986				

*AU\_ID 1604\_03 Upstream middle portion of Lake Texana*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2011.64 Acres
<b>Station ID(s)</b> 13984				

*AU\_ID 1604\_04 Downstream middle portion of Lake Texana*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2551.01 Acres
<b>Station ID(s)</b> 13983; 15379				

*AU\_ID 1604\_05 Downstream portion of Lake Texana*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2543.82 Acres
<b>Station ID(s)</b> 13981; 13982; 15377; 15381				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1604A East Mustang Creek (unclassified water body)**

From the confluence of Lake Texana east of Ganado in Jackson County to the upstream perennial portion of the stream east of Louise in Wharton County

**Segment Type** Freshwater Stream **Segment Size** 16 Miles

*AU\_ID 1604A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	16.00 Miles
<b>Station ID(s)</b> 15382				

**SegID 1604B West Mustang Creek (unclassified water body)**

From the confluence of Lake Texana east of Ganado in Jackson County to the upstream perennial portion of the stream north of El Campo in Wharton County

**Segment Type** Freshwater Stream **Segment Size** 33 Miles

*AU\_ID 1604B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	33.00 Miles
<b>Station ID(s)</b> 13655				

**SegID 1604C Sandy Creek (unclassified water body)**

From the confluence of Lake Texana west of Ganado in Jackson County to the upstream perennial portion of the stream northwest of El Campo in Wharton County

**Segment Type** Freshwater Stream **Segment Size** 37 Miles

*AU\_ID 1604C\_01 Upper 15 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	15.00 Miles
<b>Station ID(s)</b> 13654				

*AU\_ID 1604C\_02 Lower 22 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	22.00 Miles
<b>Station ID(s)</b>				



**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1801      Guadalupe River Tidal**

From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 miles) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

<b><u>Segment Type</u></b>	Tidal Stream	<b><u>Segment Size</u></b>	11 Miles
----------------------------	--------------	----------------------------	----------

*AU\_ID 1801\_01      Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal	TSWQS	Exceptional	TWQS-Appendix A	11.00 Miles
<b><u>Station ID(s)</u></b> 12577				

**SegID 1802      Guadalupe River Below San Antonio River**

From the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 kilometer (0.4 mile) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County

<b><u>Segment Type</u></b>	Freshwater Stream	<b><u>Segment Size</u></b>	0.4 Miles
----------------------------	-------------------	----------------------------	-----------

*AU\_ID 1802\_01      Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	0.40 Miles
<b><u>Station ID(s)</u></b> 12578				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1803 Guadalupe River Below San Marcos River**

From the a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County to a point immediately upstream to the confluence of the San Marcos River in Gonzales

Segment Type Freshwater Stream Segment Size 168.6 Miles

*AU\_ID 1803\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 16579

*AU\_ID 1803\_02 From confluence with Coleta Creek 25 miles upstream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 12585; 12590

*AU\_ID 1803\_03 From confluence with Sandies Creek 25 miles upstream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 12592

*AU\_ID 1803\_04 From 25 miles upstream of confl. with Coleta Ck. to confl. with Sandies Ck.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	44.00 Miles

Station ID(s)

*AU\_ID 1803\_05 From 25 miles upstream of confl. with Sandies Ck. to upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	49.60 Miles

Station ID(s)

**SegID 1803A Elm Creek (unclassified water body)**

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

Segment Type Freshwater Stream Segment Size 24.3 Miles

*AU\_ID 1803A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	24.30 Miles

Station ID(s) 15996; 15997; 17894

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1803B Sandies Creek (unclassified water body)**

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

**Segment Type** Freshwater Stream **Segment Size** 65 Miles

*AU\_ID 1803B\_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	33.00 Miles

**Station ID(s)** 13657; 14935

*AU\_ID 1803B\_02 From the confluence with Elm Creek to upper end of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	32.00 Miles

**Station ID(s)** 15998; 17895; 17901

**SegID 1803C Peach Creek (unclassified water body)**

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

**Segment Type** Freshwater Stream **Segment Size** 37.3 Miles

*AU\_ID 1803C\_01 Lower 25 miles of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles

**Station ID(s)** 14937; 17935; 18342

*AU\_ID 1803C\_02 Remainder of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	27.00 Miles

**Station ID(s)**

*AU\_ID 1803C\_03 From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	12.30 Miles

**Station ID(s)** 17933; 17934

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1804 Guadalupe River Below Comal River**

From the confluence of the San Marcos River in Gonzales County to the confluence of the Comal River in Comal County

**Segment Type** Freshwater Stream **Segment Size** 103 Miles

*AU\_ID 1804\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 15110

*AU\_ID 1804\_02 From approx. 8 mi. downstream of FM 1117 in Guadalupe Co. to McQueeney Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12595; 17134

*AU\_ID 1804\_03 From McQueeney Dam upstream approximately 7 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.00 Miles

**Station ID(s)** 15149; 15273; 15517; 18213

*AU\_ID 1804\_04 Upper 13 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	13.00 Miles

**Station ID(s)** 12596; 15480; 15481; 15516

*AU\_ID 1804\_05 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	33.00 Miles

**Station ID(s)**

**SegID 1804A Geronimo Creek (unclassified water body)**

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

**Segment Type** Freshwater Stream **Segment Size** 15 Miles

*AU\_ID 1804A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	15.00 Miles

**Station ID(s)** 12576; 14932



**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1805 Canyon Lake**

From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

**Segment Type** Reservoir **Segment Size** 8240 Acres

*AU\_ID 1805\_01 Cove around Jacob's Creek Park*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	Exceptional	TWQS-Appendix A	1000.00 Acres

**Station ID(s)** 12598

*AU\_ID 1805\_02 North end of Crane's Mill Park peninsula to south end of Canyon Park*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	Exceptional	TWQS-Appendix A	2000.00 Acres

**Station ID(s)** 12600

*AU\_ID 1805\_03 Upper end of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	Exceptional	TWQS-Appendix A	1000.00 Acres

**Station ID(s)** 12601

*AU\_ID 1805\_04 Lower end of reservoir from dam upstream to Canyon Park*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	Exceptional	TWQS-Appendix A	4240.00 Acres

**Station ID(s)** 12597

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1806 Guadalupe River Above Canyon Lake**

From a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County to the confluence of North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

**Segment Type** Freshwater Stream **Segment Size** 103 Miles

*AU\_ID 1806\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 13700; 14255

*AU\_ID 1806\_02 From confluence with Big Joshua Creek to Flat Rock Dam in Kerrville*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	33.00 Miles

**Station ID(s)** 12602; 12603; 12605; 12608; 12610; 15113; 16242

*AU\_ID 1806\_03 From Flat Rock Dam in Kerrville to 1 mile upstream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	1.00 Miles

**Station ID(s)** 12612

*AU\_ID 1806\_04 From 1 mile upstream Flat Rock Dam to confluence with Camp Meeting Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	1.00 Miles

**Station ID(s)** 12615

*AU\_ID 1806\_05 From confluence with Camp Meeting Creek to 2 miles upstream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	2.00 Miles

**Station ID(s)** 12616

*AU\_ID 1806\_06 From RR 394 1 mile downstream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	1.00 Miles

**Station ID(s)** 12617; 16243; 16244

*AU\_ID 1806\_07 Upper 10 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	10.00 Miles

**Station ID(s)** 12618; 12619; 12620; 12621; 15111; 16241

*AU\_ID 1806\_08 From 25 miles upstream of lower end to confluence with Big Joshua Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	30.00 Miles

**Station ID(s)** 17404

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1806A Camp Meeting Creek (unclassified water body)**

From the confluence of Flatrock Lake in southeast Kerrville in Kerr County to the upstream perennial portion of the stream west of Kerrville in Kerr County

**Segment Type** Freshwater Stream **Segment Size** 18 Miles

*AU\_ID 1806A\_02 Lower 9 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	9.00 Miles

**Station ID(s)** 12546

*AU\_ID 1806A\_03 Upper 9 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	TSWQS	Limited	TWQS-Appendix A	9.00 Miles

**Station ID(s)** 17896

**SegID 1807 Coletto Creek**

From the confluence with the Guadalupe River in Victoria County to the confluence of Fifteenmile Creek and Twelvemile Creek in Goliad/Victoria County, including Coletto Creek Reservoir

**Segment Type** Freshwater Stream **Segment Size** 27 Miles

*AU\_ID 1807\_01 From confluence with Guadalupe River to Coletto Ck. Reservoir Dam*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	13.00 Miles

**Station ID(s)** 12622; 12623

*AU\_ID 1807\_02 Remainder of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	14.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1808 Lower San Marcos River**

From the confluence with the Guadalupe River in Gonzales County to a point 1.0 km (0.6 miles) upstream of the Blanco River in Hays County

**Segment Type** Freshwater Stream **Segment Size** 75 Miles

*AU\_ID 1808\_01 Lower 18 miles from confluence with Guadalupe R to confluence Mile Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles

**Station ID(s)** 16578

*AU\_ID 1808\_02 From confluence with Mile Creek to confluence with Plum Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.00 Miles

**Station ID(s)** 12624

*AU\_ID 1808\_03 From confluence with Plum Creek to Guadalupe CR 239/247*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12626

*AU\_ID 1808\_04 From Guadalupe CR 239/247 to upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12628; 17429; 17430

**SegID 1809 Lower Blanco River**

From the confluence with the San Marcos River in Hays County to a point 0.3 km (0.2 miles) upstream of Limekiln Road in Hays County

**Segment Type** Freshwater Stream **Segment Size** 15 Miles

*AU\_ID 1809\_01 Lower 7 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.00 Miles

**Station ID(s)** 12631

*AU\_ID 1809\_02 Upper 8 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	8.00 Miles

**Station ID(s)** 12637

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1810 Plum Creek**

From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

**Segment Type** Freshwater Stream **Segment Size** 52 Miles

*AU\_ID 1810\_01 Confluence with San Marcos River to approx. 2.5 mi. upstream of the confluence with Clear Fork Plum Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	15.50 Miles

**Station ID(s)** 12640

*AU\_ID 1810\_02 From approx. 2.5 mi. upstream of confluence with Clear Fork Plum Ck to approx. 0.5 mi upstream of SH21*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12645

*AU\_ID 1810\_03 From approx. 0.5 mi. upstream of SH 21 to upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.50 Miles

**Station ID(s)** 17406

**SegID 1811 Comal River**

From the confluence with the Guadalupe River in Comal County to Klingemann Street in New Braunfels in Comal County

**Segment Type** Freshwater Stream **Segment Size** 4 Miles

*AU\_ID 1811\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	4.00 Miles

**Station ID(s)** 12653; 12655

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1811A Dry Comal Creek (unclassified water body)**

From the confluence of the Comal River in New Braunfels in Comal County to the upstream perennial portion of the stream southwest of New Braunfels in Comal County

Segment Type Freshwater Stream Segment Size 30 Miles

*AU\_ID 1811A\_01 Lower 25 miles of water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	25.00 Miles

Station ID(s) 12570

*AU\_ID 1811A\_02 Remainder of water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	5.00 Miles

Station ID(s)

**SegID 1812 Guadalupe River Below Canyon Dam**

From the confluence of the Comal River in Comal County to Canyon Dam in Comal County

Segment Type Freshwater Stream Segment Size 23 Miles

*AU\_ID 1812\_01 Lower 4 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A	4.00 Miles

Station ID(s) 12657; 13511

*AU\_ID 1812\_02 From railroad xing approx 1.5 miles upstream of SH 46 to confl. with Bear Ck*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A	10.00 Miles

Station ID(s) 12658

*AU\_ID 1812\_03 Upper 9 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A	9.00 Miles

Station ID(s) 13656; 16703

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1813 Upper Blanco River**

From a point 0.3 km (0.2 miles) upstream of Limekiln Road in Hays County to the confluence of Meier Creek in Kendall County

**Segment Type** Freshwater Stream **Segment Size** 71 Miles

*AU\_ID 1813\_01 From lower end of segment to Hays CR 314*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	15.00 Miles

**Station ID(s)** 12660

*AU\_ID 1813\_02 From Hays CR 314 to Hays CR 1492*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	3.00 Miles

**Station ID(s)** 12661

*AU\_ID 1813\_03 From Blanco CR 406 to Hwy 281 in Blanco*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	7.00 Miles

**Station ID(s)** 12667; 12668

*AU\_ID 1813\_04 From Hwy 281 to upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	16.00 Miles

**Station ID(s)** 13514; 17522; 17525; 17528

*AU\_ID 1813\_05 From Hays CR 1492 to Blanco CR 406*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	30.00 Miles

**Station ID(s)** 12663

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1814 Upper San Marcos River**

From a point 1.0 km (0.6 miles) upstream of the confluence of the Blanco River in Hays County to a point 0.7 km (0.4 miles) upstream of Loop 82 in San Marcos in Hays County

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 1814\_01 Lower 1.5 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	1.50 Miles

**Station ID(s)** 12629

*AU\_ID 1814\_02 From sub-segment 01 to IH 35 east frontage road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	1.00 Miles

**Station ID(s)** 12671

*AU\_ID 1814\_03 From IH 35 east frontage road to Spring Lake Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	1.30 Miles

**Station ID(s)** 12672

*AU\_ID 1814\_04 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	1.20 Miles

**Station ID(s)**

**SegID 1815 Cypress Creek**

From the confluence with the Blanco River in Hays County to a point 6.4 km (4.0 miles) upstream of the most upstream unnamed county road crossing Hays County

**Segment Type** Freshwater Stream **Segment Size** 14 Miles

*AU\_ID 1815\_01 Lower 7 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	7.00 Miles

**Station ID(s)** 12673; 12674; 12676; 12677

*AU\_ID 1815\_02 Upper 7 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	7.00 Miles

**Station ID(s)**



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1816 Johnson Creek**

From the confluence with the Guadalupe River in Kerr County to a point 1.2 km (0.7 miles) upstream of the most upstream crossing of SH 41 in Kerr County

**Segment Type** Freshwater Stream **Segment Size** 21 Miles

*AU\_ID 1816\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	Exceptional	TWQS-Appendix A	21.00 Miles
<b>Station ID(s)</b> 12678; 12680				

**SegID 1817 North Fork Guadalupe River**

From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 miles) upstream of Boneyard Draw in Kerr County

**Segment Type** Freshwater Stream **Segment Size** 29 Miles

*AU\_ID 1817\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	Exceptional	TWQS-Appendix A	29.00 Miles
<b>Station ID(s)</b> 12681; 12682; 16245				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1818 South Fork Guadalupe River**

From the confluence with the Guadalupe River in Kerr County to a point 4.8 km (3.0 miles) upstream of FM 187 in Kerr County

**Segment Type** Freshwater Stream **Segment Size** 27 Miles

*AU\_ID 1818\_01 Lower 1.5 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	1.50 Miles

**Station ID(s)** 12684

*AU\_ID 1818\_02 From lower 1.5 mi to approx 0.5 mile upstream of Lange Ravine*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	2.00 Miles

**Station ID(s)** 12685

*AU\_ID 1818\_03 From 0.5 mi upstream Lange Ravine to low water dam just below Camp Mystic*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	1.50 Miles

**Station ID(s)** 16246

*AU\_ID 1818\_04 From low water dam below Camp Mystic to confluence with Cherry Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	3.50 Miles

**Station ID(s)** 12686

*AU\_ID 1818\_05 Upper 18.5 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	18.50 Miles

**Station ID(s)** 12688

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1901 Lower San Antonio River**

From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

**Segment Type** Freshwater Stream **Segment Size** 153 Miles

*AU\_ID 1901\_01 25 miles downstream of the confluence with Manahuilla Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12790

*AU\_ID 1901\_02 25 miles upstream of Manahuilla Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12791; 17858

*AU\_ID 1901\_03 From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12793

*AU\_ID 1901\_04 9 miles downstream of Escondido Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.00 Miles

**Station ID(s)** 12794

*AU\_ID 1901\_05 From upstream end of segment to Escondido Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	38.00 Miles

**Station ID(s)** 12795; 12796; 16580; 17860; 17861; 17862

*AU\_ID 1901\_06 Lower 31 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	31.00 Miles

**Station ID(s)** 12789

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1902 Lower Cibolo Creek**

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

**Segment Type** Freshwater Stream **Segment Size** 71 Miles

*AU\_ID 1902\_01 Lower 5 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5.00 Miles

**Station ID(s)** 12797

*AU\_ID 1902\_02 From 5 miles upstream of confluence with the San Antonio River to FM 541*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	14.00 Miles

**Station ID(s)** 12798; 14211

*AU\_ID 1902\_03 From FM 541 to confluence with Clifton Branch*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.00 Miles

**Station ID(s)** 12803

*AU\_ID 1902\_04 From confluence with Clifton Branch to the confluence with Elm Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	19.00 Miles

**Station ID(s)** 12805

*AU\_ID 1902\_05 Upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	24.00 Miles

**Station ID(s)** 14197

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1902A Martinez Creek (unclassified water body)**

Perennial stream from the confluence with Escondido Creek upstream to Binz-Engleman Road

**Segment Type** Freshwater Stream **Segment Size** 24 Miles

*AU\_ID 1902A\_01 From confluence with Cibolo Creek to confluence with Salatrillo Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	Presumption from Flow Type	7.50 Miles
<b>Station ID(s)</b> 12741				

*AU\_ID 1902A\_02 From confluence with Salatrillo Creek to confluence with Escondido Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	Presumption from Flow Type	2.50 Miles
<b>Station ID(s)</b> 14203				

*AU\_ID 1902A\_03 From confluence with Escondido Creek to appx. 1.9 miles downstream of IH 10*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix A	5.00 Miles
<b>Station ID(s)</b> 15306				

*AU\_ID 1902A\_04 From appx. 1.9 miles downstream of IH 10 to Binz- Engleman Rd.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	3.00 Miles
<b>Station ID(s)</b> 15305				

**SegID 1902B Salatrillo Creek (unclassified water body)**

From the confluence with Martinez Creek to approximately 1.3 miles upstream of FM 1976.

**Segment Type** Freshwater Stream **Segment Size** 12 Miles

*AU\_ID 1902B\_01 From the confluence with Martinez Creek to FM 78 in Converse*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	9.00 Miles
<b>Station ID(s)</b> 14201; 15303				

*AU\_ID 1902B\_02 Remainder of water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	3.00 Miles
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1903 Medina River Below Medina Diversion Lake**

From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

**Segment Type** Freshwater Stream **Segment Size** 80 Miles

*AU\_ID 1903\_01 Lower 5 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5.00 Miles

**Station ID(s)** 12811

*AU\_ID 1903\_02 From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5.50 Miles

**Station ID(s)** 12812

*AU\_ID 1903\_03 From 1.5 miles upstream of Leon Cr to confluence with Live Oak Slough*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.50 Miles

**Station ID(s)** 12814; 12816

*AU\_ID 1903\_04 From confluence with Live Oak Slough to upstream 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12817; 12818; 12819; 13699; 14200

*AU\_ID 1903\_05 Upper 32 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	32.00 Miles

**Station ID(s)** 12823; 12824

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1904 Medina Lake**

From Medina Dam in Medina County to a point immediately upstream of the confluence of Red Bluff Creek in Bandera County, up to normal pool elevation of 1064.2 feet (impounds Medina River)

**Segment Type** Reservoir **Segment Size** 5575 Acres

*AU\_ID 1904\_01 Lower portion, from dam west to Masterson Point and east to Reuters Cove*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	575.00 Acres

**Station ID(s)** 12825

*AU\_ID 1904\_02 Part of lake extending upstream from Brushy Creek to upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	950.00 Acres

**Station ID(s)** 12829

*AU\_ID 1904\_03 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4050.00 Acres

**Station ID(s)**

**SegID 1905 Medina River Above Medina Lake**

From the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

**Segment Type** Freshwater Stream **Segment Size** 34 Miles

*AU\_ID 1905\_01 From lower end of segment to RR 470, upstream of Bandera*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	19.00 Miles

**Station ID(s)** 12830; 13638

*AU\_ID 1905\_02 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	15.00 Miles

**Station ID(s)** 14213

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1906 Lower Leon Creek**

From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

**Segment Type** Freshwater Stream **Segment Size** 32 Miles

*AU\_ID 1906\_01 Lower 3 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3.00 Miles

**Station ID(s)** 14198

*AU\_ID 1906\_02 From 3 miles upstream lower end of segment to confluence with Indian Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3.00 Miles

**Station ID(s)** 12835; 12836

*AU\_ID 1906\_03 From confluence with Indian Creek to Hwy 353*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.00 Miles

**Station ID(s)** 12838

*AU\_ID 1906\_04 From Hwy 353 to two miles upstream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.00 Miles

**Station ID(s)** 12840

*AU\_ID 1906\_05 From 2 miles upstream of Hwy 353 to Hwy 90*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.00 Miles

**Station ID(s)** 12841; 18199

*AU\_ID 1906\_06 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles

**Station ID(s)** 12845; 14209

**SegID 1907 Upper Leon Creek**

From a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County to a point 9.0 km (5.6 miles) upstream of Scenic Loop Road north of Helotes in Bexar County

**Segment Type** Freshwater Stream **Segment Size** 25 Miles

*AU\_ID 1907\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12851; 14252; 17364; 17365



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1908 Upper Cibolo Creek**

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County

**Segment Type** Freshwater Stream **Segment Size** 66 Miles

*AU\_ID 1908\_01 From confl. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.00 Miles

**Station ID(s)** 12853; 12854; 12855; 12856; 16702

*AU\_ID 1908\_02 From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	13.00 Miles

**Station ID(s)** 12857; 12858

*AU\_ID 1908\_03 Lower 43 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	43.00 Miles

**Station ID(s)**

**SegID 1909 Medina Diversion Lake**

From Medina Diversion Dam in Medina County to Medina Lake Dam in Medina County, up to normal pool elevation of 926.5 feet (impounds Medina River)

**Segment Type** Reservoir **Segment Size** 500 Acres

*AU\_ID 1909\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	500.00 Acres

**Station ID(s)** 12859; 14251; 18407

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 1910 Salado Creek**

From the confluence with the San Antonio River in Bexar County to Rocking Horse Lane west of Camp Bullis in Bexar County

**Segment Type** Freshwater Stream **Segment Size** 44 Miles

*AU\_ID 1910\_01 From confluence with San Antonio River to confluence with Rosillo Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	4.00 Miles

**Station ID(s)** 12861; 12862

*AU\_ID 1910\_02 From confluence with Rosillo Creek to Roland Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.00 Miles

**Station ID(s)** 12864

*AU\_ID 1910\_03 From Roland Road to Rice Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.00 Miles

**Station ID(s)** 12868

*AU\_ID 1910\_04 From Rice Road to IH 10*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	1.50 Miles

**Station ID(s)** 15646

*AU\_ID 1910\_05 From IH 10 to approx 1.5 miles upstream of IH 35*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5.00 Miles

**Station ID(s)** 12870; 12871; 12872; 15644; 15645

*AU\_ID 1910\_06 From approx. 1.5 miles upstream of IH 35 to Hwy 368*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3.50 Miles

**Station ID(s)** 12874; 12875; 12876; 15642

*AU\_ID 1910\_07 From Hwy 368 to approx 1.5 miles upstream of Loop 410*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.00 Miles

**Station ID(s)** 12877; 12878

*AU\_ID 1910\_08 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1910A Walzem Creek (unclassified water body)**

From the confluence with Salado Creek to approximately 1.5 miles upstream of Walzem Road in San Antonio

**Segment Type** Freshwater Stream **Segment Size** 5 Miles

*AU\_ID 1910A\_01 Lower 0.25 miles*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	0.25 Miles

**Station ID(s)** 12698

*AU\_ID 1910A\_02 Remainder of water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	4.75 Miles

**Station ID(s)**

**SegID 1910B Rosillo Creek (unclassified water body)**

From the confluence with Salado Creek in Bexar County to approximately 0.5 miles upstream of FM 1976 in Bexar County

**Segment Type** Freshwater Stream **Segment Size** 18 Miles

*AU\_ID 1910B\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	18.00 Miles

**Station ID(s)** 12690

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1911 Upper San Antonio River**

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

Segment Type Freshwater Stream Segment Size 85 Miles

*AU\_ID 1911\_01 Lower 6 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.00 Miles

Station ID(s) 12879

*AU\_ID 1911\_02 From 6 miles upstream of lower end of segment to confluence with Picoso Cr*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	15.00 Miles

Station ID(s) 12880

*AU\_ID 1911\_03 From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 536*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.00 Miles

Station ID(s) 12882

*AU\_ID 1911\_04 From approx. 2.5 miles upstream of FM 528 to Bexar CR 125*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.00 Miles

Station ID(s) 12883; 12884

*AU\_ID 1911\_05 From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.00 Miles

Station ID(s) 12886

*AU\_ID 1911\_06 From 2 miles downstream of confluence with Medina River to confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.00 Miles

Station ID(s) 12889

*AU\_ID 1911\_07 From the confluence with the Medina River to 3 miles upstream*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3.00 Miles

Station ID(s) 16731

*AU\_ID 1911\_08 From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3.00 Miles

Station ID(s) 12894

*AU\_ID 1911\_09 From confluence with Salado Creek to confluence with Sixmile Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5.00 Miles

Station ID(s) 12897

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

*AU\_ID 1911\_10 From confluence with Sixmile Creek to confluence with San Pedro Creek*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	6.00 Miles
<b>Station ID(s)</b> 15308; 17066				

*AU\_ID 1911\_11 Upper 8 miles of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	8.00 Miles
<b>Station ID(s)</b> 12904; 12908; 12912; 14256				

**SegID 1912 Medio Creek**

From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 miles) upstream of IH 35 in San Antonio in Bexar County

**Segment Type** Freshwater Stream **Segment Size** 2 Miles

*AU\_ID 1912\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	Intermediate	TWQS-Appendix A	2.00 Miles
<b>Station ID(s)</b> 12916; 12917				

**SegID 1912A Upper Medio Creek (unclassified water body)**

From approximately 1.0 kilometer (0.6 miles) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mile upstream of the Bexar/Medina County Line

**Segment Type** Freshwater Stream **Segment Size** 23 Miles

*AU\_ID 1912A\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	23.00 Miles
<b>Station ID(s)</b> 12735				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 1913 Mid Cibolo Creek**

From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

**Segment Type** Freshwater Stream **Segment Size** 19 Miles

*AU\_ID 1913\_01 Lower 7 miles of segment from IH 10 to Bexar CR 320*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	7.00 Miles

**Station ID(s)** 12921

*AU\_ID 1913\_02 From Bexar CR 320 to approx. 0.50 miles upstream of Buffalo Lane in Cibolo*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	1.00 Miles

**Station ID(s)** 12924

*AU\_ID 1913\_03 From approx. 0.50 mi. upstream of Buffalo Lane in Cibolo to upper end of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	11.00 Miles

**Station ID(s)** 12927; 14212

**SegID 2001 Mission River Tidal**

From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers (4.6 miles) downstream of US 77 in Refugio County

**Segment Type** Tidal Stream **Segment Size** 19 Miles

*AU\_ID 2001\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	19.00 Miles

**Station ID(s)** 12943

**SegID 2002 Mission River Above Tidal**

From a point 7.4 km (4.6 miles) downstream of US 77 in Refugio County to the confluence of Blanco Creek and Medio Creek in Refugio County

**Segment Type** Freshwater Stream **Segment Size** 9 Miles

*AU\_ID 2002\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.00 Miles

**Station ID(s)** 12944

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2003 Aransas River Tidal**

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County

**Segment Type** Tidal Stream **Segment Size** 6 Miles

*AU\_ID 2003\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.00 Miles
<b>Station ID(s)</b> 12947; 12948				

**SegID 2004 Aransas River Above Tidal**

From a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County to the confluence of Poesta Creek and Aransas Creek in Bee County

**Segment Type** Freshwater Stream **Segment Size** 35 Miles

*AU\_ID 2004\_01 Lower 17 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.00 Miles
<b>Station ID(s)</b>				

*AU\_ID 2004\_02 Upper 18 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles
<b>Station ID(s)</b> 12952				

**SegID 2004A West Aransas Creek (unclassified water body)**

From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

**Segment Type** Freshwater Stream **Segment Size** 20 Miles

*AU\_ID 2004A\_01 Entire 20 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	20.00 Miles
<b>Station ID(s)</b> 17592				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2101 Nueces River Tidal**

From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 miles) upstream of US 77/IH 37 in Nueces/San Patricio County

**Segment Type** Tidal Stream **Segment Size** 12 Miles

*AU\_ID 2101\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.00 Miles
<b>Station ID(s)</b> 12960; 12961; 17645; 17646; 17647				

**SegID 2102 Nueces River Below Lake Corpus Christi**

From Calallen Dam 1.7 km (1.1 miles) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County

**Segment Type** Freshwater Stream **Segment Size** 39 Miles

*AU\_ID 2102\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 12964				

*AU\_ID 2102\_02 Upper 14 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	14.00 Miles
<b>Station ID(s)</b> 12965				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2103 Lake Corpus Christi**

From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)

**Segment Type** Reservoir **Segment Size** 21900 Acres

*AU\_ID 2103\_01 Mid-lake near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3233.00 Acres

**Station ID(s)** 12967

*AU\_ID 2103\_02 Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 17386; 18350

*AU\_ID 2103\_03 Western arm of lake near Lagarto Creek inlet*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4771.00 Acres

**Station ID(s)** 17385

*AU\_ID 2103\_04 Upper portion of lake on opposite shore from Hideaway Hill*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2851.00 Acres

**Station ID(s)** 17384

*AU\_ID 2103\_05 Upper arm of lake at FM 534 crossing*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2140.00 Acres

**Station ID(s)** 17383

*AU\_ID 2103\_06 Remainder of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3785.00 Acres

**Station ID(s)** 17648

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2104 Nueces River Above Frio River**

From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

**Segment Type** Freshwater Stream **Segment Size** 91 Miles

*AU\_ID 2104\_01 Lower 20 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles
<b>Station ID(s)</b> 12972				

*AU\_ID 2104\_02 25 miles surrounding State Highway 16*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 12973; 17897				

*AU\_ID 2104\_03 Upper 46 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	46.00 Miles
<b>Station ID(s)</b> 12974				

**SegID 2105 Nueces River Above Holland Dam**

From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County

**Segment Type** Freshwater Stream **Segment Size** 78 Miles

*AU\_ID 2105\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 12975				

*AU\_ID 2105\_02 25 miles around FM 190*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 12976				

*AU\_ID 2105\_03 Remainder of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	50.00 Miles
<b>Station ID(s)</b>				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 2106 Nueces/Lower Frio River**

From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

**Segment Type** Freshwater Stream **Segment Size** 27 Miles

*AU\_ID 2106\_01 Lower 17 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.00 Miles

**Station ID(s)** 12978; 12979

*AU\_ID 2106\_02 Upper 10 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.00 Miles

**Station ID(s)** 12977; 17437; 18357

**SegID 2107 Atascosa River**

From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

**Segment Type** Freshwater Stream **Segment Size** 103 Miles

*AU\_ID 2107\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12980

*AU\_ID 2107\_02 25 miles surrounding FM 541*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 17899

*AU\_ID 2107\_03 25 miles surrounding State Highway 97*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12982; 17436; 17898; 17900

*AU\_ID 2107\_04 Upper 28 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	28.00 Miles

**Station ID(s)** 17142

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2108 San Miguel Creek**

From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

**Segment Type** Freshwater Stream **Segment Size** 66 Miles

*AU\_ID 2108\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12983

*AU\_ID 2108\_02 Upper 41 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	41.00 Miles

**Station ID(s)** 12984

**SegID 2109 Leona River**

From the confluence with the Frio River in Frio County to US 83 in Uvalde County

**Segment Type** Freshwater Stream **Segment Size** 85 Miles

*AU\_ID 2109\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12985

*AU\_ID 2109\_02 25 miles surrounding US Highway 57*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 12987

*AU\_ID 2109\_03 Upper 28 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	28.00 Miles

**Station ID(s)** 12988; 12989; 12992; 18418

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2110 Lower Sabinal River**

From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

**Segment Type** Freshwater Stream **Segment Size** 27 Miles

*AU\_ID 2110\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	27.00 Miles
<b>Station ID(s)</b> 12993				

**SegID 2111 Upper Sabinal River**

From a point 100 meters (110 yards) upstream of SH 127 in Uvalde County to the most upstream crossing of FM 187 in Bandera County

**Segment Type** Freshwater Stream **Segment Size** 48 Miles

*AU\_ID 2111\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 12994				

*AU\_ID 2111\_02 Upper 23 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	23.00 Miles
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2112 Upper Nueces River**

From a point 100 meters (110 yards) upstream of FM 1025 in Zavala County to the confluence of the East Prong Nueces River and Hackberry Creek in Edwards County

Segment Type Freshwater Stream Segment Size 123 Miles

*AU\_ID 2112\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 12996; 17143

*AU\_ID 2112\_02 25 miles surrounding U.S. Highway 83*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 12997; 12998; 17438

*AU\_ID 2112\_03 From U.S. Highway 90 to 25 miles upstream near RR 334*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 12999; 16704

*AU\_ID 2112\_04 Upper 43 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	43.00 Miles

Station ID(s) 13005

**SegID 2113 Upper Frio River**

From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

Segment Type Freshwater Stream Segment Size 47 Miles

*AU\_ID 2113\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	25.00 Miles

Station ID(s) 13006

*AU\_ID 2113\_02 Upper 22 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Exceptional	TWQS-Appendix A	22.00 Miles

Station ID(s) 13007; 17892

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2114 Hondo Creek**

From the confluence with the Frio River in Frio County to FM 470 in Bandera County

**Segment Type** Freshwater Stream **Segment Size** 78 Miles

*AU\_ID 2114\_01 Upper 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 13010

*AU\_ID 2114\_02 Lower 53 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	53.00 Miles

**Station ID(s)**

**SegID 2115 Seco Creek**

From the confluence with Hondo Creek in Frio County to West Seco Creek in Bandera County

**Segment Type** Freshwater Stream **Segment Size** 70 Miles

*AU\_ID 2115\_01 Upper 25 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 13013

*AU\_ID 2115\_02 Lower 45 miles*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	45.00 Miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2116 Choke Canyon Reservoir**

From Choke Canyon Dam in Live Oak County to a point 4.2 km (2.6 miles) downstream of SH 16 on the Frio River Arm in McMullen County and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm in McMullen County, up to the normal pool elevation of 220.5 feet (impounds Frio River)

**Segment Type** Reservoir **Segment Size** 26000 Acres

*AU\_ID 2116\_01 5120 acres near dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 13019

*AU\_ID 2116\_02 Small north arm of lake near dam and Willow Hollow Tank*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	643.00 Acres

**Station ID(s)** 17393

*AU\_ID 2116\_03 5120 acres in middle of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

**Station ID(s)** 17392

*AU\_ID 2116\_04 Large north arm near mid lake and Jacob Oil Field*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2281.00 Acres

**Station ID(s)** 17391

*AU\_ID 2116\_05 Southern arm near mid lake and Rec. Road 7 west of Calliham*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1256.00 Acres

**Station ID(s)** 17390; 17997

*AU\_ID 2116\_06 Western end of lake up to RR 99 bridge*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4000.00 Acres

**Station ID(s)** 17389

*AU\_ID 2116\_07 Remainder of lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	7580.00 Acres

**Station ID(s)**



**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 2117 Frio River Above Choke Canyon Reservoir**

From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

**Segment Type** Freshwater Stream **Segment Size** 158 Miles

*AU\_ID 2117\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 13023

*AU\_ID 2117\_02 From 1.5 mi. downstream of SH 97 to 23.5 mi. upstream of SH 97 crossing*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 18373

*AU\_ID 2117\_03 33 mi. surrounding State Highway 85*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	33.00 Miles

**Station ID(s)** 13024

*AU\_ID 2117\_04 40 miles surrounding US Highway 57*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	40.00 Miles

**Station ID(s)** 15449

*AU\_ID 2117\_05 Upper 35 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	35.00 Miles

**Station ID(s)**

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 2201 Arroyo Colorado Tidal**

From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

**Segment Type** Tidal Stream **Segment Size** 26 Miles

*AU\_ID 2201\_01 Lower 9.0 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	9.00 Miles

**Station ID(s)** 13782; 15551

*AU\_ID 2201\_02 Approx. 2 miles upstream to approx. 2 miles downstream of Marker 22*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	4.00 Miles

**Station ID(s)** 13071

*AU\_ID 2201\_03 Approx. 3 miles upstream to 2 miles downstream of Marker 27*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	5.00 Miles

**Station ID(s)** 13559

*AU\_ID 2201\_04 Approx. 1 mile upstream to 3 miles downstream of Camp Perry*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	4.00 Miles

**Station ID(s)** 13073

*AU\_ID 2201\_05 Upper 4 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	4.00 Miles

**Station ID(s)** 13072; 17650

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2202 Arroyo Colorado Above Tidal**

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

**Segment Type** Freshwater Stream **Segment Size** 63 Miles

*AU\_ID 2202\_01 Lower 4 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	4.00 Miles

**Station ID(s)** 13074

*AU\_ID 2202\_02 Approx. 11 miles upstream to approx. 4 miles downstream of US 77*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	15.00 Miles

**Station ID(s)** 13079; 16141; 16445

*AU\_ID 2202\_03 Approx 14 miles upstream to approx. 11 miles downstream of FM 1015*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 13081; 13082; 16137

*AU\_ID 2202\_04 Upper 19 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	19.00 Miles

**Station ID(s)** 13084; 13086

**SegID 2202A Donna Reservoir (unclassified water body)**

Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County

**Segment Type** Reservoir **Segment Size** 333 Acres

*AU\_ID 2202A\_01 Entire reservoir*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	333.00 Acres

**Station ID(s)**

**SegID 2202B Unnamed Drainage Ditch Tributary (B) to S. Arroyo Colorado (unclassified water body)**

Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

**Segment Type** Freshwater Stream **Segment Size** 0.8 Miles

*AU\_ID 2202B\_01 Entire 0.8 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	0.80 Miles
<b>Station ID(s)</b> 13039				

**SegID 2202C Unnamed Drainage Ditch Tributary (C) to S. Arroyo Colorado (unclassified water body)**

From the confluence with S. Arroyo Colorado to a point 1.1 miles upstream near US Highway 281.

**Segment Type** Freshwater Stream **Segment Size** 1.1 Miles

*AU\_ID 2202C\_01 Entire 1.1 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	1.10 Miles
<b>Station ID(s)</b> 13056				

**SegID 2203 Petronila Creek Tidal**

From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County

**Segment Type** Tidal Stream **Segment Size** 14 Miles

*AU\_ID 2203\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	14.00 Miles
<b>Station ID(s)</b> 13090				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2204 Petronila Creek Above Tidal**

From a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

**Segment Type** Freshwater Stream **Segment Size** 35 Miles

*AU\_ID 2204\_01 Lower 25 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 13094

*AU\_ID 2204\_02 Upper 19 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	19.00 Miles

**Station ID(s)** 13099

**SegID 2204A Unnamed Drainage Ditch Tributary (A) to Petronila Creek (unclassified water body)**

From the confluence with Petronila Creek to a point 3.9 miles upstream at US Highway 77.

**Segment Type** Freshwater Stream **Segment Size** 3.9 Miles

*AU\_ID 2204A\_01 Entire 3.9 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	3.90 Miles

**Station ID(s)** 13032

**SegID 2204B Unnamed Tributary (B) to Petronila Creek (unclassified water body)**

From confluence of Petronilla Creek at FM 70 to the crossing at FM 665.

**Segment Type** Freshwater Stream **Segment Size** 9 Miles

*AU\_ID 2204B\_01 Entire 9.0 miles of segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	9.00 Miles

**Station ID(s)** 13030

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 2301 Rio Grande Tidal**

From the confluence with the Gulf of Mexico in Cameron County to a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County

**Segment Type** Tidal Stream **Segment Size** 49 Miles

*AU\_ID 2301\_01 Upper segment boundary to 25 miles upstream of lower segment boundary (mouth of Rio Grande)*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	TSWQS	Exceptional	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 16288

*AU\_ID 2301\_02 25 miles upstream of lower segment boundary (mouth of Rio Grande)*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	TSWQS	Exceptional	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 13176

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2302 Rio Grande Below Falcon Reservoir**

From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

**Segment Type** Freshwater Stream **Segment Size** 231 Miles

*AU\_ID 2302\_01 Falcon Dam to Arroyo Los Olmos confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	41.50 Miles

**Station ID(s)** 13185; 13186; 13188

*AU\_ID 2302\_02 Arroyo Los Olmos confluence to Los Ebanos Ferry Crossing*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.00 Miles

**Station ID(s)** 13184

*AU\_ID 2302\_03 Los Ebanos Ferry Crossing to Anzalduas Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	34.50 Miles

**Station ID(s)**

*AU\_ID 2302\_04 Anzalduas Dam to McAllen Int'l Bridge (US 281)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.70 Miles

**Station ID(s)** 13181; 13664

*AU\_ID 2302\_05 McAllen Int'l Bridge(US 281) to Progresso Int'l Bridge (FM 1015)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 13180; 15808; 17247

*AU\_ID 2302\_06 Progresso Int'l Bridge (FM 1015) to the Rancho Viejo Floodway area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	49.00 Miles

**Station ID(s)** 10249

*AU\_ID 2302\_07 Rancho Viejo Floodway area to El Jardin Pump Station*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.80 Miles

**Station ID(s)** 13177; 13179

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2302A Arroyo Los Olmos (unclassified water body)**

From confluence with the Rio Grande at Rio Grande City to El Sauz in Starr County

**Segment Type** Freshwater Stream **Segment Size** 24.5 Miles

*AU\_ID 2302A\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	24.50 Miles
<b>Station ID(s)</b> 13103				

**SegID 2303 International Falcon Reservoir**

From Falcon Dam in Starr County to the confluence of the Arroyo Salado (Mexico) in Zapata County, up to normal pool elevation of 301.1 feet (impounds Rio Grande)

**Segment Type** Reservoir **Segment Size** 87210 Acres

*AU\_ID 2303\_01 Area around International Monument XIV*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b>				

*AU\_ID 2303\_02 Area around Zapata WTP intake*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b> 15818				

*AU\_ID 2303\_03 Area around International Monument I*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b> 13189				

*AU\_ID 2303\_04 Remainder of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	71850.00 Acres
<b>Station ID(s)</b>				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2304 Rio Grande Below Amistad Reservoir**

From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amistad Dam in Val Verde County

**Segment Type** Freshwater Stream **Segment Size** 226 Miles

*AU\_ID 2304\_01 Amistad Dam to San Felipe Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	13.20 Miles

**Station ID(s)** 13208; 13209; 15340

*AU\_ID 2304\_02 San Felipe Creek confluence to the Las Moras Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	33.80 Miles

**Station ID(s)** 13560

*AU\_ID 2304\_03 Las Moras Creek confluence to Hwy 277 (Eagle Pass)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.00 Miles

**Station ID(s)** 13205; 13206

*AU\_ID 2304\_04 Hwy 277 (Eagle Pass) to El Indio*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.80 Miles

**Station ID(s)** 18792

*AU\_ID 2304\_05 El Indio to the Columbia Bridge*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	59.80 Miles

**Station ID(s)** 15274; 15839; 17596

*AU\_ID 2304\_06 Columbia Bridge to the World Trade Center Bridge*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.60 Miles

**Station ID(s)** 13204; 17410

*AU\_ID 2304\_07 World Trade Center Bridge to Laredo water treatment plant intake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5.90 Miles

**Station ID(s)** 13202; 15813

*AU\_ID 2304\_08 Laredo water treatment plant intake to International Bridge #2*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3.10 Miles

**Station ID(s)** 13201; 15814

*AU\_ID 2304\_09 International Bridge # 2 to just below Chacon Creek confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	4.70 Miles

**Station ID(s)** 15815

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

*AU\_ID 2304\_10 Masterson Road wastewater treatment plant to the Arroyo Salado confluence*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	32.10 Miles
<b>Station ID(s)</b> 13196; 15816; 15817				

<b>SegID 2305</b>	<b>International Amistad Reservoir</b>
<p>From Amistad Dam in Val Verde County to a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon on the Rio Grande Arm in Val Verde County and to a point 0.7 km (0.4 miles) downstream of the confluence of Painted Canyon on the Pecos Arm in Val Verde County and to a point 0.6 km (0.4 miles) downstream of the confluence of Little Satan Creek on the Devils River Arm in Val Verde County, up to the normal pool elevation of 1117 feet (impounds Rio Grande)</p>	
<b>Segment Type</b>	Reservoir
<b>Segment Size</b>	64900 Acres

*AU\_ID 2305\_01 Rio Grande Arm*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b> 15892				

*AU\_ID 2305\_02 Devils River arm*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b> 15893				

*AU\_ID 2305\_03 Area around International Boundary Buoy I (dam)*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
<b>Station ID(s)</b> 13835				

*AU\_ID 2305\_04 Remainder of segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
reservoir	TSWQS	High	TWQS-Appendix A	49540.00 Acres
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2306 Rio Grande Above Amistad Reservoir**

From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

**Segment Type** Freshwater Stream **Segment Size** 313 Miles

*AU\_ID 2306\_01 Confluence with Rio Conchos to Alamito Creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.00 Miles

**Station ID(s)** 13229; 17000; 17001

*AU\_ID 2306\_02 Alamito Creek to mouth of Santa Elena Canyon*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	56.00 Miles

**Station ID(s)**

*AU\_ID 2306\_03 Mouth of Santa Elena Canyon to Johnson Ranch*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

**Station ID(s)** 13228; 17621

*AU\_ID 2306\_04 Johnson Ranch to Mariscal Canyon*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	31.00 Miles

**Station ID(s)**

*AU\_ID 2306\_05 Mariscal Canyon to Boquillas Canyon*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	28.00 Miles

**Station ID(s)** 16730

*AU\_ID 2306\_06 Boquillas Canyon to FM 2627*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.20 Miles

**Station ID(s)** 13225

*AU\_ID 2306\_07 FM 2627 to Dryden Crossing*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	99.00 Miles

**Station ID(s)**

*AU\_ID 2306\_08 Dryden Crossing to lower segment boundary downstream of Ramsey Canyon*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	39.80 Miles

**Station ID(s)** 13223

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2306A Alamito Creek (unclassified water body)**

From confluence with Rio Grande upstream to the historic location of the community of Perdiz

**Segment Type** Freshwater Stream **Segment Size** 47.8 Miles

*AU\_ID 2306A\_01 From the confluence with the Rio Grande to Casa Piedra*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Water body description	High	Presumption from Flow Type	26.10 Miles
<b>Station ID(s)</b> 13108				

*AU\_ID 2306A\_02 Remainder of creek*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	21.70 Miles
<b>Station ID(s)</b>				

**SegID 2307 Rio Grande Below Riverside Diversion Dam**

From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

**Segment Type** Freshwater Stream **Segment Size** 222 Miles

*AU\_ID 2307\_01 Downstream of Riverside Dam to Guadalupe Bridge*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.30 Miles
<b>Station ID(s)</b> 15704; 16272				

*AU\_ID 2307\_02 Guadalupe Bridge to the Alamo Grade Structure*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	16.30 Miles
<b>Station ID(s)</b> 15795				

*AU\_ID 2307\_03 Alamo Grade Structure to Little Box Canyon*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix A	39.80 Miles
<b>Station ID(s)</b> 13232; 17408				

*AU\_ID 2307\_04 Little Box Canyon to 25 miles upstream of Rio Conchos confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	120.60 Miles
<b>Station ID(s)</b>				

*AU\_ID 2307\_05 25 miles upstream of the Rio Conchos confluence (lower segment boundary)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles
<b>Station ID(s)</b> 13230				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2308 Rio Grande Below International Dam**

From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County

**Segment Type** Freshwater Stream **Segment Size** 15 Miles

*AU\_ID 2308\_01 Entire segment*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	Limited	TWQS-Appendix A	15.00 Miles
<b>Station ID(s)</b> 14465; 15528; 15529				

**SegID 2309 Devils River**

From a point 0.6 km (0.4 miles) downstream of the confluence of Little Satan Creek in Val Verde County to the confluence of Dry Devils River in Sutton County

**Segment Type** Freshwater Stream **Segment Size** 67 Miles

*AU\_ID 2309\_01 Dry Devils River (upper segment boundary) to Wallace Canyon*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	Exceptional	TWQS-Appendix A	27.00 Miles
<b>Station ID(s)</b>				

*AU\_ID 2309\_02 From Wallace Canyon to Falls Canyon just below the Dolan Creek confluence*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	Exceptional	TWQS-Appendix A	13.50 Miles
<b>Station ID(s)</b> 13239				

*AU\_ID 2309\_03 From Falls Canyon to the lower segment boundary*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	Exceptional	TWQS-Appendix A	26.50 Miles
<b>Station ID(s)</b> 13237				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2309A Dolan Creek (unclassified water body)**

From confluence with the Devils River to 29 miles south of Sonora and 3 miles west of US 277 in Val Verde County

**Segment Type** Freshwater Stream **Segment Size** 37 Miles

*AU\_ID 2309A\_01 From Yellow Bluff (near origin of Dolan Spring) to confl. with Devils River*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	Routine Flow Data	High	Presumption from Flow Type	1.20 Miles

**Station ID(s)** 14942

*AU\_ID 2309A\_02 Remainder of water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	35.80 Miles

**Station ID(s)**

**SegID 2310 Lower Pecos River**

From a point 0.7 km (0.4 miles) downstream of the confluence of Painted Canyon in Val Verde County to a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County

**Segment Type** Freshwater Stream **Segment Size** 89 Miles

*AU\_ID 2310\_01 Upper segment boundary to Big Hackberry Canyon*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	39.00 Miles

**Station ID(s)** 13246

*AU\_ID 2310\_02 From FM 2083 near Pan Dale Rd to the lower segment boundary*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TSWQS	High	TWQS-Appendix A	50.00 Miles

**Station ID(s)** 13240; 16379

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 2310A Independence Creek (unclassified water body)**

From the confluence of the Pecos River northeast of Sanderson in Terrell County to the upstream perennial portion of the stream southeast of Fort Stockton in Pecos County

**Segment Type** Freshwater Stream **Segment Size** 93 Miles

*AU\_ID 2310A\_01 Upper end of creek to Surveyor Canyon*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
intermittent	Routine Flow Data	High	Presumption from Flow Type	71.00 Miles

**Station ID(s)**

*AU\_ID 2310A\_02 From Surveyor Canyon to the confluence with the Pecos River*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
perennial	TWQS-Appendix D	Exceptional	TWQS-Appendix D	22.00 Miles

**Station ID(s)** 13109

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2311 Upper Pecos River**

From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

**Segment Type** Freshwater Stream **Segment Size** 309 Miles

*AU\_ID 2311\_01 Red Bluff Dam to FM 652*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.00 Miles

**Station ID(s)** 13265

*AU\_ID 2311\_02 FM 652 to SH 302*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.70 Miles

**Station ID(s)** 13264

*AU\_ID 2311\_03 SH 302 to Barstow Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	24.80 Miles

**Station ID(s)**

*AU\_ID 2311\_04 Barstow Dam to US 80 (Bus 20)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.10 Miles

**Station ID(s)** 13261

*AU\_ID 2311\_05 US 80 (Bus 20) to FM 1776*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	44.30 Miles

**Station ID(s)** 13260

*AU\_ID 2311\_06 FM 1776 to US 67*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	78.90 Miles

**Station ID(s)** 13257

*AU\_ID 2311\_07 US 67 to US 290*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	67.20 Miles

**Station ID(s)** 13249; 15114

*AU\_ID 2311\_08 US 290 to lower segment boundary*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	33.10 Miles

**Station ID(s)**



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2312 Red Bluff Reservoir**

From Red Bluff Dam in Loving/Reeves County to New Mexico State Line in Loving/Reeves County, up to normal pool elevation 2842 feet (impounds Pecos River)

**Segment Type** Reservoir **Segment Size** 11700 Acres

*AU\_ID 2312\_01 Texas/New Mexico State Line to Mid-lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5850.00 Acres

**Station ID(s)** 13269

*AU\_ID 2312\_02 Mid-lake to dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5850.00 Acres

**Station ID(s)** 13267

**SegID 2313 San Felipe Creek**

From the confluence with the Rio Grande in Val Verde County to a point 4.0 km (2.5 miles) upstream of US 90 in Val Verde County

**Segment Type** Freshwater Stream **Segment Size** 9 Miles

*AU\_ID 2313\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.00 Miles

**Station ID(s)** 13270; 15820; 15821

**SegID 2314 Rio Grande Above International Dam**

From International Dam in El Paso County to the New Mexico State Line in El Paso County

**Segment Type** Freshwater Stream **Segment Size** 21 Miles

*AU\_ID 2314\_01 New Mexico State Line to upstream of Anthony Drain*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.90 Miles

**Station ID(s)** 13276

*AU\_ID 2314\_02 Upstream of Anthony Drain to International Dam*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.10 Miles

**Station ID(s)** 13272

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2411 Sabine Pass**

From the end of jetties at the Gulf of Mexico to SH 82

**Segment Type** Estuary **Segment Size** 2.1 Sq. miles

*AU\_ID 2411\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	2.10 Sq. miles

**Station ID(s)** 13298

*AU\_ID 2411\_OW1 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	2.10 Sq. miles

**Station ID(s)**

**SegID 2412 Sabine Lake**

**Segment Type** Estuary **Segment Size** 68.7 Sq. miles

*AU\_ID 2412\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	68.70 Sq. miles

**Station ID(s)** 13300; 13302

*AU\_ID 2412\_OW1 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	68.70 Sq. miles

**Station ID(s)**

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2421 Upper Galveston Bay**

Segment Type Estuary Segment Size 115.7 Sq. miles

*AU\_ID 2421\_01 Red Bluff to Five Mile Cut to Houston Point to Morgans Point*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	16.80 Sq. miles
<b>Station ID(s)</b> 13308; 13309; 14561; 14579; 14580; 15244; 15904; 15907; 16201; 16203; 16503				

*AU\_ID 2421\_02 Western portion of the bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	48.20 Sq. miles
<b>Station ID(s)</b> 13305; 14546; 14555; 14556; 14560; 14562; 14563; 14565; 14570; 14571; 14572; 14581; 14582; 14598; 15243; 15245; 15246; 15247; 15464; 15903; 15908; 15913; 16208; 16213; 16230; 16507; 16511; 16516				

*AU\_ID 2421\_03 Eastern portion of the bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	50.70 Sq. miles
<b>Station ID(s)</b> 13303; 14554; 14557; 14566; 14569; 15242; 15906; 15909; 15910; 15911; 16207; 16209; 16215; 16510; 16512; 17091				

*AU\_ID 2421\_OW1 Entire western portion of the bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	65.00 Sq. miles
<b>Station ID(s)</b>				

*AU\_ID 2421\_OW2 Eastern portion of the bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	50.70 Sq. miles
<b>Station ID(s)</b>				

**SegID 2421A Clear Lake Channel (unclassified water body)**

From confluence with lower Galveston Bay to SH 146

Segment Type Tidal Stream Segment Size 0.33 Miles

*AU\_ID 2421A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	Water body description	High	Presumption from Flow Type	0.33 Miles
<b>Station ID(s)</b> 16563				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

<b>SegID</b> 2422	<b>Trinity Bay</b>
<u>Segment Type</u>	Estuary
<u>Segment Size</u>	130.1 Sq. miles

AU\_ID 2422\_01 Upper half of bay

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	64.40 Sq. miles
<u>Station ID(s)</u>	13314; 13315; 14542; 14548; 14549; 15234; 15235; 15236; 15237; 15896; 15898; 15899; 15900; 15901; 16196; 16197; 16198; 16200; 16495; 16497; 16498; 16500; 16501; 17092			

AU\_ID 2422\_02 Lower half of bay

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	65.70 Sq. miles
<u>Station ID(s)</u>	14398; 14539; 14540; 14541; 14544; 14545; 14547; 15240; 15241; 15902; 15905; 16204; 16206; 16210; 16505; 16506; 16509; 16838; 17093; 17973			

AU\_ID 2422\_OW1 Upper portion of the bay

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	64.40 Sq. miles
<u>Station ID(s)</u>				

AU\_ID 2422\_OW2 Lower portion of the bay

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	65.70 Sq. miles
<u>Station ID(s)</u>				

<b>SegID</b> 2422B	<b>Double Bayou West Fork (unclassified water body)</b>
From the confluence with Trinity Bay to Belton Road in Chambers County	
<u>Segment Type</u>	Tidal Stream
<u>Segment Size</u>	13.5 Miles

AU\_ID 2422B\_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	13.50 Miles
<u>Station ID(s)</u>	10657			

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2422D Double Bayou East Fork (unclassified water body)**

From 1.6 miles upstream of SH 65 to the confluence with Trinity Bay.

**Segment Type** Tidal Stream **Segment Size** 16.7 Miles

*AU\_ID 2422D\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal stream	Water body description	High	Presumption from Flow Type	16.70 Miles
<b>Station ID(s)</b> 10658				

**SegID 2423 East Bay**

**Segment Type** Estuary **Segment Size** 52.1 Sq. miles

*AU\_ID 2423\_01 Area adjacent to the ICWW (Segment 0702)*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
estuary	TSWQS	High	TWQS-Appendix A	52.10 Sq. miles
<b>Station ID(s)</b> 14528; 14530; 15912; 16212; 16513				

*AU\_ID 2423\_02 Remainder of the bay*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
estuary	TSWQS	High	TWQS-Appendix A	43.60 Sq. miles
<b>Station ID(s)</b> 13320; 14522; 14523; 14524; 14525; 14526; 14527; 14529; 14531; 14532; 14535; 14536; 15229; 15230; 15231; 15914; 15916; 15917; 16211; 16214; 16216; 16514; 16515; 17081				

*AU\_ID 2423\_OW1 East end of bay adjacent to the ICWW and East Bay Bayou*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
estuary	TSWQS	High	TWQS-Appendix A	8.50 Sq. miles
<b>Station ID(s)</b>				

*AU\_ID 2423\_OW2 Remainder of the bay*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
estuary	TSWQS	High	TWQS-Appendix A	43.60 Sq. miles
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2423A Oyster Bayou (unclassified water body)**

From confluence with East Bay to 1.4 miles upstream from SH 65 in Chambers County

**Segment Type** Tidal Stream **Segment Size** 21 Miles

*AU\_ID 2423A\_01 Entire water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
tidal	Water body description	High	Presumption from Flow Type	21.00 Miles
<b>Station ID(s)</b> 10655				

**SegID 2424 West Bay**

**Segment Type** Estuary **Segment Size** 69.3 Sq. miles

*AU\_ID 2424\_01 Main portion of water body*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
estuary	TSWQS	High	TWQS-Appendix A	52.50 Sq. miles
<b>Station ID(s)</b> 13325; 14607; 14609; 14610; 14611; 14612; 14614; 14615; 14616; 14618; 14619; 15227; 15228; 15927; 15928; 15929; 15930; 16226; 16227; 16229; 16529; 16530; 16531; 16566; 16568; 16840; 16843				

*AU\_ID 2424\_02 Area adjacent to Lower Galveston Island*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
estuary	TSWQS	High	TWQS-Appendix A	17.10 Sq. miles
<b>Station ID(s)</b> 13321; 14608; 14617; 14620; 14622; 14623; 15226; 15456; 16569; 16670; 16839; 16841; 16842; 16844				

*AU\_ID 2424\_OW1 Main portion of bay*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
estuary	TSWQS	High	TWQS-Appendix A	52.20 Sq. miles
<b>Station ID(s)</b>				

*AU\_ID 2424\_OW2 Area adjacent to Lower Galveston Bay and Galveston Island*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
estuary	TSWQS	High	TWQS-Appendix A	17.10 Sq. miles
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2424A Highland Bayou (unclassified water body)**

From confluence with Jones Bay to Avenue Q 0.5 miles (0.8 km) north of SH 6 between Arcadia and Alta Loma in Galveston County

**Segment Type** Tidal Stream **Segment Size** 13.2 Miles

*AU\_ID 2424A\_01 From the headwaters to FM 2004*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Routine Flow Data	High	Presumption from Flow Type	5.10 Miles

**Station ID(s)** 16491

*AU\_ID 2424A\_02 From FM 2001 to FM 519*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	1.00 Miles

**Station ID(s)** 15941

*AU\_ID 2424A\_03 From FM 519 to Fairwood Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	Water body description	High	Presumption from Flow Type	1.80 Miles

**Station ID(s)** 11415

*AU\_ID 2424A\_04 From Fairwood Road to Bayou Lane*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	2.40 Miles

**Station ID(s)** 16562

*AU\_ID 2424A\_05 From Bayou Lane to the confluence with Jones Bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	Water body description	High	Presumption from Flow Type	2.90 Miles

**Station ID(s)** 16488

**SegID 2424B Lake Madeline (unclassified water body)**

Located between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

**Segment Type** Estuary **Segment Size** 0.1 Sq. miles

*AU\_ID 2424B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	Water body description	High	Presumption from Flow Type	0.10 Sq. miles

**Station ID(s)** 16564

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2424C Marchand Bayou (unclassified water body)**

From confluence with Highland Bayou to 0.45 mile north of IH 45 in Galveston County

**Segment Type** Tidal Stream **Segment Size** 1.8 Miles

*AU\_ID 2424C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	Water body description	High	Presumption from Flow Type	1.80 Miles
<b>Station ID(s)</b> 16490				

**SegID 2424D Offatts Bayou (unclassified water body)**

Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point

**Segment Type** Estuary **Segment Size** 1.34 Sq. miles

*AU\_ID 2424D\_01 Upper area bordered by SH 342 and 71st Street*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	Water body description	High	Presumption from Flow Type	0.30 Sq. miles
<b>Station ID(s)</b> 16494				

*AU\_ID 2424D\_02 Middle area bordered by 71st Street and Walsh Street*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	Water body description	High	Presumption from Flow Type	0.43 Sq. miles
<b>Station ID(s)</b> 13322				

*AU\_ID 2424D\_03 Lower area bordered by Walsh Street and Techmann Point*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	Water body description	High	Presumption from Flow Type	0.61 Sq. miles
<b>Station ID(s)</b> 16561				

**SegID 2424E English Bayou (unclassified water body)**

Between IH 45, Bayou Shore Drive, South Shore Rear and SH 342 on Galveston Island

**Segment Type** Estuary **Segment Size** 0.1 Sq. miles

*AU\_ID 2424E\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	Water body description	High	Presumption from Flow Type	0.10 Sq. miles
<b>Station ID(s)</b> 16559				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2424F Crash Basin (unclassified water body)**

Located off West Bay near the outlet of Offatts Bayou and adjacent to Teichman Point in Galveston County

**Segment Type** Estuary **Segment Size** 0.04 Sq. miles

*AU\_ID 2424F\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	Water body description	High	Presumption from Flow Type	0.04 Sq. miles
<b>Station ID(s)</b> 16487; 16570				

**SegID 2425 Clear Lake**

**Segment Type** Estuary **Segment Size** 2 Sq. miles

*AU\_ID 2425\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	2.00 Sq. miles
<b>Station ID(s)</b> 13335; 16571				

**SegID 2425B Jarbo Bayou (unclassified water body)**

From confluence with Clear Lake to 0.6 mile upstream of FM 518 in Galveston County

**Segment Type** Tidal Stream **Segment Size** 2.7 Miles

*AU\_ID 2425B\_01 From headwaters to Lawrence Road*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	1.60 Miles
<b>Station ID(s)</b> 16485				

*AU\_ID 2425B\_02 From Lawrence Road to confluence with Clear Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	Water body description	High	Presumption from Flow Type	1.10 Miles
<b>Station ID(s)</b> 16476				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2425C Robinson Bayou (unclassified water body)**

From confluence with Clear Lake to 0.33 mile upstream of Webster Street in Galveston County

Segment Type Tidal Stream Segment Size 1.4 Miles

AU\_ID

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
not available	not available	not available	not available	Miles

Station ID(s)

**SegID 2426 Tabbs Bay**

Segment Type Estuary Segment Size 3.6 Sq. miles

AU\_ID 2426\_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	3.60 Sq. miles

Station ID(s) 13336; 17926

The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Goose Creek

**SegID 2427 San Jacinto Bay**

Segment Type Estuary Segment Size 2.1 Sq. miles

AU\_ID 2427\_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	2.10 Sq. miles

Station ID(s) 13339; 16499; 17923

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2428 Black Duck Bay**

Segment Type Estuary Segment Size 0.6 Sq. miles

*AU\_ID 2428\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	0.60 Sq. miles
<u>Station ID(s)</u> 13340				

**SegID 2429 Scott Bay**

Segment Type Estuary Segment Size 1.7 Sq. miles

*AU\_ID 2429\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	1.70 Sq. miles
<u>Station ID(s)</u> 13342; 17922; 17971				

**SegID 2430 Burnett Bay**

Segment Type Estuary Segment Size 2.7 Sq. miles

*AU\_ID 2430\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	2.70 Sq. miles
<u>Station ID(s)</u> 13344; 16496; 17920				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2431 Moses Lake**

Segment Type Estuary Segment Size 3.3 Sq. miles

AU\_ID 2431\_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	3.30 Sq. miles
<u>Station ID(s)</u> 13345; 16551; 16552				

**SegID 2431A Moses Bayou (unclassified water body)**

From confluence with Moses Lake to 1.4 miles upstream of SH 3 in Galveston County

Segment Type Tidal Stream Segment Size 5.7 Miles

AU\_ID 2431A\_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	5.70 Miles
<u>Station ID(s)</u> 11400				

**SegID 2431B Seawall Lagoon (unclassified water body)**

Located approximately 1.2 miles south of Dollar Point adjacent to Bay Street N in Galveston County

Segment Type Estuary Segment Size 0.004 Sq. miles

AU\_ID 2431B\_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	Water body description	High	Presumption from Flow Type	0.00 Sq. miles
<u>Station ID(s)</u> 16489				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2432 Chocolate Bay**

Segment Type Estuary Segment Size 7.6 Sq. miles

*AU\_ID 2432\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	7.60 Sq. miles
<b>Station ID(s)</b> 13346; 13347; 15180; 16228				

*AU\_ID 2432\_OW1 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	7.60 Sq. miles
<b>Station ID(s)</b>				

*The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Mustang Bayou*

**SegID 2432B Willow Bayou**

From the confluence with Halls Bayou to a point 6 miles upstream.

Segment Type Freshwater Stream Segment Size 6 Miles

*AU\_ID 2432B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	6.00 Miles
<b>Station ID(s)</b> 17912				

**SegID 2432C Halls Bayou Tidal**

From the confluence with Willow Bayou upstream to CR 159.

Segment Type Tidal Stream Segment Size 12.2 Miles

*AU\_ID 2432C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	WQS/Permits program	High	Presumption from Flow Type	12.20 Miles
<b>Station ID(s)</b> 11422; 17565; 17566				

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

**SegID 2432D Persimmon Bayou**

From the confluence with New Bayou upstream to the confluence with Mustang Bayou.

**Segment Type** Freshwater Stream **Segment Size** 5.5 Miles

*AU\_ID 2432D\_01 Entire water body*

<b><u>Flow Type</u></b>	<b><u>Flow Type Source</u></b>	<b><u>ALU Designation</u></b>	<b><u>ALU Designation Source</u></b>	<b><u>AU Size</u></b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	5.50 Miles
<b><u>Station ID(s)</u></b> 17913				

**SegID 2432E New Bayou**

From the confluence with Persimmon Bayou upstream to CR 169.

**Segment Type** Freshwater Stream **Segment Size** 10.2 Miles

*AU\_ID 2432E\_01 Entire water body*

<b><u>Flow Type</u></b>	<b><u>Flow Type Source</u></b>	<b><u>ALU Designation</u></b>	<b><u>ALU Designation Source</u></b>	<b><u>AU Size</u></b>
perennial	Flow Questionnaire	High	Presumption from Flow Type	10.20 Miles
<b><u>Station ID(s)</u></b> 17911				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2433 Bastrop Bay/Oyster Lake**

Segment Type Estuary Segment Size 4.9 Sq. miles

*AU\_ID 2433\_01 Bastrop Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	4.20 Sq. miles

Station ID(s) 13348

*AU\_ID 2433\_02 Oyster Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	0.70 Sq. miles

Station ID(s) 14654

*AU\_ID 2433\_OW1 Bastrop Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	4.20 Sq. miles

Station ID(s)

*AU\_ID 2433\_OW2 Oyster Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	0.70 Sq. miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2434 Christmas Bay**

Segment Type Estuary Segment Size 8.9 Sq. miles

*AU\_ID 2434\_01 Area adjacent to West Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	0.80 Sq. miles

Station ID(s)

*AU\_ID 2434\_02 Remainder of Christmas Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	8.10 Sq. miles

Station ID(s) 13351; 14649; 14650; 14888; 15931

*AU\_ID 2434\_OW1 Area adjacent to West Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	0.80 Sq. miles

Station ID(s)

*AU\_ID 2434\_OW2 Remainder of Christmas Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	8.10 Sq. miles

Station ID(s)



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2435 Drum Bay**

Segment Type Estuary Segment Size 1.7 Sq. miles

*AU\_ID 2435\_01 Area adjacent to Christmas Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	0.23 Sq. miles

Station ID(s)

*AU\_ID 2435\_02 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	1.70 Sq. miles

Station ID(s) 13354; 14655; 14656; 14657

*AU\_ID 2435\_OW1 Area adjacent to Christmas Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	0.23 Sq. miles

Station ID(s)

*AU\_ID 2435\_OW2 Remainder of Drum Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	1.50 Sq. miles

Station ID(s)

**SegID 2435A Nicks Cut (unclassified water body)**

Cut from Nicks Lake to Gulf Intracoastal Waterway to Drum Bay in Brazoria County

Segment Type Estuary Segment Size 0.5 Sq. miles

*AU\_ID 2435A\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal	Water body description	High	Presumption from Flow Type	0.50 Sq. miles

Station ID(s) 13562

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2436 Barbours Cut**

Segment Type Estuary Segment Size 0.2 Sq. miles

*AU\_ID 2436\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	0.20 Sq. miles
<u>Station ID(s)</u> 13355; 17925; 17970				

**SegID 2437 Texas City Ship Channel**

Segment Type Estuary Segment Size 0.6 Sq. miles

*AU\_ID 2437\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	0.60 Sq. miles
<u>Station ID(s)</u> 13361; 16546; 16547; 16548; 16550; 17424				

**SegID 2438 Bayport Channel**

Segment Type Estuary Segment Size 0.9 Sq. miles

*AU\_ID 2438\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	0.90 Sq. miles
<u>Station ID(s)</u> 13363; 16508				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2439 Lower Galveston Bay**

Segment Type Estuary Segment Size 139.6 Sq. miles

*AU\_ID 2439\_01 Area adjacent to the Texas City Ship Channel and Moses Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	38.40 Sq. miles
<u>Station ID(s)</u> 13366; 14568; 14573; 14574; 14576; 14577; 14578; 14584; 14593; 14884; 15219; 15224; 15225; 16220; 16519; 16525				

*AU\_ID 2439\_02 Main portion of the bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	101.20 Sq. miles
<u>Station ID(s)</u> 13364; 13367; 13369; 13372; 14533; 14534; 14558; 14567; 14575; 14591; 14594; 14595; 14597; 15215; 15216; 15218; 15221; 15222; 15223; 15232; 15918; 15920; 15921; 15922; 15923; 15925; 15926; 16217; 16219; 16223; 16224; 16225; 16517; 16521; 16522; 16523; 16524; 16527; 16528; 16545; 16553; 16554; 16555; 16556; 17080; 17972				

*AU\_ID 2439\_OW1 Area adjacent to the Texas City Ship Channel and Moses Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	38.40 Sq. miles
<u>Station ID(s)</u>				

*AU\_ID 2439\_OW2 Main portion of the bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	101.20 Sq. miles
<u>Station ID(s)</u>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2441 East Matagorda Bay**

Segment Type Estuary Segment Size 59.1 Sq. miles

*AU\_ID 2441\_01 Caney Creek am and western shoreline area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	11.70 Sq. miles

Station ID(s)

*AU\_ID 2441\_02 Remainder of bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	47.40 Sq. miles

Station ID(s) 13375; 14660; 14661; 14662; 14663; 14664; 14665; 14666; 16846; 18378

*AU\_ID 2441\_OW1 Caney Creek arm and western shoreline area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	11.70 Sq. miles

Station ID(s)

*AU\_ID 2441\_OW2 Remainder of bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	47.40 Sq. miles

Station ID(s)

**SegID 2442 Cedar Lakes**

Segment Type Estuary Segment Size 6.9 Sq. miles

*AU\_ID 2442\_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	6.90 Sq. miles

Station ID(s)

*AU\_ID 2442\_OW1 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	High	TWQS-Appendix A	6.90 Sq. miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2451 Matagorda Bay/Powderhorn Lake**

Segment Type Estuary Segment Size 261.7 Sq. miles

*AU\_ID 2451\_01 Northern end of Matagorda Bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	14.30 Sq. miles

Station ID(s)

*AU\_ID 2451\_02 Remainder of Matagorda Bay/Powderhorn Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	247.40 Sq. miles

Station ID(s) 13377; 13378; 13379; 14670; 14671; 14672; 14673; 14674; 14675; 14678; 14679; 14725; 14726; 14727; 14728; 14729; 14743; 16847; 17096; 17098; 17974

*AU\_ID 2451\_OW1 Northern end of Matagorda Bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	14.30 Sq. miles

Station ID(s)

*AU\_ID 2451\_OW2 Remainder of Matagorda Bay/Powderhorn Lake*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	247.40 Sq. miles

Station ID(s)

**SegID 2451A Coloma Creek**

From the confluence with Powderhorn Lake to the headwaters near SH 238 in Calhoun County

Segment Type Tidal Stream Segment Size 7 Miles

*AU\_ID 2451A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	Water body description	High	Presumption from Flow Type	7.00 Miles

Station ID(s) 17097

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2452 Tres Palacios Bay/Turtle Bay**

Segment Type Estuary Segment Size 31.9 Sq. miles

*AU\_ID 2452\_01 Main portion of bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	20.20 Sq. miles
<b>Station ID(s)</b> 13381; 14682; 14684; 14685; 14686; 14687; 14688; 14690; 14691				

*AU\_ID 2452\_02 Turtle Bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	9.20 Sq. miles
<b>Station ID(s)</b> 14694; 14695				

*AU\_ID 2452\_03 Tres Palacios Creek Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	11.60 Sq. miles
<b>Station ID(s)</b> 14680; 14689; 17886; 18398				

*AU\_ID 2452\_OW1 Turtle Bay and Tres Palacios Creek Arm*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	11.60 Sq. miles
<b>Station ID(s)</b>				

*AU\_ID 2452\_OW2 Main portion of bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	20.20 Sq. miles
<b>Station ID(s)</b>				

**SegID 2452A Tres Palacios Harbor (unclassified water body)**

Segment Type Estuary Segment Size 0.1 Sq. Miles

*AU\_ID 2452A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	Water body description	High	Presumption from Flow Type	0.10 Sq. Miles
<b>Station ID(s)</b> 13382				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2453 Lavaca Bay/Chocolate Bay**

Segment Type Estuary Segment Size 59.3 Sq. miles

*AU\_ID 2453\_01 Center portion of bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	38.70 Sq. miles
<b>Station ID(s)</b> 13383; 13384; 14133; 14134; 14704; 14705; 14711; 14714; 14717; 14718; 14721; 14885; 17418; 17554; 17555; 17557; 17559; 17560; 17562; 17563; 17853; 18633				

*AU\_ID 2453\_02 North-northeastern portion of the bay near Point Comfort*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	11.50 Sq. miles
<b>Station ID(s)</b> 13563; 14121; 14130; 14707; 14708; 14709; 14710; 14712; 14713; 14720; 17552; 17553; 17556				

*AU\_ID 2453\_03 Chocolate Bay area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	7.50 Sq. miles
<b>Station ID(s)</b> 14701; 14702; 14724; 14886; 17558; 17561				

*AU\_ID 2453\_OW1 Center portion of bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	38.70 Sq. miles
<b>Station ID(s)</b>				

*AU\_ID 2453\_OW2 North-northeastern portion of the bay near Point Comfort*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	11.50 Sq. miles
<b>Station ID(s)</b>				

*AU\_ID 2453\_OW3 Chocolate Bay area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	7.50 Sq. miles
<b>Station ID(s)</b>				

**SegID 2453A Garcitas Creek Tidal (unclassified water body)**

From the confluence of Lavaca Bay in Jackson County to a point 8.5 miles upstream of FM 616 in Jackson County

Segment Type Tidal Stream Segment Size 15.2 Miles

*AU\_ID 2453A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision	15.20 Miles
<b>Station ID(s)</b> 17883; 17884; 17885				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2453B Lynns Bayou Basin (unclassified water body)**

From the confluence with Lavaca Bay in Calhoun County to immediately south of SH 238 in Port Lavaca in Calhoun County

**Segment Type** Estuary **Segment Size** 0.01 Sq. miles

*AU\_ID 2453B\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	Water body description	High	Presumption from Flow Type	0.01 Sq. miles
<b>Station ID(s)</b> 12534				

**SegID 2453C Arenosa Creek Tidal (unclassified water body)**

From confluence with Garcitas Creek upstream to J-2 Ranch Road.

**Segment Type** Tidal Stream **Segment Size** 26.1 Miles

*AU\_ID 2453C\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	26.10 Miles
<b>Station ID(s)</b> 13295				

**SegID 2453D Lavaca Bay Ship Channel Area (unclassified water body)**

**Segment Type** Estuary **Segment Size** 2.6 Sq. Miles

*AU\_ID 2453D\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	Water body description	High	Presumption from Flow Type	1.60 Sq. Miles
<b>Station ID(s)</b> 13385; 14394; 14703; 14706; 17857				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2454 Cox Bay**

Segment Type Estuary Segment Size 2.9 Sq. miles

*AU\_ID 2454\_01 North end of bay near Cox Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	0.80 Sq. miles

Station ID(s)

*AU\_ID 2454\_02 Remainder of Cox Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal	TSWQS	Exceptional	TWQS-Appendix A	2.10 Sq. miles

Station ID(s) 13386; 14719; 17564

*AU\_ID 2454\_OW1 North end of bay near Cox Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	0.80 Sq. miles

Station ID(s)

*AU\_ID 2454\_OW2 Remainder of Cox Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	2.10 Sq. miles

Station ID(s)

**SegID 2454A Cox Lake (unclassified water body)**

From the dam site located 2.5 miles southeast of Point Comfort in Calhoun County to the Calhoun/Jackson County line

Segment Type Reservoir Segment Size 416 Acres

*AU\_ID 2454A\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	Water body description	High	Presumption from Flow Type	416.00 Acres

Station ID(s) 12514

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2455 Keller Bay**

<u>Segment Type</u>	Estuary	<u>Segment Size</u>	7.5 Sq. miles
---------------------	---------	---------------------	---------------

*AU\_ID 2455\_01 Upper arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	1.00 Sq. miles

Station ID(s)

*AU\_ID 2455\_02 Remainder of Keller Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	6.50 Sq. miles

Station ID(s) 13387; 14722; 14723

*AU\_ID 2455\_OW1 Upper arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	1.00 Sq. miles

Station ID(s)

*AU\_ID 2455\_OW2 Remainder of Keller Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	6.50 Sq. miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2456 Carancahua Bay**

Segment Type Estuary Segment Size 19 Sq. miles

*AU\_ID 2456\_01 Lower half of bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	9.80 Sq. miles

Station ID(s) 13391; 14697; 17095

*AU\_ID 2456\_02 Upper half of bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	9.20 Sq. miles

Station ID(s) 13388; 13390; 14698; 14699; 14700; 17882

*AU\_ID 2456\_OW1 Lower portion of bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	11.70 Sq. miles

Station ID(s)

*AU\_ID 2456\_OW2 Upper portion of bay and shoreline area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	7.30 Sq. miles

Station ID(s)

**SegID 2456A West Carancahua Creek Tidal (unclassified water body)**

From the confluence with Carancahua Bay in Jackson County to Jackson CR 440, 6.3 miles upstream of FM 616 in Jackson County

Segment Type Tidal Stream Segment Size 14 Miles

*AU\_ID 2456A\_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal stream	Water body description	High	Presumption from Flow Type	14.00 Miles

Station ID(s) 17873; 17876

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2461    Espiritu Santo Bay**

<u>Segment Type</u>	Estuary	<u>Segment Size</u>	60.8 Sq. miles
---------------------	---------	---------------------	----------------

*AU\_ID 2461\_01    Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	60.80 Sq. miles
<u>Station ID(s)</u> 13396; 14730; 14731; 14732; 14733; 14735; 14951				

*AU\_ID 2461\_OW1    Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	60.80 Sq. miles
<u>Station ID(s)</u>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2462 San Antonio Bay/Hynes Bay/Guadalupe Bay**

Segment Type Estuary Segment Size 119.5 Sq. miles

*AU\_ID 2462\_01 San Antonio and Hynes Bays*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	108.80 Sq. miles
<u>Station ID(s)</u> 13397; 14737; 14738; 14739; 14740; 14741; 14742; 14747; 14749; 14751; 14752; 14753; 14754; 14755; 14882; 14891; 14956				

*AU\_ID 2462\_02 Guadalupe Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	Flow Questionnaire	Exceptional	TWQS-Appendix A	10.70 Sq. miles
<u>Station ID(s)</u>				

*AU\_ID 2462\_OW1 Guadalupe Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	10.70 Sq. miles
<u>Station ID(s)</u>				

*AU\_ID 2462\_OW2 Hynes Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	18.30 Sq. miles
<u>Station ID(s)</u>				

*AU\_ID 2462\_OW3 San Antonio Bay shoreline area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	1.90 Sq. miles
<u>Station ID(s)</u>				

*AU\_ID 2462\_OW4 Remainder of San Antonio Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A	88.60 Sq. miles
<u>Station ID(s)</u>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2463 Mesquite Bay/Carlos Bay/Ayres Bay**

Segment Type Estuary Segment Size 12.6 Sq. miles

*AU\_ID 2463\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	12.60 Sq. miles
<b>Station ID(s)</b> 13400; 14756; 14757; 18220; 18224; 18225; 18227				

*AU\_ID 2463\_OW1 Western shoreline*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	2.00 Sq. miles
<b>Station ID(s)</b>				

*AU\_ID 2463\_OW2 Remainder of Mesquite Bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	10.60 Sq. miles
<b>Station ID(s)</b>				

**SegID 2471 Aransas Bay**

Segment Type Estuary Segment Size 87.8 Sq. miles

*AU\_ID 2471\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	87.80 Sq. miles
<b>Station ID(s)</b> 13402; 14758; 14760; 14761; 14762; 14763; 14764; 14765				

*AU\_ID 2471\_OW1 Western shoreline*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	5.90 Sq. miles
<b>Station ID(s)</b>				

*AU\_ID 2471\_OW2 Remainder of bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	81.90 Sq. miles
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2472 Copano Bay/Port Bay/Mission Bay**

Segment Type Estuary Segment Size 65.2 Sq. miles

*AU\_ID 2472\_01 Mission Bay, Aransas River arm, Port Bay, and eastern shoreline*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	18.20 Sq. miles
<u>Station ID(s)</u> 17809; 17810; 17811; 17812; 17814; 17816				

*AU\_ID 2472\_02 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	8.00 Sq. miles
<u>Station ID(s)</u> 12945; 13404; 13405; 14783; 14784; 17701; 17702; 17703; 17714; 17715; 17716; 17717; 17718; 17719; 17720; 17721; 17722; 17723; 17724; 17725; 17726; 17727; 17728; 17739; 17740; 17741				

*AU\_ID 2472\_OW1 Mission Bay, Aransas River arm, Port Bay, and eastern shoreline*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	18.20 Sq. miles
<u>Station ID(s)</u>				

*AU\_ID 2472\_OW2 Remainder of Copano Bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	47.00 Sq. miles
<u>Station ID(s)</u>				

**SegID 2473 St. Charles Bay**

Segment Type Estuary Segment Size 13.1 Sq. miles

*AU\_ID 2473\_01 Entire bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	13.10 Sq. miles
<u>Station ID(s)</u> 13406; 14776; 15004; 17692; 18218; 18219; 18222				

*AU\_ID 2473\_OW1 Remainder of Bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	12.90 Sq. miles
<u>Station ID(s)</u>				

*AU\_ID 2473\_OW2 Southwest corner of St Charles Bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	0.20 Sq. miles
<u>Station ID(s)</u>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2481 Corpus Christi Bay**

Segment Type Estuary Segment Size 123.1 Sq. miles

*AU\_ID 2481\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	123.10 Sq. miles
<u>Station ID(s)</u>	13407; 13409; 13410; 13419; 14355; 14469; 14818; 14819; 14820; 14821; 14822; 14823; 14824; 14825; 14826; 14827; 14828; 14829; 14830; 14955; 14979; 16849; 16850; 16851; 16852; 16853; 16854; 17099; 17747; 17748; 17749; 17750; 17751; 17752; 17753; 17754; 17755; 17756; 17757; 17758; 17759; 17760; 17761; 17762; 17763; 17764; 17765; 17766; 17767; 17768; 17769; 17770; 17771; 17772; 17773; 17774; 17775; 17776; 17777; 17778; 17779; 17780; 17781; 17782; 17783; 17784; 17785; 17786; 17787; 17788; 17789; 17790; 17791; 17792; 17793; 17794; 18061; 18062; 18063; 18064; 18065; 18237; 18239; 18240; 18241; 18242; 18243; 18244; 18245; 18246; 18247; 18279			

*AU\_ID 2481\_OW1 Shoreline area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	25.20 Sq. miles
<u>Station ID(s)</u>				

*AU\_ID 2481\_OW2 Remainder of Corpus Christi Bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	97.90 Sq. miles
<u>Station ID(s)</u>				

**SegID 2482 Nueces Bay**

Segment Type Estuary Segment Size 28.9 Sq. miles

*AU\_ID 2482\_01 Entire bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	28.90 Sq. miles
<u>Station ID(s)</u>	13420; 13421; 13422; 13423; 13424; 13425; 14831; 14832; 14833; 14834; 14835; 17729; 17730; 17731; 17732; 17733; 17734; 17736; 17737; 17738; 17813; 17815; 17817; 18234; 18235; 18238; 18276; 18278; 18365			

*AU\_ID 2482\_OW1 Entire bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	28.90 Sq. miles
<u>Station ID(s)</u>				



2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2483 Redfish Bay**

Segment Type Estuary Segment Size 28.8 Sq. miles

AU\_ID 2483\_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	28.80 Sq. miles

Station ID(s) 13426; 14801; 14803; 14805; 14806; 14808; 14810; 14812; 14813; 14815; 14816; 14817; 16855; 17693; 17694; 17695; 17696; 17697; 17698; 17699

AU\_ID 2483\_OW1 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	28.80 Sq. miles

Station ID(s)

**SegID 2483A Conn Brown Harbor (unclassified water body)**

From the confluence with the Aransas Channel southeast of Aransas Pass in San Patricio County to a point 1 mile northeast in Aransas County

Segment Type Estuary Segment Size 0.07 Sq. miles

AU\_ID 2483A\_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	Water body description	High	Presumption from Flow Type	0.07 Sq. miles

Station ID(s) 13287

**SegID 2484 Corpus Christi Inner Harbor**

Segment Type Estuary Segment Size 0.7 Sq. miles

AU\_ID 2484\_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Intermediate	TWQS-Appendix A	0.70 Sq. miles

Station ID(s) 13430; 13432; 13439

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2485 Oso Bay**

Segment Type Estuary Segment Size 7.2 Sq. miles

*AU\_ID 2485\_01 Upper bay (Holly Road to County Hwy 24)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	2.80 Sq. miles

Station ID(s) 17120

*AU\_ID 2485\_02 Middle bay (State Park Road 22 to Holly Road)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	0.90 Sq. miles

Station ID(s) 13440; 15003; 17119; 18249

*AU\_ID 2485\_03 Lower portion of bay (Ocean Drive to State Park Road 22)*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	3.50 Sq. miles

Station ID(s) 13441; 13442; 17118; 18248

*AU\_ID 2485\_OW1 Entire bay*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	7.20 Sq. miles

Station ID(s)

**SegID 2485A Oso Creek (unclassified water body)**

From the confluence with Oso Bay in southern Corpus Christi to a point 3 miles upstream of SH 44, west of Corpus Christi in Nueces County

Segment Type Tidal Stream Segment Size 29.5 Miles

*AU\_ID 2485A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	29.50 Miles

Station ID(s) 13026; 13027; 13028; 13029; 16712

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2491 Laguna Madre**

**Segment Type** Estuary **Segment Size** 347.4 Sq. miles

*AU\_ID 2491\_01 Upper portion of bay north of the Arroyo Colorado confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	230.00 Sq. miles
<b>Station ID(s)</b> 13443; 13444; 13445; 13448; 13449; 14843; 17117; 17121; 18066; 18067; 18068; 18069; 18070; 18071; 18072; 18073; 18074; 18075; 18076; 18078; 18079; 18080; 18081; 18082; 18083; 18084; 18085; 18086; 18087; 18088; 18089; 18090; 18091; 18092; 18093; 18094; 18095; 18096; 18097; 18098; 18099; 18100; 18101; 18102; 18103; 18104; 18160; 18161; 18162; 18163; 18164; 18165; 18166; 18167; 18168; 18169; 18170; 18171; 18172; 18173; 18174; 18175; 18176; 18177; 18178; 18179; 18180; 18181; 18182; 18183; 18184; 18188; 18251; 18253; 18254; 18259; 18261; 18262; 18263; 18264; 18265; 18285; 18286; 18287; 18293; 18294; 18295; 18452; 18605				

*AU\_ID 2491\_02 Area adjacent to the Arroyo Colorado confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	26.00 Sq. miles
<b>Station ID(s)</b> 13447				

*AU\_ID 2491\_03 Lower portion of bay south of the Arroyo Colorado confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	81.40 Sq. miles
<b>Station ID(s)</b> 13446; 14844; 14845; 14861; 14862; 14863; 14868; 14869; 14870; 14876; 14877; 14878; 14879; 17100; 17975				

*AU\_ID 2491\_OW1 Upper portion of the bay north of Port Mansfield Channel*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	230.00 Sq. miles
<b>Station ID(s)</b>				

*AU\_ID 2491\_OW2 Area adjacent to the Arroyo Colorado confluence*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	26.00 Sq. miles
<b>Station ID(s)</b>				

*AU\_ID 2491\_OW3 Lower portion of the bay south of the Port Mansfield Channel*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	74.70 Sq. miles
<b>Station ID(s)</b>				

*AU\_ID 2491\_OW4 ICWW from Port Mansfield to Brownsville and shoreline area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	16.70 Sq. miles
<b>Station ID(s)</b>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2492 Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada**

Segment Type Estuary Segment Size 101.5 Sq. miles

AU\_ID 2492\_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	High	TWQS-Appendix A	101.50 Sq. miles
<u>Station ID(s)</u>	13450; 13452; 18105; 18106; 18107; 18108; 18109; 18110; 18111; 18112; 18113; 18114; 18115; 18116; 18117; 18118; 18119; 18120; 18121; 18122; 18123; 18124; 18125; 18126; 18127; 18128; 18129; 18130; 18131; 18132; 18133; 18134; 18135; 18136; 18137; 18138; 18139; 18140; 18141; 18142; 18143; 18144; 18145; 18146; 18147; 18148; 18149; 18150; 18151; 18152; 18153; 18154; 18155; 18156; 18157; 18158; 18159; 18256; 18257; 18258; 18260			

AU\_ID 2492\_OW1 Entire water body north of the boundary with Lower Laguna Madre

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	101.50 Sq. miles
<u>Station ID(s)</u>				

AU\_ID 2492\_OW2 Area adjacent to boundary with Lower Laguna Madre

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	1.30 Sq. miles
<u>Station ID(s)</u>				

**SegID 2492A San Fernando Creek (unclassified water body)**

From the confluence with Cayo Del Grullo in Kleberg County to the Lake Alice Dam in Jim Wells County

Segment Type Tidal Stream Segment Size 45.6 Miles

AU\_ID 2492A\_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	45.60 Miles
<u>Station ID(s)</u>	13033; 15976			

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2493 South Bay**

Segment Type Estuary Segment Size 7.8 Sq. miles

*AU\_ID 2493\_01 Entire segment*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	7.80 Sq. miles

Station ID(s) 13459; 14855; 14856; 14858; 14865; 14880; 17101

*AU\_ID 2493\_OW1 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	7.80 Sq. miles

Station ID(s)

**SegID 2494 Brownsville Ship Channel**

Segment Type Estuary Segment Size 1.5 Sq. miles

*AU\_ID 2494\_01 Brownsville Ship Channel turning basin*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	TSWQS	Exceptional	TWQS-Appendix A	1.50 Sq. miles

Station ID(s) 13460; 14871; 14875; 17102

**SegID 2494A Port Isabel Fishing Harbor (unclassified water body)**

From the confluence with the Laguna Madre in Cameron County to 1/4 mile south of SH 100 in Port Isabel in Cameron County

Segment Type Estuary Segment Size 0.2 Sq. miles

*AU\_ID 2494A\_01 Entire water body*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
estuary	Water body description	High	Presumption from Flow Type	0.20 Sq. miles

Station ID(s) 13285

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

**SegID 2501 Gulf of Mexico**

From the Gulf shoreline to the limit of Texas jurisdiction between Sabine Pass and the Rio Grande

**Segment Type** Ocean **Segment Size** 3879 Sq. miles

*AU\_ID 2501\_01 Sabine Pass to Sea Rim Park area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
ocean	TSWQS	Exceptional	TWQS-Appendix A	218.00 Sq. miles

**Station ID(s)** 13461; 13462

*AU\_ID 2501\_02 Jefferson-Chambers County line area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
ocean	TSWQS	Exceptional	TWQS-Appendix A	338.00 Sq. miles

**Station ID(s)** 13463

*AU\_ID 2501\_03 Bolivar Point to San Luis Pass area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
ocean	TSWQS	Exceptional	TWQS-Appendix A	385.00 Sq. miles

**Station ID(s)** 13465; 16536; 16537; 16538; 16539; 16540; 16541; 16542; 16543; 16544; 16672

*AU\_ID 2501\_04 Freeport Area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
ocean	TSWQS	Exceptional	TWQS-Appendix A	256.00 Sq. miles

**Station ID(s)** 17519

*AU\_ID 2501\_05 Area between Freeport and Port Aransas*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
ocean	TSWQS	Exceptional	TWQS-Appendix A	1174.00 Sq. miles

**Station ID(s)**

*AU\_ID 2501\_06 Port Aransas Area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
ocean	TSWQS	Exceptional	TWQS-Appendix A	171.00 Sq. miles

**Station ID(s)** 13468

*AU\_ID 2501\_07 Area between Port Aransas and Port Mansfield*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
ocean	TSWQS	Exceptional	TWQS-Appendix A	768.00 Sq. miles

**Station ID(s)**

*AU\_ID 2501\_08 Port Mansfield area*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
ocean	TSWQS	Exceptional	TWQS-Appendix A	152.00 Sq. miles

**Station ID(s)** 13469

*AU\_ID 2501\_09 Area between Port Mansfield and Port Isabel*

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
ocean	TSWQS	Exceptional	TWQS-Appendix A	272.00 Sq. miles

**Station ID(s)**

**2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)**

---

*AU\_ID 2501\_10 Port Isabel area*

<b>Flow Type</b>	<b>Flow Type Source</b>	<b>ALU Designation</b>	<b>ALU Designation Source</b>	<b>AU Size</b>
ocean	TSWQS	Exceptional	TWQS-Appendix A	145.00 Sq. miles

**Station ID(s)**