2008 Texas Water Quality Inventory - Sources of Impairments and Concerns

PS - Point Source; NPS - Nonpoint Source; NS - Non-Supporting;
CN - Concern for Near Non-attainment; CS - Concern for Screening Level; AU ID - Assessment Unit ID

0101 Canadian River Below Lake Meredith

Segment Description: From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County

AU ID: 0101_03 Assessment Area: portion in Hutchinson County

CS Nutrient Screening Levels

0101A Dixon Creek (unclassified water body)

Segment Description: From confluence of the Canadian River to the upstream perennial portion of the stream east of Borger in Hutchinson County

AU ID: 0101A_01 Assessment Area: Dixon Creek downstream of Phillips

NS Bacteria Geomean

NPS- Rangeland Grazing; NPS- Grazing in Riparian or Shoreline Zones; NPS- Non-Point Source; NPS- Unrestricted Cattle Access; PS- Industrial Point Source Discharge

CN Bacteria Single Sample

NPS- Non-Point Source; PS- Industrial Point Source Discharge; NPS- Rangeland Grazing; NPS- Unrestricted Cattle Access; NPS- Grazing in Riparian or Shoreline Zones

NS Dissolved Oxygen grab minimum

NPS- Rangeland Grazing; NPS- Grazing in Riparian or Shoreline Zones; NPS- Non-Point Source; NPS- Unrestricted Cattle Access; PS- Industrial Point Source Discharge

CS Nutrient Screening Levels

NPS- Rangeland Grazing; NPS- Grazing in Riparian or Shoreline Zones; NPS- Non-Point Source; NPS- Unrestricted Cattle Access; PS- Industrial Point Source Discharge

AU ID: 0101A_02 Assessment Area: Dixon Creek upstream of Phillips

CS Nutrient Screening Levels

NPS- Unrestricted Cattle Access; NPS- Rangeland Grazing; NPS- Non-Point Source; NPS- Grazing in Riparian or Shoreline Zones

0101B Rock Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

AU ID: 0101B_01 Assessment Area: Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

NS Bacteria Geomean

NPS- Unrestricted Cattle Access; NPS- Rangeland Grazing; NPS- Grazing in Riparian or Shoreline Zones; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- UIC Wells (Underground Injection Control Wells); NPS- Petroleum/natural Gas Activities

CS Nutrient Screening Levels

NPS- UIC Wells (Underground Injection Control Wells); NPS- Petroleum/natural Gas Activities

0102 Lake Meredith

Segment Description: From Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to normal pool level of 2936.5 feet (impounds Canadian River)

AU ID: **0102_01** Assessment Area: Downstream half of lake including Big Blue Creek arm

CS Bioaccumulative Toxics in fish tissue

NPS- Natural Sources; NPS- Upstream Source; NPS- Sources Outside State Juristiction or Borders

NS Dissolved Solids

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown; NPS- Natural Sources

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Natural Sources; NPS- Upstream Source; NPS- Sources Outside State Juristiction or Borders

AU ID: **0102_02** Assessment Area: Upstream half of lake, above Big Blue Creek arm

CS Bioaccumulative Toxics in fish tissue

NPS- Upstream Source; NPS- Sources Outside State Juristiction or Borders; NPS- Natural Sources

NS Dissolved Solids

NPS- Upstream Source; NPS- Natural Sources; NPS- Sources Outside State Juristiction or Borders

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; NPS- Natural Sources; UNK- Source Unknown

0103 Canadian River Above Lake Meredith

Segment Description: From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

AU ID: **0103_01** Assessment Area: Lake Meredith headwaters to Sand Creek

NS Dissolved Solids

NPS- Natural Sources; NPS- Upstream Source; NPS- Sources Outside State Juristiction or Borders

AU ID: **0103_02** Assessment Area: Sand Creek to Punta de Agua Creek

NS Dissolved Solids

NPS- Upstream Source; NPS- Natural Sources; NPS- Sources Outside State Juristiction or Borders

AU ID: **0103_03** Assessment Area: Punta de Agua Creek to New Mexico State Line

NS Dissolved Solids

NPS- Sources Outside State Juristiction or Borders; NPS- Upstream Source; NPS- Natural Sources

0103A East Amarillo Creek (unclassified water body)

Segment Description: From the confluence of the Canadian River to the upstream perennial portion of the stream northwest of Amarillo in Potter County

AU ID: 0103A_01 Assessment Area: Entire water body

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Urban Runoff/Storm Sewers

0104 Wolf Creek

Segment Description: From the Oklahoma State Line in Lipscomb County to a point 2.0 kilometers (1.2 miles) upstream of FM 3045 in Ochiltree County

AU ID: 0104_03 Assessment Area: Lake Fryer to upstream end of segment

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Upstream Source

0105 Rita Blanca Lake

Segment Description: From Rita Blanca Dam in Hartley County up to normal pool level of 3860 feet (impounds Rita Blanca Creek)

AU ID: 0105_01 Assessment Area: Entire segment

NS High pH

NPS- Natural Sources; NPS- Waterfowl

CS Nutrient Screening Levels

NPS- Natural Sources; NPS- Waterfowl

0199A Palo Duro Reservoir (unclassified water body)

Segment Description: From Palo Duro dam up to normal pool elevation of 2,892 feet north of Spearman in Hansford County (impounds Palo Duro Creek)

AU ID: 0199A_01 Assessment Area: Entire reservoir

NS Dissolved Oxygen grab minimum

NPS- Rangeland Grazing; NPS- Upstream Source; NPS- Manure Runoff; NPS- Animal Feeding Operations (NPS)

CS Nutrient Screening Levels

NPS- Dam or Impoundment; NPS- Impacts from Hydrostructure Flow Regulation/modification

0201 Lower Red River

Segment Description: From the Arkansas State Line in Bowie County to the Arkansas-Oklahoma State Line in Bowie County

AU ID: 0201_01 Assessment Area: Arkansas State Line to Walnut Bayou (Oklahoma)

CS Nutrient Screening Levels

NPS- Non-irrigated Crop Production; NPS- Irrigated Crop Production; NPS- Non-Point Source; NPS- Crop Production (Crop Land or Dry Land)

0201A Mud Creek (unclassified water body)

Segment Description: From the confluence of the Red River to the upstream perennial portion of the stream northwest of De Kalb in Bowie County

AU ID: **0201A_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Natural Sources; NPS- Irrigated Crop Production; NPS- Wildlife Other than Waterfowl

NS Bacteria Single Sample

NPS- Irrigated Crop Production; NPS- Natural Sources; NPS- Wildlife Other than Waterfowl

NS Dissolved Oxygen grab minimum

NPS- Irrigated Crop Production; NPS- Wildlife Other than Waterfowl; NPS- Natural Sources

CS Dissolved Oxygen grab screening level

NPS- Irrigated Crop Production; NPS- Wildlife Other than Waterfowl; NPS- Natural Sources

CS Nutrient Screening Levels

NPS- Natural Sources; NPS- Wildlife Other than Waterfowl; NPS- Irrigated Crop Production

0202 Red River Below Lake Texoma

Segment Description: From the Arkansas-Oklahoma State Line in Bowie County to Denison Dam in Grayson County

AU ID: **0202_01** Assessment Area: End of segment to Pecan Bayou confluence

CS Nutrient Screening Levels

NPS- Crop Production (Crop Land or Dry Land); NPS- Upstream Source

AU ID: **0202_02** Assessment Area: Pecan Bayou to Pine Creek

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Crop Production (Crop Land or Dry Land); NPS- Irrigated Crop Production; NPS- Non-irrigated Crop Production

AU ID: **0202_03** Assessment Area: Pine Creek to Bois d'Arc Creek

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Non-irrigated Crop Production; NPS- Irrigated Crop Production; NPS- Crop Production (Crop Land or Dry Land)

AU ID: **0202_04** Assessment Area: Bois d'Arc Creek to SH 78

CS Nutrient Screening Levels

NPS- Crop Production (Crop Land or Dry Land); NPS- Irrigated Crop Production; NPS- Non-irrigated Crop Production; NPS- Non-Point Source

0202C Pecan Bayou (unclassified water body)

Segment Description: From the confluence with the Red River in northeast Red River County to the upstream perennial portion northeast of Clarksville

AU ID: **0202C_01** Assessment Area: Entire water body

CS Nutrient Screening Levels

NPS- Non-Point Source

0202D Pine Creek (unclassified water body)

Segment Description: From the confluence of the Red River to the upstream perennial portion of the stream west of Paris in Lamar County

AU ID: **0202D_01** Assessment Area: Perennial and intermittent stream from the confluence with the Red River upstream to the dam forming Lake Crook

CS Nutrient Screening Levels

PS- Industrial Point Source Discharge; NPS- Impacts from Land Application of Wastes; NPS- Land Application of Wastewater Biosolids (Non-agricultural); NPS- Land Application of Wastewater (Non-agricultural)

0202E Post Oak Creek (unclassified water body)

Segment Description: From the confluence of Choctaw Creek southeast of Sherman to the upstream perennial portion of the stream northwest of Sherman in Grayson County

AU ID: **0202E_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Urban Runoff/Storm Sewers

0202F Choctaw Creek (unclassified water body)

Segment Description: From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

AU ID: **0202F_01** Assessment Area: Entire water body

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Rangeland Grazing

0202G Smith Creek (unclassified water body)

Segment Description: From the confluence with Pine Creek north of Paris to the upstream portion of the stream in north Paris in Lamar County

AU ID: **0202G_01** Assessment Area: Entire segment

NS Bacteria Geomean

NPS- Land Application of Wastewater Biosolids (Non-agricultural); NPS- Land Application of Wastewater (Non-agricultural); PS- Industrial Point Source Discharge; NPS- Impacts from Land Application of Wastes

NS Bacteria Single Sample

NPS- Land Application of Wastewater Biosolids (Non-agricultural); NPS- Land Application of Wastewater (Non-agricultural); PS- Industrial Point Source Discharge; NPS- Impacts from Land Application of Wastes

CN Dissolved Oxygen grab minimum

NPS- Land Application of Wastewater Biosolids (Non-agricultural); NPS- Land Application of Wastewater (Non-agricultural); PS- Industrial Point Source Discharge; NPS- Impacts from Land Application of Wastes

CS Dissolved Oxygen grab screening level

NPS- Land Application of Wastewater Biosolids (Non-agricultural); NPS- Impacts from Land Application of Wastes; PS- Industrial Point Source Discharge; NPS- Land Application of Wastewater (Non-agricultural)

CS Nutrient Screening Levels

NPS- Impacts from Land Application of Wastes; NPS- Land Application of Wastewater Biosolids (Non-agricultural); PS- Industrial Point Source Discharge; NPS- Land Application of Wastewater (Non-agricultural)

0203 Lake Texoma

Segment Description: From Denison Dam in Grayson County to a point immediately upstream of the confluence of Sycamore Creek in Cooke County, up to normal pool elevation of 617 feet (impounds Red River)

AU ID: **0203_01** Assessment Area: Near dam

CS Finished Drinking Water Dissolved Solids average

NPS- Natural Sources; NPS- Upstream Source

CS Nutrient Screening Levels

NPS- Upstream Source; NPS- Natural Sources

AU ID: **0203_02** Assessment Area: Little Mineral arm

CS Finished Drinking Water Dissolved Solids average

NPS- Upstream Source; NPS- Natural Sources

AU ID: **0203_03** Assessment Area: Mid-lake near Big Mineral arm

CS Finished Drinking Water Dissolved Solids average

NPS- Natural Sources; NPS- Upstream Source

CS Nutrient Screening Levels

NPS- Natural Sources; NPS- Upstream Source

AU ID: **0203_04** Assessment Area: Upper end of lake

CS Finished Drinking Water Dissolved Solids average

NPS- Natural Sources; NPS- Upstream Source

CS Nutrient Screening Levels

NPS- Upstream Source

AU ID: **0203_05** Assessment Area: Remainder of lake

CS Finished Drinking Water Dissolved Solids average

NPS- Natural Sources; NPS- Upstream Source

0203A Big Mineral Creek (unclassified water body)

Segment Description: From the confluence of Lake Texoma to the confluence of North/Middle/South Big Mineral Creeks north of Whitesboro in Grayson County

AU ID: **0203A_01** Assessment Area: From Lake Texoma upstream to the confl. with an unnamed 2nd order trib. on North Branch 2.4 km upstream of US 377 and upstream to the confl. with an unnamed 2nd order trib. on South Branch 1.1 km upstream of US 377 north of the City of Whitesboro

CS Nutrient Screening Levels

NPS- Grazing in Riparian or Shoreline Zones; NPS- Rangeland Grazing; NPS- Unrestricted Cattle Access

0204 Red River Above Lake Texoma

Segment Description: From a point immediately upstream of the confluence of Sycamore Creek in Cooke County to the confluence of the Wichita River in Clay County

AU ID: **0204_01** Assessment Area: Segment end to Fish Creek

CN Bacteria Geomean

NPS- Upstream Source

CS Nutrient Screening Levels

NPS- Upstream Source

0205 Red River Below Pease River

Segment Description: From the confluence of the Wichita River in Clay County to the confluence of the Pease River in Wilbarger County

AU ID: **0205_01** Assessment Area: From lower end of segment to IH 44

CS Nutrient Screening Levels

NPS- Crop Production (Crop Land or Dry Land); NPS- Irrigated Crop Production; NPS- Non-irrigated Crop Production

AU ID: **0205_02** Assessment Area: China Creek to upstream end of segment

CN Bacteria Geomean

NPS- Crop Production (Crop Land or Dry Land); NPS- Irrigated Crop Production; NPS- Non-irrigated Crop Production

CS Nutrient Screening Levels

NPS- Upstream Source

0206B South Groesbeck Creek (unclassified water body)

Segment Description: From the confluence of Groesbeck Creek NNW of Quanah in Hardeman County to the upstream portion 7.8 miles (12.6 Km) southwest of Childress

AU ID: **0206B_01** Assessment Area: Entire segment

NS Bacteria Geomean

NPS- Grazing in Riparian or Shoreline Zones; NPS- Manure Runoff; NPS- Rangeland Grazing; NPS- Unrestricted Cattle Access

CN Bacteria Single Sample

NPS- Grazing in Riparian or Shoreline Zones; NPS- Manure Runoff; NPS- Rangeland Grazing; NPS- Unrestricted Cattle Access

CS Nutrient Screening Levels

NPS- Grazing in Riparian or Shoreline Zones; NPS- Manure Runoff; NPS- Rangeland Grazing; NPS- Unrestricted Cattle Access

0207 Lower Prairie Dog Town Fork Red River

Segment Description: From a point immediately upstream of the confluence of Buck Creek in Hardeman County to the confluence of a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

AU ID: **0207_04** Assessment Area: SH 70 to upstream end of segment

NS Bacteria Geomean

NPS- Rangeland Grazing; NPS- Unrestricted Cattle Access; NPS- Grazing in Riparian or Shoreline Zones

CS Nutrient Screening Levels

NPS- Rangeland Grazing; NPS- Unrestricted Cattle Access; NPS- Grazing in Riparian or Shoreline Zones

0207A Buck Creek (unclassified water body)

Segment Description: From Oklahoma State Line east of Childress in Childress County to the upstream perennial portion of the stream west of Wellington in Collinsworth County

AU ID: **0207A_01** Assessment Area: From Oklahoma state line to House Log Creek

NS Bacteria Geomean

NPS- Grazing in Riparian or Shoreline Zones; NPS- Rangeland Grazing; NPS- Unrestricted Cattle Access; NPS- Wildlife Other than Waterfowl

NS Bacteria Single Sample

NPS- Grazing in Riparian or Shoreline Zones; NPS- Rangeland Grazing; NPS- Unrestricted Cattle Access; NPS- Wildlife Other than Waterfowl

CS Nutrient Screening Levels

NPS- Grazing in Riparian or Shoreline Zones; NPS- Rangeland Grazing; NPS- Unrestricted Cattle Access; NPS- Wildlife Other than Waterfowl

0209 Pat Mayse Lake

Segment Description: From Pat Mayse Dam in Lamar County up to normal pool elevation of 451 feet (impounds Sanders Creek)

AU ID: **0209_01** Assessment Area: Lower half of lake

CS Toxic Substances in sediment

NPS- Natural Sources; NPS- Nps Pollution from Military Base Facilities (Other than Port Facilities)

AU ID: **0209_02** Assessment Area: Upper half of lake

CS Toxic Substances in sediment

NPS- Natural Sources; NPS- Nps Pollution from Military Base Facilities (Other than Port Facilities)

0211 Little Wichita River

Segment Description: From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

AU ID: 0211_02 Assessment Area: East Fork confluence to dam

NS Dissolved Oxygen 24hr average

NPS- Dam or Impoundment; NPS- Impacts from Hydrostructure Flow Regulation/modification

NS Dissolved Oxygen 24hr minimum

NPS- Dam or Impoundment; NPS- Impacts from Hydrostructure Flow Regulation/modification

NS Dissolved Oxygen grab minimum

NPS- Impacts from Hydrostructure Flow Regulation/modification; NPS- Dam or Impoundment

CS Nutrient Screening Levels

NPS- Dam or Impoundment; NPS- Impacts from Hydrostructure Flow Regulation/modification

0212 Lake Arrowhead

Segment Description: From Lake Arrowhead Dam in Clay County up to normal pool elevation of 926 feet (impounds the Little Wichita River)

AU ID: 0212_01 Assessment Area: Entire lake

CS Nutrient Screening Levels

NPS- Manure Runoff; NPS- Residential Districts; NPS- Dairies (Outside Milk Parlor Areas); NPS- Upstream Source

0214 Wichita River Below Diversion Lake Dam

Segment Description: From the confluence with the Red River in Clay County to Diversion Dam in Archer County

AU ID: 0214_01 Assessment Area: Lower end of segment to FM 2393

CS Nutrient Screening Levels

NPS- Rangeland Grazing; NPS- Unrestricted Cattle Access; NPS- Crop Production (Crop Land or Dry Land); NPS- Grazing in Riparian or Shoreline Zones

AU ID: 0214_02 Assessment Area: FM 2393 to River Road WWTP

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Municipal (Urbanized High Density Area) Runoff

CN Bacteria Single Sample

NPS- Agriculture; NPS- Non-irrigated Crop Production; NPS- Crop Production (Crop Land or Dry Land)

CS Nutrient Screening Levels

NPS- Crop Production (Crop Land or Dry Land); NPS- Non-irrigated Crop Production; NPS- Agriculture

AU ID: 0214_03 Assessment Area: From River Road WWTP to confluence with Buffalo Creek

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Municipal (Urbanized High Density Area) Runoff

AU ID: **0214_05** Assessment Area: From Beaver Creek to Diversion Dam

NS Bacteria Geomean

NPS- Rangeland Grazing; NPS- Grazing in Riparian or Shoreline Zones; NPS- Aquaculture (Permitted); NPS- Unrestricted Cattle Access

NS Bacteria Single Sample

NPS- Unrestricted Cattle Access; NPS- Rangeland Grazing; NPS- Aquaculture (Permitted); NPS- Grazing in Riparian or Shoreline Zones

CS Nutrient Screening Levels

NPS- Unrestricted Cattle Access; NPS- Rangeland Grazing; NPS- Aquaculture (Permitted); NPS- Grazing in Riparian or Shoreline Zones

0214A Beaver Creek (unclassified water body)

Segment Description: From the confluence of the Wichita River west of Wichita Falls in Wichita County to the upstream perennial portion of the stream south of Vernon in Wilbarger County

AU ID: **0214A_01** Assessment Area: From Wichita River to confluence with Bull Creek

CN Dissolved Oxygen 24hr average

NPS- Upstream Source

AU ID: **0214A_02** Assessment Area: From Bull Creek to Santa Rosa Lake dam

NS Bacteria Geomean

NPS- Drought-related Impacts

NS Bacteria Single Sample

NPS- Upstream Source

CS Dissolved Oxygen grab screening level

NPS- Upstream Source

CS Nutrient Screening Levels

NPS- Crop Production (Crop Land or Dry Land); NPS- Grazing in Riparian or Shoreline Zones; NPS- Rangeland Grazing; NPS- Unrestricted Cattle Access

0218 Wichita/North Fork Wichita River

Segment Description: From a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County to a point 8.5 kilometers (5.3 miles) downstream of the most upstream crossing of FM 193 in Dickens County)

AU ID: **0218_03** Assessment Area: From the confluence with Deadman Creek to the confluence with Middle Wichita River

NS Chronic Toxic Substances in water

NPS- Upstream Source; NPS- Natural Sources

AU ID: 0218_04 Assessment Area: From the confluence with Middle Wichita River to confluence with Salt Creek

NS Chronic Toxic Substances in water

NPS- Natural Sources; NPS- Upstream Source

AU ID: 0218_05 Assessment Area: From the confluence with Salt Creek to end of segment

NS Chronic Toxic Substances in water

NPS- Natural Sources; NPS- Upstream Source

0218A Middle Fork Wichita River (unclassified water body)

Segment Description: From the confluence of the North Wichita River southwest of Crowell in Foard County to the upstream perennial portion of the stream northeast of Guthrie in King County

AU ID: 0218A_01 Assessment Area: Entire segment

NS Chronic Toxic Substances in water

NPS- Natural Sources; NPS- Upstream Source

0219 Lake Wichita

Segment Description: From Lake Wichita Dam in Wichita County up to the normal pool elevation of 980.5 feet (impounds Holliday Creek)

AU ID: 0219_01 Assessment Area: Entire segment

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Residential Districts; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Golf Courses

0226 South Fork Wichita River

Segment Description: From the confluence with the North Fork Wichita River in Knox County to a point 15.0 kilometers (9.3 miles) upstream of US 82 in Dickens County

AU ID: 0226_01 Assessment Area: Lower end of segment to SH 6

NS Dissolved Solids

NPS- Natural Sources; NPS- Upstream Source

AU ID: 0226_02 Assessment Area: From SH 6 to confluence with Willow Creek

NS Dissolved Solids

NPS- Natural Sources; NPS- Upstream Source

CS Nutrient Screening Levels

NPS- Agriculture; NPS- Non-Point Source

AU ID: 0226_03 Assessment Area: From confluence with Willow Creek to confluence with Long Canyon Creek

NS Dissolved Solids

NPS- Petroleum/natural Gas Activities; NPS- Upstream Source

CS Nutrient Screening Levels

NPS- Petroleum/natural Gas Activities; NPS- Upstream Source

AU ID: **0226_04** Assessment Area: Low-water dam to 0.5 mile upstream

NS Dissolved Solids

NPS- Natural Sources; NPS- Upstream Source

0229 Upper Prairie Dog Town Fork Red River

Segment Description: From a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

AU ID: **0229_01** Assessment Area: Lower end of segment to Palo Duro State Park northern boundary

CS Nutrient Screening Levels

NPS- Upstream Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Impacts from Resort Areas (Winter and Non-winter Resorts)

AU ID: **0229_02** Assessment Area: Palo Duro Canyon State Park upstream boundary to upper end of segment at Tanglewood Dam

NS Dissolved Oxygen grab minimum

NPS- Impacts from Hydrostructure Flow Regulation/modification; NPS- Upstream Source; PS- Municipal Point Source Discharges

NS High pH

NPS- Impacts from Hydrostructure Flow Regulation/modification; PS- Municipal Point Source Discharges; NPS- Upstream Source

CS Nutrient Screening Levels

NPS- Upstream Source; PS- Municipal Point Source Discharges; NPS- Impacts from Hydrostructure Flow Regulation/modification

0229A Lake Tanglewood (unclassified water body)

Segment Description: From Randall County Dam up to normal pool elevation south of Amarillo (impounds Prairie Dog Town Fork Red River)

AU ID: **0229A_01** Assessment Area: Entire lake

CS Nutrient Screening Levels

NPS- Golf Courses; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Residential Districts; PS- Municipal Point Source Discharges

0230A Paradise Creek (unclassified water body)

Segment Description: From the confluence with the Pease River east of Vernon to the upstream perennial portion near Thalia in Foard County

AU ID: 0230A_03 Assessment Area: Lower 5 miles of water body

NS Bacteria Geomean

NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-irrigated Crop Production; NPS- Crop Production (Crop Land or Dry Land); NPS- Auction Barns; NPS- Agriculture

NS Bacteria Single Sample

NPS- Agriculture; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Auction Barns; NPS- Manure Runoff

CS Nutrient Screening Levels

NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-irrigated Crop Production; NPS- Crop Production (Crop Land or Dry Land); NPS- Auction Barns; NPS- Agriculture

AU ID: 0230A_04 Assessment Area: Remainder of water body

CS Nutrient Screening Levels

NPS- Irrigated Crop Production; NPS- Rangeland Grazing; NPS- Crop Production (Crop Land or Dry Land); NPS- Unrestricted Cattle Access; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-irrigated Crop Production; NPS- Grazing in Riparian or Shoreline Zones

0299A Sweetwater Creek (unclassified water body)

Segment Description: From the Oklahoma State Line in Wheeler County to the upstream perennial portion of the stream northwest of Wheeler in Wheeler County (tributary of North Fork Red River)

AU ID: 0299A_01 Assessment Area: From Oklahoma State Line to confluence with Graham Creek

NS Bacteria Geomean

NPS- Upstream Source; NPS- Unrestricted Cattle Access; NPS- Rangeland Grazing; NPS- Manure Runoff; NPS- Animal Feeding Operations (NPS); NPS- Grazing in Riparian or Shoreline Zones

0301 Sulphur River Below Wright Patman Lake

Segment Description: From the Arkansas State Line in Bowie/Cass County to Wright Patman Lake Dam in Bowie/Cass County

AU ID: 0301_01 Assessment Area: Lower 9 miles

CS Nutrient Screening Levels

NPS- Upstream Impoundments (e.g., Pl-566 NRCS Structures); NPS- Non-Point Source

AU ID: 0301_02 Assessment Area: Upper 10 miles

CS Nutrient Screening Levels

NPS- Upstream Impoundments (e.g., Pl-566 NRCS Structures); NPS- Non-Point Source

0302 Wright Patman Lake

Segment Description: From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 225 feet (impounds the Sulphur River)

AU ID: 0302_01 Assessment Area: 800 acres near dam

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling; NPS- Non-Point Source

AU ID: **0302_02** Assessment Area: 300 acres at International Paper intake

NS Dissolved Oxygen 24hr average

NPS- Internal Nutrient Recycling; NPS- Non-Point Source

NS High pH

NPS- Non-Point Source; NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling; NPS- Non-Point Source

AU ID: **0302_04** Assessment Area: 500 acres in the northeast corner of lake

NS High pH

UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling; NPS- Non-Point Source

AU ID: **0302_05** Assessment Area: 200 acres in the northwestern tip of lake

NS High pH

NPS- Internal Nutrient Recycling; NPS- Non-Point Source

AU ID: **0302_06** Assessment Area: Big Creek arm

NS High pH

NPS- Internal Nutrient Recycling; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling; NPS- Non-Point Source

AU ID: **0302_07** Assessment Area: 4000 acres mid-lake

NS High pH

NPS- Non-Point Source; NPS- Internal Nutrient Recycling

AU ID: **0302_08** Assessment Area: 1600 acres in upper mid-lake

NS High pH

NPS- Internal Nutrient Recycling; NPS- Non-Point Source

AU ID: **0302_09** Assessment Area: 5000 acres mid-lake, below Hwy 8

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Internal Nutrient Recycling

AU ID: **0302_10** Assessment Area: 4000 acres in upper portion of lake

NS Dissolved Oxygen 24hr average

NPS- Internal Nutrient Recycling; NPS- Natural Sources; NPS- Non-Point Source

NS Dissolved Oxygen 24hr minimum

NPS- Non-Point Source; NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Internal Nutrient Recycling

0303 Sulphur/South Sulphur River

Segment Description: From a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County to Cooper Lake Dam in Delta/Hopkins County

AU ID: **0303_01** Assessment Area: Lower 25 miles

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Upstream Impoundments (e.g., Pl-566 NRCS Structures)

AU ID: **0303_02** Assessment Area: Middle 25 miles

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Upstream Impoundments (e.g., Pl-566 NRCS Structures)

0303A Big Creek Lake (unclassified water body)

Segment Description: From Big Creek Dam up to normal pool elevation of 458 feet north of Cooper (impounds Big Creek)

AU ID: **0303A_01** Assessment Area: Entire segment

CS Finished Drinking Water MCLs Concern

NPS- Agriculture

0303B White Oak Creek (unclassified water body)

Segment Description: From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

AU ID: **0303B_01** Assessment Area: Lower 25 miles of segment

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Natural Sources; PS- Municipal Point Source Discharges

AU ID: **0303B_02** Assessment Area: Middle 25 miles near Hwy 271

NS Dissolved Oxygen 24hr average

NPS- Natural Sources; UNK- Source Unknown; PS- Municipal Point Source Discharges

NS Dissolved Oxygen 24hr minimum

NPS- Natural Sources; UNK- Source Unknown; PS- Municipal Point Source Discharges

AU ID: **0303B_03** Assessment Area: Upper 25 miles of segment

NS Bacteria Geomean

UNK- Source Unknown; PS- Municipal Point Source Discharges; NPS- Non-Point Source

NS Bacteria Single Sample

UNK- Source Unknown; PS- Municipal Point Source Discharges; NPS- Non-Point Source

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source; PS- Municipal Point Source Discharges

0304 Days Creek

Segment Description: From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

AU ID: **0304_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

PS- Industrial Point Source Discharge; NPS- Contaminated Sediments

CS Toxic Substances in sediment

NPS- Contaminated Sediments; PS- Industrial Point Source Discharge

0304A Swampoodle Creek (unclassified water body)

Segment Description: From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

AU ID: **0304A_01** Assessment Area: Entire segment

NS Fish Community

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Macrobenthic Community

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

0304B Cowhorn Creek (unclassified water body)

Segment Description: From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

AU ID: **0304B_01** Assessment Area: Entire water body

NS Fish Community

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Macrobenthic Community

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

0304C Wagner Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with Days Creek to a point 1.5 km upstream of IH 30

AU ID: **0304C_01** Assessment Area: Entire segment

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; NPS- Natural Sources

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; NPS- Natural Sources

0305 North Sulphur River

Segment Description: From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 miles) upstream of FM 68 in Fannin County

AU ID: **0305_02** Assessment Area: Upper 23 miles

NS Fish Community

UNK- Source Unknown; NPS- Channelization

CS Habitat

UNK- Source Unknown; NPS- Channelization

NS Macrobenthic Community

UNK- Source Unknown; NPS- Channelization

0306 Upper South Sulphur River

Segment Description: From a point 1.0 km (0.6 miles) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

AU ID: **0306_02** Assessment Area: 25 miles above SH 11

NS High pH

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Agriculture

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Agriculture

0307 Cooper Lake

Segment Description: from Cooper Lake dam in Delta/Hopkins County to a point 1.0 kilometers (0.6 mile) upstream of SH 71 on the South Sulphur River arm in Delta/Hopkins County and 300 meters (330 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm in

AU ID: **0307_01** Assessment Area: Lower 5000 acres near dam

NS High pH

NPS- Natural Sources

AU ID: **0307_02** Assessment Area: Lower 3000 acre Doctors Creek arm

NS High pH

NPS- Natural Sources

AU ID: **0307_03** Assessment Area: Middle 5000 acres

NS High pH

NPS- Natural Sources

AU ID: **0307_04** Assessment Area: Middle 2000 acre Johns Creek arm

NS High pH

NPS- Natural Sources

0401 Caddo Lake

Segment Description: From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

AU ID: **0401_01** Assessment Area: Lower 5000 acres

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

CS Toxic Substances in sediment

NPS- Natural Sources

AU ID: **0401_02** Assessment Area: Harrison Bayou arm

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown; NPS- Natural Sources

NS Dissolved Oxygen 24hr average

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

NPS- Natural Sources

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Natural Sources

NS Low pH

UNK- Source Unknown; NPS- Natural Sources

AU ID: **0401_03** Assessment Area: Goose Prairie arm

CS Bioaccumulative Toxics in fish tissue

NPS- Natural Sources; UNK- Source Unknown

NS Dissolved Oxygen grab minimum

NPS- Natural Sources

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Natural Sources; UNK- Source Unknown

NS Low pH

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **0401_05** Assessment Area: Clinton Lake

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown; NPS- Natural Sources

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Natural Sources

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Acidity; NPS- Natural Sources

NS Low pH

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Natural Sources

AU ID: **0401_07** Assessment Area: Mid-lake near Uncertain

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown; NPS- Natural Sources

NS Dissolved Oxygen 24hr average

NPS- Natural Sources

NS Dissolved Oxygen 24hr minimum

NPS- Natural Sources

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Natural Sources

CS Toxic Substances in sediment

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **0401_08** Assessment Area: Remainder of segment

CS Bioaccumulative Toxics in fish tissue

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

0401A Harrison Bayou (unclassified water body)

Segment Description: From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

AU ID: **0401A_01** Assessment Area: Lower 5 miles

NS Dissolved Oxygen 24hr average

NPS- Natural Sources; UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

NPS- Natural Sources; UNK- Source Unknown

AU ID: **0401A_02** Assessment Area: Middle 3 miles near FM 134

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Natural Sources

0401B Kitchen Creek (unclassified water body)

Segment Description: From the confluence with Clinton Lake to near Payne in Marion County

AU ID: **0401B_01** Assessment Area: Entire water body

CN Dissolved Oxygen grab minimum

UNK- Source Unknown

0402 Big Cypress Creek Below Lake O' the Pines

Segment Description: From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

AU ID: **0402_01** Assessment Area: Lower 9 miles

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Natural Sources

NS Low pH

UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Natural Sources

AU ID: **0402_02** Assessment Area: 11 miles below Black Cypress Creek

CN Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

NS Low pH

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **0402_03** Assessment Area: Middle 15 miles near Jefferson

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **0402_04** Assessment Area: Upper 7 miles

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

0402A Black Cypress Bayou (unclassified water body)

Segment Description: Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

AU ID: **0402A_01** Assessment Area: Lower 15 miles of water body

CN Acute Toxic Substances in water

UNK- Source Unknown

CN Chronic Toxic Substances in water

UNK- Source Unknown

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

AU ID: **0402A_02** Assessment Area: Middle 17 miles near CR 1617

NS Bacteria Single Sample

NPS- Natural Sources; UNK- Source Unknown

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Natural Sources

NS Dissolved Oxygen 24hr minimum

NPS- Natural Sources; UNK- Source Unknown

AU ID: **0402A_03** Assessment Area: Middle 1 mile, Pruitt Lake

CN Acute Toxic Substances in water

UNK- Source Unknown

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown; NPS- Natural Sources

CN Chronic Toxic Substances in water

UNK- Source Unknown

CN Dissolved Oxygen 24hr average

UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0402A_04** Assessment Area: Middle 13 miles near FM 250

NS Bacteria Geomean

UNK- Source Unknown; NPS- Natural Sources

CN Dissolved Oxygen 24hr average

UNK- Source Unknown

CN Dissolved Oxygen grab minimum

UNK- Source Unknown; NPS- Natural Sources

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Natural Sources

AU ID: **0402A_05** Assessment Area: Upper 10 miles of water body

NS Dissolved Oxygen 24hr average

NPS- Natural Sources; UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

NPS- Natural Sources; UNK- Source Unknown

0402B Hughes Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with Black Cypress Creek upstream to the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250

AU ID: **0402B_01** Assessment Area: Entire Segment

CS Habitat

NPS- Natural Sources; UNK- Source Unknown

CN Macrobenthic Community

NPS- Natural Sources; UNK- Source Unknown

0402E Kelly Creek (unclassified water body)

Segment Description: From the confluence with Black Cypress Creek in Cass County, north to approximately 2 miles southwest of where State HWY 338 and US HWY 259 merge

AU ID: **0402E_01** Assessment Area: Entire segment

CS Habitat

UNK- Source Unknown; NPS- Natural Sources

CN Macrobenthic Community

UNK- Source Unknown; NPS- Natural Sources

0403 Lake O' the Pines

Segment Description: From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

AU ID: **0403_04** Assessment Area: Upper 3700 acres

NS Dissolved Oxygen 24hr minimum

PS- Municipal Point Source Discharges; PS- Industrial Point Source Discharge; NPS- Irrigated Crop Production

0404 Big Cypress Creek Below Lake Bob Sandlin

Segment Description: From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

AU ID: **0404_01** Assessment Area: Lower 15 miles

CN Dissolved Oxygen 24hr average

PS- Industrial Point Source Discharge

CN Dissolved Oxygen 24hr minimum

PS- Industrial Point Source Discharge

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Natural Sources

AU ID: **0404_02** Assessment Area: Upper 18 miles

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

PS- Industrial Point Source Discharge

CN LOE Toxic Sediment condition

PS- Industrial Point Source Discharge

CS Nutrient Screening Levels

PS- Industrial Point Source Discharge

0404A Ellison Creek Reservoir (unclassified water body)

Segment Description: From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

AU ID: **0404A_01** Assessment Area: Entire reservoir

CS Bioaccumulative Toxics in fish tissue

NPS- Contaminated Sediments; PS- Industrial Point Source Discharge

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge; NPS- Contaminated Sediments

NS LOE Toxic Sediment condition

NPS- Contaminated Sediments; PS- Industrial Point Source Discharge

CS Toxic Substances in sediment

PS- Industrial Point Source Discharge; NPS- Contaminated Sediments

0404B Tankersley Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

AU ID: **0404B_01** Assessment Area: Lower 3 miles

NS Bacteria Geomean

UNK- Source Unknown; NPS- Unrestricted Cattle Access; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); PS- Industrial Point Source Discharge

NS Bacteria Single Sample

UNK- Source Unknown; NPS- Unrestricted Cattle Access; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); PS- Industrial Point Source Discharge

CS Nutrient Screening Levels

PS- Industrial Point Source Discharge; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); UNK- Source Unknown; PS- Municipal Point Source Discharges

AU ID: **0404B_02** Assessment Area: Middle 2 miles near FM 127

NS Bacteria Geomean

NPS- Unrestricted Cattle Access; UNK- Source Unknown; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); PS- Industrial Point Source Discharge

NS Bacteria Single Sample

NPS- Unrestricted Cattle Access; PS- Industrial Point Source Discharge; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); UNK- Source Unknown

AU ID: **0404B_03** Assessment Area: 3 miles below Tankersley Lake

NS Bacteria Geomean

NPS- Natural Sources; UNK- Source Unknown

CN Bacteria Single Sample

NPS- Natural Sources; UNK- Source Unknown

CN Fish Community

NPS- Natural Sources; UNK- Source Unknown

CN Macrobenthic Community

NPS- Unrestricted Cattle Access; UNK- Source Unknown; PS- Industrial Point Source Discharge; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

0404C Hart Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402

AU ID: **0404C_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Municipal Point Source Discharges; PS- Industrial Point Source Discharge

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; PS- Industrial Point Source Discharge

CN Dissolved Oxygen grab minimum

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

PS- Industrial Point Source Discharge; PS- Municipal Point Source Discharges; UNK- Source Unknown

CS Nutrient Screening Levels

PS- Industrial Point Source Discharge; PS- Municipal Point Source Discharges; UNK- Source Unknown

0404E Dry Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with Big Cypress Creek upstream to the confluence of Mile Branch and Little Creek

AU ID: **0404E_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

0404J Prairie Creek (unclassified water body)

Segment Description: From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County

AU ID: **0404J_01** Assessment Area: Entire segment

CN Dissolved Oxygen 24hr average

NPS- Natural Sources; UNK- Source Unknown

CN Dissolved Oxygen 24hr minimum

UNK- Source Unknown; NPS- Natural Sources

0404K Walkers Creek (unclassified water body)

Segment Description: From the confluence with Big Cypress Creek to approximately 2 miles west of Pittsburg in Camp County

AU ID: **0404K_01** Assessment Area: Entire water body

CN Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Natural Sources

CN Dissolved Oxygen 24hr minimum

UNK- Source Unknown; NPS- Natural Sources

0404N Lake Daingerfield (unclassified water body)

Segment Description: Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

AU ID: **0404N_01** Assessment Area: Entire lake

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

0405 Lake Cypress Springs

Segment Description: From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)

AU ID: **0405_02** Assessment Area: Upper 2600 acres

CN Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Natural Sources

AU ID: **0405_03** Assessment Area: Panther Arm

NS Dissolved Oxygen 24hr average

NPS- Animal Feeding Operations (NPS)

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown; NPS- Natural Sources

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Natural Sources

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Natural Sources

0406 Black Bayou

Segment Description: From the Louisiana State Line in Cass County to FM 96 in Cass County

AU ID: **0406_01** Assessment Area: Lower 12 miles

NS Bacteria Geomean

NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

NS Dissolved Oxygen grab minimum

NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source

NS Low pH

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

AU ID: **0406_02** Assessment Area: Upper 12 miles

NS Dissolved Oxygen grab minimum

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

CS Dissolved Oxygen grab screening level

NPS- Natural Sources

NS Low pH

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

0407 James' Bayou

Segment Description: From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

AU ID: **0407_01** Assessment Area: Lower 15 miles of segment

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Natural Sources; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

AU ID: **0407_02** Assessment Area: Upper 25 miles of segment

NS Bacteria Geomean

NPS- Natural Sources

NS Dissolved Oxygen 24hr average

NPS- Natural Sources

NS Dissolved Oxygen 24hr minimum

NPS- Natural Sources

NS Low pH

UNK- Source Unknown; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Natural Sources

0408 Lake Bob Sandlin

Segment Description: From Fort Sherman Dam in Camp/Titus County to Franklin County Dam in Franklin County up to normal pool elevation of 337.5 feet (impounds Big Cypress Creek)

AU ID: **0408_01** Assessment Area: Lower 2000 acres near dam

CN Chronic Toxic Substances in water

UNK- Source Unknown

0408C Brushy Creek (unclassified water body)

Segment Description: From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY 37

AU ID: **0408C_01** Assessment Area: Entire segment

CS Habitat

UNK- Source Unknown

0409 Little Cypress Bayou (Creek)

Segment Description: From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

AU ID: **0409_01** Assessment Area: Lower 25 miles of segment

NS Bacteria Geomean

NPS- Livestock (Grazing or Feeding Operations); UNK- Source Unknown

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Natural Sources

AU ID: **0409_02** Assessment Area: Middle 18 miles above Hwy 154

NS Bacteria Geomean

NPS- Natural Sources; UNK- Source Unknown

NS Dissolved Oxygen 24hr average

NPS- Natural Sources; UNK- Source Unknown

AU ID: **0409_03** Assessment Area: Middle 25 miles below Hwy 271

CN Bacteria Geomean

UNK- Source Unknown; NPS- Natural Sources

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Natural Sources

CN Dissolved Oxygen 24hr minimum

UNK- Source Unknown; NPS- Natural Sources

CN Macrobenthic Community

UNK- Source Unknown; NPS- Natural Sources

AU ID: **0409_04** Assessment Area: Upper 25 miles

NS Bacteria Geomean

NPS- Livestock (Grazing or Feeding Operations); UNK- Source Unknown

CN Bacteria Single Sample

NPS- Livestock (Grazing or Feeding Operations); UNK- Source Unknown

0409B South Lilly Creek (unclassified water body)

Segment Description: From the confluence of Lilly Creek to approximately 2 miles west of FM 1647

AU ID: **0409B_01** Assessment Area: Entire segment

NS Bacteria Geomean

UNK- Source Unknown; NPS- Livestock (Grazing or Feeding Operations)

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Livestock (Grazing or Feeding Operations)

0501 Sabine River Tidal

Segment Description: From the confluence with Sabine Lake in Orange County to West Bluff in Orange County

AU ID: **0501_01** Assessment Area: Lower 10 miles of segment

CN Bacteria Single Sample

NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Waterfowl

AU ID: **0501_02** Assessment Area: Upper 14 miles of segment

CN Bacteria Single Sample

NPS- Waterfowl; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

0501B Little Cypress Bayou (unclassified water body)

Segment Description: From the confluence with the Sabine River to the headwaters west of Reese in Orange County.

AU ID: **0501B_01** Assessment Area: Lower 4.2 miles of bayou

NS Bacteria Geomean

NPS- Residential Districts; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Natural Sources

NS Bacteria Single Sample

NPS- Natural Sources; PS- Municipal Point Source Discharges; NPS- Residential Districts; NPS- Non-Point Source

NS Chronic Ambient Toxicity tests in water

NPS- Non-Point Source; NPS- Residential Districts

NS Dissolved Oxygen grab minimum

NPS- Non-Point Source; NPS- Residential Districts

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Natural Sources; PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Residential Districts

AU ID: **0501B_02** Assessment Area: 0.3 mile upstream to 0.5 mile downstream of Bear Path Road

NS Bacteria Geomean

NPS- Natural Sources; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Residential Districts

NS Bacteria Single Sample

NPS- Residential Districts; NPS- Non-Point Source

NS Chronic Ambient Toxicity tests in water

NPS- Natural Sources; PS- Municipal Point Source Discharges; NPS- Residential Districts; NPS- Non-Point Source

NS Dissolved Oxygen grab minimum

NPS- Natural Sources; PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Residential Districts

CS Dissolved Oxygen grab screening level

NPS- Residential Districts; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Natural Sources; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Residential Districts

AU ID: **0501B_03** Assessment Area: Upper 3.2 miles of bayou

NS Bacteria Geomean

NPS- Non-Point Source

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Residential Districts; NPS- Natural Sources; NPS- Non-Point Source

NS Chronic Ambient Toxicity tests in water

NPS- Natural Sources; NPS- Non-Point Source; PS- Municipal Point Source Discharges; NPS- Residential Districts

NS Dissolved Oxygen grab minimum

NPS- Natural Sources; NPS- Non-Point Source; PS- Municipal Point Source Discharges; NPS- Residential Districts

CS Dissolved Oxygen grab screening level

NPS- Natural Sources; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Residential Districts

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Residential Districts; NPS- Natural Sources; NPS- Non-Point Source

0502A Nichols Creek (unclassified water body)

Segment Description: From the confluence of the Sabine River to the upstream perennial portion of the stream south of Kirbyville in Newton and Jasper Counties

AU ID: **0502A_01** Assessment Area: Lower 25 miles of creek

NS Bacteria Geomean

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Natural Sources

CN Bacteria Single Sample

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Natural Sources

NS Chronic Ambient Toxicity tests in water

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Natural Sources

NS Dissolved Oxygen 24hr average

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Natural Sources

NS Dissolved Oxygen 24hr minimum

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Natural Sources

0502B Caney Creek (unclassified water body)

Segment Description: Perennial stream from the Sabine River upstream to the confluence with Martin Branch

AU ID: **0502B_02** Assessment Area: From Davison Street upstream to the confluence with Caney Branch and Little Caney Branch

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Residential Districts; NPS- Upstream Source

CN Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Residential Districts; NPS- Upstream Source

0504 Toledo Bend Reservoir

Segment Description: From Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds the Sabine River)

AU ID: **0504_01** Assessment Area: Lowermost 5200 acres of reservoir, adjacent to dam, including Indian Creek arm

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **0504_02** Assessment Area: Six Mile Boat Lane arm

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **0504_03** Assessment Area: Sunshine Bay arm

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **0504_04** Assessment Area: Near SH 21

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **0504_05** Assessment Area: Patroon Bayou Branch arm

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **0504_06** Assessment Area: Tenaha Creek arm

NS Dissolved Oxygen grab minimum

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Upstream Source; NPS- Non-Point Source

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **0504_07** Assessment Area: Uppermost 5120 acres of reservoir

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CN Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

AU ID: **0504_08** Assessment Area: Negreet Bayou arm

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **0504_09** Assessment Area: San Miguel arm

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **0504_10** Assessment Area: San Patricia arm

CS Dissolved Oxygen grab screening level

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

AU ID: **0504_11** Assessment Area: Toledo Bend reservoir near Buzzard Bend

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **0504_12** Assessment Area: Remainder of reservoir

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

0504C Palo Gaucho Bayou (unclassified water body)

Segment Description: From the confluence with Toledo Bend Reservoir in Sabine County to the headwaters northeast of San Augustine in San Augustine County

AU ID: **0504C_01** Assessment Area: Entire segment

NS Chronic Ambient Toxicity tests in water

UNK- Source Unknown

0504D Tenaha Creek (unclassified water body)

Segment Description: From the confluence with Flat Fork Creek upstream to the confluence with Porter and Huana Creeks

AU ID: **0504D_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

NPS- Animal Feeding Operations (NPS); NPS- Upstream Source; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Impacts from Land Application of Wastes; NPS- Non-Point Source

0504E Clear Lake

Segment Description: Oxbow lake 12 miles northwest of Logansport, LA

AU ID: **0504E_01** Assessment Area: Oxbow lake 12 miles northwest of Logansport, LA

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics

0505 Sabine River Above Toledo Bend Reservoir

Segment Description: From a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

AU ID: **0505_03** Assessment Area: 22 mile reach near SH 149

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Upstream Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source; NPS- Municipal (Urbanized High Density Area) Runoff

CN Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Upstream Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source; NPS- Municipal (Urbanized High Density Area) Runoff

0505B Grace Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with the Sabine River up to FM 1844 in Gregg County

AU ID: **0505B_02** Assessment Area: Upper 12.3 miles

CN Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Upstream Source; NPS- Residential Districts; NPS- Non-Point Source; PS- Municipal Point Source Discharges; NPS- Municipal (Urbanized High Density Area) Runoff

NS Bacteria Single Sample

NPS- Upstream Source; NPS- Municipal (Urbanized High Density Area) Runoff; PS- Municipal Point Source Discharges; NPS- Residential Districts; NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CN Dissolved Oxygen 24hr minimum

UNK- Source Unknown

NS Dissolved Oxygen grab minimum

NPS- Residential Districts; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; NPS- Upstream Source; PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

0505D Rabbit Creek (unclassified water body)

Segment Description: From the confluence with the Sabine River near Kilgore in Gregg County to the headwaters west of Overton in Smith County.

AU ID: **0505D_01** Assessment Area: Perennial stream from the confluence with the Sabine River in Gregg County up to the confluence with Little Rabbit Creek in Rusk County

CN Bacteria Geomean

NPS- Non-Point Source; PS- Municipal Point Source Discharges; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Upstream Source

CN Bacteria Single Sample

NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; NPS- Upstream Source; PS- Municipal Point Source Discharges

0505G Wards Creek (unclassified water body)

Segment Description: From the confluence with Hatley Creek to the headwaters east of Hallsville in Harrison County

AU ID: **0505G_01** Assessment Area: Wards Creek from the confluence with Sewell Creek upstream to the confluence with unnamed 2nd order stream

NS Dissolved Oxygen 24hr average

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

NS Dissolved Oxygen 24hr minimum

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

0505O Hills Lake

Segment Description: Oxbow lake 13 miles east of Carthage

AU ID: **0505O_01** Assessment Area: Entire segment

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics

0506A Harris Creek (unclassified water body)

Segment Description: From the confluence of the Sabine River northeast of Winona in Smith County to the upstream perennial portion of the stream east of Tyler in Smith County

AU ID: **0506A_01** Assessment Area: Entire segment

CN Bacteria Geomean

NPS- Non-Point Source; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; PS- Municipal Point Source Discharges

CN Bacteria Single Sample

NPS- Wildlife Other than Waterfowl; PS- Municipal Point Source Discharges; NPS- Grazing in Riparian or Shoreline Zones; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Wildlife Other than Waterfowl; PS- Municipal Point Source Discharges; NPS- Grazing in Riparian or Shoreline Zones; NPS- Non-Point Source

0506C Wiggins Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

AU ID: **0506C_01** Assessment Area: Appendix D - From the confluence with Harris Creek upstream to Smith County WWTP

CN Bacteria Geomean

NPS- Natural Sources; NPS- Non-Point Source; PS- Municipal Point Source Discharges

CN Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Natural Sources; NPS- Non-Point Source; PS- Municipal Point Source Discharges

AU ID: **0506C_02** Assessment Area: From Smith County WWTP upstream to dam impounding unnamed reservoir

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Natural Sources; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

0506G Little White Oak Creek (unclassified water body)

Segment Description: From the confluence with the Sabine River to the headwaters southwest of Gilmer in Upshur County

AU ID: **0506G_01** Assessment Area: Entire water body

CN Bacteria Geomean

NPS- Non-Point Source; NPS- Natural Sources

CN Bacteria Single Sample

NPS- Non-Point Source

NS Chronic Ambient Toxicity tests in water

NPS- Non-Point Source; NPS- Natural Sources

CN Dissolved Oxygen grab minimum

NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Upstream Source; NPS- Rangeland Grazing

0507 Lake Tawakoni

Segment Description: From Iron Bridge Dam in Rains County up to normal pool elevation of 437 feet (impounds Sabine River)

AU ID: **0507_01** Assessment Area: Lowermost 5,120 acres of reservoir, adjacent to dam

CS Nutrient Screening Levels

NPS- Crop Production (Crop Land or Dry Land); NPS- Non-Point Source; NPS- Speciality Crop Production; NPS- Upstream Source

AU ID: **0507_02** Assessment Area: Kitsee Inlet

CS Nutrient Screening Levels

NPS- Crop Production (Crop Land or Dry Land); NPS- Non-Point Source; NPS- Residential Districts; NPS- Upstream Source

AU ID: **0507_03** Assessment Area: South Fork of Sabine River cove

CN Bacteria Geomean

NPS- Upstream Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Natural Sources; NPS- Non-Point Source

CN Bacteria Single Sample

NPS- Natural Sources; NPS- Non-Point Source; NPS- Upstream Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

CS Dissolved Oxygen grab screening level

NPS- Upstream Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Natural Sources; NPS- Non-Point Source

AU ID: **0507_04** Assessment Area: Cowleech Fork of Sabine River arm

NS High pH

NPS- Crop Production (Crop Land or Dry Land); NPS- Non-irrigated Crop Production; NPS- Non-Point Source; NPS- Upstream Source

CS Nutrient Screening Levels

NPS- Crop Production (Crop Land or Dry Land); NPS- Non-irrigated Crop Production; NPS- Non-Point Source; NPS- Upstream Source

AU ID: **0507_05** Assessment Area: 5120 acres near SH 276

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Drought-related Impacts

AU ID: **0507_06** Assessment Area: 5120 acres near Spring Point

CS Nutrient Screening Levels

NPS- Drought-related Impacts; UNK- Source Unknown

0507A Cowleech Fork Sabine River (unclassified water body)

Segment Description: From the confluence of Lake Tawakoni southeast of Greenville in Hunt County to the upstream perennial portion of the stream south of Celeste in Hunt County

AU ID: **0507A_01** Assessment Area: Lower 10 miles, downstream of Long Branch confluence

CS Nutrient Screening Levels

NPS- Upstream Source; NPS- Residential Districts; NPS- Non-Point Source; NPS- Non-irrigated Crop Production

0507B Long Branch (unclassified water body)

Segment Description: From the confluence with Cowleech Fork Sabine River to the upstream perennial portion of the stream in Greenville in Hunt County

AU ID: **0507B_01** Assessment Area: Entire creek

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers; NPS- Residential Districts; NPS- Non-irrigated Crop Production; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Upstream Source

0507G South Fork of Sabine River (unclassified water body)

Segment Description: From the confluence with Lake Tawakoni upstream to the confluence with Klutts and Sabine Creeks

AU ID: **0507G_01** Assessment Area: Entire segment

NS Bacteria Geomean

NPS- Natural Sources; NPS- Rangeland Grazing; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source

CN Bacteria Single Sample

NPS- Crop Production (Crop Land or Dry Land); NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Natural Sources; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Crop Production (Crop Land or Dry Land); NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Natural Sources; NPS- Non-Point Source

0507H Caddo Creek (unclassified water body)

Segment Description: From the confluence with Lake Tawakoni at Caddo Inlet upstream to the confluence with East Caddo and West Caddo Creeks

AU ID: **0507H_01** Assessment Area: Entire creek

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Natural Sources; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

0508 Adams Bayou Tidal

Segment Description: From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County

AU ID: **0508_01** Assessment Area: Lower 3 miles of segment

NS Bacteria Geomean

NPS- Upstream Source; PS- Municipal Point Source Discharges; NPS- Municipal (Urbanized High Density Area) Runoff; PS- Industrial Point Source Discharge; NPS- Flow Alterations from Water Diversions; NPS- Channelization; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Upstream Source; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; NPS- Non-Point Source

NS Dissolved Oxygen grab minimum

NPS- Upstream Source; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; PS- Municipal Point Source Discharges; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Upstream Source

AU ID: **0508_02** Assessment Area: 2 mile reach near Western Avenue

NS Bacteria Geomean

PS- Municipal Point Source Discharges; PS- Industrial Point Source Discharge; NPS- Urban Runoff/Storm Sewers; NPS- Upstream Source; NPS- Residential Districts; NPS- Non-Point Source; NPS- Municipal (Urbanized High Density Area) Runoff

NS Bacteria Single Sample

NPS- Non-Point Source; PS- Industrial Point Source Discharge; NPS- Flow Alterations from Water Diversions; PS- Municipal Point Source Discharges; NPS- Residential Districts; NPS- Upstream Source; NPS- Urban Runoff/Storm Sewers; NPS- Municipal (Urbanized High Density Area) Runoff

NS Dissolved Oxygen grab minimum

PS- Municipal Point Source Discharges; PS- Industrial Point Source Discharge; NPS- Urban Runoff/Storm Sewers; NPS- Upstream Source; NPS- Residential Districts; NPS- Non-Point Source; NPS- Municipal (Urbanized High Density Area) Runoff

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Upstream Source; PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers; NPS- Municipal (Urbanized High Density Area) Runoff; PS- Industrial Point Source Discharge; NPS- Residential Districts

AU ID: **0508_03** Assessment Area: 1 mile reach near Green Avenue

NS Bacteria Geomean

PS- Municipal Point Source Discharges; PS- Industrial Point Source Discharge; NPS- Non-Point Source; NPS- Residential Districts; NPS- Upstream Source; NPS- Urban Runoff/Storm Sewers; NPS- Municipal (Urbanized High Density Area) Runoff

NS Bacteria Single Sample

PS- Industrial Point Source Discharge; NPS- Upstream Source; PS- Municipal Point Source Discharges; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; NPS- Residential Districts; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen grab minimum

NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Urban Runoff/Storm Sewers; NPS- Flow Alterations from Water Diversions; NPS- Non-Point Source; NPS- Upstream Source; PS- Municipal Point Source Discharges; PS- Industrial Point Source Discharge; NPS- Residential Districts

CS Dissolved Oxygen grab screening level

PS- Municipal Point Source Discharges; PS- Industrial Point Source Discharge; NPS- Non-Point Source; NPS- Residential Districts; NPS- Upstream Source; NPS- Urban Runoff/Storm Sewers; NPS- Municipal (Urbanized High Density Area) Runoff

AU ID: **0508_04** Assessment Area: Upper 2 miles of segment

NS Bacteria Geomean

PS- Industrial Point Source Discharge; NPS- Residential Districts; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers; NPS- Upstream Source

NS Bacteria Single Sample

NPS- Upstream Source; NPS- Residential Districts; NPS- Non-Point Source; PS- Municipal Point Source Discharges; NPS- Municipal (Urbanized High Density Area) Runoff; PS- Industrial Point Source Discharge; NPS- Flow Alterations from Water Diversions; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen grab minimum

NPS- Upstream Source; NPS- Flow Alterations from Water Diversions; PS- Industrial Point Source Discharge; NPS- Municipal (Urbanized High Density Area) Runoff; PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Residential Districts; NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Upstream Source; NPS- Residential Districts; NPS- Non-Point Source; PS- Municipal Point Source Discharges; NPS- Municipal (Urbanized High Density Area) Runoff; PS- Industrial Point Source Discharge; NPS- Flow Alterations from Water Diversions; NPS- Urban Runoff/Storm Sewers

CN Low pH

NPS- Upstream Source; NPS- Residential Districts; NPS- Non-Point Source; PS- Municipal Point Source Discharges; NPS- Municipal (Urbanized High Density Area) Runoff; PS- Industrial Point Source Discharge; NPS- Flow Alterations from Water Diversions; NPS- Urban Runoff/Storm Sewers

0508A Adams Bayou Above Tidal (unclassified water body)

Segment Description: From a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northwest of Orange in Orange Count

AU ID: **0508A_01** Assessment Area: Entire bayou above tidal

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

NS Bacteria Single Sample

NPS- Non-Point Source; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

NS Dissolved Oxygen 24hr minimum

NPS- Waterfowl; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source

0508B Gum Gully (unclassified water body)

Segment Description: From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

AU ID: **0508B_01** Assessment Area: Entire creek

NS Bacteria Geomean

NPS- Natural Sources; NPS- Upstream Source; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Natural Sources; NPS- Upstream Source; NPS- Non-Point Source

NS Dissolved Oxygen grab minimum

NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Upstream Source; NPS- Natural Sources

0508C Hudson Gully (unclassified water body)

Segment Description: From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

AU ID: **0508C_01** Assessment Area: Entire creek

NS Bacteria Geomean

NPS- Littoral/shore Area Modifications (Non-riverine); NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; NPS- Residential Districts; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen grab minimum

NPS- Littoral/shore Area Modifications (Non-riverine); NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; NPS- Residential Districts; NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Littoral/shore Area Modifications (Non-riverine); NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; NPS- Residential Districts; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Littoral/shore Area Modifications (Non-riverine); NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; NPS- Residential Districts; NPS- Urban Runoff/Storm Sewers

0509 Murvaul Lake

Segment Description: From Murvaul Dam in Panola County up to the normal pool elevation of 265.3 feet (impounds Murvaul Bayou)

AU ID: **0509_01** Assessment Area: Entire reservoir

CS Nutrient Screening Levels

NPS- Non-irrigated Crop Production; NPS- Upstream Source; NPS- Non-Point Source; NPS- Crop Production (Crop Land or Dry Land); NPS- Residential Districts

0510 Lake Cherokee

Segment Description: From Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

AU ID: **0510_01** Assessment Area: Lower 2352 acres of reservoir

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0510_02** Assessment Area: Upper 1629 acres of reservoir

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

0511 Cow Bayou Tidal

Segment Description: From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County

AU ID: **0511_01** Assessment Area: Lower 5 miles

NS Bacteria Geomean

NPS- Residential Districts; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; NPS- Upstream Source; NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CN Bacteria Single Sample

PS- Industrial Point Source Discharge; NPS- Channelization; NPS- Flow Alterations from Water Diversions; NPS- Urban Runoff/Storm Sewers; NPS- Sediment Resuspension (Clean Sediment); NPS- Non-Point Source; PS- Municipal Point Source Discharges; NPS- Municipal (Urbanized High Density Area) Runoff

CS Dissolved Oxygen grab screening level

NPS- Residential Districts; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; NPS- Upstream Source; NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **0511_02** Assessment Area: 6 mile reach near FM 105

NS Dissolved Oxygen 24hr average

NPS- Sediment Resuspension (Clean Sediment); NPS- Channelization; NPS- Flow Alterations from Water Diversions; PS- Industrial Point Source Discharge; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

NS Dissolved Oxygen 24hr minimum

PS- Industrial Point Source Discharge; NPS- Flow Alterations from Water Diversions; PS- Municipal Point Source Discharges; NPS- Channelization; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; NPS- Sediment Resuspension (Clean Sediment); NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen grab minimum

NPS- Flow Alterations from Water Diversions; NPS- Channelization; NPS- Non-Point Source; NPS- Sediment Resuspension (Clean Sediment); NPS- Urban Runoff/Storm Sewers; PS- Industrial Point Source Discharge; NPS- Municipal (Urbanized High Density Area) Runoff; PS- Municipal Point Source Discharges

CS Dissolved Oxygen grab screening level

PS- Industrial Point Source Discharge; NPS- Flow Alterations from Water Diversions; PS- Municipal Point Source Discharges; NPS- Channelization; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; NPS- Sediment Resuspension (Clean Sediment); NPS- Urban Runoff/Storm Sewers

AU ID: **0511_03** Assessment Area: 5 mile reach near FM 1442 (north crossing)

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; NPS- Natural Sources

NS Dissolved Oxygen 24hr average

NPS- Natural Sources; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr minimum

NPS- Natural Sources; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen grab minimum

NPS- Natural Sources; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Natural Sources; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

NS Low pH

NPS- Natural Sources; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

AU ID: 0511_04 Assessment Area: Upper 4 miles

NS Bacteria Geomean

NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Waterfowl; NPS- Residential Districts; NPS- Non-Point Source; NPS- Natural Sources

CN Bacteria Single Sample

NPS- Natural Sources; NPS- Non-Point Source

NS Dissolved Oxygen grab minimum

NPS- Natural Sources; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Natural Sources

NS Low pH

NPS- Non-Point Source; NPS- Natural Sources

0511A Cow Bayou Above Tidal (unclassified water body)

Segment Description: From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

AU ID: 0511A_01 Assessment Area: Lower 5.3 miles of above-tidal reach

CN Bacteria Single Sample

NPS- Upstream Source; NPS- Waterfowl; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source; NPS- Natural Sources; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

AU ID: 0511A_02 Assessment Area: Upper 5.3 miles of above-tidal reach

NS Dissolved Oxygen grab minimum

NPS- Natural Sources; NPS- Non-Point Source; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Upstream Source

CS Dissolved Oxygen grab screening level

NPS- Natural Sources; NPS- Non-Point Source; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Upstream Source

0511B Coon Bayou (unclassified water body)

Segment Description: From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

AU ID: 0511B_01 Assessment Area: Entire tidal reach

NS Bacteria Geomean

NPS- Residential Districts; NPS- Upstream Source; NPS- Animal Feeding Operations (NPS); NPS- Natural Sources; NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

NS Bacteria Single Sample

NPS- Animal Feeding Operations (NPS); NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source; NPS- Upstream Source; NPS- Natural Sources; NPS- Residential Districts

NS Dissolved Oxygen grab minimum

NPS- Natural Sources; NPS- Upstream Source; NPS- Residential Districts; NPS- Animal Feeding Operations (NPS); NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

CS Dissolved Oxygen grab screening level

NPS- Natural Sources; NPS- Upstream Source; NPS- Residential Districts; NPS- Animal Feeding Operations (NPS); NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

0511C Cole Creek (unclassified water body)

Segment Description: From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange Count

AU ID: **0511C_01** Assessment Area: Entire tidal reach

NS Bacteria Single Sample

NPS- Aquaculture (Not Permitted); NPS- Aquaculture (Permitted); NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Upstream Source

NS Dissolved Oxygen grab minimum

NPS- Aquaculture (Not Permitted); NPS- Aquaculture (Permitted); NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Upstream Source

CS Dissolved Oxygen grab screening level

NPS- Aquaculture (Not Permitted); NPS- Aquaculture (Permitted); NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Upstream Source

0511E Terry Gully (unclassified water body)

Segment Description: From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

AU ID: **0511E_01** Assessment Area: Entire creek

NS Bacteria Geomean

NPS- Upstream Source; NPS- Residential Districts; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source; NPS- Municipal (Urbanized High Density Area) Runoff

NS Bacteria Single Sample

NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Upstream Source; NPS- Residential Districts; NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

CN Dissolved Oxygen grab minimum

NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Upstream Source; NPS- Residential Districts; NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Upstream Source; NPS- Residential Districts; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

CS Nutrient Screening Levels

NPS- Upstream Source; NPS- Residential Districts; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source; NPS- Municipal (Urbanized High Density Area) Runoff

0512 Lake Fork Reservoir

Segment Description: From Lake Fork Dam in Wood County up to normal pool elevation of 403 feet (impounds Lake Fork Creek)

AU ID: **0512_03** Assessment Area: Running Creek cove, centering on FM 2966

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0512_05** Assessment Area: Uppermost 5120 acres of Lake Fork Creek arm

CS Nutrient Screening Levels

UNK- Source Unknown

0512A Running Creek (unclassified water body)

Segment Description: From the confluence with Lake Fork Reservoir to the headwaters southeast of Martin Springs in Hopkins County

AU ID: **0512A_01** Assessment Area: Entire creek

NS Bacteria Geomean

NPS- Animal Feeding Operations (NPS); NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Rangeland Grazing; NPS- Non-Point Source; NPS- Non-irrigated Crop Production; NPS- Upstream Source; NPS- Wildlife Other than Waterfowl

NS Bacteria Single Sample

NPS- Rangeland Grazing; NPS- Wildlife Other than Waterfowl; NPS- Upstream Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source; NPS- Non-irrigated Crop Production; NPS- Animal Feeding Operations (NPS)

CS Dissolved Oxygen grab screening level

NPS- Animal Feeding Operations (NPS); NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Rangeland Grazing; NPS- Non-Point Source; NPS- Non-irrigated Crop Production; NPS- Upstream Source; NPS- Wildlife Other than Waterfowl

CS Nutrient Screening Levels

NPS- Upstream Source; NPS- Non-irrigated Crop Production; NPS- Wildlife Other than Waterfowl; NPS- Rangeland Grazing; NPS- Animal Feeding Operations (NPS); NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source

0512B Elm Creek (unclassified water body)

Segment Description: From the confluence with Lake Fork Reservoir in Rains County to the headwaters northwest of Shirley in Hopkins County

AU ID: **0512B_01** Assessment Area: Entire creek

NS Bacteria Geomean

NPS- Grazing in Riparian or Shoreline Zones; NPS- Upstream Source; NPS- Unrestricted Cattle Access; NPS- Non-Point Source; NPS- Rangeland Grazing

CN Dissolved Oxygen grab minimum

NPS- Unrestricted Cattle Access; NPS- Rangeland Grazing; NPS- Non-Point Source; NPS- Grazing in Riparian or Shoreline Zones; NPS- Upstream Source

CS Dissolved Oxygen grab screening level

NPS- Grazing in Riparian or Shoreline Zones; NPS- Upstream Source; NPS- Unrestricted Cattle Access; NPS- Non-Point Source; NPS- Rangeland Grazing

CS Nutrient Screening Levels

NPS- Upstream Source; NPS- Unrestricted Cattle Access; NPS- Rangeland Grazing; NPS- Non-Point Source; NPS- Grazing in Riparian or Shoreline Zones

0514 Big Sandy Creek

Segment Description: From the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 miles) upstream of SH 11 in Hopkins County

AU ID: **0514_02** Assessment Area: From just upstream of FM 49 to upper end of segment

NS Bacteria Geomean

NPS- Animal Feeding Operations (NPS); NPS- Upstream Source; NPS- Rangeland Grazing; NPS- Non-Point Source; NPS- Natural Sources

CS Dissolved Oxygen grab screening level

NPS- Animal Feeding Operations (NPS); NPS- Upstream Source; NPS- Rangeland Grazing; NPS- Non-Point Source; NPS- Natural Sources

0601 Neches River Tidal

Segment Description: From the confluence with the Sabine Lake in Orange County to a point 11.3 km (7.0 miles) upstream of IH 10 in Orange County

AU ID: **0601_01** Assessment Area: Lower boundary to top of first oxbow

CN Chronic Toxic Substances in water

NPS- Pesticide Application; PS- Point Source Unknown

0601A Star Lake Canal (unclassified water body)

Segment Description: North of Groves in Jefferson County

AU ID: **0601A_01** Assessment Area: Entire water body

CN Dissolved Oxygen 24hr average

UNK- Source Unknown

CN Dissolved Oxygen 24hr minimum

UNK- Source Unknown

0602 Neches River Below B. A. Steinhagen Lake

Segment Description: From a point 11.3 km (7.0 miles) upstream of IH 10 in Orange County to Town Bluff Dam in Jasper/Tyler County

AU ID: **0602_01** Assessment Area: Lower boundary to confluence with Village Creek (0608)

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown

AU ID: **0602_02** Assessment Area: confluence with Village Creek (0608) to 18.4 miles upstream Evadale

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown

AU ID: **0602_03** Assessment Area: 18.4 miles upstream Evadale to 5.4 miles upstream FM 1013

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown

AU ID: **0602_04** Assessment Area: 5.4 miles upstream FM 1013 to Town Bluff Dam

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown

0603 B. A. Steinhagen Lake

Segment Description: From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Ar

AU ID: **0603_01** Assessment Area: Main pool by dam

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **0603_02** Assessment Area: Remainder of reservoir

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

0603A Sandy Creek (unclassified water body)

Segment Description: From the confluence of B.A. Steinhagen Lake southwest of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in Jasper in Jasper County

AU ID: **0603A_01** Assessment Area: Lower 11.5 miles

NS Bacteria Geomean

NPS- Agriculture; NPS- Grazing in Riparian or Shoreline Zones

CN Bacteria Single Sample

NPS- Agriculture; NPS- Grazing in Riparian or Shoreline Zones

0603B Wolf Creek (unclassified water body)

Segment Description: From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

AU ID: **0603B_01** Assessment Area: Entire creek

NS Bacteria Geomean

NPS- Agriculture; NPS- Livestock (Grazing or Feeding Operations)

CN Bacteria Single Sample

NPS- Agriculture; NPS- Livestock (Grazing or Feeding Operations)

0604 Neches River Below Lake Palestine

Segment Description: From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

AU ID: **0604_01** Assessment Area: Lower boundary to US 69

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0604_04** Assessment Area: From SH 21 to US 84

NS Chronic Toxic Substances in water

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0604_05** Assessment Area: From US 84 to CR 336

CS Nutrient Screening Levels

UNK- Source Unknown

0604A Cedar Creek (unclassified water body)

Segment Description: From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

AU ID: **0604A_01** Assessment Area: Lower area downstream of FM 2497

NS Bacteria Geomean

UNK- Source Unknown

AU ID: **0604A_02** Assessment Area: Upper area upstream of FM 2497

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

0604B Hurricane Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with Cedar Creek to the confluence of two unnamed tributaries 100 meters upstream of SH Loop 287 in Lufkin

AU ID: **0604B_01** Assessment Area: Entire Segment as described in Appendix D

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Non-Point Source; PS- Municipal Point Source Discharges

0604C Jack Creek (unclassified water body)

Segment Description: From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

AU ID: **0604C_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source

0604D Piney Creek (unclassified water body)

Segment Description: From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

AU ID: **0604D_01** Assessment Area: Lower 25 miles

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Non-Point Source

NS Dissolved Oxygen grab minimum

PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

PS- Municipal Point Source Discharges; NPS- Non-Point Source

0604M Biloxi Creek (unclassified water body)

Segment Description: From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

AU ID: **0604M_02** Assessment Area: Lower portion below CR 228

NS Bacteria Geomean

NPS- Non-Point Source

CN Bacteria Single Sample

NPS- Non-Point Source

AU ID: **0604M_03** Assessment Area: Upper portion above CR 228

NS Bacteria Geomean

NPS- Non-Point Source

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Non-Point Source

0604T Lake Ratcliff (unclassified water body)

Segment Description: Lake in Houston County 3.4 miles northeast of Kennard

AU ID: **0604T_01** Assessment Area: Entire lake

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

0605 Lake Palestine

Segment Description: From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

AU ID: **0605_01** Assessment Area: Lower portion of reservoir near dam

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

AU ID: **0605_03** Assessment Area: Mid-lake near Tyler PWS intake

NS High pH

PS- Municipal Point Source Discharges; UNK- Source Unknown

CN LOE Toxic Sediment condition

UNK- Source Unknown

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; UNK- Source Unknown

CS Toxic Substances in sediment

UNK- Source Unknown; NPS- Natural Sources

AU ID: **0605_04** Assessment Area: Upper lake (Neches arm)

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0605_07** Assessment Area: Headwaters (Kickapoo Creek arm)

CS Dissolved Oxygen grab screening level

PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

AU ID: **0605_08** Assessment Area: Flat Creek Headwaters

CS Dissolved Oxygen grab screening level

PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

AU ID: **0605_09** Assessment Area: Flat Creek arm

NS High pH

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0605_10** Assessment Area: Upper Lake

NS High pH

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

0605A Kickapoo Creek (unclassified water body)

Segment Description: From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchinson in Henderson County

AU ID: **0605A_01** Assessment Area: Downstream of FM 1803

NS Bacteria Geomean

PS- Municipal Point Source Discharges

NS Dissolved Oxygen 24hr average

PS- Municipal Point Source Discharges

NS Dissolved Oxygen 24hr minimum

PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

0606 Neches River Above Lake Palestine

Segment Description: From a point 6.7 km (4.2 miles) downstream of FM 279 in Henderson/Smith County to Rhines Lake Dam in Van Zandt County

AU ID: **0606_01** Assessment Area: Lower boundary to Prairie Creek

NS Bacteria Geomean

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0606_02** Assessment Area: Prairie Creek to river mile 7.0

NS Acute Toxic Substances in water

UNK- Source Unknown

NS Chronic Toxic Substances in water

NPS- Non-Point Source

NS Dissolved Oxygen grab minimum

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source

NS Low pH

UNK- Source Unknown

AU ID: **0606_03** Assessment Area: River mile 7.0 to headwaters

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source

NS Low pH

UNK- Source Unknown

0606A Prairie Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.

AU ID: **0606A_01** Assessment Area: Perennial stream form the confluence with the Neches River to a point immediately upstream of the confluence of Caney Creek

NS Bacteria Single Sample

UNK- Source Unknown

0607 Pine Island Bayou

Segment Description: From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

AU ID: **0607_01** Assessment Area: Mouth to river mile 5.7

NS Dissolved Oxygen grab minimum

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Natural Sources

CS Dissolved Oxygen grab screening level

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Natural Sources

AU ID: **0607_02** Assessment Area: River Mile 5.7 to mile 12.1

NS Dissolved Oxygen 24hr average

NPS- Natural Sources

NS Dissolved Oxygen 24hr minimum

NPS- Natural Sources

AU ID: **0607_03** Assessment Area: River Mile 12.1 to mile 35.4 at confluence with Willow Creek (0607C)

NS Bacteria Geomean

UNK- Source Unknown

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

AU ID: **0607_04** Assessment Area: River Mile 35.4 at confluence with Willow Creek (0607C) to mile 60.4

NS Dissolved Oxygen 24hr average

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Natural Sources

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

AU ID: **0607_05** Assessment Area: River Mile 60.4 to top of segment at FM 787

NS Dissolved Oxygen grab minimum

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Natural Sources

0607A Boggy Creek (unclassified water body)

Segment Description: From the confluence of Pine Island Bayou south of Lumberton in Hardin County to the upstream perennial portion of the stream west of Lumberton in Hardin County

AU ID: **0607A_01** Assessment Area: Entire creek

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Natural Sources

CN Dissolved Oxygen 24hr minimum

UNK- Source Unknown

CS Habitat

UNK- Source Unknown; NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Natural Sources

0607B Little Pine Island Bayou (unclassified water body)

Segment Description: From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

AU ID: **0607B_01** Assessment Area: Lower 25 miles

NS Bacteria Geomean

UNK- Source Unknown; NPS- Natural Sources

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Natural Sources

CN Dissolved Oxygen 24hr minimum

NPS- Agriculture; NPS- Grazing in Riparian or Shoreline Zones

CN Dissolved Oxygen grab minimum

UNK- Source Unknown; NPS- Natural Sources

CS Dissolved Oxygen grab screening level

NPS- Natural Sources; UNK- Source Unknown

0607C Willow Creek (unclassified water body)

Segment Description: From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

AU ID: **0607C_01** Assessment Area: Entire creek

NS Dissolved Oxygen grab minimum

UNK- Source Unknown; NPS- Natural Sources

CS Dissolved Oxygen grab screening level

NPS- Natural Sources; UNK- Source Unknown

0608 Village Creek

Segment Description: From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

AU ID: **0608_01** Assessment Area: From confluence with Neches River to FM 418

CS Bioaccumulative Toxics in fish tissue

NPS- Atmospheric Depositon - Toxics

AU ID: **0608_02** Assessment Area: From FM 418 to Lake Kimble dam

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

NS Low pH

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

0608A Beech Creek (unclassified water body)

Segment Description: From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

AU ID: **0608A_01** Assessment Area: Lower 20 miles of water body

NS Bacteria Geomean

UNK- Source Unknown

CN Low pH

UNK- Source Unknown

AU ID: **0608A_02** Assessment Area: Upper 19 miles of water body

CS Habitat

UNK- Source Unknown

CN Low pH

NPS- Natural Sources

0608B Big Sandy Creek (unclassified water body)

Segment Description: From the confluence of Village Creek northwest of Kountze in Hardin County to the upstream perennial portion of the stream northeast of Livingston in Polk County

AU ID: **0608B_01** Assessment Area: Lower 30 miles downstream of US 190

NS Bacteria Geomean

UNK- Source Unknown

AU ID: **0608B_02** Assessment Area: Upper 16.9 miles of segment

CN Bacteria Geomean

UNK- Source Unknown

0608C Cypress Creek (unclassified water body)

Segment Description: From the confluence of Village Creek east of Kountze in Hardin County to the upstream perennial portion of the stream northwest of Kountze in Hardin County

AU ID: **0608C_01** Assessment Area: Entire water body

NS Acute Toxic Substances in water

UNK- Source Unknown

NS Bacteria Geomean

UNK- Source Unknown

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

CN Dissolved Oxygen 24hr minimum

UNK- Source Unknown

NS Dissolved Oxygen grab minimum

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CS Habitat

UNK- Source Unknown

CN Low pH

UNK- Source Unknown

0608E Mill Creek (unclassified water body)

Segment Description: From the confluence of Village Creek southwest of Silsbee in Hardin County to the upstream perennial portion of the stream northwest of Silsbee in Hardin County

AU ID: **0608E_01** Assessment Area: Entire water body

NS Dissolved Oxygen 24hr average

PS- Industrial Point Source Discharge; PS- Municipal Point Source Discharges; NPS- Natural Sources

CN Dissolved Oxygen 24hr minimum

PS- Industrial Point Source Discharge; PS- Municipal Point Source Discharges; NPS- Natural Sources

0608F Turkey Creek (unclassified water body)

Segment Description: From the confluence of Village Creek north of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

AU ID: **0608F_01** Assessment Area: Lower 25 miles of segment

NS Bacteria Geomean

NPS- Livestock (Grazing or Feeding Operations); NPS- Agriculture; NPS- Grazing in Riparian or Shoreline Zones

0608G Lake Kimball (unclassified water body)

Segment Description: From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

AU ID: **0608G_01** Assessment Area: Entire lake

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

0610 Sam Rayburn Reservoir

Segment Description: From Sam Rayburn Dam in Jasper County to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm in Angelina/Nacogdoches County and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm in Nacogdo

AU ID: **0610_01** Assessment Area: Main pool by the dam

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **0610_02** Assessment Area: Lower Angelina River arm

CS Bioaccumulative Toxics in fish tissue

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

NS DSHS Advisories, Closures, and Risk Assessments

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Unspecified Urban Stormwater

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Unspecified Urban Stormwater

AU ID: **0610_03** Assessment Area: Mid-Angelina River arm (SH 147)

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Unspecified Urban Stormwater

CS Toxic Substances in sediment

UNK- Source Unknown

AU ID: **0610_04** Assessment Area: Upper mid-Angelina River arm

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Unspecified Urban Stormwater; PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Unspecified Urban Stormwater; PS- Municipal Point Source Discharges; NPS- Non-Point Source

AU ID: **0610_05** Assessment Area: Lower Attoyac Bayou arm

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **0610_06** Assessment Area: Upper Attoyac Bayou arm

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **0610_07** Assessment Area: Upper Angelina River arm

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **0610_08** Assessment Area: Bear Creek arm

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **0610_09** Assessment Area: Lower Ayish Bayou arm

NS DSHS Advisories, Closures, and Risk Assessments

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Unspecified Urban Stormwater

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Unspecified Urban Stormwater

AU ID: **0610_10** Assessment Area: Upper Ayish Bayou arm

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

0610A Ayish Bayou (unclassified water body)

Segment Description: Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine

AU ID: **0610A_01** Assessment Area: Lower portion downstream of US 96

NS Bacteria Geomean

NPS- Non-Point Source

AU ID: **0610A_02** Assessment Area: Middle portion from US 96 to SH 21

NS Bacteria Geomean

UNK- Source Unknown

AU ID: **0610A_03** Assessment Area: Upper portion from SH 21 to headwaters

NS Bacteria Geomean

UNK- Source Unknown

0611 Angelina River Above Sam Rayburn Reservoir

Segment Description: From the aqueduct crossing 1.0 km (0.6 miles) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

AU ID: **0611_01** Assessment Area: Lower boundary to FM 1911

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Non-Point Source

AU ID: **0611_03** Assessment Area: FM 343 to US 84

NS Bacteria Geomean

NPS- Non-Point Source

NS Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

0611A East Fork Angelina River (unclassified water body)

Segment Description: From the confluence of the Angelina River at the Rusk/Nacogdoches county line to the upstream perennial portion of the stream west of Mount Enterprise in Rusk County

AU ID: **0611A_01** Assessment Area: Confluence with Grassy Lake area

NS Acute Toxic Substances in water

UNK- Source Unknown

NS Bacteria Geomean

UNK- Source Unknown

NS Chronic Toxic Substances in water

UNK- Source Unknown

AU ID: **0611A_02** Assessment Area: Grassy Lake area to county road near Happy Valley

NS Acute Toxic Substances in water

UNK- Source Unknown

NS Chronic Toxic Substances in water

UNK- Source Unknown

AU ID: **0611A_03** Assessment Area: County road near Happy Valley to Wooten Creek

NS Acute Toxic Substances in water

UNK- Source Unknown

NS Chronic Toxic Substances in water

UNK- Source Unknown

AU ID: **0611A_04** Assessment Area: Wooten Creek to headwaters

NS Acute Toxic Substances in water

UNK- Source Unknown

CN Bacteria Geomean

UNK- Source Unknown

NS Chronic Toxic Substances in water

UNK- Source Unknown

0611B La Nana Bayou (unclassified water body)

Segment Description: From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

AU ID: **0611B_01** Assessment Area: Mouth to unimproved road near FM 3228/1275

NS Bacteria Geomean

NPS- Non-Point Source; PS- Municipal Point Source Discharges

AU ID: **0611B_02** Assessment Area: Unimproved road near FM 3228/1275 to SH 7

NS Bacteria Geomean

NPS- Non-Point Source; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Non-Point Source

0611D West Mud Creek (unclassified water body)

Segment Description: From the confluence of Mud Creek southwest of Troup in Cherokee County to the upstream perennial portion of the stream south of Tyler in Smith County

AU ID: **0611D_01** Assessment Area: Mouth to US 69

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

0611Q Lake Nacogdoches (unclassified water body)

Segment Description: Located approximately 10 miles west of Nacogdoches in Nacogdoches County

AU ID: **0611Q_01** Assessment Area: Entire reservoir

CS Nutrient Screening Levels

NPS- Non-Point Source

0611R Lake Striker (unclassified water body)

Segment Description: From the dam approximately 0.5 mile west of CR2430 to the north end of the lake close to US HWY 79 in Ruck County north of Reklaw.

AU ID: **0611R_01** Assessment Area: Entire Lake

CS Nutrient Screening Levels

NPS- Non-Point Source

0612 Attoyac Bayou

Segment Description: From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

AU ID: **0612_01** Assessment Area: Mouth to 8.2 miles downstream of SH 7

NS Bacteria Geomean

NPS- Non-Point Source

CN Bacteria Single Sample

NPS- Non-Point Source

AU ID: **0612_02** Assessment Area: 8.2 miles below SH 7 to Bear Creek confluence

NS Bacteria Geomean

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0612_03** Assessment Area: Bear Creek to headwaters

NS Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source

0615 Angelina River/Sam Rayburn Reservoir

Segment Description: The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to a point 2.75 kilometers (1.71 miles) upstream of the confluence of Paper Mill Creek

AU ID: **0615_01** Assessment Area: Upstream of Papermill Creek

NS Dissolved Oxygen grab minimum

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **0615_02** Assessment Area: Downstream of Papermill Creek

NS Bacteria Geomean

UNK- Source Unknown

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

NS Fish Community

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

0615A Papermill Creek (unclassified water body)

Segment Description: From the confluence of Sam Rayburn Reservoir (Angelina River Arm) northeast of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

AU ID: **0615A_01** Assessment Area: Lower 9 miles

NS Bacteria Geomean

NPS- Non-Point Source; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

NPS- Non-Point Source; PS- Municipal Point Source Discharges

CN Dissolved Oxygen grab minimum

NPS- Non-Point Source; PS- Municipal Point Source Discharges

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

0701 Taylor Bayou Above Tidal

Segment Description: From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

AU ID: **0701_01** Assessment Area: From saltwater lock to 8 miles upstream

NS Dissolved Oxygen 24hr average

NPS- Natural Sources; UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Natural Sources; UNK- Source Unknown

AU ID: **0701_02** Assessment Area: from 8 miles upstream of saltwater lock to the confluence of N and S Forks Taylor Bayou

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

0701D Shallow Prong Lake (unclassified water body)

Segment Description: Reservoir on Big Hill Bayou located approximately 3.5 miles downstream of the confluence with Taylor Bayou in Jefferson County

AU ID: **0701D_01** Assessment Area: Entire water body

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown; NPS- Natural Sources

NS Dissolved Oxygen grab minimum

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Natural Sources

0702A Alligator Bayou (unclassified water body)

Segment Description: From the Alligator Bayou pump station at the Jefferson County hurricane protection levee one mile downstream of Spur 215 in Port Arthur to a point immediately upstream of the confluence with Jefferson county Drainage District No. 7 city outfall canal

AU ID: **0702A_02** Assessment Area: Lower portion from SH82 to its confluence with Taylor Bayou

NS Fish Community

PS- Industrial Point Source Discharge; NPS- Petroleum/natural Gas Activities; UNK- Source Unknown

NS LOE Toxic Sediment condition

UNK- Source Unknown; NPS- Petroleum/natural Gas Activities; PS- Industrial Point Source Discharge

CS Nutrient Screening Levels

PS- Industrial Point Source Discharge; NPS- Petroleum/natural Gas Activities; UNK- Source Unknown

CS Toxic Substances in sediment

PS- Industrial Point Source Discharge; NPS- Petroleum/natural Gas Activities; UNK- Source Unknown

AU ID: **0702A_03** Assessment Area: Upper portion from its headwaters at the Port Arthur Canal to SH82

NS Acute Ambient Toxicity tests in water

NPS- Petroleum/natural Gas Activities; UNK- Source Unknown; PS- Industrial Point Source Discharge

AU ID: **0702A_04** Assessment Area: Drainage canal leading into Alligator Bayou approx. 0.8 miles north of SH82

NS Acute Ambient Toxicity tests in water

NPS- Petroleum/natural Gas Activities; UNK- Source Unknown; PS- Industrial Point Source Discharge

0704 Hillebrandt Bayou

Segment Description: From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

AU ID: **0704_01** Assessment Area: From confluence with Taylor Bayou to confluence with Bayou Din

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0704_02** Assessment Area: From confluence with Bayou Din to upper end of segment

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

0801B Old River (unclassified water body)

Segment Description: From IH 10 in Chambers County to approximately 9 miles upstream of confluence with Cherry Point Gully.

AU ID: **0801B_01** Assessment Area: Entire Segment

CS Nutrient Screening Levels

UNK- Source Unknown

0801C Cotton Bayou (unclassified water body)

Segment Description: From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point approximately 1 mile north of IH 10 in Chambers County

AU ID: **0801C_01** Assessment Area: Upper half of bayou

NS Dissolved Oxygen grab minimum

NPS- Non-Point Source; PS- Municipal Point Source Discharges

0802 Trinity River Below Lake Livingston

Segment Description: From a point 3.1 km (1.9 miles) downstream of US 90 in Liberty County to Livingston Dam in Polk/San Jacinto County

AU ID: **0802_01** Assessment Area: Lower 17 miles of segment

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown

AU ID: **0802_03** Assessment Area: 11 miles upstream to approx. 9 miles downstream of FM 787

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

AU ID: **0802_04** Assessment Area: 5 miles upstream to 11 miles downstream of US 59

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown

AU ID: **0802_05** Assessment Area: Upper 6 miles of segment

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown

0803 Lake Livingston

Segment Description: From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

AU ID: **0803_01** Assessment Area: Lowermost portion of reservoir, adjacent to dam

NS Dissolved Solids

UNK- Source Unknown

NS High pH

UNK- Source Unknown

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown

AU ID: **0803_02** Assessment Area: Lower portion of reservoir, East Wolf Creek

NS Dissolved Solids

UNK- Source Unknown

AU ID: **0803_03** Assessment Area: Lower portion of reservoir, East Willow Springs

NS Dissolved Solids

UNK- Source Unknown

AU ID: **0803_04** Assessment Area: Middle portion of reservoir, East Pointblank

NS Dissolved Solids

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0803_05** Assessment Area: Middle portion of reservoir, downstream of Kickapoo Creek

NS Dissolved Solids

PS- Point Source Unknown; UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

AU ID: **0803_06** Assessment Area: Middle portion of reservoir, centering on US 190

NS Dissolved Solids

UNK- Source Unknown

NS High pH

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0803_07** Assessment Area: Upper portion of reservoir, west of Carlisle

NS Dissolved Solids

UNK- Source Unknown

CN High pH

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0803_08** Assessment Area: Cove off upper portion of reservoir, East Trinity

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

NS Dissolved Solids

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0803_09** Assessment Area: West Carolina Creek cove, off upper portion of reservoir

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

NS Dissolved Solids

UNK- Source Unknown

AU ID: **0803_10** Assessment Area: Upper portion of reservoir, centering on SH 19

CN Dissolved Oxygen 24hr average

UNK- Source Unknown

NS Dissolved Solids

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0803_11** Assessment Area: Riverine portion of reservoir, centering on SH 21

NS Dissolved Solids

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0803_12** Assessment Area: Remainder of reservoir

NS Dissolved Solids

UNK- Source Unknown

0804 Trinity River Above Lake Livingston

Segment Description: From a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

AU ID: **0804_01** Assessment Area: Lower 25 miles of segment

CN Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0804_02** Assessment Area: 12 miles upstream to 13 miles downstream US 79

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0804_03** Assessment Area: 9.5 miles upstream to 15.5 miles downstream of US 287

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0804_04** Assessment Area: Upper 22 miles of segment

CS Nutrient Screening Levels

UNK- Source Unknown

0804G Catfish Creek (unclassified water body)

Segment Description: Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

AU ID: **0804G_01** Assessment Area: Entire Segment

CN Bacteria Geomean

UNK- Source Unknown

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown

NS Macrobenthic Community

UNK- Source Unknown

0805 Upper Trinity River

Segment Description: From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

AU ID: **0805_01** Assessment Area: 25 mile reach near FM 85

NS DSHS Advisories, Closures, and Risk Assessments

PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

AU ID: **0805_02** Assessment Area: 25 mile reach near SH 34

CN Bacteria Single Sample

NPS- Non-Point Source; PS- Municipal Point Source Discharges

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Non-Point Source; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

AU ID: **0805_03** Assessment Area: 11 mile reach near S. Loop 12

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Non-Point Source

NS Bacteria Single Sample

UNK- Source Unknown

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

AU ID: **0805_04** Assessment Area: Upper 8 miles

NS Bacteria Geomean

NPS- Non-Point Source; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

UNK- Source Unknown

NS DSHS Advisories, Closures, and Risk Assessments

PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source

AU ID: **0805_05** Assessment Area: Remainder of segment

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

AU ID: **0805_06** Assessment Area: From 15.57 mi. upstream of SH 34 to 4.71 mi. downstream of S Loop 12

NS DSHS Advisories, Closures, and Risk Assessments

PS- Municipal Point Source Discharges; UNK- Source Unknown

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown

0806 West Fork Trinity River Below Lake Worth

Segment Description: From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

AU ID: **0806_01** Assessment Area: Lower 22 miles of the segment

CN Bacteria Single Sample

UNK- Source Unknown

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; UNK- Source Unknown

0806A Fosdic Lake (unclassified water body)

Segment Description: From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

AU ID: **0806A_01** Assessment Area: Entire lake

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Non-Point Source; PS- Point Source Unknown

0806B Echo Lake (unclassified water body)

Segment Description: From Echo Lake Dam to the reservoirs headwaters in Tarrant County

AU ID: **0806B_01** Assessment Area: Entire lake

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

0806D Marine Creek (unclassified water body)

Segment Description: Two mile stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tenmile Bridge Road in Fort Worth.

AU ID: **0806D_01** Assessment Area: Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tenmile Bridge Rd. in Ft. Worth

NS Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

0806E Sycamore Creek (unclassified water body)

Segment Description: Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

AU ID: **0806E_01** Assessment Area: Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0807 Lake Worth

Segment Description: From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594.3 feet (impounds West Fork Trinity River)

AU ID: **0807_01** Assessment Area: Entire reservoir

NS DSHS Advisories, Closures, and Risk Assessments

PS- Point Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Point Source Unknown; NPS- Non-Point Source

0809 Eagle Mountain Reservoir

Segment Description: From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County up to normal pool elevation of 649.1 feet (impounds West Fork Trinity River)

AU ID: **0809_01** Assessment Area: Lowermost portion of reservoir near east end of dam

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

AU ID: **0809_03** Assessment Area: Ash Creek cove

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

AU ID: **0809_08** Assessment Area: Middle portion of reservoir near Cole subdivision

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0809_09** Assessment Area: Indian Creek cove

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0809_10** Assessment Area: Upper portion of reservoir near Indian Creek cove

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0809_12** Assessment Area: Upper portion of reservoir near Newark Beach

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0809_14** Assessment Area: Mid-Lake,from just above Walnut Cr. Cove to Oakwood Rd. peninsula

CS Nutrient Screening Levels

UNK- Source Unknown

0810 West Fork Trinity River Below Bridgeport Reservoir

Segment Description: From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

AU ID: **0810_01** Assessment Area: Lower 25 miles of segment

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0810A Big Sandy Creek (unclassified water body)

Segment Description: Fifteen mile stretch of Sycamore Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

AU ID: **0810A_01** Assessment Area: Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0810B Garrett Creek (unclassified water body)

Segment Description: Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County

AU ID: **0810B_01** Assessment Area: Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0810C Martin Branch (unclassified water body)

Segment Description: The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

AU ID: **0810C_01** Assessment Area: Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0810D Salt Creek (unclassified water body)

Segment Description: Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

AU ID: **0810D_01** Assessment Area: Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

NS Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

0812 West Fork Trinity River Above Bridgeport Reservoir

Segment Description: From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

AU ID: **0812_01** Assessment Area: Lower 25 miles of segment

NS Dissolved Oxygen grab minimum

NPS- Non-Point Source; PS- Point Source Unknown

NS Dissolved Solids

NPS- Non-Point Source; PS- Point Source Unknown

AU ID: **0812_02** Assessment Area: Upper 60 miles of segment

NS Dissolved Solids

NPS- Non-Point Source

0814 Chambers Creek Above Richland-Chambers Reservoir

Segment Description: From a point 4.0 km (2.5 miles) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

AU ID: **0814_03** Assessment Area: Lower 8.5 miles of segment

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; PS- Point Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

0815 Bardwell Reservoir

Segment Description: From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)

AU ID: **0815_01** Assessment Area: Entire reservoir

CS Nutrient Screening Levels

UNK- Source Unknown

0815A Waxahachie Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with Bardwell Reservoir (normal pool elevation 421 feet) to the headwaters west of Waxahachie in Ellis County

AU ID: **0815A_01** Assessment Area: Entire creek

CS Nutrient Screening Levels

UNK- Source Unknown

0817 Navarro Mills Lake

Segment Description: From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet (impounds Richland Creek)

AU ID: **0817_01** Assessment Area: Entire reservoir

CS Nutrient Screening Levels

UNK- Source Unknown

0818 Cedar Creek Reservoir

Segment Description: From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

AU ID: **0818_01** Assessment Area: 1674

NS High pH

PS- Point Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Point Source Unknown; NPS- Non-Point Source

AU ID: **0818_02** Assessment Area: Caney Creek cove

NS High pH

NPS- Non-Point Source; PS- Point Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Point Source Unknown

AU ID: **0818_03** Assessment Area: Clear Creek cove

NS High pH

NPS- Non-Point Source; PS- Point Source Unknown

AU ID: **0818_04** Assessment Area: Lower portion of reservoir east of Key Ranch Estates

NS High pH

PS- Point Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Point Source Unknown; NPS- Non-Point Source

AU ID: **0818_05** Assessment Area: Cove off lower portion of reservoir adjacent to Clearview Estates

NS High pH

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0818_06** Assessment Area: Middle portion of reservoir downstream of Twin Creeks cove

NS High pH

NPS- Non-Point Source; PS- Point Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Point Source Unknown

AU ID: **0818_07** Assessment Area: Twin Creeks cove

NS High pH

NPS- Non-Point Source; PS- Point Source Unknown

AU ID: **0818_08** Assessment Area: Prairie Creek cove

NS High pH

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0818_09** Assessment Area: Upper portion of reservoir adjacent to Lacy Fork cove

NS High pH

PS- Point Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Point Source Unknown; NPS- Non-Point Source

AU ID: **0818_10** Assessment Area: Lacy Fork cove

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0818_11** Assessment Area: Upper portion of reservoir east of Tolosa

NS High pH

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0818_12** Assessment Area: Uppermost portion of reservoir downstream of Kings Creek

NS High pH

PS- Point Source Unknown; NPS- Non-Point Source

AU ID: **0818_13** Assessment Area: Cedar Creek cove

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; PS- Point Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

0819 East Fork Trinity River

Segment Description: From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

AU ID: **0819_01** Assessment Area: Entire segment

NS Dissolved Solids

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

0820 Lake Ray Hubbard

Segment Description: From Rockwall-Forney Dam in Kaufman County to Lavon Dam in Collin County, up to normal pool elevation of 435.5 feet (impounds East Fork Trinity River)

AU ID: **0820_01** Assessment Area: Lower portion of East Fork arm, centering on IH 30

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0820_02** Assessment Area: Middle portion of East Fork arm, centering on SH 66

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0820_04** Assessment Area: Lower portion of main body of reservoir extending up from dam to Yankee Cr. Arm.

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0820_05** Assessment Area: Mid-reservoir, I30 crossing Rowlett Cr. Arm to Yankee Cr. Arm

CS Nutrient Screening Levels

UNK- Source Unknown

0820C Muddy Creek (unclassified water body)

Segment Description: From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

AU ID: **0820C_01** Assessment Area: Entire creek

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

0821 Lake Lavon

Segment Description: From Lavon Dam in Collin County, up to normal pool elevation of 492 feet (impounds East Fork Trinity River)

AU ID: **0821_01** Assessment Area: Lowermost portion of reservoir

CS Nutrient Screening Levels

UNK- Source Unknown

0822 Elm Fork Trinity River Below Lewisville Lake

Segment Description: From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County

AU ID: **0822_01** Assessment Area: Lower 11 miles of segment

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0822_02** Assessment Area: 4.5 miles upstream to 7.5 miles downstream DWU intake

NS Bacteria Geomean

UNK- Source Unknown

AU ID: **0822_04** Assessment Area: Upper 1.5 miles of segment

CS Nutrient Screening Levels

UNK- Source Unknown

0822A Cottonwood Branch (unclassified water body)

Segment Description: A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

AU ID: **0822A_01** Assessment Area: A 2.5 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 miles downstream of N. Story Rd., Dallas Co.

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0822A_02** Assessment Area: A 3. 5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0822B Grapevine Creek (unclassified water body)

Segment Description: A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1. 5 miles upstream of SH 21, Tarrant County.

AU ID: **0822B_01** Assessment Area: A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1. 5 miles upstream of SH 21, Tarrant County.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0822D Ski Lake (unclassified water body)

Segment Description: A 65 acre reservoir locate just south of the intersection of US 35E and spur 482 in Irving.

AU ID: 0822D_01 Assessment Area: Entire segment.

CS Nutrient Screening Levels

UNK- Source Unknown

0823 Lewisville Lake

Segment Description: From Lewisville Dam in Denton County to a point 100 meters (110 yards) upstream of US 380 in Denton County, up to normal pool elevation of 515 feet (impounds Elm Fork Trinity River)

AU ID: 0823_02 Assessment Area: Stewart Creek arm

CN Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: 0823_04 Assessment Area: Little Elm Creek arm

CS Nutrient Screening Levels

UNK- Source Unknown

0823A Little Elm Creek (unclassified water body)

Segment Description: From confluence with Lake Lewisville in Denton Co., up to 1.4 km above FM 453 in Collin Co.

AU ID: 0823A_01 Assessment Area: From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment).

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; PS- Point Source Unknown

0823B Stewart Creek (unclassified water body)

Segment Description: From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

AU ID: 0823B_01 Assessment Area: Entire segment.

CS Nutrient Screening Levels

UNK- Source Unknown

0824 Elm Fork Trinity River Above Ray Roberts Lake

Segment Description: From a point 9.5 km (5.9 miles) downstream of the confluence of Pecan Creek in Cooke County to US 82 in Montague County

AU ID: 0824_01 Assessment Area: Lower 7.5 miles of segment

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: 0824_02 Assessment Area: 2 mile reach near unmarked county road, 1.4 km downstream Gainesville WWTP

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0824_03** Assessment Area: 3.5 mile reach near SH 51

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; PS- Point Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

0826 Grapevine Lake

Segment Description: From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (impounds Denton Creek)

AU ID: **0826_01** Assessment Area: Lowermost portion of reservoir

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

AU ID: **0826_05** Assessment Area: Middle portion of reservoir east of Meadowmere Park

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0826_06** Assessment Area: Middle portion of reservoir southeast of Walnut Grove Park

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0826_07** Assessment Area: Upper portion of reservoir east of Marshall Creek Park

CS Nutrient Screening Levels

UNK- Source Unknown

0826A Denton Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with Grapevine Lake in Denton County to the headwaters northeast of Bowie in Montague County

AU ID: **0826A_01** Assessment Area: Lower 7.9 miles of creek

CS Nutrient Screening Levels

UNK- Source Unknown

0827A White Rock Creek (unclassified water body)

Segment Description: Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison

AU ID: **0827A_01** Assessment Area: Entire segment.

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

0828 Lake Arlington

Segment Description: From Arlington Dam in Tarrant County up to the normal pool elevation of 550 feet (impounds Village Creek)

AU ID: **0828_02** Assessment Area: Lowermost portion of lake along eastern half of dam

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0828_05** Assessment Area: Western half of upper portion of lake

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0828_06** Assessment Area: Eastern half of upper portion of lake

CS Nutrient Screening Levels

UNK- Source Unknown

0829 Clear Fork Trinity River Below Benbrook Lake

Segment Description: From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

AU ID: **0829_01** Assessment Area: Lower mile of segment

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

0830 Benbrook Lake

Segment Description: From Benbrook Dam in Tarrant County to a point 200 meters (220 yards) downstream of US 377 in Tarrant County, up to normal pool elevation of 694 feet (impounds Clear Fork Trinity River)

AU ID: **0830_01** Assessment Area: Lower portion of reservoir

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown

AU ID: **0830_02** Assessment Area: Middle portion of reservoir

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown

AU ID: **0830_03** Assessment Area: Upper portion of reservoir

CS Nutrient Screening Levels

UNK- Source Unknown

0831 Clear Fork Trinity River Below Lake Weatherford

Segment Description: From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

AU ID: **0831_01** Assessment Area: Lower 12.75 miles, downstream from South Fork Trinity River confluence

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0831_04** Assessment Area: 2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

CN Dissolved Oxygen 24hr minimum

UNK- Source Unknown

AU ID: **0831_05** Assessment Area: From the confluence of Squaw Ck. to Lake Weatherford Dam

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

0831A South Fork Trinity River (unclassified water body)

Segment Description: Eleven mile stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

AU ID: **0831A_01** Assessment Area: Eleven mile stretch of S. Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

CS Nutrient Screening Levels

UNK- Source Unknown

0833 Clear Fork Trinity River Above Lake Weatherford

Segment Description: From a point 3.1 km (1.9 miles) upstream of FM 1707 in Parker County, to FM 3107 in Parker County

AU ID: **0833_02** Assessment Area: Upper 11 miles of segment

NS Dissolved Oxygen 24hr average

PS- Point Source Unknown; UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown

NS Dissolved Oxygen grab minimum

NPS- Non-Point Source; PS- Point Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0833_03** Assessment Area: From the confluence of McKnight Branch to the confluence of Cottonwood Ck.

NS Dissolved Oxygen 24hr average

PS- Point Source Unknown; NPS- Non-Point Source

NS Dissolved Oxygen 24hr minimum

NPS- Non-Point Source; PS- Point Source Unknown

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; PS- Point Source Unknown

AU ID: **0833_04** Assessment Area: From the confluence with Dobbs Branch to confluence with McKnight Branch

CN Dissolved Oxygen 24hr minimum

PS- Point Source Unknown; NPS- Non-Point Source

NS Dissolved Oxygen grab minimum

PS- Point Source Unknown; NPS- Non-Point Source

0836 Richland-Chambers Reservoir

Segment Description: From Richland-Chambers Dam in Freestone County to the confluence of Pin Oak Creek on the Richland Creek Arm in Navarro County and to a point 4.0 km (2.5 miles) downstream of Tupelo Branch on the Chambers Creek Arm in Navarro County, up to normal pool elev

AU ID: **0836_04** Assessment Area: Upper portion of Chambers Creek arm

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0836_05** Assessment Area: Lower portion of Richland Creek arm

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown

AU ID: **0836_06** Assessment Area: Upper portion of Richland Creek arm

CS Nutrient Screening Levels

UNK- Source Unknown

0838B Sugar Creek (unclassified water body)

Segment Description: A 1.6 mile stretch of Sugar Creek running upstream from Tarrant/Dallas County line, to just upstream of Britton Road in Mansfield, Tarrant County.

AU ID: **0838B_01** Assessment Area: Entire segment.

CN Bacteria Single Sample

UNK- Source Unknown

0838C Walnut Creek (unclassified water body)

Segment Description: A 7 mile stretch of Walnut Creek running upstream from Holland Road, to confluence with Willow Branch, NW Mansfield, Tarrant County.

AU ID: **0838C_01** Assessment Area: Entire segment.

NS Bacteria Geomean

UNK- Source Unknown

0840 Ray Roberts Lake

Segment Description: From Ray Roberts Dam in Denton County to a point 9.5 km (5.9 miles) upstream of the confluence of Pecan Creek in Cooke County, up to the normal pool elevation of 632.5 feet (impounds Elm Fork Trinity River)

AU ID: **0840_01** Assessment Area: Lowermost portion of reservoir adjacent to dam

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0840_02** Assessment Area: Lower portion of Jordan Creek arm west of Pilot Point

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0840_03** Assessment Area: Upper portion of Jordan Creek arm

CN Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0840_04** Assessment Area: Buck Creek cove

CS Nutrient Screening Levels

UNK- Source Unknown

0841 Lower West Fork Trinity River

Segment Description: From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

AU ID: **0841_01** Assessment Area: Lower 14 miles of segment

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **0841_02** Assessment Area: Upper 13 miles of segment

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

0841A Mountain Creek Lake (unclassified water body)

Segment Description: From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

AU ID: **0841A_01** Assessment Area: Entire reservoir

NS DSHS Advisories, Closures, and Risk Assessments

PS- Point Source Unknown; NPS- Non-Point Source

0841B Bear Creek (unclassified water body)

Segment Description: A 10 mile stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to just upstream of HWY 183, Dallas County.

AU ID: **0841B_01** Assessment Area: Entire segment.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0841C Arbor Creek (unclassified water body)

Segment Description: A 2.2 mile stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 miles upstream of Tarrant/Dallas county line.

AU ID: **0841C_01** Assessment Area: Entire segment.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0841D Big Bear Creek (unclassified water body)

Segment Description: An 8 mile stretch of Big Bear Creek running upstream from confluence with Little Bear Creek to SH 26, Tarrant Co.

AU ID: **0841D_01** Assessment Area: Entire segment.

NS Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

0841E Copart Branch Mountain Creek (unclassified water body)

Segment Description: A 2.8 mile stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 miles upstream of Camden Road on Dallas Naval Academy, Dallas County.

AU ID: **0841E_01** Assessment Area: Entire segment.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0841F Cottonwood Creek (unclassified water body)

Segment Description: A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

AU ID: **0841F_01** Assessment Area: Entire segment.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0841G Dalworth Creek (unclassified water body)

Segment Description: A 2.2 mile stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

AU ID: **0841G_01** Assessment Area: Entire segment.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0841H Delaware Creek (unclassified water body)

Segment Description: An 8.5 mile stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

AU ID: **0841H_01** Assessment Area: Entire segment.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

0841J Estelle Creek (unclassified water body)

Segment Description: A 4 mile stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.

AU ID: **0841J_01** Assessment Area: Entire segment.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0841K Fish Creek (unclassified water body)

Segment Description: A 10.5 mile stretch of Fish Creek running upstream from approx. 100 m downstream of FM 382 in Grand Prairie, Dallas Co., to approx. 0.25 mi. upstream of Collins Rd. in Arlington, Tarrant Co. Includes north and south branches of Fish Creek.

AU ID: **0841K_01** Assessment Area: Entire segment.

NS Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

0841L Johnson Creek (unclassified water body)

Segment Description: Four mile stretch of Johnson Creek running upstream from confluence with the Arbor Creek to just upstream of I30 in Grand Prairie, Tarrant Co.

AU ID: **0841L_01** Assessment Area: Entire segment.

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

0841M Kee Branch (unclassified water body)

Segment Description: Three mile stretch of Kee Branch running upstream from confluence with Rush Creek to approx. 300 m upstream of Polly-Webb Road in Arlington, Tarrant Co. Sta. ID 10792

AU ID: **0841M_01** Assessment Area: Entire segment.

NS Bacteria Geomean

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

0841N Kirby Creek (unclassified water body)

Segment Description: Four mile stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

AU ID: **0841N_01** Assessment Area: Entire segment

NS Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

0841S Vilbig Lakes (unclassified water body)

Segment Description: A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

AU ID: **0841S_01** Assessment Area: A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0841U West Irving Creek (unclassified water body)

Segment Description: A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

AU ID: **0841U_01** Assessment Area: A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

0901 Cedar Bayou Tidal

Segment Description: From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

AU ID: **0901_01** Assessment Area: Entire segment

NS Bacteria Geomean

PS- Industrial Point Source Discharge

NS Bacteria Single Sample

NPS- Non-Point Source; NPS- Septage Disposal

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Non-Point Source; NPS- Septage Disposal

0902 Cedar Bayou Above Tidal

Segment Description: From a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 miles) upstream of FM 1960 in Liberty County

AU ID: **0902_01** Assessment Area: Entire segment

NS Macrobenthic Community

NPS- Urban Runoff/Storm Sewers; NPS- Rural (Residential Areas); NPS- Non-Point Source

1001 San Jacinto River Tidal

Segment Description: From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

AU ID: **1001_01** Assessment Area: From Lake Houston Dam to US Hwy 90

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge

AU ID: **1001_02** Assessment Area: From US Hwy 90 to IH 10

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge

1002 Lake Houston

Segment Description: From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44

AU ID: **1002_01** Assessment Area: Confluence with Red Gully to FM 1960 East Pass

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

AU ID: **1002_02** Assessment Area: West Lake Houston Parkway to FM 1960 West Pass

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

AU ID: **1002_03** Assessment Area: FM 1960 to Missouri Pacific Railroad Tracks

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

AU ID: **1002_04** Assessment Area: Missouri Pacific Railroad to Foley Road

CS Nutrient Screening Levels

NPS- Non-Point Source

AU ID: **1002_05** Assessment Area: From Foley Road to Dam

CN Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

AU ID: **1002_06** Assessment Area: Confluence with Spring Creek to West Lake Houston Pkwy

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

1002B Luce Bayou (unclassified water body)

Segment Description: From confluence with Lake Houston (Harris County) to FM 1008 (Liberty County).

AU ID: **1002B_02** Assessment Area: From confluence with Tarkington Bayou to upstream of Key Gully

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source

AU ID: **1002B_03** Assessment Area: Upstream of Key Gully to confluence with Lake Houston

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Impacts from Hydrostructure Flow Regulation/modification; NPS- Golf Courses

1003 East Fork San Jacinto River

Segment Description: From the confluence of Caney Creek in Harris County to US 190 in Walker County

AU ID: **1003_01** Assessment Area: Confluence with Caney Creek upstream to US 59

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source

AU ID: **1003_02** Assessment Area: US Hwy 59 to 25 miles upstream (just upstream of Clear Creek confluence)

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Rural (Residential Areas)

AU ID: **1003_03** Assessment Area: 25 miles upstream of US 59 to US 190 (upper segment boundary)

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source

1004 West Fork San Jacinto River

Segment Description: From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

AU ID: **1004_02** Assessment Area: IH 45 to the Spring Creek confluence

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CN Bacteria Single Sample

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

1004D Crystal Creek (unclassified water body)

Segment Description: From the confluence of the east and west forks of Crystal Creek to the confluence with the West Fork of the San Jacinto River.

AU ID: **1004D_01** Assessment Area: Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Non-Point Source

1004E Stewarts Creek (unclassified water body)

Segment Description: From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River.

AU ID: **1004E_02** Assessment Area: From Airport Rd to confluence with West Fork San Jacinto River

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Impacts from Hydrostructure Flow Regulation/modification; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

1005 Houston Ship Channel/San Jacinto River Tidal

Segment Description: From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

AU ID: **1005_01** Assessment Area: Downstream I-10 to Lynchburg Ferry Road

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge

CS Nutrient Screening Levels

PS- Industrial Point Source Discharge

AU ID: **1005_02** Assessment Area: Lynchburg Ferry Road to Goose Island

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown

CN Bacteria Single Sample

PS- Industrial Point Source Discharge

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown

AU ID: **1005_03** Assessment Area: Goose Island to SH 146

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge

AU ID: **1005_04** Assessment Area: SH 146 to Morgans Point

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge

1006 Houston Ship Channel Tidal

Segment Description: From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

AU ID: **1006_01** Assessment Area: Houston Ship Channel Tidal-Greens Bayou confluence to Patrick Bayou confluence

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers

AU ID: **1006_02** Assessment Area: Houston Ship Channel Tidal- Patrick Bayou confluence to lower segment boundary

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers

AU ID: **1006_03** Assessment Area: Greens Bayou Tidal

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge

CN Enterococci (1006, 1007) single sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **1006_04** Assessment Area: Patrick Bayou Tidal

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge; NPS- Urban Runoff/Storm Sewers

NS HH Bioaccumulative Toxics in water

NPS- Urban Runoff/Storm Sewers; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

NS LOE Toxic Sediment condition

NPS- Urban Runoff/Storm Sewers; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

CS Toxic Substances in sediment

PS- Industrial Point Source Discharge

AU ID: **1006_05** Assessment Area: Goodyear Creek Tidal

NS Dissolved Oxygen grab minimum

PS- Sanitary Sewer Overflows (Collection System Failures)

CS Dissolved Oxygen grab screening level

PS- Sanitary Sewer Overflows (Collection System Failures)

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge

NS Enterococci (1006, 1007) geometric mean

PS- Sanitary Sewer Overflows (Collection System Failures)

NS Enterococci (1006, 1007) single sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1006D Halls Bayou (unclassified water body)

Segment Description: Perennial stream from the confluence with Greens Bayou up to US 59 in Harris County

AU ID: **1006D_01** Assessment Area: From the confluence with Greens Bayou to US 59

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

CS Nutrient Screening Levels

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

AU ID: **1006D_02** Assessment Area: From Hirsch Road to Homestead Road

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

1006F Big Gulch Above Tidal (unclassified water body)

Segment Description: From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

AU ID: **1006F_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1006H Spring Gully Above Tidal (unclassified water body)

Segment Description: From confluence with Greens Bayou to US 90 in Harris County

AU ID: **1006H_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1006I Unnamed Tributary of Halls Bayou (unclassified water body)

Segment Description: From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County

AU ID: **1006I_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1006J Unnamed Tributary of Halls Bayou (unclassified water body)

Segment Description: From the confluence of Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

AU ID: **1006J_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1007 Houston Ship Channel/Buffalo Bayou Tidal

Segment Description: From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

AU ID: **1007_01** Assessment Area: Houston Ship Channel/Buffalo Bayou Tidal

CN Dissolved Oxygen 24hr minimum

PS- Industrial Point Source Discharge; PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Urban Runoff/Storm Sewers

NS Enterococci (1006, 1007) single sample

PS- Industrial Point Source Discharge; PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **1007_02** Assessment Area: Sims Bayou Tidal (upstream of SH 35 to Houston Ship Channel confluence)

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **1007_03** Assessment Area: Hunting Bayou Tidal (I-10 to confluence with Houston Ship Channel)

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Urban Runoff/Storm Sewers

CN Enterococci (1006, 1007) single sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

AU ID: **1007_04** Assessment Area: Brays Bayou Tidal (downstream of I 45 to confluence with the Houston Ship Channel)

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

AU ID: **1007_05** Assessment Area: Vince Bayou Tidal (SH 225 to confluence with the Houston Ship Channel

NS DSHS Advisories, Closures, and Risk Assessments

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Enterococci (1006, 1007) single sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

CN LOE Toxic Sediment condition

NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **1007_06** Assessment Area: Berry Bayou Tidal (2.4 km upstream of the Sims Bayou confluence)

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers

AU ID: **1007_07** Assessment Area: Buffalo Bayou (US 59 to upstream of 69th Street WWTP)

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge

NS Enterococci (1006, 1007) single sample

PS- Industrial Point Source Discharge

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1007A Canal C-147 tributary of Sims Bayou Above Tidal (unclassified water body)

Segment Description: Houston Ship Channel/Buffalo Bayou Tidal tributary

AU ID: **1007A_01** Assessment Area: From confluence with an unnamed flood control ditch near Corsair St to the confluence with Sims Bayou

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1007B Brays Bayou Above Tidal (unclassified water body)

Segment Description: Perennial stream from 11.5 km upstream of confluence with Houston Ship Channel up to SH 6

AU ID: **1007B_01** Assessment Area: From 11.5km upstream of confluence with Brays Bayou Tidal to SH 6

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

AU ID: **1007B_02** Assessment Area: SH 6 to Clodine Road

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1007C Keegans Bayou Above Tidal (unclassified water body)

Segment Description: Perennial stream from confluence with Brays Bayou upstream to Harris County line

AU ID: **1007C_01** Assessment Area: From Harris County line to confluence with Brays Bayou

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1007D Sims Bayou Above Tidal (unclassified water body)

Segment Description: Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

AU ID: **1007D_01** Assessment Area: From 0.4 miles north of Beltway 8 to Hiram Clark

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **1007D_02** Assessment Area: From Hirman Clark to 11 miles upstream of the confluence with the Houston Ship Channel

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

AU ID: **1007D_03** Assessment Area: From 11 miles upstream of the Houston Ship Channel confluence to SH 35

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1007E Willow Waterhole Bayou Above Tidal (unclassified water body)

Segment Description: Perennial stream from confluence with Brays Bayou upstream to South Garden (in Missouri City)

AU ID: **1007E_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1007F Berry Bayou Above Tidal (unclassified water body)

Segment Description: Perennial stream from 2.4 km upstream from the confluence with Sims Bayou to the southern city limits of South Houston

AU ID: **1007F_01** Assessment Area: 1.5 miles upstream from confluence with Sims Bayou to SH 3

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1007G Kuhlman Gully Above Tidal (unclassified water body)

Segment Description: From confluence with Brays Bayou in Harris County to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

AU ID: **1007G_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1007H Pine Gully Above Tidal (unclassified water body)

Segment Description: From the confluence with Sims Bayou in Harris County to Broadway in Harris County

AU ID: **1007H_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1007I Plum Creek Above Tidal (unclassified water body)

Segment Description: From the confluence with Sims Bayou in Harris County to Telephone Road in Harris County

AU ID: **1007I_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1007K Country Club Bayou Above Tidal (unclassified water body)

Segment Description: From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

AU ID: **1007K_01** Assessment Area: From just downstream of South Lockwood Drive to the confluence with Brays Bayou

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Dissolved Oxygen grab minimum

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1007L Unnamed Non-Tidal Tributary of Brays Bayou (unclassified water body)

Segment Description: From the confluence with Brays Bayou near Fondren Road to a point 0.60 miles upstream in Harris County

AU ID: **1007L_01** Assessment Area: Entire perennial portion of water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1007M Unnamed Non-Tidal Tributary of Hunting Bayou (unclassified water body)

Segment Description: From the confluence with Hunting Bayou to Mercury Road in Harris County

AU ID: **1007M_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1007N Unnamed Non-Tidal Tributary of Sims Bayou (unclassified water body)

Segment Description: From confluence with Sims Bayou, south of Airport Road, to Reed Road, east of SH 288 in Harris County

AU ID: **1007N_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1007O Unnamed Non-Tidal Tributary of Buffalo Bayou (unclassified water body)

Segment Description: From confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

AU ID: **1007O_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen grab minimum

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1007R Hunting Bayou Above Tidal (unclassified water body)

Segment Description: From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

AU ID: **1007R_01** Assessment Area: From Bain Street to Sayers Street (South Fork)

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen grab minimum

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

CS Nutrient Screening Levels

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

AU ID: **1007R_02** Assessment Area: From just east of Elysian Street to Falls Street (North Fork)

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

AU ID: **1007R_03** Assessment Area: From Falls Street to Loop 610 East

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

AU ID: **1007R_04** Assessment Area: From Loop 610 East to IH 10

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1008 Spring Creek

Segment Description: From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the most upstream crossing of FM 1736 in Waller County

AU ID: **1008_02** Assessment Area: Field Store Road to SH 249

NS Bacteria Geomean

NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr average

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Non-Point Source

NS Dissolved Oxygen 24hr minimum

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed; NPS- Non-Point Source

AU ID: **1008_03** Assessment Area: SH 249 to IH 45

NS Bacteria Geomean

NPS- Upstream Source

NS Bacteria Single Sample

NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Habitat

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **1008_04** Assessment Area: IH 45 to confluence with Lake Houston

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

1008B Upper Panther Branch (unclassified water body)

Segment Description: Intermittent stream with perennial pools from the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

AU ID: **1008B_01** Assessment Area: From Old Conroe Road to the confluence with Bear Branch

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; PS- Municipal Point Source Discharges

AU ID: **1008B_02** Assessment Area: From the confluence with Bear Branch to confluence with Lake Woodlands

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

1008C Lower Panther Branch (unclassified water body)

Segment Description: Perennial stream from the confluence with Spring Creek upstream to the dam impounding Lake Woodlands in Montgomery County

AU ID: **1008C_01** Assessment Area: From the Lake Woodlands Dam to Saw Dust Road

CN Bacteria Geomean

NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers

AU ID: **1008C_02** Assessment Area: From Saw Dust Road to confluence with Spring Creek

CN Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1008F Lake Woodlands (unclassified water body)

Segment Description: From Lake Woodlands Dam to confluence with Upper Panther Branch Creek in Montgomery County (impounds Upper Panther Branch)

AU ID: **1008F_01** Assessment Area: Upper end of segment to Northshore Park/Woodlock Forest

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **1008F_02** Assessment Area: Northshore Park/Woodlock Forest to inflow from unnamed tributary

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **1008F_03** Assessment Area: From inflow of unnamed tributary to dam

CS Dissolved Oxygen grab screening level

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

AU ID: **1008F_04** Assessment Area: Arm near dam adjacent to West Isle Drive and Pleasure Cove Drive

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1008H Willow Creek (unclassified water body)

Segment Description: From 0.3 miles north of Juergen Rd to the confluence with Spring Creek

AU ID: **1008H_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; PS- Municipal Point Source Discharges

1009 Cypress Creek

Segment Description: From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

AU ID: **1009_01** Assessment Area: Upper portion of segment to downstream of US 290

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); PS- Sanitary Sewer Overflows (Collection System Failures)

CS Dissolved Oxygen grab screening level

NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); PS- Sanitary Sewer Overflows (Collection System Failures)

AU ID: **1009_02** Assessment Area: US 290 to SH 249

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Habitat

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

AU ID: **1009_03** Assessment Area: SH 249 to IH 45

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures); PS- Municipal Point Source Discharges; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

AU ID: **1009_04** Assessment Area: IH 45 to confluence with Spring Creek

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1009C Faulkey Gully (unclassified water body)

Segment Description: Perennial stream from its confluence with Cypress Creek upstream 3.2 km, which is approximately 1.0 km upstream of Louetta Road

AU ID: **1009C_01** Assessment Area: From an unnamed lake 0.3 miles southeast of Telge Road to the confluence with Cypress Creek

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

1009D Spring Gully (unclassified water body)

Segment Description: Perennial stream from a point 1 km upstream of Louetta Road upstream to Spring Cypress Road

AU ID: **1009D_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures); PS- Municipal Point Source Discharges

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures); PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

1009E Little Cypress Creek

Segment Description: From the confluence with Cypress Creek upstream to Hwy 290A.

AU ID: **1009E_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source

1010 Caney Creek

Segment Description: From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

AU ID: **1010_02** Assessment Area: FM 1097 to SH 105

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

AU ID: **1010_04** Assessment Area: FM 2090 to lower segment boundary

NS Bacteria Geomean

NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

CN Bacteria Single Sample

NPS- Non-Point Source; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems)

1011 Peach Creek

Segment Description: From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

AU ID: **1011_02** Assessment Area: US Hwy 59 to confluence with Caney Creek

NS Bacteria Geomean

NPS- Rural (Residential Areas); NPS- Non-Point Source

CN Bacteria Single Sample

NPS- Rural (Residential Areas); NPS- Non-Point Source

1012 Lake Conroe

Segment Description: From Conroe Dam in Montgomery County up to the normal pool elevation of 201 feet (impounds West Fork San Jacinto River)

AU ID: **1012_03** Assessment Area: Lewis Creek arm

CS Nutrient Screening Levels

NPS- Rural (Residential Areas); NPS- Non-Point Source

AU ID: **1012_04** Assessment Area: Caney Creek arm to Hunters Point

CS Nutrient Screening Levels

NPS- Rural (Residential Areas); NPS- Non-Point Source

AU ID: **1012_05** Assessment Area: Johnson Bluff to FM 1097

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Rural (Residential Areas)

AU ID: **1012_06** Assessment Area: Little Lake Creek arm to Walden Estates

CS Nutrient Screening Levels

NPS- Rural (Residential Areas); NPS- Non-Point Source

AU ID: **1012_07** Assessment Area: Lewis Creek arm to Bowsprit Point

CS Nutrient Screening Levels

NPS- Rural (Residential Areas); NPS- Non-Point Source

AU ID: **1012_11** Assessment Area: Walden Estates to dam

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Rural (Residential Areas)

1013 Buffalo Bayou Tidal

Segment Description: From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepard Drive in Harris County

AU ID: **1013_01** Assessment Area: Entire segment

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1013A Little White Oak Bayou (unclassified water body)

Segment Description: Perennial stream from the confluence with Whiteoak Bayou up to RR tracks north of IH 610

AU ID: **1013A_01** Assessment Area: From RR tracks north of IH 610 to Trimble St

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Dissolved Oxygen 24hr minimum

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

AU ID: **1013A_02** Assessment Area: From Trimble St to confluence with White Oak Bayou

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal (unclassified water body)

Segment Description: Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

AU ID: **1013C_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1014 Buffalo Bayou Above Tidal

Segment Description: From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County

AU ID: **1014_01** Assessment Area: Entire segment

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1014A Bear Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Logenbaugh Road

AU ID: **1014A_01** Assessment Area: Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1014B Buffalo Bayou (unclassified water body)

Segment Description: Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

AU ID: **1014B_01** Assessment Area: From SH6 to the confluence with Willow Fork Buffalo Bayou

NS Bacteria Geomean

PS- Municipal Point Source Discharges; PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1014E Langham Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with Dinner Creek upstream to FM 529

AU ID: **1014E_01** Assessment Area: Confluence with Bear Creek upstream to the confluence with Dinner Creek

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; PS- Sanitary Sewer Overflows (Collection System Failures)

1014H South Mayde Creek (unclassified water body)

Segment Description: Perennial stream in the Addicks Reservoir flood pool area, from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road.

AU ID: **1014H_01** Assessment Area: From the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

AU ID: **1014H_02** Assessment Area: From the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CN Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1014K Turkey Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with South Mayde Creek in Harris County upstream to the headwaters south of Clay Road in Harris County

AU ID: **1014K_01** Assessment Area: From the confluence with South Mayde Creek upstream to a point south of Clay Road

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

AU ID: **1014K_02** Assessment Area: From south of Clay Road upstream to north of Tanner Road

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1014L Mason Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with Buffalo Bayou upstream to channelization, 1.55 km south of Franz Road

AU ID: **1014L_01** Assessment Area: Confluence with Buffalo Bayou upstream to the channelization south of Franz Rd.

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1014M Neimans Bayou (unclassified water body)

Segment Description: From confluence with Buffalo Bayou Above Tidal to upstream of IH 10

AU ID: **1014M_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr average

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Dissolved Oxygen 24hr minimum

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

CS Nutrient Screening Levels

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1014N Rummel Creek (unclassified water body)

Segment Description: From confluence with Buffalo Bayou Above Tidal in Harris County to IH 10/Beltway 8 in Harris County

AU ID: **1014N_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures); UNK- Source Unknown

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures); UNK- Source Unknown

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures); UNK- Source Unknown

1014O Spring Branch (unclassified water body)

Segment Description: From confluence with Buffalo Bayou in Harris County to Blalock Road in Harris County

AU ID: **1014O_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1016 Greens Bayou Above Tidal

Segment Description: From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

AU ID: **1016_01** Assessment Area: Upper segment boundary (FM 1960) to IH 45

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

AU ID: **1016_02** Assessment Area: IH 45 to US 59

NS Bacteria Geomean

PS- Municipal Point Source Discharges; PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

AU ID: **1016_03** Assessment Area: US 59 to lower segment boundary at the Halls Bayou confluence

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1016A Garners Bayou (unclassified water body)

Segment Description: Perennial stream from the confluence with Williams Gully upstream to 1.5 km north of Atoscocita Road

AU ID: **1016A_02** Assessment Area: From the confluence with Williams Gully upstream to 1.5 km north of Atascosita Road

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

AU ID: **1016A_03** Assessment Area: From the confluence with Greens Bayou upstream to the confluence with Williams Gully

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1016B Unnamed Tributary of Greens Bayou (unclassified water body)

Segment Description: From confluence with Greens Bayou to Hirsch Road in Harris County

AU ID: **1016B_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1016C Unnamed Tributary of Greens Bayou (unclassified water body)

Segment Description: From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

AU ID: **1016C_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

1016D Unnamed Tributary of Greens Bayou (unclassified water body)

Segment Description: From confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

AU ID: **1016D_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr average

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr minimum

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

1017 Whiteoak Bayou Above Tidal

Segment Description: From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County

AU ID: **1017_01** Assessment Area: Huffsmith Rd to the confluence with Vogel Creek

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **1017_02** Assessment Area: Vogel Creek to the Cole Creek confluence

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

AU ID: **1017_03** Assessment Area: Cole Creek confluence to the Brickhouse Gully confluence

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

AU ID: **1017_04** Assessment Area: Brickhouse Gully confluence to lower segment boundary

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1017A Brickhouse Gully/Bayou (unclassified water body)

Segment Description: Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

AU ID: **1017A_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Sanitary Sewer Overflows (Collection System Failures); PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

1017B Cole Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

AU ID: **1017B_02** Assessment Area: From Flintlock Street to confluence with White Oak Bayou

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1017D Unnamed Tributary of Whiteoak Bayou (unclassified water body)

Segment Description: From confluence with Whiteoak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

AU ID: **1017D_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen grab minimum

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1017E Unnamed Tributary of White Oak Bayou (unclassified water body)

Segment Description: From the confluence with White Oak Bayou, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County

AU ID: **1017E_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Bacteria Single Sample

PS- Sanitary Sewer Overflows (Collection System Failures); NPS- Urban Runoff/Storm Sewers

1101 Clear Creek Tidal

Segment Description: From the confluence with Clear Lake at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

AU ID: **1101_01** Assessment Area: Upper segment boundary to Chigger Creek confluence

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

AU ID: **1101_02** Assessment Area: Chigger Creek confluence to IH 45

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

AU ID: **1101_03** Assessment Area: IH45 to Cow Bayou confluence

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CN Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

1101B Chigger Creek (unclassified water body)

Segment Description: From the confluence of Clear Creek Tidal to the Brazos River Authority Canal near CR 143 in Galveston County

AU ID: **1101B_01** Assessment Area: From the headwaters to FM 528

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **1101B_02** Assessment Area: FM 528 to the confluence with Clear Creek

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CN Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

1101D Robinson Bayou (unclassified water body)

Segment Description: From confluence with Clear Creek to 0.33 mile upstream of Webster Street in Galveston County

AU ID: **1101D_01** Assessment Area: From headwater to Abilene St.

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers

AU ID: **1101D_02** Assessment Area: From Abilene St. to confluence with Clear Lake

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers

1102 Clear Creek Above Tidal

Segment Description: From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

AU ID: **1102_01** Assessment Area: Upper segment boundary (Rouen Road) to SH 288

NS Bacteria Single Sample

NPS- Petroleum/natural Gas Activities

CS Dissolved Oxygen grab screening level

NPS- Petroleum/natural Gas Activities

NS Dissolved Solids

NPS- Petroleum/natural Gas Activities

AU ID: **1102_02** Assessment Area: SH 288 to Hickory Slough confluence

NS Bacteria Geomean

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Petroleum/natural Gas Activities

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

NS Dissolved Solids

NPS- Channelization; NPS- Petroleum/natural Gas Activities

NS Fish Community

NPS- Channelization; NPS- Petroleum/natural Gas Activities

CS Habitat

NPS- Habitat Modification - other than Hydromodification

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

AU ID: **1102_03** Assessment Area: Hickory Slough confluence to Turkey Creek confluence

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Petroleum/natural Gas Activities

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

NS Dissolved Solids

NPS- Urban Runoff/Storm Sewers; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; UNK- Source Unknown

AU ID: **1102_04** Assessment Area: Turkey Creek confluence to Mary's Creek confluence

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

NS Dissolved Solids

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; UNK- Source Unknown

AU ID: **1102_05** Assessment Area: Mary's Creek confluence to lower segment boundary

NS Bacteria Geomean

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

CN Bacteria Single Sample

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

NS Dissolved Solids

NPS- Petroleum/natural Gas Activities

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1102A Cowart Creek (unclassified water body)

Segment Description: Intermittent stream with perennial pools from the confluence with Clear Creek in Galveston County to SH 35 in Brazoria County

AU ID: **1102A_01** Assessment Area: Sunset Drive to SH35

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

CN Bacteria Single Sample

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

AU ID: **1102A_02** Assessment Area: Confluence with Clear Creek to Sunset Drive

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

1102B Mary's Creek/ North Fork Mary's Creek (unclassified water body)

Segment Description: Perennial stream from the confl. with Clear Creek upstrm to confl. with N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW of Pearland. Includes perennial portion of N. Fork Mary's Creek to confl. with unnamed trib approx. 3.2 km upstrm of FM 1128

AU ID: **1102B_01** Assessment Area: Entire segment

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

1102C Hickory Slough (unclassified water body)

Segment Description: From approximately 0.3 miles upstream of CR 92 to the confluence with Clear Creek.

AU ID: 1102C_01 Assessment Area: From confluence with Clear Creek to (approx. 0.3 miles) upstream of CR 93

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CN Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

1102D Turkey Creek (unclassified water body)

Segment Description: From IH 45 to confluence with Clear Creek

AU ID: 1102D_01 Assessment Area: Confluence with Clear Creek to IH 45

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; PS- Municipal Point Source Discharges

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; NPS- Non-Point Source

1102E Mud Gully (unclassified water body)

Segment Description: From Beamer Rd to the confluence with Clear Creek

AU ID: 1102E_01 Assessment Area: Beamer Road to confluence with Clear Creek

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; PS- Municipal Point Source Discharges

1103 Dickinson Bayou Tidal

Segment Description: From the confluence with Dickinson Bay 2.1 km (1.3 miles) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County

AU ID: **1103_01** Assessment Area: From 2.5 miles downstream of FM 517 to the Bordens Gully confluence

NS Bacteria Geomean

PS- Point Source Unknown; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown

NS Dissolved Oxygen 24hr average

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown

NS Dissolved Oxygen 24hr minimum

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown

AU ID: **1103_02** Assessment Area: From the Bordens Gully confluence to the Benson Bayou confluence

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown

NS Dissolved Oxygen 24hr average

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown

NS Dissolved Oxygen 24hr minimum

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown

AU ID: **1103_03** Assessment Area: From the Benson Bayou confluence to the confluence with Gum Bayou

NS Bacteria Geomean

PS- Point Source Unknown; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

PS- Point Source Unknown; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr average

PS- Point Source Unknown; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr minimum

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown

1103A Bensons Bayou (unclassified water body)

Segment Description: From the confluence with Dickinson Bayou Tidal to 0.37 miles upstream of FM 646 in Galveston County

AU ID: **1103A_01** Assessment Area: From confluence with Dickinson Bayou Tidal to 0.37 miles upstream of FM 646

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

1103B Bordens Gully (unclassified water body)

Segment Description: From confluence with Dickinson Bayou Tidal to upstream of Calder Road in Galveston County

AU ID: **1103B_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

1103C Geisler Bayou (unclassified water body)

Segment Description: From confluence with Dickinson Bayou tidal to IH 45 in Galveston County

AU ID: **1103C_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Point Source Unknown; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown; NPS- Non-Point Source

1104 Dickinson Bayou Above Tidal

Segment Description: From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County

AU ID: **1104_01** Assessment Area: From lower segment boundary upstream to FM 517

NS Bacteria Geomean

NPS- Non-Point Source; PS- Point Source Unknown; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source; PS- Point Source Unknown; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr minimum

NPS- Non-Point Source; PS- Point Source Unknown; NPS- Urban Runoff/Storm Sewers

AU ID: **1104_02** Assessment Area: From lower segment boundary upstream to FM 517

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

1107 Chocolate Bayou Tidal

Segment Description: From the confluence with Chocolate Bay 1.4 km (0.9 miles) downstream of FM 2004 in Brazoria County to a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County

AU ID: **1107_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

NPS- Non-Point Source

1108 Chocolate Bayou Above Tidal

Segment Description: From a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County to SH 6 in Brazoria County

AU ID: **1108_01** Assessment Area: Entire segment

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CS Habitat

UNK- Source Unknown

1110 Oyster Creek Above Tidal

Segment Description: From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County

AU ID: **1110_02** Assessment Area: 4 mi upstream South Texas Water Co. Canal to just above Ramsey Prison Unit

NS Bacteria Geomean

NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Non-Point Source

AU ID: **1110_03** Assessment Area: From just upstream of Ramsey Prison Unit (Cow Cr) to CR 290/S Walker St.

NS Bacteria Geomean

NPS- Non-Point Source; PS- Municipal Point Source Discharges

NS Dissolved Oxygen 24hr average

PS- Municipal Point Source Discharges; NPS- Non-Point Source

NS Dissolved Oxygen 24hr minimum

NPS- Non-Point Source; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

1111 Old Brazos River Channel Tidal

Segment Description: From the confluence with the Intracoastal Waterway in Brazoria County to SH 288 in Brazoria County

AU ID: **1111_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source

1113 Armand Bayou Tidal

Segment Description: From the confluence with Clear Lake (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff road in Pasadena in Harris County (includes Mud Lake)

AU ID: **1113_01** Assessment Area: Upper segment boundary to confluence with Big Island Slough

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen grab minimum

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

AU ID: **1113_02** Assessment Area: Big Island Slough confluence to Horsepen Bayou confluence

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

AU ID: **1113_03** Assessment Area: Horsepen Bayou confluence to lower segment boundary (Nasa Rd 1)

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

1113A Armand Bayou Above Tidal (unclassified water body)

Segment Description: From a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County

AU ID: **1113A_01** Assessment Area: 0.5 miles downstream of Genoa Red Bluff to Preston Road

NS Bacteria Geomean

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

1113B Horsepen Bayou (unclassified water body)

Segment Description: From SH3 to the confluence of Armand Bayou Tidal

AU ID: **1113B_01** Assessment Area: Confluence with Armand Bayou to SH 3

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

1201 Brazos River Tidal

Segment Description: From the confluence with the Gulf of Mexico in Brazoria County to a point 100 meters (110 miles) upstream of SH 332 in Brazoria County

AU ID: **1201_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

UNK- Source Unknown

1202H Allen's Creek (unclassified water body)

Segment Description: From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

AU ID: **1202H_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Rangeland Grazing; NPS- Non-Point Source; NPS- Municipal (Urbanized High Density Area) Runoff

NS Bacteria Single Sample

NPS- Municipal (Urbanized High Density Area) Runoff

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Rangeland Grazing; NPS- Municipal (Urbanized High Density Area) Runoff

CS Nutrient Screening Levels

NPS- Rangeland Grazing; NPS- Non-Point Source; NPS- Natural Sources

1202J Big Creek (unclassified water body)

Segment Description: From the confluence of Cottonwood and Coon Creeks, 5 miles north of Needville in Fort Bend County, downstream to the confluence with the Brazos River

AU ID: **1202J_01** Assessment Area: Upstream portion of water body to Whaley-Longpoint Road

NS Bacteria Geomean

NPS- Rangeland Grazing; NPS- Municipal (Urbanized High Density Area) Runoff

CN Bacteria Single Sample

NPS- Rangeland Grazing; NPS- Municipal (Urbanized High Density Area) Runoff

NS Fish Community

NPS- Natural Conditions - Water Quality Standards Use Attainability Analysis Needed

CS Habitat

NPS- Municipal (Urbanized High Density Area) Runoff; UNK- Source Unknown; NPS- Rangeland Grazing

CS Nutrient Screening Levels

NPS- Rangeland Grazing; NPS- Municipal (Urbanized High Density Area) Runoff

AU ID: **1202J_02** Assessment Area: Downstream portion of water body

CS Nutrient Screening Levels

NPS- Rangeland Grazing; NPS- Municipal (Urbanized High Density Area) Runoff

1202K Mill Creek (unclassified water body)

Segment Description: From confluence of East and West Mill Creeks downstream to confluence with Brazos River

AU ID: **1202K_01** Assessment Area: Downstream portion of creek to confluence with Brazos River

CN Fish Community

UNK- Source Unknown

1203 Whitney Lake

Segment Description: From Whitney Dam in Bosque/Hill County to a point immediately upstream of the confluence of Camp Creek on the Brazos River Arm in Bosque/Johnson County and to a point immediately upstream of the confluence of Rock Creek on the Nolan River arm in Hill Coun

AU ID: **1203_01** Assessment Area: Portion near dam

CN Dissolved Oxygen 24hr average

UNK- Source Unknown

AU ID: **1203_05** Assessment Area: Nolan River Arm

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1203_06** Assessment Area: Brazos River Arm

CS Nutrient Screening Levels

UNK- Source Unknown

1205 Lake Granbury

Segment Description: From DeCordova Bend Dam in Hood County to a point 100 meters (110 yards) upstream of FM 2580 in Parker County, up to normal pool elevation of 693 feet (impounds Brazos River)

AU ID: **1205_01** Assessment Area: Upstream portion of lake

NS Dissolved Solids

NPS- Natural Sources

CS Finished Drinking Water Dissolved Solids average

NPS- Natural Sources

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1205_02** Assessment Area: Portion of lake adjacent to the City of Oak Trail Shores

NS Dissolved Solids

NPS- Natural Sources

CS Finished Drinking Water Dissolved Solids average

NPS- Natural Sources

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1205_03** Assessment Area: Portion of lake adjacent to the City of Granbury

NS Dissolved Solids

NPS- Natural Sources

CS Finished Drinking Water Dissolved Solids average

NPS- Natural Sources

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1205_04** Assessment Area: Portion of lake downstream of Granbury

NS Dissolved Solids

NPS- Natural Sources

CS Finished Drinking Water Dissolved Solids average

NPS- Natural Sources

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1205_05** Assessment Area: Downstream portion of lake

NS Dissolved Solids

NPS- Natural Sources

CS Finished Drinking Water Dissolved Solids average

NPS- Natural Sources

CS Increased cost for treatment

NPS- Natural Sources

1206 Brazos River Below Possum Kingdom Lake

Segment Description: From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Shepard Dam in Palo Pinto County

AU ID: **1206_01** Assessment Area: Downstream portion of segment

NS Dissolved Solids

NPS- Natural Sources

AU ID: **1206_02** Assessment Area: Middle Portion of Segment

NS Dissolved Solids

NPS- Natural Sources

CS Habitat

NPS- Loss of Riparian Habitat

NS Macrobenthic Community

UNK- Source Unknown

AU ID: **1206_03** Assessment Area: Upstream portion of segment

NS Dissolved Solids

NPS- Natural Sources

CS Habitat

NPS- Loss of Riparian Habitat

NS Macrobenthic Community

UNK- Source Unknown

1207 Possum Kingdom Lake

Segment Description: From Morris Shepard Dam in Palo Pinto County to a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County, up to the normal pool elevation of 1000 feet (impounds Brazos River)

AU ID: **1207_01** Assessment Area: Rock Creek arm of lake

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1207_02** Assessment Area: Deep Elm Creek arm

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1207_03** Assessment Area: Portion of segment west of SH 16

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1207_04** Assessment Area: Portion of lake containing Costello Island

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1207_07** Assessment Area: Portion of lake adjacent to northeast corner of state park

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1207_08** Assessment Area: Caddo Creek arm of lake

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1207_09** Assessment Area: Portion of lake south of FM 2951

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1207_10** Assessment Area: Bluff Creek arm of lake

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1207_11** Assessment Area: Jewell Creek arm of lake

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1207_12** Assessment Area: Downstream portion of lake

CS Increased cost for treatment

NPS- Natural Sources

1208 Brazos River Above Possum Kingdom Lake

Segment Description: From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

AU ID: **1208_01** Assessment Area: From confluence with Possum Kingdom upstream to confluence with spring Branch

NS Bacteria Geomean

NPS- Internal Nutrient Recycling

CN Bacteria Single Sample

NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling

AU ID: **1208_02** Assessment Area: Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

AU ID: **1208_04** Assessment Area: From confluence with Boggy Creek upstream to confluence with Millers Creek

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

AU ID: **1208_05** Assessment Area: From confluence with Millers Creek upstream to confluence with Lake Creek

NS Bacteria Geomean

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1208A Millers Creek Reservoir (unclassified water body)

Segment Description: Impoundment of Millers Creek, 12.5 miles southwest of Seymour in Baylor County

AU ID: **1208A_01** Assessment Area: entire water body

CN Bacteria Geomean

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

1209 Navasota River Below Lake Limestone

Segment Description: From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

AU ID: **1209_01** Assessment Area: From lower segment boundary to confluence with Rocky Creek

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1209_02** Assessment Area: From confluence with Rocky Creek to confluence with Sandy Branch

NS Bacteria Geomean

NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Non-Point Source

AU ID: **1209_03** Assessment Area: From confluence with Sandy Branch to confluence with Shepherd Branch

NS Bacteria Geomean

UNK- Source Unknown

AU ID: **1209_05** Assessment Area: From confluence with Camp Creek to 25 miles upstream

NS Bacteria Geomean

NPS- Non-Point Source

1209A Country Club Lake (unclassified water body)

Segment Description: From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

AU ID: **1209A_01** Assessment Area: Entire reservoir

NS LOE Toxic Sediment condition

NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Non-Point Source

NS Toxic Substances in sediment

UNK- Source Unknown

1209B Fin Feather Lake (unclassified water body)

Segment Description: From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

AU ID: **1209B_01** Assessment Area: Entire reservoir

NS LOE Toxic Sediment condition

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

CS Toxic Substances in sediment

UNK- Source Unknown

1209C Carters Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County

AU ID: **1209C_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Rangeland Grazing; NPS- Animal Feeding Operations (NPS)

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Animal Feeding Operations (NPS); NPS- Rangeland Grazing

CS Nutrient Screening Levels

NPS- Rangeland Grazing; NPS- Animal Feeding Operations (NPS); PS- Municipal Point Source Discharges

1209D Country Club Branch (unclassified water body)

Segment Description: From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

AU ID: **1209D_01** Assessment Area: entire water body

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

1209E Wickson Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

AU ID: **1209E_01** Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

1209G Cedar Creek (unclassified water body)

Segment Description: From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

AU ID: **1209G_01** Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

1209H Duck Creek (unclassified water body)

Segment Description: From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

AU ID: **1209H_01** Assessment Area: From the lower end of the creek to FM 2096

NS Bacteria Geomean

UNK- Source Unknown

AU ID: **1209H_02** Assessment Area: From FM 2096 to Twin Oak Reservoir dam

NS Bacteria Geomean

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

1209I Gibbons Creek (unclassified water body)

Segment Description: From confluence with Navasota River in Grimes County to SH 90 in Grimes County

AU ID: **1209I_01** Assessment Area: From lower end to confluence with Dry Creek

NS Bacteria Geomean

NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Non-Point Source

1209J Shepherd Creek (unclassified water body)

Segment Description: From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County

AU ID: **1209J_01** Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

CN Dissolved Oxygen grab minimum

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

1209K Steele Creek (unclassified water body)

Segment Description: From confluence with Navasota River in Robertson County to a point 2.4 miles upstream of FM 147 in Limestone County

AU ID: 1209K_02 Assessment Area: From the confluence with Willow Creek upstream to the end of the water body

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

1209L Burton Creek (unclassified water body)

Segment Description: From the confluence with Carters Creek in College Station, upstream to its headwaters located 0.4 miles east of Fin Feather Lake in Brazos County.

AU ID: 1209L_01 Assessment Area: entire water body

NS Bacteria Geomean

PS- Municipal Point Source Discharges

NS Bacteria Single Sample

PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

1210 Lake Mexia

Segment Description: From Bistone Dam in Limestone County up to the normal pool elevation of 448.3 feet (impounds Navasota River)

AU ID: 1210_01 Assessment Area: Eastern end of reservoir, from dam to RR 2681 east of Washington Park

CS Nutrient Screening Levels

NPS- Agriculture

AU ID: 1210_02 Assessment Area: Western end, from point where reservoir begins to widen, to upper end

CS Nutrient Screening Levels

NPS- Agriculture

1210A Navasota River above Lake Mexia (unclassified water body)

Segment Description: From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 miles upstream of SH 31 in Hill County

AU ID: 1210A_01 Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

1211A Davidson Creek (unclassified water body)

Segment Description: Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

AU ID: **1211A_02** Assessment Area: Upper 25 miles

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Agriculture

NS Bacteria Single Sample

NPS- Non-Point Source; NPS- Agriculture

1212 Somerville Lake

Segment Description: From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

AU ID: **1212_01** Assessment Area: Eastern end of reservoir near dam

NS Dissolved Oxygen 24hr average

NPS- Agriculture; NPS- Internal Nutrient Recycling

CN High pH

NPS- Non-Point Source; NPS- Crop Production (Crop Land or Dry Land); NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

NPS- Agriculture; NPS- Internal Nutrient Recycling

AU ID: **1212_03** Assessment Area: Middle of reservoir near Birch Creek State Park

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1212_04** Assessment Area: Western end of reservoir near upper segment boundary

CS Nutrient Screening Levels

UNK- Source Unknown

1212B East Yegua Creek (unclassified water body)

Segment Description: From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

AU ID: **1212B_01** Assessment Area: Lower 25 miles

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

1213 Little River

Segment Description: From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

AU ID: 1213_01 Assessment Area: From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water

NS Bacteria Geomean

NPS- Agriculture; NPS- Municipal (Urbanized High Density Area) Runoff

CS Finished Drinking Water MCLs Concern

PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Non-Point Source

AU ID: 1213_02 Assessment Area: From the City of Cameron WWTP receiving water upstream to the confluence with the San Gabriel River

CS Finished Drinking Water MCLs Concern

NPS- Agriculture

CS Nutrient Screening Levels

NPS- Agriculture

AU ID: 1213_03 Assessment Area: From confluence with San Gabriel River upstream to confl. with Boggy Creek

CS Finished Drinking Water MCLs Concern

NPS- Agriculture

CS Nutrient Screening Levels

NPS- Agriculture

AU ID: 1213_04 Assessment Area: From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers

CN Bacteria Geomean

UNK- Source Unknown

CS Finished Drinking Water MCLs Concern

UNK- Source Unknown

1214 San Gabriel River

Segment Description: From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

AU ID: 1214_01 Assessment Area: From confluence with Little River upstream to confl. with Alligator Creek

NS Bacteria Geomean

UNK- Source Unknown

NS Dissolved Solids

NPS- Natural Sources; UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: 1214_02 Assessment Area: From confluence with Alligator Creek upstream to Lake Granger

NS Dissolved Solids

UNK- Source Unknown

1217 Lampasas River Above Stillhouse Hollow Lake

Segment Description: From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County

AU ID: 1217_04 Assessment Area: From the FM 1690 crossing to the CR 117 crossing

NS Bacteria Single Sample

UNK- Source Unknown

AU ID: 1217_05 Assessment Area: From CR 117 crossing to the upper end of the segment

NS Bacteria Single Sample

UNK- Source Unknown

1217D North Fork Rocky Creek (unclassified water body)

Segment Description: From its confluence with South Rocky Creek, upstream to its headwaters 7 miles west of US Hwy 183 in Burnet County

AU ID: 1217D_01 Assessment Area: entire water body

NS Dissolved Oxygen 24hr average

NPS- Natural Sources

1218 Nolan Creek/ South Nolan Creek

Segment Description: From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

AU ID: 1218_01 Assessment Area: Entire segment

NS Bacteria Geomean

NPS- Municipal (Urbanized High Density Area) Runoff

CN Bacteria Single Sample

NPS- Municipal (Urbanized High Density Area) Runoff; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Municipal (Urbanized High Density Area) Runoff; PS- Municipal Point Source Discharges

1219 Leon River Below Belton Lake

Segment Description: From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County

AU ID: 1219_01 Assessment Area: Entire segment

CS Nutrient Screening Levels

NPS- Municipal (Urbanized High Density Area) Runoff; PS- Municipal Point Source Discharges

1220 Belton Lake

Segment Description: From Belton Dam in Bell County to a point 100 meters (110 yards) upstream of FM 236 in Coryell County, up to the normal pool elevation of 594 feet (impounds Leon River)

AU ID: **1220_03** Assessment Area: Leon River Arm

CS Nutrient Screening Levels

NPS- Agriculture

1220A Cowhouse Creek (unclassified water body)

Segment Description: From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream perennial portion of the stream north of Goldthwaite in Mills County

AU ID: **1220A_03** Assessment Area: Upstream portion of water body

NS Bacteria Geomean

NPS- Agriculture; NPS- Non-Point Source

1221 Leon River Below Proctor Lake

Segment Description: From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

AU ID: **1221_01** Assessment Area: Directly upstream of Lake Belton

NS Bacteria Geomean

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

CS Dissolved Oxygen grab screening level

NPS- Agriculture; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Agriculture; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Non-Point Source

AU ID: **1221_04** Assessment Area: From the confluence with Plum Creek, upstream to the confluence with Pecan Creek

CN Bacteria Geomean

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

AU ID: **1221_05** Assessment Area: From confluence with Pecan Creek, upstream to confluence with South Leon Creek

NS Bacteria Geomean

NPS- Internal Nutrient Recycling

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Non-Point Source; NPS- Agriculture

CS Dissolved Oxygen grab screening level

NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Non-Point Source; NPS- Agriculture

AU ID: **1221_06** Assessment Area: From confluence with South Leon Creek upstream to confluence with Walnut Creek

NS Bacteria Geomean

NPS- Internal Nutrient Recycling

NS Bacteria Single Sample

NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture

AU ID: **1221_07** Assessment Area: From the confluence with Walnut Creek upstream to Lake Proctor

NS Bacteria Geomean

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling

1221A Resley Creek (unclassified water body)

Segment Description: From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

AU ID: **1221A_01** Assessment Area: Downstream portion, from confluence with Leon River upstream to conf. with unnamed tributary, approx. 1.0 mile N. of Comanche County Line

NS Bacteria Geomean

NPS- Internal Nutrient Recycling

CN Bacteria Single Sample

NPS- Agriculture; PS- Municipal Point Source Discharges; NPS- Natural Sources; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Continuous Dissolved Oxygen Daily 24hr Average

NPS- Agriculture; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Continuous Dissolved Oxygen Daily 24hr Minimum

NPS- Agriculture; PS- Municipal Point Source Discharges; NPS- Natural Sources; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

CS Nutrient Screening Levels

NPS- Agriculture; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

AU ID: 1221A_02 Assessment Area: From confluence with unnamed tributary, upstream to end of water body, approx. 1.0 mile north west of Dublin

NS Bacteria Geomean

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture; PS- Municipal Point Source Discharges

1221B South Leon River (unclassified water body)

Segment Description: From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

AU ID: 1221B_01 Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Bacteria Single Sample

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

1221C Pecan Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton

AU ID: 1221C_01 Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown

1221D Indian Creek (unclassified water body)

Segment Description: Perennial stream from an unnamed second order tributary (approximately 0.7 km downstream of Live Oak Street crossing) upstream to the confluence with Bachelor Prong Creek

AU ID: 1221D_01 Assessment Area: From confluence with Leon River, upstream to confluence with Armstrong Creek

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

CN Dissolved Oxygen grab minimum

UNK- Source Unknown

AU ID: **1221D_02** Assessment Area: From confluence with Armstrong Creek upstream to headwaters of water body

NS Bacteria Geomean

PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

1221F Walnut Creek (unclassified water body)

Segment Description: From its confluence with Leon River upstream to its headwaters 2.4 miles west of Dublin in Erath County

AU ID: **1221F_01** Assessment Area: entire water body

NS Bacteria Geomean

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

1222 Proctor Lake

Segment Description: From Proctor Dam in Comanche County to a point immediately upstream of the confluence of Mill Branch in Comanche County, up to the normal pool elevation of 1162 feet (impounds Leon River)

AU ID: **1222_01** Assessment Area: Sabana River arm of lake

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling

AU ID: **1222_02** Assessment Area: Copperas / Duncan Creeks arm of lake.

CS Nutrient Screening Levels

NPS- Non-Point Source

AU ID: **1222_03** Assessment Area: Portion of water body near dam

CS Nutrient Screening Levels

NPS- Non-Point Source

1222A Duncan Creek (unclassified water body)

Segment Description: From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

AU ID: **1222A_01** Assessment Area: Entire creek

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Non-Point Source

1222B Rush-Copperas Creek (unclassified water body)

Segment Description: From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

AU ID: **1222B_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Non-Point Source

1222C Sabana River (unclassified water body)

Segment Description: From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

AU ID: **1222C_01** Assessment Area: Downstream portion of segment

NS Bacteria Geomean

NPS- Non-Point Source

1222E Sweetwater Creek (unclassified water body)

Segment Description: From its confluence with Copperas Creek, upstream to its headwaters, 6.3 miles west of Comanche in Comanche County

AU ID: **1222E_01** Assessment Area: entire water body

NS Bacteria Geomean

NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Non-Point Source

1223 Leon River Below Leon Reservoir

Segment Description: From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

AU ID: **1223_01** Assessment Area: Entire Segment

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

NPS- Non-Point Source; NPS- Animal Feeding Operations (NPS); NPS- Agriculture

NS Dissolved Oxygen grab minimum

NPS- Non-Point Source; NPS- Animal Feeding Operations (NPS); NPS- Agriculture

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Animal Feeding Operations (NPS); NPS- Agriculture; NPS- Non-Point Source

1223A Armstrong Creek (unclassified water body)

Segment Description: From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 miles east of State Hwy 16.

AU ID: **1223A_01** Assessment Area: entire water body

NS Bacteria Geomean

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

1224 Leon Reservoir

Segment Description: From Leon Dam in Eastland County up to the normal pool elevation of 1375 feet (impounds Leon River)

AU ID: **1224_01** Assessment Area: Portion near dam

CS Toxic Substances in sediment

UNK- Source Unknown

AU ID: **1224_02** Assessment Area: Headwater portion

CS Toxic Substances in sediment

UNK- Source Unknown

1225 Waco Lake

Segment Description: From Waco Lake Dam in McLennan County to a point 100 meters (110 yards) upstream of FM 185 on the North Bosque River Arm in McLennan County and the confluence of the Middle Bosque River on the South Bosque River Arm in McLennan County, up to the normal po

AU ID: **1225_01** Assessment Area: North Bosque River arm of lake

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling; PS- Municipal Point Source Discharges; NPS- Non-Point Source

AU ID: **1225_02** Assessment Area: Portion of lake near dam

CS Nutrient Screening Levels

NPS- Natural Sources

AU ID: **1225_03** Assessment Area: Middle/South Bosque River arm of lake

CS Nutrient Screening Levels

NPS- Natural Sources; NPS- Internal Nutrient Recycling

1226 North Bosque River

Segment Description: From a point 100 meters (110 yards) upstream of FM 185 in McLennan County to a point immediately above the confluence of Indian Creek in Erath County

AU ID: **1226_02** Assessment Area: Portion of segment near Clifton

CN Continuous Dissolved Oxygen Daily 24hr Average

PS- Municipal Point Source Discharges; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Internal Nutrient Recycling

CN Continuous Dissolved Oxygen Daily 24hr Minimum

PS- Municipal Point Source Discharges; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Internal Nutrient Recycling

AU ID: **1226_03** Assessment Area: Portion of segment near Meridian

NS Nutrient Enrichment

NPS- Internal Nutrient Recycling; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); PS- Municipal Point Source Discharges

AU ID: **1226_04** Assessment Area: Upstream portion of segment near Hico

NS Nutrient Enrichment

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); PS- Municipal Point Source Discharges; NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture; PS- Municipal Point Source Discharges; NPS- Internal Nutrient Recycling

1226B Green Creek (unclassified water body)

Segment Description: From the confluence of the North Bosque River south of Clairette in Erath County to the upstream perennial portion of the stream south of Stephenville in Erath County

AU ID: **1226B_01** Assessment Area: Entire water body

NS Continuous Dissolved Oxygen Daily 24hr Average

NPS- Internal Nutrient Recycling; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Continuous Dissolved Oxygen Daily 24hr Minimum

NPS- Internal Nutrient Recycling; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

CS Dissolved Oxygen grab screening level

NPS- Internal Nutrient Recycling; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

1226E Indian Creek (unclassified water body)

Segment Description: From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County

AU ID: **1226E_01** Assessment Area: Entire water body

CN Bacteria Geomean

NPS- Agriculture; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture

1226F Sims Creek (unclassified water body)

Segment Description: From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County

AU ID: **1226F_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Agriculture; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

1226K Little Duffau Creek (unclassified water body)

Segment Description: From its confluence with Duffau Creek, upstream to its headwaters 2.4 miles south west of US 67 in Erath County

AU ID: **1226K_01** Assessment Area: entire water body

NS Bacteria Geomean

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

1226M Little Green Creek (unclassified water body)

Segment Description: From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 miles south of SH 6 in Erath County.

AU ID: **1226M_01** Assessment Area: entire water body

CN Bacteria Geomean

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

CN Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

1226N Indian Creek Reservoir (unclassified water body)

Segment Description: Impounded Indian Creek in Erath County, 5.6 miles southeast of Stephenville

AU ID: **1226N_01** Assessment Area: entire water body

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

1226O Sims Creek Reservoir (unclassified water body)

Segment Description: Impounded Sims Creek in Erath County, 6.8 miles south east of Stephenville

AU ID: **1226O_01** Assessment Area: entire water body

CS Dissolved Oxygen grab screening level

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Internal Nutrient Recycling

1227 Nolan River

Segment Description: From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

AU ID: **1227_01** Assessment Area: Downstream portion, including Mustang Creek confluence

NS Dissolved Solids

PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1227_02** Assessment Area: Upstream portion, to Lake Pat Cleburne

NS Dissolved Solids

PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

UNK- Source Unknown

1229 Paluxy River /North Paluxy River

Segment Description: From the confluence with the Brazos River in Somervell County to the confluence of Rough Creek in Erath County

AU ID: **1229_01** Assessment Area: Lower 7 miles

NS Dissolved Solids

UNK- Source Unknown

AU ID: **1229_02** Assessment Area: Middle 25 miles

NS Dissolved Solids

UNK- Source Unknown

AU ID: **1229_03** Assessment Area: Upper 25 miles

NS Dissolved Solids

UNK- Source Unknown

1229A Squaw Creek Reservoir (unclassified water body)

Segment Description: Impounded Squaw Creek in Hood and Somerville Counties, 2.4 miles north of Glen Rose.

AU ID: **1229A_01** Assessment Area: Entire water body

CS Nutrient Screening Levels

UNK- Source Unknown

1232 Clear Fork Brazos River

Segment Description: From the confluence with the Brazos River in Young County to the most upstream crossing of US 180 in Fisher County

AU ID: **1232_02** Assessment Area: From confluence with Hubbard Creek upstream to confluence with Deadman Creek

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1232_03** Assessment Area: From confluence with Deadman Creek upstream to conf. With Bitter Creek

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1232A California Creek (unclassified water body)

Segment Description: From the confluence of Paint Creek southeast of Haskell in Haskell County to the upstream perennial portion of the stream southwest of Stamford in Jones County

AU ID: **1232A_01** Assessment Area: Middle 25 miles near RR 142

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling

1232B Deadman Creek (unclassified water body)

Segment Description: From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the upstream perennial portion of the stream north of Hamby in Jones County

AU ID: **1232B_01** Assessment Area: From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water

NS Bacteria Geomean

NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Non-Point Source

1233 Hubbard Creek Reservoir

Segment Description: From Hubbard Creek Dam in Stephens County up to the normal pool elevation of 1183 feet (impounds Hubbard Creek)

AU ID: **1233_02** Assessment Area: Hubbard Creek Arm

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

1233A Big Sandy Creek (unclassified water body)

Segment Description: From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 miles west of US 183 in Stephens County.

AU ID: **1233A_01** Assessment Area: entire water body

CN Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

1235 Lake Stamford

Segment Description: From Stamford Dam in Haskell County up to the normal pool elevation of 1416.8 feet (impounds Paint Creek)

AU ID: **1235_01** Assessment Area: Entire segment

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CS Finished Drinking Water Dissolved Solids average

UNK- Source Unknown

1236 Fort Phantom Hill Reservoir

Segment Description: From Fort Phantom Hill Dam in Jones County up to the normal pool elevation of 1636 feet (impounds Elm Creek)

AU ID: **1236_01** Assessment Area: Entire segment

CS Increased cost for treatment

NPS- Natural Sources

1238 Salt Fork Brazos River

Segment Description: From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

AU ID: **1238_01** Assessment Area: 25 miles near Hwy 83

CS Dissolved Oxygen grab screening level

NPS- Natural Sources

NS Dissolved Solids

NPS- Natural Sources

AU ID: **1238_02** Assessment Area: 25 miles near Hwy 380 at Swenson

NS Dissolved Solids

UNK- Source Unknown

CN Water Temperature

UNK- Source Unknown

AU ID: **1238_03** Assessment Area: Remainder of segment

NS Dissolved Solids

NPS- Natural Sources

1240 White River Lake

Segment Description: From White River Dam in Crosby County up to normal pool elevation of 2369 feet (impounds White River)

AU ID: **1240_01** Assessment Area: Entire segment

NS Dissolved Solids

NPS- Natural Sources

1241 Double Mountain Fork Brazos River

Segment Description: From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

AU ID: **1241_01** Assessment Area: 25 miles near Hwy 83

NS Dissolved Solids

NPS- Natural Sources

AU ID: **1241_02** Assessment Area: Remainder of segment

NS Dissolved Solids

NPS- Natural Sources

1241A North Fork Double Mountain Fork Brazos River (unclassified water body)

Segment Description: Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon

AU ID: **1241A_01** Assessment Area: From confluence with Dbl. Mtn. Frk. Of Brazos to Lake Ransom Canyon

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling

AU ID: **1241A_02** Assessment Area: Upstream portion, from confluence with Yellow House Draw to Lake Buffalo Springs

NS Bacteria Geomean

NPS- Agriculture; PS- Point Source Unknown; PS- Industrial Thermal Discharges; NPS- Livestock (Grazing or Feeding Operations)

CN Bacteria Single Sample

NPS- Agriculture; NPS- Livestock (Grazing or Feeding Operations); PS- Point Source Unknown

CS Nutrient Screening Levels

NPS- Agriculture; PS- Point Source Unknown; PS- Industrial Thermal Discharges; NPS- Livestock (Grazing or Feeding Operations)

1241C Buffalo Springs Lake (unclassified water body)

Segment Description: Impounded North Fork Double Mountain Fork Brazos River within city limits of Buffalo Springs, Lubbock County.

AU ID: **1241C_01** Assessment Area: entire water body

CS Nutrient Screening Levels

UNK- Source Unknown

1242 Brazos River Above Navasota River

Segment Description: From a point immediately upstream of the confluence of the Navasota River in Brazos/Grimes/Washington County to the low water dam forming Lake Brazos in McLennan County

AU ID: **1242_01** Assessment Area: Downstream portion of segment

NS Bacteria Single Sample

UNK- Source Unknown

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1242_02** Assessment Area: Portion of segment upstream of Bryan

CS Increased cost for treatment

NPS- Natural Sources

AU ID: **1242_03** Assessment Area: Middle portion of segment

CS Increased cost for treatment

NPS- Natural Sources

AU ID: 1242_04 Assessment Area: Portion of segment downstream of Marlin

CS Increased cost for treatment

NPS- Natural Sources

AU ID: 1242_05 Assessment Area: Portion of Segment downstream of Waco

CS Increased cost for treatment

NPS- Natural Sources

AU ID: 1242_06 Assessment Area: Portion of Segment within Waco City Limits

CS Increased cost for treatment

NPS- Natural Sources

1242A Marlin City Lake System (unclassified water body)

Segment Description: From New Marlin City Dam up to normal pool elevation northeast of Marlin in Falls County (impounds Big Sandy Creek)

AU ID: 1242A_01 Assessment Area: Old Marlin City Lake

CS Finished Drinking Water MCLs Concern

NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

NPS- Non-Point Source

AU ID: 1242A_02 Assessment Area: New Marlin City Lake

CS Dissolved Oxygen grab screening level

NPS- Agriculture

CS Finished Drinking Water MCLs Concern

NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

UNK- Source Unknown

1242B Cottonwood Branch (unclassified water body)

Segment Description: Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

AU ID: 1242B_01 Assessment Area: Downstream portion, downstream of Sanderson Farms receiving water

NS Bacteria Geomean

PS- Industrial Point Source Discharge

NS Bacteria Single Sample

PS- Industrial Point Source Discharge

CS Nutrient Screening Levels

PS- Industrial Point Source Discharge

AU ID: **1242B_02** Assessment Area: Upstream portion, upstream of Sanderson Farms receiving water

CN Bacteria Geomean

NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Non-Point Source

1242C Still Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with Thompsons Creek upstream to the confluence with Cottonwood Branch

AU ID: **1242C_01** Assessment Area: Downstream of Bryan WWTP

NS Bacteria Geomean

PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Non-Point Source

AU ID: **1242C_02** Assessment Area: Portion upstream of city of Bryan WWTP

NS Bacteria Geomean

NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Non-Point Source

1242D Thompson Creek (unclassified water body)

Segment Description: Intermittent stream with perennial pools from the confluence with the Brazos River upstream to the confluence with Thompson Branch north of FM 1687

AU ID: **1242D_01** Assessment Area: Portion downstream of the confluence with Still Creek

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Non-Point Source

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Non-Point Source

AU ID: **1242D_02** Assessment Area: Portion of segment upstream of confluence with Still Creek

NS Bacteria Geomean

NPS- Non-Point Source

NS Bacteria Single Sample

UNK- Source Unknown

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling

1242F Pond Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with the Brazos River in Milam County up to the confluence with Live Oak Creek in Falls County

AU ID: **1242F_01** Assessment Area: From the Brazos confluence upstream to Live Oak Creek confluence

CN Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

1242I Campbells Creek (unclassified water body)

Segment Description: From the confluence with the Little Brazos River upstream to the headwaters, one mile west of Old San Antonio Road

AU ID: **1242I_01** Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

1242J Deer Creek (unclassified water body)

Segment Description: From the confluence with the Brazos River upstream to the confluence of West Fork Deer Creek and East Fork Deer Creek in Falls County

AU ID: **1242J_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

1242K Mud Creek (unclassified water body)

Segment Description: From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

AU ID: 1242K_01 Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown; PS- Municipal Point Source Discharges

1242L Pin Oak Creek (unclassified water body)

Segment Description: From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 miles south of Franklin

AU ID: 1242L_01 Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Livestock (Grazing or Feeding Operations)

NS Bacteria Single Sample

NPS- Livestock (Grazing or Feeding Operations)

1242M Spring Creek (unclassified water body)

Segment Description: From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

AU ID: 1242M_01 Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Livestock (Grazing or Feeding Operations)

CN Bacteria Single Sample

NPS- Livestock (Grazing or Feeding Operations)

1242N Tehuacana Creek (unclassified water body)

Segment Description: From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 miles south of Penelope in Hill County

AU ID: 1242N_01 Assessment Area: Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek

NS Bacteria Geomean

UNK- Source Unknown

1242O Walnut Creek (unclassified water body)

Segment Description: From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mile south of White Rock

AU ID: 1242O_01 Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown

1242P Big Creek (unclassified water body)

Segment Description: From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

AU ID: **1242P_01** Assessment Area: Downstream portion of water body

NS Bacteria Geomean

NPS- Agriculture

NS Bacteria Single Sample

NPS- Agriculture

1243 Salado Creek

Segment Description: From the confluence with the Lampasas River in Bell County to the confluence of North Salado Creek and South Salado Creek in Williamson County

AU ID: **1243_01** Assessment Area: Downstream portion of segment from confluence with Lampasas River, just upstream of Stagecoach outfall

CS Nutrient Screening Levels

NPS- Natural Sources

AU ID: **1243_02** Assessment Area: From confluence with unnamed tributary just upstream of Stagecoach discharge upstream to end of segment

CS Nutrient Screening Levels

UNK- Source Unknown

1244 Brushy Creek

Segment Description: From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

AU ID: **1244_03** Assessment Area: From confluence with Cottonwood Branch upstream to City of Round Rock WWTP outfall

NS Bacteria Geomean

UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Natural Sources; UNK- Source Unknown; PS- Municipal Point Source Discharges

AU ID: **1244_04** Assessment Area: From immediately upstream of City of Round Rock WWTP outfall upstream to end of segment

NS Bacteria Geomean

UNK- Source Unknown

1244A Brushy Creek Above South Brushy Creek (unclassified water body)

Segment Description: Perennial stream from the confluence of South Brushy Creek to the confluence of North Fork Brushy Creek and South Fork Brushy Creek in Williamson County

AU ID: **1244A_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; UNK- Source Unknown

1244D South Brushy Creek (unclassified water body)

Segment Description: From its confluence with Brushy Creek, upstream to its headwaters 1.5 miles west of US 183 in Cedar Park, Williamson County.

AU ID: **1244D_01** Assessment Area: entire water body

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

1245 Upper Oyster Creek

Segment Description: From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

AU ID: **1245_01** Assessment Area: From the confluence with the Brazos River upstream to Dam #3

NS Bacteria Geomean

NPS- Municipal (Urbanized High Density Area) Runoff; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

NPS- Non-Point Source; NPS- Flow Alterations from Water Diversions; PS- Point Source Unknown

NS Dissolved Oxygen 24hr minimum

NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Municipal (Urbanized High Density Area) Runoff; PS- Sanitary Sewer Overflows (Collection System Failures)

AU ID: **1245_02** Assessment Area: From Dam #3 upstream to Harmon St. crossing in Sugar Land

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Municipal (Urbanized High Density Area) Runoff; PS- Sanitary Sewer Overflows (Collection System Failures)

CN Bacteria Single Sample

NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Channelization; NPS- Impacts from Hydrostructure Flow Regulation/modification; PS- Municipal Point Source Discharges; NPS- Non-Point Source

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source; NPS- Municipal (Urbanized High Density Area) Runoff; PS- Sanitary Sewer Overflows (Collection System Failures)

NS Dissolved Oxygen 24hr minimum

NPS- Impacts from Hydrostructure Flow Regulation/modification; NPS- Municipal (Urbanized High Density Area) Runoff; PS- Municipal Point Source Discharges; NPS- Channelization; NPS- Non-Point Source

AU ID: **1245_03** Assessment Area: From Harmon St. crossing in Sugar Land upstream to the end of the segment

NS Bacteria Geomean

NPS- Agriculture; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Channelization; NPS- Impacts from Hydrostructure Flow Regulation/modification; NPS- Non-Point Source; NPS- Agriculture

NS Dissolved Oxygen 24hr average

NPS- Channelization; NPS- Impacts from Hydrostructure Flow Regulation/modification; NPS- Non-Point Source; NPS- Agriculture

CN Dissolved Oxygen 24hr minimum

NPS- Agriculture; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Agriculture; NPS- Channelization; NPS- Non-Point Source; NPS- Impacts from Hydrostructure Flow Regulation/modification

1245B Brown's Bayou (unclassified water body)

Segment Description: From US Hwy 59 to its confluence with Upper Oyster Creek in Fort Bend County

AU ID: **1245B_01** Assessment Area: entire water body

CN Bacteria Geomean

UNK- Source Unknown

1245C Bullhead Bayou (unclassified water body)

Segment Description: From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

AU ID: **1245C_01** Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

1245D Unnamed tributary of Bullhead Bayou (unclassified water body)

Segment Description: Tributary to Bullhead Bayou in Fort Bend County

AU ID: **1245D_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Municipal (Urbanized High Density Area) Runoff

NS Bacteria Single Sample

NPS- Municipal (Urbanized High Density Area) Runoff

1246 Middle Bosque/South Bosque River

Segment Description: From the confluence with the South Bosque River in McLennan County to the confluence of Cave Creek and Middle Bosque Creek on the Middle Bosque River in Coryell County and from the confluence of the Middle Bosque River in McLennan County to FM 2671 on the

AU ID: **1246_01** Assessment Area: Middle Bosque River

CS Nutrient Screening Levels

NPS- Natural Sources

AU ID: **1246_02** Assessment Area: South Bosque River

CS Nutrient Screening Levels

NPS- Natural Sources

1246D Tonk Creek (unclassified water body)

Segment Description: From the confluence with Wasp Creek in Crawford (McLennan County), upstream to the headwaters in Coryell County, 1.0 mile west of FM 929

AU ID: **1246D_01** Assessment Area: Entire water body

CS Nutrient Screening Levels

NPS- Natural Sources

1246E Wasp Creek (unclassified water body)

Segment Description: From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mile east of FM 185

AU ID: **1246E_01** Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1247 Granger Lake

Segment Description: From Granger Dam in Williamson County to a point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County, up to normal pool elevation of 504 feet (impounds San Gabriel River)

AU ID: **1247_01** Assessment Area: Eastern end of lake near the dam

CS Nutrient Screening Levels

NPS- Natural Sources

AU ID: **1247_02** Assessment Area: Willis Creek arm of lake

CS Nutrient Screening Levels

NPS- Natural Sources

AU ID: **1247_03** Assessment Area: Western end of lake on the San Gabriel River

CS Nutrient Screening Levels

NPS- Natural Sources

1247A Willis Creek (unclassified water body)

Segment Description: From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

AU ID: **1247A_01** Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1248B Huddleston Branch (unclassified water body)

Segment Description: Perennial stream from the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

AU ID: **1248B_01** Assessment Area: Entire reach

CN Bacteria Geomean

NPS- Natural Sources; UNK- Source Unknown

CN Bacteria Single Sample

NPS- Natural Sources; UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1248C Mankins Branch (unclassified water body)

Segment Description: Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

AU ID: **1248C_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

1250 South Fork San Gabriel River

Segment Description: From the confluence with the North Fork San Gabriel River in Williamson County to the most upstream crossing of SH 29 in Burnet County

AU ID: **1250_03** Assessment Area: From CR 279 crossing to upper end of segment

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

1252 Lake Limestone

Segment Description: From Sterling C. Robertson Dam in Leon/Robertson County to a point 2.3 km (1.4 miles) downstream of SH 164 in Limestone County, up to normal pool elevation of 363 feet (impounds Navasota River)

AU ID: **1252_01** Assessment Area: South end of lake near dam

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

AU ID: **1252_05** Assessment Area: Navasota River Arm near headwaters

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling

1253 Navasota River Below Lake Mexia

Segment Description: From a point 2.3 km (1.4 miles) downstream of SH 164 in Limestone County to Bistone Dam in Limestone County

AU ID: **1253_02** Assessment Area: From confluence with Plummer's Creek upstream to Springfield Lake

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

AU ID: **1253_03** Assessment Area: From headwaters of Springfield Lake upstream to confluence with Lake Mexia

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1253A Springfield Lake (unclassified water body)

Segment Description: Impoundment of Navasota River below Lake Mexia in Limestone County.

AU ID: **1253A_01** Assessment Area: Entire water body

CN Dissolved Oxygen 24hr minimum

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1254 Aquilla Reservoir

Segment Description: From Aquilla Dam in Hill County up to the normal pool elevation of 537.5 feet (impounds Aquilla Creek)

AU ID: **1254_01** Assessment Area: South end of reservoir near dam

CS Finished Drinking Water MCLs Concern

NPS- Agriculture

CS Nutrient Screening Levels

NPS- Agriculture

AU ID: **1254_02** Assessment Area: Aquilla Creek arm on the west

CS Finished Drinking Water MCLs Concern

NPS- Agriculture

CS Nutrient Screening Levels

NPS- Agriculture

AU ID: **1254_03** Assessment Area: Hackberry Creek arm on the east

CS Finished Drinking Water MCLs Concern

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

CS Toxic Substances in sediment

UNK- Source Unknown

1255 Upper North Bosque River

Segment Description: From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

AU ID: **1255_01** Assessment Area: Lower portion of segment downstream of Stephenville

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture

CN Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); PS- Municipal Point Source Discharges

NS Nutrient Enrichment

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); PS- Municipal Point Source Discharges; NPS- Agriculture

AU ID: **1255_02** Assessment Area: Upper portion of segment, upstream of Stephenville

NS Bacteria Geomean

NPS- Agriculture; NPS- Non-Point Source; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Non-Point Source; NPS- Agriculture

NS Dissolved Oxygen grab minimum

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Non-Point Source; NPS- Agriculture

CS Dissolved Oxygen grab screening level

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Non-Point Source; NPS- Agriculture

NS Nutrient Enrichment

NPS- Internal Nutrient Recycling

CS Nutrient Screening Levels

NPS- Drought-related Impacts; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

1255A Goose Branch (unclassified water body)

Segment Description: From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County

AU ID: **1255A_01** Assessment Area: Entire water body

CN Bacteria Geomean

NPS- Agriculture; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Bacteria Single Sample

NPS- Agriculture; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture

1255B North Fork Upper North Bosque River (unclassified water body)

Segment Description: From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219

AU ID: **1255B_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Internal Nutrient Recycling

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture

1255C Scarborough Creek (unclassified water body)

Segment Description: From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County

AU ID: **1255C_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture

1255D South Fork North Bosque River (unclassified water body)

Segment Description: From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 miles (4.8 km) north of FM 219 in Erath County

AU ID: **1255D_01** Assessment Area: Entire water body

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Internal Nutrient Recycling

1255E Unnamed tributary of Goose Branch (unclassified water body)

Segment Description: From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

AU ID: **1255E_01** Assessment Area: Entire water body

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture

1255F Unnamed tributary of Scarborough Creek (unclassified water body)

Segment Description: From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Erath County, upstream to the headwaters, 0.3 mile north of FM 219

AU ID: **1255F_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

1255G Woodhollow Branch (unclassified water body)

Segment Description: From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County

AU ID: **1255G_01** Assessment Area: Entire water body

NS Bacteria Single Sample

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Agriculture

1255H South Fork Upper North Bosque River Reservoir (unclassified water body)

Segment Description: Impoundment of South Fork Upper North Bosque River, 8 miles north west of Stephenville in Erath County

AU ID: **1255H_01** Assessment Area: entire water body

CS Dissolved Oxygen grab screening level

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Drought-related Impacts

1255J Goose Branch Reservoir (unclassified water body)

Segment Description: Impoundment of Goose Branch, 5 miles west of Stephenville in Erath County.

AU ID: **1255J_01** Assessment Area: entire water body

CS Nutrient Screening Levels

NPS- Internal Nutrient Recycling; NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs)

1255K Scarborough Creek Reservoir (unclassified water body)

Segment Description: Impoundment of Scarborough Creek, 5 miles north west of Stephenville in Erath County

AU ID: **1255K_01** Assessment Area: entire water body

CS Nutrient Screening Levels

NPS- Permitted Runoff from Confined Animal Feeding Operations (CAFOs); NPS- Internal Nutrient Recycling

1256 Brazos River/Lake Brazos

Segment Description: From the low water dam forming Lake Brazos in McLennan County to a point immediately upstream of the confluence of Aquilla Creek in McLennan County (includes the Bosque River Arm to the Waco Lake Dam)

AU ID: **1256_02** Assessment Area: Lake Brazos portion of segment

CS Nutrient Screening Levels

UNK- Source Unknown

1301 San Bernard River Tidal

Segment Description: From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County

AU ID: **1301_01** Assessment Area: Entire Segment

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Non-Point Source

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source

1302 San Bernard River Above Tidal

Segment Description: From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

AU ID: **1302_01** Assessment Area: Lower 25 miles of segment

NS Bacteria Geomean

NPS- Non-Point Source; UNK- Source Unknown

AU ID: **1302_02** Assessment Area: 25 miles from just upstream of FM 442 to downstream of US 90A

NS Bacteria Geomean

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

AU ID: **1302_03** Assessment Area: 25 miles from downstream of US 90A to upstream of FM 3013

NS Bacteria Geomean

NPS- Non-Point Source; UNK- Source Unknown

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; UNK- Source Unknown

1302A Gum Tree Branch (unclassified water body)

Segment Description: From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 miles upstream near RR 102

AU ID: **1302A_01** Assessment Area: The entire 15 miles of the segment

NS Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

1302B West Bernard Creek (unclassified water body)

Segment Description: From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 miles upstream near FM 1093

AU ID: **1302B_01** Assessment Area: Lower 15 miles of segment

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source

AU ID: **1302B_02** Assessment Area: Upper 25 miles of segment

NS Bacteria Geomean

NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source

1304 Caney Creek Tidal

Segment Description: From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County

AU ID: **1304_01** Assessment Area: Lower 25 miles of segment

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source

NS Bacteria Single Sample

UNK- Source Unknown; NPS- Non-Point Source

NS Dissolved Oxygen 24hr minimum

NPS- Non-Point Source; UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source

AU ID: **1304_02** Assessment Area: Upper 7 miles of segment

CN Bacteria Geomean

NPS- Non-Point Source; UNK- Source Unknown

1304A Linnville Bayou (unclassified water body)

Segment Description: Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County up to a point 0.1 km above SH 35 in Brazoria/Matagorda Counties

AU ID: **1304A_01** Assessment Area: Entire water body

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

1305 Caney Creek Above Tidal

Segment Description: From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to Old Caney Road in Wharton County

AU ID: **1305_02** Assessment Area: 25 miles surrounding SH 35

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source

AU ID: **1305_03** Assessment Area: Upper 55 miles of segment

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source; UNK- Source Unknown

CN Dissolved Oxygen 24hr minimum

UNK- Source Unknown; NPS- Non-Point Source

1401 Colorado River Tidal

Segment Description: From the confluence with the Gulf of Mexico in Matagorda County to a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County

AU ID: **1401_01** Assessment Area: Entire segment

NS Bacteria Geomean

NPS- Agriculture

NS Bacteria Single Sample

NPS- Agriculture

CS Nutrient Screening Levels

NPS- Agriculture; NPS- Wildlife Other than Waterfowl

1402 Colorado River Below La Grange

Segment Description: From a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County to a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County

AU ID: **1402_01** Assessment Area: Lower end to Wharton County line

CS Nutrient Screening Levels

NPS- Agriculture

AU ID: **1402_02** Assessment Area: Wharton County line to US 59

CS Nutrient Screening Levels

NPS- Agriculture

AU ID: **1402_06** Assessment Area: Cummins Creek to 5 mi above Fayette County line

CS Nutrient Screening Levels

NPS- Agriculture

AU ID: **1402_07** Assessment Area: Upper 17 miles of segment

CS Nutrient Screening Levels

NPS- Agriculture

1402A Cummins Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with the Colorado River upstream to the confluence of Boggy Creek at 1291 in Colorado County

AU ID: **1402A_01** Assessment Area: From the confluence with the Colorado River upstream to the confluence of Boggy Creek at FM 1291 in Colorado County

NS Fish Community

NPS- Natural Sources

CS Habitat

NPS- Natural Sources

NS Macrobenthic Community

NPS- Natural Sources

1402C Buckners Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County

AU ID: **1402C_01** Assessment Area: Entire water body

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1402G Fayette Reservoir (unclassified water body)

Segment Description: From Cedar Creek Dam to pool elevation of 391 feet - power plant cooling reservoir

AU ID: **1402G_02** Assessment Area: Near intake canal

CS Nutrient Screening Levels

PS- Industrial Thermal Discharges; UNK- Source Unknown

AU ID: **1402G_03** Assessment Area: Mid-lake near dam

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Industrial Thermal Discharges

1402H Skull Creek (unclassified water body)

Segment Description: From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

AU ID: **1402H_01** Assessment Area: Entire water body

NS Dissolved Oxygen 24hr average

NPS- Sand/gravel/rock Mining or Quarries; UNK- Source Unknown

CN Dissolved Oxygen 24hr minimum

NPS- Sand/gravel/rock Mining or Quarries; UNK- Source Unknown

1403 Lake Austin

Segment Description: From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to normal pool elevation of 492.8 feet (impounds Colorado River)

AU ID: **1403_01** Assessment Area: From Tom Miller dam to Loop 360 bridge

CS Toxic Substances in sediment

NPS- Natural Sources

AU ID: **1403_03** Assessment Area: Quinlan Park upstream to Mansfield Dam

NS Dissolved Oxygen 24hr average

NPS- Dam or Impoundment

NS Dissolved Oxygen 24hr minimum

NPS- Dam or Impoundment

1403A Bull Creek (unclassified water body)

Segment Description: From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

AU ID: **1403A_04** Assessment Area: From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery

NS Macrobenthic Community

UNK- Source Unknown; NPS- Non-Point Source

1403D Barrow Preserve Tributary (unclassified water body)

Segment Description: From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County to Barrow Preserve

AU ID: **1403D_01** Assessment Area: Entire water body

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

1403E Stillhouse Hollow (unclassified water body)

Segment Description: From the confluence of Bull Creek south of Loop 360 in Austin in Travis County to Spicewood Springs Park

AU ID: 1403E_01 Assessment Area: Entire water body

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

1403J Spicewood Tributary to Shoal Creek (unclassified water body)

Segment Description: From the MoPac Expressway in north Austin in Travis County to a point west of Hart Lane in Travis County

AU ID: 1403J_01 Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

1403K Taylor Slough South (unclassified water body)

Segment Description: Form the confluence of Lake Austin in Travis County to a point west of Pecos Street in Austin in Travis County

AU ID: 1403K_01 Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Bacteria Single Sample

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

1403R Westlake-Davenport Tributary to Lake Austin (unclassified water body)

Segment Description: From the confluence of Lake Austin in Travis County to a point east of Loop 360 and The High Road in Travis County

AU ID: 1403R_01 Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; UNK- Source Unknown; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; UNK- Source Unknown; NPS- Non-Point Source

1404 Lake Travis

Segment Description: From Mansfield Dam in Travis County to Max Starcke Dam on the Colorado River Arm in Burnet County and to a point immediately upstream of the confluence of Fall Creek on the Pedernales River Arm in Travis County, up to normal pool elevation of 681 feet (im

AU ID: 1404_05 Assessment Area: From the confluence with Cow Creek upstream to the confluence of the Pedernales River

CS Dissolved Oxygen grab screening level

NPS- Natural Sources

AU ID: 1404_06 Assessment Area: From the confluence with the Pedernales River upstream to Muleshoe Bend

CS Dissolved Oxygen grab screening level

NPS- Natural Sources

1406 Lake Lyndon B. Johnson

Segment Description: From Alvin Wirtz Dam in Burnet County to Roy Inks Dam on the Colorado River Arm in Burnet/Llano County and to a point immediately upstream of the confluence of Honey Creek on the Llano river Arm in Llano County, up to normal pool elevation of 825 feet (im

AU ID: 1406_01 Assessment Area: From Alvin Wirtz Dam upstream to Granite Shoals

CS Dissolved Oxygen grab screening level

NPS- Natural Sources

AU ID: 1406_06 Assessment Area: From a point near Pair Lane in Kingsland upstream to Roy Inks Dam

CS Dissolved Oxygen grab screening level

NPS- Dam or Impoundment

1407 Inks Lake

Segment Description: From Roy Inks Dam on the Colorado River Arm in Burnet/Llano County to Buchanan Dam in Burnet/Llano County, up to normal pool elevation of 888 feet (impounds the Colorado River)

AU ID: 1407_01 Assessment Area: From Roy Inks Dam upstream to the Clear Creek Arm

CS Toxic Substances in sediment

NPS- Natural Sources

AU ID: 1407_02 Assessment Area: From Clear Creel Arm upstream to Buchanan Dam

CS Dissolved Oxygen grab screening level

NPS- Dam or Impoundment

1407A Clear Creek

Segment Description: From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 miles (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

AU ID: 1407A_01 Assessment Area: From the confluence with Inks Lake upstream to FM 2341

CN Dissolved Solids

NPS- Impacts from Abandoned Mine Lands (Inactive)

CN Low pH

NPS- Impacts from Abandoned Mine Lands (Inactive)

1408 Lake Buchanan

Segment Description: From Buchanan Dam in Burnet/Llano County to a point immediately upstream of the confluence of Yancey Creek, up to normal pool elevation of 1020 feet (impounds Colorado River)

AU ID: 1408_05 Assessment Area: From the Willow Slough area upstream to the Headwaters near the Yancey Creek confluence

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

1410 Colorado River Below O. H. Ivie Reservoir

Segment Description: From the confluence of the San Saba River in San Saba County to S. W. Freese Dam in Coleman/Concho County

AU ID: 1410_01 Assessment Area: From the confluence of the San Saba River upstream to the confluence of Indian Creek

CS Nutrient Screening Levels

UNK- Source Unknown

1411 E. V. Spence Reservoir

Segment Description: From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

AU ID: 1411_01 Assessment Area: Main pool from the dam upstream to the Rough Creek confluence area

NS Dissolved Solids

UNK- Source Unknown

CN Fish Kill Reports

NPS- Natural Sources

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: 1411_02 Assessment Area: From the Rough Creek confluence area upstream to the confluence of Little Silver Creek

NS Dissolved Solids

NPS- Natural Sources

CN Fish Kill Reports

NPS- Natural Sources

1412 Colorado River Below Lake J. B. Thomas

Segment Description: From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

AU ID: 1412_01 Assessment Area: From the confluence of Little Silver Creek upstream to the confluence of Beals Creek

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: 1412_02 Assessment Area: From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station

NS Bacteria Geomean

NPS- Non-Point Source; PS- Point Source Unknown; UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; PS- Point Source Unknown; UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source; PS- Point Source Unknown

AU ID: **1412_03** Assessment Area: From the dam below Barber Reservoir pump station upstream to the confluence of Deep Creek

CS Nutrient Screening Levels

UNK- Source Unknown

1412A Lake Colorado City (unclassified water body)

Segment Description: From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)

AU ID: **1412A_01** Assessment Area: Entire water body

CN Fish Kill Reports

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1412B Beals Creek (unclassified water body)

Segment Description: From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

AU ID: **1412B_03** Assessment Area: From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw

CN Bacteria Geomean

NPS- Natural Sources

CN Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Natural Sources

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Natural Sources

1413 Lake J. B. Thomas

Segment Description: From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

AU ID: **1413_01** Assessment Area: Entire water body

NS Dissolved Solids

NPS- Natural Sources

1416 San Saba River

Segment Description: From the confluence with the Colorado River in San Saba County to the confluence of the North Valley Prong and the Middle Valley Prong in Schleicher County

AU ID: **1416_01** Assessment Area: From the confluence with the Colorado River in San Saba County upstream to the US 190

NS Bacteria Geomean

NPS- Livestock (Grazing or Feeding Operations); NPS- Non-Point Source; NPS- Highways, Roads, Bridges, Infrasturcture (New Construction)

1416A Brady Creek (unclassified water body)

Segment Description: From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

AU ID: **1416A_02** Assessment Area: From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

AU ID: **1416A_03** Assessment Area: From FM 714 upstream to Brady Lake dam

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Dissolved Oxygen 24hr minimum

NPS- Urban Runoff/Storm Sewers; UNK- Source Unknown; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Point Source Unknown

1417 Lower Pecan Bayou

Segment Description: From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County

AU ID: **1417_01** Assessment Area: Entire water body

CN Bacteria Single Sample

UNK- Source Unknown; PS- Point Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Point Source Unknown; NPS- Non-Point Source

1418 Lake Brownwood

Segment Description: From Lake Brownwood Dam in Brown County to a point 100 meters (110 yards) upstream of FM 2559 in Brown County, up to normal pool elevation of 1424.6 feet (impounds Pecan Bayou)

AU ID: **1418_01** Assessment Area: Mid-lake near dam

CS Toxic Substances in sediment

NPS- Natural Sources

1420 Pecan Bayou Above Lake Brownwood

Segment Description: From a point 100 meter (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong of Pecan Bayou in Callahan County

AU ID: **1420_01** Assessment Area: Lower 25 miles

CS Nutrient Screening Levels

PS- Point Source Unknown; NPS- Non-Point Source

1421 Concho River

Segment Description: From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

AU ID: **1421_01** Assessment Area: Downstream end to Chandler Lake confluence

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown; PS- Point Source Unknown

AU ID: **1421_02** Assessment Area: From Chandler Lake confluence upstream to confluence of Puddle Ck.

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown; NPS- Non-Point Source

AU ID: **1421_03** Assessment Area: From the confluence of Puddle Creek upstream to the confluence of Willow Creek

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; PS- Point Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown; NPS- Non-Point Source

AU ID: **1421_04** Assessment Area: From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source; PS- Point Source Unknown

AU ID: **1421_05** Assessment Area: From the confluence of an unnamed tributary near Chandler Rd. upstream to the confluence of Red Ck.

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; UNK- Source Unknown; PS- Point Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Point Source Unknown; UNK- Source Unknown

AU ID: 1421_06 Assessment Area: From the confluence of Red Creek upstream to the dam near Vines Rd.

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Agriculture; PS- Point Source Unknown; UNK- Source Unknown

CS Nutrient Screening Levels

PS- Point Source Unknown; NPS- Non-Point Source; UNK- Source Unknown; NPS- Agriculture

AU ID: 1421_07 Assessment Area: From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; PS- Point Source Unknown; UNK- Source Unknown

NS Macrobenthic Community

NPS- Non-Point Source; PS- Point Source Unknown; UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

AU ID: 1421_08 Assessment Area: North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source; PS- Point Source Unknown

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Non-Point Source; PS- Point Source Unknown

NS Dissolved Oxygen 24hr minimum

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

AU ID: 1421_09 Assessment Area: South Concho River, from the confluence with the North Concho upstream to Nasworthy Dam

CS Dissolved Oxygen grab screening level

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

1421A Dry Hollow Creek (unclassified water body)

Segment Description: From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87

AU ID: 1421A_01 Assessment Area: Entire water body

CS Nutrient Screening Levels

UNK- Source Unknown

1423 Twin Buttes Reservoir

Segment Description: From Twin Buttes Dam in Tom Green County to a point 100 meters (110 yards) upstream of US 67 on the Middle Concho River Arm in Tom Green County and to a point 4.0 km (2.5 miles) downstream of FM 2335 on the South Concho River Arm in Tom Green County, up t

AU ID: **1423_01** Assessment Area: North pool

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown; PS- Point Source Unknown

AU ID: **1423_02** Assessment Area: South pool

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown; PS- Point Source Unknown

1423B Dove Creek (unclassified water body)

Segment Description: From the confluence with Spring Creek above Twin Buttes Reservoir to the headwaters near FM 1828 in Schleicher County

AU ID: **1423B_01** Assessment Area: From the confluence of Spring Creek upstream to RR 915

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; UNK- Source Unknown; PS- Point Source Unknown

1425 O. C. Fisher Lake

Segment Description: From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

AU ID: **1425_01** Assessment Area: Entire reservoir

NS Dissolved Solids

NPS- Natural Sources

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown; NPS- Non-Point Source

1425A North Concho River (unclassified water body)

Segment Description: From the headwaters of OC Fisher Lake near San Angelo in Tom Green County upstream to the Glasscock/Howard County line

AU ID: **1425A_02** Assessment Area: Sterling County line to SH 163

CN Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Non-Point Source

1426 Colorado River Below E. V. Spence Reservoir

Segment Description: From a point 3.7 km (2.3 miles) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

AU ID: **1426_01** Assessment Area: Lower end of segment to Country Club Lake

NS Dissolved Solids

UNK- Source Unknown; PS- Point Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Natural Sources

AU ID: **1426_02** Assessment Area: Country Club Lake to Coke County line

NS Dissolved Solids

PS- Point Source Unknown; NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

PS- Point Source Unknown; NPS- Non-Point Source; UNK- Source Unknown

AU ID: **1426_03** Assessment Area: Coke County line to SH 208

NS Dissolved Solids

NPS- Natural Sources

CS Nutrient Screening Levels

NPS- Natural Sources

AU ID: **1426_04** Assessment Area: SH 208 to dam

CS Dissolved Oxygen grab screening level

NPS- Natural Sources

NS Dissolved Solids

PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Natural Sources

1426A Oak Creek Reservoir (unclassified water body)

Segment Description: From Oak Creek Dam up to normal pool elevation of 2,000.0 feet north of Bronte in Coke County (impounds Oak Creek)

AU ID: **1426A_01** Assessment Area: Entire water body

CS Finished Drinking Water Dissolved Solids average

NPS- Natural Sources

1426C Bluff Creek (unclassified water body)

Segment Description: From the confluence with Elm Creek in Runnels County upstream to a point 1 mile east of US Hwy 277 in Taylor County.

AU ID: **1426C_01** Assessment Area: From the confluence with Elm Creek upstream to the confluence of Mill Creek

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; UNK- Source Unknown

1426D Coyote Creek (unclassified water body)

Segment Description: From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County.

AU ID: **1426D_01** Assessment Area: Entire water body

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Point Source Unknown; UNK- Source Unknown

1427A Slaughter Creek (unclassified water body)

Segment Description: Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

AU ID: **1427A_01** Assessment Area: Entire water body

CN Dissolved Oxygen 24hr average

NPS- Natural Sources

CN Dissolved Oxygen 24hr minimum

NPS- Natural Sources

NS Macrobenthic Community

UNK- Source Unknown; NPS- Natural Sources

1427G Granada Hills Tributary to Slaughter Creek (unclassified water body)

Segment Description: Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County

AU ID: **1427G_01** Assessment Area: Entire water body

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown

1428 Colorado River Below Town Lake

Segment Description: From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County

AU ID: **1428_01** Assessment Area: Lower end of segment to Gilleland Creek confluence

CN Fish Community

UNK- Source Unknown

CN Macrobenthic Community

PS- Municipal Point Source Discharges; UNK- Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; UNK- Source Unknown; NPS- Non-Point Source

AU ID: **1428_03** Assessment Area: Walnut Creek to Longhorn Dam

NS Bacteria Geomean

PS- Municipal Point Source Discharges; UNK- Source Unknown; NPS- Non-Point Source

1428B Walnut Creek (unclassified water body)

Segment Description: From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

AU ID: **1428B_01** Assessment Area: From the Colorado River upstream to FM 969

NS Bacteria Geomean

UNK- Source Unknown; PS- Point Source Unknown; NPS- Non-Point Source

AU ID: **1428B_03** Assessment Area: From old Manor Road upstream to Dessau Road

NS Bacteria Geomean

PS- Point Source Unknown; NPS- Non-Point Source; UNK- Source Unknown

AU ID: **1428B_04** Assessment Area: From Dessau Rd. upstream to MoPac/Loop 1

CN Macrobenthic Community

NPS- Non-Point Source; PS- Point Source Unknown; UNK- Source Unknown

AU ID: **1428B_05** Assessment Area: From MoPac/Loop 1 upstream to railroad tracks west of Loop 1

CN Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; PS- Point Source Unknown

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; PS- Point Source Unknown

1428C Gilleland Creek (unclassified water body)

Segment Description: Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

AU ID: **1428C_01** Assessment Area: From the Colorado River upstream to Taylor Lane

NS Bacteria Geomean

PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

AU ID: **1428C_02** Assessment Area: From Taylor Lane upstream to Old Highway 20

CN Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

AU ID: **1428C_03** Assessment Area: From Old Highway 20 to Cameron Road

CN Bacteria Geomean

UNK- Source Unknown

AU ID: **1428C_04** Assessment Area: From Cameron Road to the spring source

CN Bacteria Geomean

UNK- Source Unknown

1429 Town Lake

Segment Description: From Longhorn Dam in Travis County to Tom Miller Dam in Travis County, up to the normal pool elevation of 429 feet (impounds Colorado River)

AU ID: **1429_01** Assessment Area: Longhorn Dam upstream to Lamar Street bridge

CS Nutrient Screening Levels

NPS- Unspecified Urban Stormwater; NPS- Municipal (Urbanized High Density Area) Runoff

1429B Eanes Creek (unclassified water body)

Segment Description: From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

AU ID: **1429B_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source; PS- Point Source Unknown; UNK- Source Unknown

1429C Waller Creek (unclassified water body)

Segment Description: From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

AU ID: **1429C_01** Assessment Area: From the confluence with Town Lake to East MLK Blvd.

CN Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; UNK- Source Unknown

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; UNK- Source Unknown

NS Macrobenthic Community

UNK- Source Unknown; NPS- Non-Point Source; PS- Point Source Unknown

AU ID: 1429C_02 Assessment Area: From East MLK Blvd. to East 41st Street

CN Bacteria Geomean

NPS- Impervious Surface/Parking Lot Runoff; UNK- Source Unknown; NPS- Non-Point Source; PS- Point Source Unknown

CN Bacteria Single Sample

PS- Point Source Unknown; NPS- Impervious Surface/Parking Lot Runoff; NPS- Non-Point Source; UNK- Source Unknown

CS Toxic Substances in sediment

NPS- Impervious Surface/Parking Lot Runoff; UNK- Source Unknown; NPS- Non-Point Source; PS- Point Source Unknown

AU ID: 1429C_03 Assessment Area: Upper portion of creek

NS Bacteria Geomean

NPS- Municipal (Urbanized High Density Area) Runoff; UNK- Source Unknown; PS- Point Source Unknown; NPS- Non-Point Source

NS Bacteria Single Sample

UNK- Source Unknown; PS- Point Source Unknown; NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Non-Point Source

1429D East Bouldin Creek (unclassified water body)

Segment Description: From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County

AU ID: 1429D_01 Assessment Area: Entire water body

CS Toxic Substances in sediment

NPS- Urban Runoff/Storm Sewers; NPS- Unspecified Urban Stormwater

1430 Barton Creek

Segment Description: From the confluence with Town Lake in Travis County to FM 12 in Hays County

AU ID: 1430_02 Assessment Area: From Barton Springs Pool upstream dam to a point 2 miles upstream of Loop 1

CN LOE Toxic Sediment condition

NPS- Impervious Surface/Parking Lot Runoff; NPS- Municipal (Urbanized High Density Area) Runoff

AU ID: 1430_04 Assessment Area: SH 71 upstream to Hays County Line

CS Dissolved Oxygen grab screening level

NPS- Natural Sources

1430A Barton Springs (unclassified water body)

Segment Description: Barton Springs 0.4 mile upstream of Barton Springs Road in Austin in Travis County

AU ID: 1430A_01 Assessment Area: Barton Springs Pool - entire water body

CN LOE Toxic Sediment condition

NPS- Municipal (Urbanized High Density Area) Runoff; NPS- Impervious Surface/Parking Lot Runoff

1430B Tributaries to Barton Creek (unclassified water bodies)

Segment Description: Tributaries to Barton Creek in Travis County and Hays County

AU ID: **1430B_01** Assessment Area: Tributaries entering Barton Cr from a point 2 mi upstream of Loop 1 upstream to Barton Creek Blvd.

CS Nutrient Screening Levels

NPS- Golf Courses

1431 Mid Pecan Bayou

Segment Description: From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

AU ID: **1431_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Agriculture

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Agriculture

1434 Colorado River above La Grange

Segment Description: From a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County to a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County

AU ID: **1434_02** Assessment Area: Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

AU ID: **1434_03** Assessment Area: From the confluence of Reeds Creek west of Smithville upstream to the end of segment

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Point Source Unknown

1434B Cedar Creek (unclassified water body)

Segment Description: Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

AU ID: **1434B_01** Assessment Area: Entire water body

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; PS- Point Source Unknown

1501 Tres Palacios Creek Tidal

Segment Description: From the confluence with Tres Palacios Bay in Matagorda County to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County

AU ID: **1501_01** Assessment Area: Entire segment

NS Bacteria Geomean

NPS- Agriculture; NPS- Irrigated Crop Production

NS Bacteria Single Sample

NPS- Agriculture; NPS- Irrigated Crop Production

NS Dissolved Oxygen 24hr average

NPS- Agriculture; NPS- Irrigated Crop Production

NS Dissolved Oxygen 24hr minimum

NPS- Agriculture; NPS- Irrigated Crop Production

CS Nutrient Screening Levels

NPS- Agriculture; NPS- Irrigated Crop Production

1502 Tres Palacios Creek Above Tidal

Segment Description: From a point 1.0 km (0.6 miles) upstream of the confluence of Wilson Creek in Matagorda County to US 59 in Wharton County

AU ID: **1502_01** Assessment Area: Middle 23 miles of segment

NS Bacteria Geomean

PS- Municipal Point Source Discharges; PS- Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO)

1602 Lavaca River Above Tidal

Segment Description: From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to a point 5.5 km (3.4 miles) upstream of SH 95 in Lavaca County

AU ID: **1602_01** Assessment Area: Upper 29 miles of segment

NS Dissolved Oxygen 24hr average

NPS- Drought-related Impacts

NS Dissolved Oxygen 24hr minimum

NPS- Drought-related Impacts

CS Nutrient Screening Levels

NPS- Drought-related Impacts

AU ID: **1602_02** Assessment Area: Middle 34 miles of segment between SH111 and US90

NS Bacteria Geomean

UNK- Source Unknown

AU ID: **1602_03** Assessment Area: Lower 31 miles of segment

NS Bacteria Geomean

UNK- Source Unknown

1604 Lake Texana

Segment Description: From Palmetto Bend Dam in Jackson County to a point 100 meters (110 yards) downstream of FM 530 in Jackson County, up to normal pool elevation of 44 feet (impounds Navidad River)

AU ID: **1604_01** Assessment Area: Navidad River arm of Lake Texana

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Unspecified Urban Stormwater

AU ID: **1604_02** Assessment Area: East Mustang Creek arm of Lake Texana

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source

AU ID: **1604_03** Assessment Area: Upstream middle portion of Lake Texana

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source

AU ID: **1604_04** Assessment Area: Downstream middle portion of Lake Texana

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

AU ID: **1604_05** Assessment Area: Downstream portion of Lake Texana

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

1701 Victoria Barge Canal

Segment Description: From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County

AU ID: **1701_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

NPS- Non-Point Source

1801 Guadalupe River Tidal

Segment Description: From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 miles) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

AU ID: **1801_01** Assessment Area: Entire segment

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; PS- Point Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

1802 Guadalupe River Below San Antonio River

Segment Description: From the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 kilometer (0.4 mile) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/Ref

AU ID: **1802_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown

1803A Elm Creek (unclassified water body)

Segment Description: From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

AU ID: **1803A_01** Assessment Area: Entire water body

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source; PS- Point Source Unknown

NS Dissolved Oxygen 24hr minimum

NPS- Non-Point Source; PS- Point Source Unknown

1803B Sandies Creek (unclassified water body)

Segment Description: From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

AU ID: **1803B_01** Assessment Area: From the confluence with the Guadalupe River to the confluence with Elm Ck.

NS Bacteria Geomean

UNK- Source Unknown

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

AU ID: **1803B_02** Assessment Area: From the confluence with Elm Creek to upper end of water body

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown

1803C Peach Creek (unclassified water body)

Segment Description: From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

AU ID: **1803C_01** Assessment Area: Lower 25 miles of water body

NS Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

AU ID: **1803C_03** Assessment Area: From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.

NS Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

NS Dissolved Oxygen grab minimum

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

1804A Geronimo Creek (unclassified water body)

Segment Description: From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

AU ID: **1804A_01** Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1805 Canyon Lake

Segment Description: From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

AU ID: **1805_01** Assessment Area: Cove around Jacob's Creek Park

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **1805_02** Assessment Area: North end of Crane's Mill Park peninsula to south end of Canyon Park

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **1805_03** Assessment Area: Upper end of segment

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **1805_04** Assessment Area: Lower end of reservoir from dam upstream to Canyon Park

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

1806 Guadalupe River Above Canyon Lake

Segment Description: From a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County to the confluence of North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

AU ID: **1806_04** Assessment Area: From 1 mile upstream Flat Rock Dam to confluence with Camp Meeting Creek

NS Bacteria Geomean

UNK- Source Unknown

AU ID: **1806_06** Assessment Area: From RR 394 1 mile downstream

NS Bacteria Geomean

UNK- Source Unknown

AU ID: **1806_08** Assessment Area: From 25 miles upstream of lower end to confluence with Big Joshua Creek

NS Bacteria Geomean

PS- Point Source Unknown; UNK- Source Unknown

1806A Camp Meeting Creek (unclassified water body)

Segment Description: From the confluence of Flatrock Lake in southeast Kerrville in Kerr County to the upstream perennial portion of the stream west of Kerrville in Kerr County

AU ID: **1806A_03** Assessment Area: Upper 9 miles

NS Dissolved Oxygen 24hr average

UNK- Source Unknown

1810 Plum Creek

Segment Description: From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

AU ID: **1810_01** Assessment Area: Confluence with San Marcos River to approx. 2.5 mi. upstream of the confluence with Clear Fork Plum Creek

NS Bacteria Geomean

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1810_02** Assessment Area: From approx. 2.5 mi. upstream of confluence with Clear Fork Plum Ck to approx. 0.5 mi upstream of SH21

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Point Source Unknown

AU ID: **1810_03** Assessment Area: From approx. 0.5 mi. upstream of SH 21 to upper end of segment

NS Bacteria Geomean

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1813 Upper Blanco River

Segment Description: From a point 0.3 km (0.2 miles) upstream of Limekiln Road in Hays County to the confluence of Meier Creek in Kendall County

AU ID: **1813_05** Assessment Area: From Hays CR 1492 to Blanco CR 406

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

1817 North Fork Guadalupe River

Segment Description: From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 miles) upstream of Boneyard Draw in Kerr County

AU ID: **1817_01** Assessment Area: Entire segment

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

1901 Lower San Antonio River

Segment Description: From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

AU ID: **1901_01** Assessment Area: 25 miles downstream of the confluence with Manahuilla Creek

NS Bacteria Geomean

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1901_02** Assessment Area: 25 miles upstream of Manahuilla Creek

NS Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

AU ID: **1901_03** Assessment Area: From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1901_04** Assessment Area: 9 miles downstream of Escondido Creek

NS Bacteria Geomean

UNK- Source Unknown; PS- Point Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

AU ID: **1901_05** Assessment Area: From upstream end of segment to Escondido Creek

NS Bacteria Geomean

UNK- Source Unknown

CN Fish Community

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1901_06** Assessment Area: Lower 31 miles of segment

CS Nutrient Screening Levels

UNK- Source Unknown

1902 Lower Cibolo Creek

Segment Description: From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

AU ID: **1902_01** Assessment Area: Lower 5 miles of segment

NS Bacteria Geomean

UNK- Source Unknown; PS- Point Source Unknown

CN Bacteria Single Sample

PS- Point Source Unknown; UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

AU ID: **1902_02** Assessment Area: From 5 miles upstream of confluence with the San Antonio River to FM 541

NS Bacteria Geomean

UNK- Source Unknown

NS Fish Community

UNK- Source Unknown

AU ID: **1902_03** Assessment Area: From FM 541 to confluence with Clifton Branch

NS Bacteria Geomean

PS- Point Source Unknown; NPS- Non-Point Source

CN Fish Community

PS- Point Source Unknown; NPS- Non-Point Source

AU ID: **1902_04** Assessment Area: From confluence with Clifton Branch to the confluence with Elm Creek

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1902_05** Assessment Area: Upper end of segment

CS Nutrient Screening Levels

UNK- Source Unknown

1903 Medina River Below Medina Diversion Lake

Segment Description: From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

AU ID: **1903_01** Assessment Area: Lower 5 miles of segment

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1903_02** Assessment Area: From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1903_03** Assessment Area: From 1.5 miles upstream of Leon Cr to confluence with Live Oak Slough

CN Fish Community

PS- Point Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Point Source Unknown; NPS- Non-Point Source

AU ID: **1903_04** Assessment Area: From confluence with Live Oak Slough to upstream 25 miles

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1903_05** Assessment Area: Upper 32 miles of segment

CN Fish Community

PS- Point Source Unknown; NPS- Non-Point Source

1905 Medina River Above Medina Lake

Segment Description: From the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

AU ID: **1905_01** Assessment Area: From lower end of segment to RR 470, upstream of Bandera

NS Fish Community

UNK- Source Unknown

CS Habitat

UNK- Source Unknown

AU ID: **1905_02** Assessment Area: Remainder of segment

CN Fish Community

UNK- Source Unknown

1906 Lower Leon Creek

Segment Description: From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

AU ID: **1906_01** Assessment Area: Lower 3 miles of segment

CS Nutrient Screening Levels

UNK- Source Unknown

CS Toxic Substances in sediment

UNK- Source Unknown

AU ID: **1906_02** Assessment Area: From 3 miles upstream lower end of segment to confluence with Indian Creek

CS Toxic Substances in sediment

UNK- Source Unknown

AU ID: **1906_03** Assessment Area: From confluence with Indian Creek to Hwy 353

CS Toxic Substances in sediment

UNK- Source Unknown

AU ID: **1906_04** Assessment Area: From Hwy 353 to two miles upstream

NS Bacteria Geomean

UNK- Source Unknown

CS Toxic Substances in sediment

UNK- Source Unknown

AU ID: **1906_05** Assessment Area: From 2 miles upstream of Hwy 353 to Hwy 90

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

CS Toxic Substances in sediment

PS- Point Source Unknown; NPS- Non-Point Source

AU ID: **1906_06** Assessment Area: Remainder of segment

NS Bacteria Geomean

NPS- Non-Point Source; PS- Point Source Unknown

CN Fish Community

UNK- Source Unknown

CS Habitat

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

CS Toxic Substances in sediment

PS- Point Source Unknown; UNK- Source Unknown

1907 Upper Leon Creek

Segment Description: From a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County to a point 9.0 km (5.6 miles) upstream of Scenic Loop Road north of Helotes in Bexar County

AU ID: **1907_01** Assessment Area: Entire segment

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

1908 Upper Cibolo Creek

Segment Description: From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County

AU ID: **1908_01** Assessment Area: From confl. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne

CS Habitat

PS- Point Source Unknown; UNK- Source Unknown

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown

AU ID: **1908_02** Assessment Area: From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment

NS Bacteria Geomean

PS- Point Source Unknown; UNK- Source Unknown

NS Bacteria Single Sample

PS- Point Source Unknown; UNK- Source Unknown

CS Nutrient Screening Levels

PS- Point Source Unknown; UNK- Source Unknown

1910 Salado Creek

Segment Description: From the confluence with the San Antonio River in Bexar County to Rocking Horse Lane west of Camp Bullis in Bexar County

AU ID: **1910_01** Assessment Area: From confluence with San Antonio River to confluence with Rosillo Creek

NS Bacteria Geomean

UNK- Source Unknown

AU ID: **1910_02** Assessment Area: From confluence with Rosillo Creek to Roland Road

NS Bacteria Geomean

NPS- Non-Point Source

CN Fish Community

NPS- Non-Point Source

AU ID: **1910_03** Assessment Area: From Roland Road to Rice Road

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

NPS- Non-Point Source; NPS- Loss of Riparian Habitat

CS Dissolved Oxygen grab screening level

NPS- Loss of Riparian Habitat; NPS- Non-Point Source

NS Fish Community

UNK- Source Unknown

NS Macrobenthic Community

NPS- Non-Point Source; NPS- Loss of Riparian Habitat

AU ID: **1910_04** Assessment Area: From Rice Road to IH 10

NS Bacteria Single Sample

NPS- Non-Point Source; PS- Point Source Unknown

NS Dissolved Oxygen grab minimum

UNK- Source Unknown

AU ID: **1910_05** Assessment Area: From IH 10 to approx 1.5 miles upstream of IH 35

NS Fish Community

NPS- Habitat Modification - other than Hydromodification; NPS- Non-Point Source

AU ID: **1910_06** Assessment Area: From approx. 1.5 miles upstream of IH 35 to Hwy 368

NS Bacteria Geomean

PS- Point Source Unknown; UNK- Source Unknown

CN Bacteria Single Sample

PS- Point Source Unknown; NPS- Non-Point Source

CN Fish Community

PS- Point Source Unknown; NPS- Non-Point Source

AU ID: **1910_07** Assessment Area: From Hwy 368 to approx 1.5 miles upstream of Loop 410

NS Dissolved Oxygen grab minimum

NPS- Dam or Impoundment

CS Dissolved Oxygen grab screening level

NPS- Dam or Impoundment

NS Fish Community

NPS- Dam or Impoundment

CS Habitat

NPS- Dam or Impoundment

NS Macrobenthic Community

NPS- Dam or Impoundment

1910A Walzem Creek (unclassified water body)

Segment Description: From the confluence with Salado Creek to approximately 1.5 miles upstream of Walzem Road in San Antonio

AU ID: **1910A_01** Assessment Area: Lower 0.25 miles

CN Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

UNK- Source Unknown

1911 Upper San Antonio River

Segment Description: From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

AU ID: **1911_01** Assessment Area: Lower 6 miles of segment

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1911_02** Assessment Area: From 6 miles upstream of lower end of segment to confluence with Picosa Cr

NS Bacteria Geomean

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown; PS- Point Source Unknown

AU ID: **1911_03** Assessment Area: From confluence with Picosa Creek to approx. 2.5 miles upstream of FM 536

NS Bacteria Geomean

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1911_04** Assessment Area: From approx. 2.5 miles upstream of FM 528 to Bexar CR 125

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1911_05** Assessment Area: From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1911_06** Assessment Area: From 2 miles downstream of confluence with Medina River to confluence

NS Bacteria Geomean

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1911_07** Assessment Area: From the confluence with the Medina River to 3 miles upstream

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1911_08** Assessment Area: From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr

NS Bacteria Geomean

UNK- Source Unknown

AU ID: **1911_09** Assessment Area: From confluence with Salado Creek to confluence with Sixmile Creek

NS Bacteria Geomean

UNK- Source Unknown

NS Fish Community

UNK- Source Unknown

AU ID: **1911_10** Assessment Area: From confluence with Sixmile Creek to confluence with San Pedro Creek

NS Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1911_11** Assessment Area: Upper 8 miles of segment

NS Bacteria Geomean

UNK- Source Unknown

NS Bacteria Single Sample

PS- Point Source Unknown; UNK- Source Unknown

CN Fish Community

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1912 Medio Creek

Segment Description: From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 miles) upstream of IH 35 in San Antonio in Bexar County

AU ID: **1912_01** Assessment Area: Entire segment

CN Fish Community

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1912A Upper Medio Creek (unclassified water body)

Segment Description: From approximately 1.0 kilometer (0.6 miles) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mile upstream of the Bexar/Medina County Line

AU ID: **1912A_01** Assessment Area: Entire water body

CN Bacteria Geomean

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

1913 Mid Cibolo Creek

Segment Description: From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

AU ID: **1913_01** Assessment Area: Lower 7 miles of segment from IH 10 to Bexar CR 320

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1913_02** Assessment Area: From Bexar CR 320 to approx. 0.50 miles upstream of Buffalo Lane in Cibolo

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **1913_03** Assessment Area: From approx. 0.50 mi. upstream of Buffalo Lane in Cibolo to upper end of segment

NS Bacteria Geomean

PS- Point Source Unknown; UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

2001 Mission River Tidal

Segment Description: From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers (4.6 miles) downstream of US 77 in Refugio County

AU ID: **2001_01** Assessment Area: Entire segment

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source

NS Bacteria Single Sample

UNK- Source Unknown; NPS- Non-Point Source

2003 Aransas River Tidal

Segment Description: From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County

AU ID: **2003_01** Assessment Area: Entire segment

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source; PS- Municipal Point Source Discharges

NS Bacteria Single Sample

NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

2004 Aransas River Above Tidal

Segment Description: From a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County to the confluence of Poesta Creek and Aransas Creek in Bee County

AU ID: **2004_02** Assessment Area: Upper 18 miles of segment

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

2004A West Aransas Creek (unclassified water body)

Segment Description: From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

AU ID: **2004A_01** Assessment Area: Entire 20 miles of segment

NS Bacteria Geomean

NPS- Non-Point Source

CN Dissolved Oxygen grab minimum

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source

2101 Nueces River Tidal

Segment Description: From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 miles) upstream of US 77/IH 37 in Nueces/San Patricio County

AU ID: **2101_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source

2102 Nueces River Below Lake Corpus Christi

Segment Description: From Calallen Dam 1.7 km (1.1 miles) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County

AU ID: **2102_01** Assessment Area: Lower 25 miles of segment

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source

2103 Lake Corpus Christi

Segment Description: From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)

AU ID: **2103_01** Assessment Area: Mid-lake near dam

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source

AU ID: **2103_02** Assessment Area: Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source

AU ID: **2103_06** Assessment Area: Remainder of lake

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source

2104 Nueces River Above Frio River

Segment Description: From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

AU ID: **2104_01** Assessment Area: Lower 20 miles of segment

CN Fish Community

UNK- Source Unknown

CS Habitat

UNK- Source Unknown

CN Macrobenthic Community

UNK- Source Unknown

AU ID: **2104_02** Assessment Area: 25 miles surrounding State Highway 16

CN Fish Community

NPS- Non-Point Source; UNK- Source Unknown

AU ID: **2104_03** Assessment Area: Upper 46 miles of segment

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source; UNK- Source Unknown

CN Fish Community

NPS- Non-Point Source; UNK- Source Unknown

2105 Nueces River Above Holland Dam

Segment Description: From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County

AU ID: **2105_01** Assessment Area: Lower 25 miles of segment

CS Dissolved Oxygen grab screening level

UNK- Source Unknown; NPS- Non-Point Source

2106 Nueces/Lower Frio River

Segment Description: From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

AU ID: **2106_01** Assessment Area: Lower 17 miles of segment

NS Dissolved Solids

UNK- Source Unknown; NPS- Non-Point Source

AU ID: **2106_02** Assessment Area: Upper 10 miles of segment

NS Dissolved Solids

NPS- Non-Point Source; UNK- Source Unknown

2107 Atascosa River

Segment Description: From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

AU ID: **2107_01** Assessment Area: Lower 25 miles of segment

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

AU ID: **2107_02** Assessment Area: 25 miles surrounding FM 541

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source

CN Bacteria Single Sample

PS- Point Source Unknown; UNK- Source Unknown; NPS- Non-Point Source

NS Dissolved Oxygen 24hr average

UNK- Source Unknown; NPS- Non-Point Source

NS Fish Community

NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

AU ID: **2107_03** Assessment Area: 25 miles surrounding State Highway 97

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source; UNK- Source Unknown

NS Fish Community

NPS- Non-Point Source; UNK- Source Unknown

CS Habitat

NPS- Non-Point Source; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

2108 San Miguel Creek

Segment Description: From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

AU ID: **2108_01** Assessment Area: Lower 25 miles of segment

NS Bacteria Geomean

NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

2109 Leona River

Segment Description: From the confluence with the Frio River in Frio County to US 83 in Uvalde County

AU ID: **2109_01** Assessment Area: Lower 25 miles of segment

NS Bacteria Geomean

NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; UNK- Source Unknown; NPS- Non-Point Source

AU ID: **2109_02** Assessment Area: 25 miles surrounding US Highway 57

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

AU ID: **2109_03** Assessment Area: Upper 28 miles of segment

NS Bacteria Geomean

NPS- Non-Point Source; UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown; NPS- Non-Point Source; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source; PS- Municipal Point Source Discharges

2110 Lower Sabinal River

Segment Description: From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

AU ID: **2110_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Municipal Point Source Discharges

2113 Upper Frio River

Segment Description: From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

AU ID: **2113_01** Assessment Area: Lower 25 miles of segment

NS Fish Community

NPS- Non-Point Source; UNK- Source Unknown

CS Habitat

NPS- Non-Point Source; UNK- Source Unknown

NS Macrobenthic Community

UNK- Source Unknown; NPS- Non-Point Source

AU ID: **2113_02** Assessment Area: Upper 22 miles of segment

NS Fish Community

UNK- Source Unknown

CS Habitat

UNK- Source Unknown

2116 Choke Canyon Reservoir

Segment Description: From Choke Canyon Dam in Live Oak County to a point 4.2 km (2.6 miles) downstream of SH 16 on the Frio River Arm in McMullen County and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm in McMullen

AU ID: **2116_05** Assessment Area: Southern arm near mid lake and Rec. Road 7 west of Calliham

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; UNK- Source Unknown

AU ID: **2116_06** Assessment Area: Western end of lake up to RR 99 bridge

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; PS- Municipal Point Source Discharges

2117 Frio River Above Choke Canyon Reservoir

Segment Description: From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

AU ID: **2117_01** Assessment Area: Lower 25 miles of segment

NS Dissolved Oxygen grab minimum

NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

AU ID: **2117_02** Assessment Area: From 1.5 mi. downstream of SH 97 to 23.5 mi. upstream of SH 97 crossing

NS Bacteria Geomean

NPS- Non-Point Source; UNK- Source Unknown

NS Dissolved Oxygen grab minimum

UNK- Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source

AU ID: **2117_03** Assessment Area: 33 mi. surrounding State Highway 85

NS Dissolved Oxygen grab minimum

NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

AU ID: **2117_04** Assessment Area: 40 miles surrounding US Highway 57

NS Dissolved Oxygen grab minimum

UNK- Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source

2201 Arroyo Colorado Tidal

Segment Description: From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

AU ID: **2201_01** Assessment Area: Lower 9.0 miles of segment

CS Nutrient Screening Levels

NPS- Irrigated Crop Production; PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

AU ID: **2201_02** Assessment Area: Approx. 2 miles upstream to approx. 2 miles downstream of Marker 22

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers; NPS- Irrigated Crop Production

AU ID: **2201_03** Assessment Area: Approx. 3 miles upstream to 2 miles downstream of Marker 27

NS Bacteria Geomean

NPS- Irrigated Crop Production; NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Irrigated Crop Production; NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **2201_04** Assessment Area: Approx. 1 mile upstream to 3 miles downstream of Camp Perry

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; NPS- Irrigated Crop Production

NS Dissolved Oxygen 24hr minimum

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; NPS- Irrigated Crop Production

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; NPS- Irrigated Crop Production

AU ID: **2201_05** Assessment Area: Upper 4 miles of segment

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- Irrigated Crop Production; NPS- Urban Runoff/Storm Sewers

CN Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

NS Dissolved Oxygen 24hr average

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; NPS- Irrigated Crop Production

NS Dissolved Oxygen 24hr minimum

PS- Municipal Point Source Discharges; NPS- Irrigated Crop Production; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

2202 Arroyo Colorado Above Tidal

Segment Description: From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

AU ID: **2202_01** Assessment Area: Lower 4 miles of segment

NS Bacteria Geomean

NPS- Irrigated Crop Production

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Irrigated Crop Production

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **2202_02** Assessment Area: Approx. 11 miles upstream to approx. 4 miles downstream of US 77

NS Bacteria Geomean

NPS- Irrigated Crop Production

NS Bacteria Single Sample

NPS- Irrigated Crop Production

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Irrigated Crop Production

CS Nutrient Screening Levels

NPS- Irrigated Crop Production

AU ID: **2202_03** Assessment Area: Approx 14 miles upstream to approx. 11 miles downstream of FM 1015

NS Bacteria Geomean

NPS- Irrigated Crop Production

NS Bacteria Single Sample

NPS- Irrigated Crop Production

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Irrigated Crop Production

CS Nutrient Screening Levels

NPS- Irrigated Crop Production; NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **2202_04** Assessment Area: Upper 19 miles of segment

NS Bacteria Geomean

NPS- Irrigated Crop Production

NS Bacteria Single Sample

NPS- Irrigated Crop Production

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Irrigated Crop Production

CS Nutrient Screening Levels

NPS- Irrigated Crop Production

2202A Donna Reservoir (unclassified water body)

Segment Description: Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County

AU ID: **2202A_01** Assessment Area: Entire reservoir

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown

2202B Unnamed Drainage Ditch Tributary (B) to S. Arroyo Colorado (unclassified water body)

Segment Description: Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

AU ID: **2202B_01** Assessment Area: Entire 0.8 miles of segment

CN Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Irrigated Crop Production

2202C Unnamed Drainage Ditch Tributary (C) to S. Arroyo Colorado (unclassified water body)

Segment Description: From the confluence with S. Arroyo Colorado to a point 1.1 miles upstream near US Highway 281.

AU ID: **2202C_01** Assessment Area: Entire 1.1 miles of segment

CN Bacteria Geomean

NPS- Irrigated Crop Production; PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Irrigated Crop Production; PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

2203 Petronila Creek Tidal

Segment Description: From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County

AU ID: **2203_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

UNK- Source Unknown

2204 Petronila Creek Above Tidal

Segment Description: From a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

AU ID: **2204_01** Assessment Area: Lower 25 miles of segment

NS Dissolved Solids

NPS- Petroleum/natural Gas Production Activities (Permitted)

CS Nutrient Screening Levels

NPS- Petroleum/natural Gas Production Activities (Permitted)

AU ID: **2204_02** Assessment Area: Upper 19 miles of segment

NS Dissolved Solids

NPS- Petroleum/natural Gas Production Activities (Permitted)

2301 Rio Grande Tidal

Segment Description: From the confluence with the Gulf of Mexico in Cameron County to a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County

AU ID: **2301_01** Assessment Area: Upper segment boundary to 25 miles upstream of lower segment boundary (mouth of Rio Grande)

CN Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Sources Outside State Juristiction or Borders

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Sources Outside State Juristiction or Borders

AU ID: **2301_02** Assessment Area: 25 miles upstream of lower segment boundary (mouth of Rio Grande)

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers; NPS- Sources Outside State Juristiction or Borders

2302 Rio Grande Below Falcon Reservoir

Segment Description: From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

AU ID: **2302_01** Assessment Area: Falcon Dam to Arroyo Los Olmos confluence

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown

AU ID: **2302_02** Assessment Area: Arroyo Los Olmos confluence to Los Ebanos Ferry Crossing

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown

AU ID: **2302_03** Assessment Area: Los Ebanos Ferry Crossing to Anzalduas Dam

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown

AU ID: **2302_04** Assessment Area: Anzalduas Dam to McAllen Int'l Bridge (US 281)

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown

AU ID: **2302_05** Assessment Area: McAllen Int'l Bridge(US 281) to Progresso Int'l Bridge (FM 1015)

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown

AU ID: **2302_06** Assessment Area: Progresso Int'l Bridge (FM 1015) to the Rancho Viejo Floodway area

CS Bioaccumulative Toxics in fish tissue

UNK- Source Unknown

AU ID: **2302_07** Assessment Area: Rancho Viejo Floodway area to El Jardin Pump Station

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Sources Outside State Juristiction or Borders

NS Bacteria Single Sample

NPS- Sources Outside State Juristiction or Borders; NPS- Urban Runoff/Storm Sewers

CS Bioaccumulative Toxics in fish tissue

NPS- Urban Runoff/Storm Sewers; NPS- Sources Outside State Juristiction or Borders

CS Dissolved Oxygen grab screening level

NPS- Sources Outside State Juristiction or Borders; NPS- Urban Runoff/Storm Sewers

2302A Arroyo Los Olmos (unclassified water body)

Segment Description: From confluence with the Rio Grande at Rio Grande City to El Sauz in Starr County

AU ID: **2302A_01** Assessment Area: Entire water body

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source

NS Bacteria Single Sample

UNK- Source Unknown; NPS- Non-Point Source

2303 International Falcon Reservoir

Segment Description: From Falcon Dam in Starr County to the confluence of the Arroyo Salado (Mexico) in Zapata County, up to normal pool elevation of 301.1 feet (impounds Rio Grande)

AU ID: **2303_02** Assessment Area: Area around Zapata WTP intake

CN TOXNET ambient toxicity tests in water - sublethality

PS- Municipal Point Source Discharges; NPS- Sources Outside State Juristiction or Borders; NPS- Urban Runoff/Storm Sewers

2304 Rio Grande Below Amistad Reservoir

Segment Description: From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amistad Dam in Val Verde County

AU ID: **2304_01** Assessment Area: Amistad Dam to San Felipe Creek confluence

CS Dissolved Oxygen grab screening level

NPS- Upstream Impoundments (e.g., Pl-566 NRCS Structures)

AU ID: **2304_02** Assessment Area: San Felipe Creek confluence to the Las Moras Creek confluence

NS Bacteria Geomean

PS- Point Source Unknown; NPS- Sources Outside State Juristiction or Borders

NS Bacteria Single Sample

PS- Point Source Unknown; NPS- Sources Outside State Juristiction or Borders

AU ID: **2304_04** Assessment Area: Hwy 277 (Eagle Pass) to El Indio

CN Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Sources Outside State Juristiction or Borders; NPS- Urban Runoff/Storm Sewers

AU ID: **2304_07** Assessment Area: World Trade Center Bridge to Laredo water treatment plant intake

CN TOXNET ambient toxicity tests in water - sublethality

NPS- Sources Outside State Juristiction or Borders; PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

AU ID: **2304_08** Assessment Area: Laredo water treatment plant intake to International Bridge #2

NS Bacteria Geomean

NPS- Non-Point Source; PS- Point Source Unknown; NPS- Sources Outside State Juristiction or Borders

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Sources Outside State Juristiction or Borders; NPS- Urban Runoff/Storm Sewers

CN TOXNET ambient toxicity tests in water - sublethality

NPS- Non-Point Source; PS- Point Source Unknown; NPS- Sources Outside State Juristiction or Borders

AU ID: **2304_09** Assessment Area: International Bridge # 2 to just below Chacon Creek confluence

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Sources Outside State Juristiction or Borders; PS- Point Source Unknown

NS Bacteria Single Sample

NPS- Non-Point Source; NPS- Sources Outside State Juristiction or Borders; PS- Point Source Unknown

AU ID: **2304_10** Assessment Area: Chacon Creek confluence to the Arroyo Salado confluence

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; NPS- Sources Outside State Juristiction or Borders; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges; NPS- Sources Outside State Juristiction or Borders; NPS- Non-Point Source

2305 International Amistad Reservoir

Segment Description: From Amistad Dam in Val Verde County to a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon on the Rio Grande Arm in Val Verde County and to a point 0.7 km (0.4 miles) downstream of the confluence of Painted Canyon on the Pecos Arm in

AU ID: **2305_02** Assessment Area: Devils River arm

CS Nutrient Screening Levels

UNK- Source Unknown

2306 Rio Grande Above Amistad Reservoir

Segment Description: From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

AU ID: **2306_01** Assessment Area: Confluence with Rio Conchos to Alamito Creek

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Sources Outside State Juristiction or Borders

NS Bacteria Single Sample

NPS- Non-Point Source; NPS- Sources Outside State Juristiction or Borders

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Sources Outside State Juristiction or Borders

AU ID: **2306_03** Assessment Area: Mouth of Santa Elena Canyon to Johnson Ranch

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Sources Outside State Juristiction or Borders

AU ID: **2306_05** Assessment Area: Mariscal Canyon to Boquillas Canyon

CS Nutrient Screening Levels

NPS- Sources Outside State Juristiction or Borders; NPS- Non-Point Source

AU ID: **2306_06** Assessment Area: Boquillas Canyon to FM 2627

CS Nutrient Screening Levels

NPS- Sources Outside State Juristiction or Borders; NPS- Non-Point Source

AU ID: **2306_08** Assessment Area: Dryden Crossing to lower segment boundary downstream of Ramsey Canyon

CS Nutrient Screening Levels

NPS- Sources Outside State Juristiction or Borders; NPS- Non-Point Source

2307 Rio Grande Below Riverside Diversion Dam

Segment Description: From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

AU ID: **2307_01** Assessment Area: Downstream of Riverside Dam to Guadalupe Bridge

NS Bacteria Geomean

PS- Point Source Unknown; NPS- Non-Point Source; NPS- Sources Outside State Juristiction or Borders

NS Bacteria Single Sample

NPS- Non-Point Source; PS- Point Source Unknown; NPS- Sources Outside State Juristiction or Borders

NS Dissolved Solids

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Sources Outside State Juristiction or Borders

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Sources Outside State Juristiction or Borders

AU ID: **2307_02** Assessment Area: Guadalupe Bridge to the Alamo Grade Structure

NS Bacteria Geomean

NPS- Non-Point Source; PS- Point Source Unknown; NPS- Sources Outside State Juristiction or Borders

NS Bacteria Single Sample

NPS- Sources Outside State Juristiction or Borders; PS- Point Source Unknown; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; PS- Point Source Unknown; NPS- Sources Outside State Juristiction or Borders

NS Dissolved Solids

NPS- Sources Outside State Juristiction or Borders; PS- Point Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Point Source Unknown; NPS- Sources Outside State Juristiction or Borders; NPS- Non-Point Source

AU ID: **2307_03** Assessment Area: Alamo Grade Structure to Little Box Canyon

NS Dissolved Solids

NPS- Sources Outside State Juristiction or Borders; NPS- Non-Point Source; NPS- Irrigated Crop Production

CS Nutrient Screening Levels

NPS- Sources Outside State Juristiction or Borders; NPS- Non-Point Source; NPS- Irrigated Crop Production

AU ID: **2307_04** Assessment Area: Little Box Canyon to 25 miles upstream of Rio Conchos confluence

NS Dissolved Solids

NPS- Flow Alterations from Water Diversions; NPS- Sources Outside State Juristiction or Borders; NPS- Irrigated Crop Production

AU ID: **2307_05** Assessment Area: 25 miles upstream of the Rio Conchos confluence (lower segment boundary)

NS Dissolved Solids

NPS- Sources Outside State Juristiction or Borders; NPS- Flow Alterations from Water Diversions; NPS- Irrigated Crop Production

CS Nutrient Screening Levels

NPS- Sources Outside State Juristiction or Borders; NPS- Flow Alterations from Water Diversions; NPS- Irrigated Crop Production

2308 Rio Grande Below International Dam

Segment Description: From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County

AU ID: **2308_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Sources Outside State Juristiction or Borders

2310 Lower Pecos River

Segment Description: From a point 0.7 km (0.4 miles) downstream of the confluence of Painted Canyon in Val Verde County to a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County

AU ID: **2310_01** Assessment Area: Upper segment boundary to Big Hackberry Canyon

CN Fish Kill Reports

UNK- Source Unknown

AU ID: **2310_02** Assessment Area: From FM 2083 near Pan Dale Rd to the lower segment boundary

CN Fish Kill Reports

UNK- Source Unknown

2311 Upper Pecos River

Segment Description: From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

AU ID: **2311_01** Assessment Area: Red Bluff Dam to FM 652

CN Fish Kill Reports

UNK- Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source

AU ID: **2311_02** Assessment Area: FM 652 to SH 302

CN Fish Kill Reports

UNK- Source Unknown

AU ID: **2311_03** Assessment Area: SH 302 to Barstow Dam

CN Fish Kill Reports

UNK- Source Unknown

AU ID: **2311_04** Assessment Area: Barstow Dam to US 80 (Bus 20)

CN Bacteria Geomean

UNK- Source Unknown

CN Bacteria Single Sample

UNK- Source Unknown

CN Fish Kill Reports

UNK- Source Unknown

AU ID: **2311_05** Assessment Area: US 80 (Bus 20) to FM 1776

NS Continuous Dissolved Oxygen Daily 24hr Minimum

UNK- Source Unknown

NS Dissolved Oxygen 24hr minimum

NPS- Non-Point Source; UNK- Source Unknown

CN Fish Kill Reports

NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **2311_06** Assessment Area: FM 1776 to US 67

NS Dissolved Oxygen 24hr minimum

UNK- Source Unknown

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CN Fish Kill Reports

UNK- Source Unknown

AU ID: **2311_07** Assessment Area: US 67 to US 290

CN Fish Kill Reports

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **2311_08** Assessment Area: US 290 to lower segment boundary

CN Fish Kill Reports

UNK- Source Unknown

2312 Red Bluff Reservoir

Segment Description: From Red Bluff Dam in Loving/Reeves County to New Mexico State Line in Loving/Reeves County, up to normal pool elevation 2842 feet (impounds Pecos River)

AU ID: **2312_01** Assessment Area: Texas/New Mexico State Line to Mid-lake

CN Fish Kill Reports

NPS- Natural Sources; NPS- Sources Outside State Juristiction or Borders

CS Nutrient Screening Levels

NPS- Natural Sources; NPS- Sources Outside State Juristiction or Borders

AU ID: **2312_02** Assessment Area: Mid-lake to dam

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

CN Fish Kill Reports

NPS- Sources Outside State Juristiction or Borders; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Sources Outside State Juristiction or Borders; NPS- Non-Point Source

2314 Rio Grande Above International Dam

Segment Description: From International Dam in El Paso County to the New Mexico State Line in El Paso County

AU ID: **2314_02** Assessment Area: Upstream of Anthony Drain to International Dam

NS Bacteria Geomean

NPS- Non-Point Source; NPS- Sources Outside State Juristiction or Borders

NS Bacteria Single Sample

NPS- Non-Point Source; NPS- Sources Outside State Juristiction or Borders

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Sources Outside State Juristiction or Borders

2421 Upper Galveston Bay

Segment Description:

AU ID: **2421_01** Assessment Area: Red Bluff to Five Mile Cut to Houston Point to Morgans Point

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Urban Runoff/Storm Sewers

NS DSHS Shellfish Harvesting Maps

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **2421_02** Assessment Area: Western portion of the bay

NS DSHS Shellfish Harvesting Maps

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

AU ID: **2421_03** Assessment Area: Eastern portion of the bay

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

2422 Trinity Bay

Segment Description:

AU ID: **2422_01** Assessment Area: Upper half of bay

NS DSHS Shellfish Harvesting Maps

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

AU ID: **2422_02** Assessment Area: Lower half of bay

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

2422B Double Bayou West Fork (unclassified water body)

Segment Description: From the confluence with Trinity Bay to Belton Road in Chambers County

AU ID: **2422B_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Rural (Residential Areas); NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Rural (Residential Areas); NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source

NS Dissolved Oxygen grab minimum

NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source; NPS- Rural (Residential Areas)

CS Dissolved Oxygen grab screening level

NPS- Rural (Residential Areas); NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source

2423 East Bay

Segment Description:

AU ID: **2423_01** Assessment Area: Area adjacent to the ICWW (Segment 0702)

NS DSHS Shellfish Harvesting Maps

UNK- Source Unknown

AU ID: **2423_02** Assessment Area: Remainder of segment

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

2424 West Bay

Segment Description:

AU ID: **2424_02** Assessment Area: Area adjacent to Lower Galveston Island

NS DSHS Shellfish Harvesting Maps

NPS- Non-Point Source; PS- Point Source Unknown; NPS- Urban Runoff/Storm Sewers

2424A Highland Bayou (unclassified water body)

Segment Description: From confluence with Jones Bay to Avenue Q 0.5 miles (0.8 km) north of SH 6 between Arcadia and Alta Loma in Galveston County

AU ID: **2424A_01** Assessment Area: From the headwaters to FM 2004

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Dissolved Oxygen grab minimum

NPS- Non-Point Source; UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

AU ID: **2424A_02** Assessment Area: From FM 2001 to FM 519

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; UNK- Source Unknown; NPS- Non-Point Source

AU ID: **2424A_04** Assessment Area: From Fairwood Road to Bayou Lane

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; UNK- Source Unknown; NPS- Non-Point Source

CN Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; UNK- Source Unknown; NPS- Non-Point Source

2424C Marchand Bayou (unclassified water body)

Segment Description: From confluence with Highland Bayou to 0.45 mile north of IH 45 in Galveston County

AU ID: **2424C_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Dissolved Oxygen grab minimum

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

2425 Clear Lake

Segment Description:

AU ID: **2425_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source; PS- Municipal Point Source Discharges

2425B Jarbo Bayou (unclassified water body)

Segment Description: From confluence with Clear Lake to 0.6 mile upstream of FM 518 in Galveston County

AU ID: **2425B_01** Assessment Area: From headwaters to Lawrence Road

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CN Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

2426 Tabbs Bay

Segment Description:

AU ID: **2426_01** Assessment Area: Entire segment

NS DSHS Advisories, Closures, and Risk Assessments

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Industrial Point Source Discharge

2427 San Jacinto Bay

Segment Description:

AU ID: **2427_01** Assessment Area: Entire segment

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

2428 Black Duck Bay

Segment Description:

AU ID: **2428_01** Assessment Area: Entire segment

NS DSHS Advisories, Closures, and Risk Assessments

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

2429 Scott Bay

Segment Description:

AU ID: **2429_01** Assessment Area: Entire segment

NS DSHS Advisories, Closures, and Risk Assessments

PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

2430 Burnett Bay

Segment Description:

AU ID: **2430_01** Assessment Area: Entire segment

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

2432 Chocolate Bay

Segment Description:

AU ID: **2432_01** Assessment Area: Entire segment

NS DSHS Shellfish Harvesting Maps

NPS- Non-Point Source

2432B Willow Bayou

Segment Description: From the confluence with Halls Bayou to a point 6 miles upstream.

AU ID: **2432B_01** Assessment Area: Entire water body

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

2432C Halls Bayou Tidal

Segment Description: From the confluence with Willow Bayou upstream to CR 159.

AU ID: 2432C_01 Assessment Area: Entire water body

CS Dissolved Oxygen grab screening level

UNK- Source Unknown

2433 Bastrop Bay/Oyster Lake

Segment Description:

AU ID: 2433_02 Assessment Area: Oyster Lake

NS DSHS Shellfish Harvesting Maps

NPS- Non-Point Source

2434 Christmas Bay

Segment Description:

AU ID: 2434_01 Assessment Area: Area adjacent to West Bay

NS DSHS Shellfish Harvesting Maps

UNK- Source Unknown

2435 Drum Bay

Segment Description:

AU ID: 2435_01 Assessment Area: Area adjacent to Christmas Bay

NS DSHS Shellfish Harvesting Maps

UNK- Source Unknown

2436 Barbours Cut

Segment Description:

AU ID: 2436_01 Assessment Area: Entire segment

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Urban Runoff/Storm Sewers; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers

2437 Texas City Ship Channel

Segment Description:

AU ID: 2437_01 Assessment Area: Entire segment

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

2438 Bayport Channel

Segment Description:

AU ID: **2438_01** Assessment Area: Entire segment

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; PS- Municipal Point Source Discharges

2439 Lower Galveston Bay

Segment Description:

AU ID: **2439_01** Assessment Area: Area adjacent to the Texas City Ship Channel and Moses Lake

NS DSHS Shellfish Harvesting Maps

NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers

AU ID: **2439_02** Assessment Area: Main portion of the bay

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

2441 East Matagorda Bay

Segment Description:

AU ID: **2441_01** Assessment Area: Caney Creek am and western shoreline area

NS DSHS Shellfish Harvesting Maps

NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

AU ID: **2441_02** Assessment Area: Remainder of segment

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

2442 Cedar Lakes

Segment Description:

AU ID: **2442_01** Assessment Area: Entire segment

NS DSHS Shellfish Harvesting Maps

NPS- Natural Sources; NPS- Non-Point Source

2451 Matagorda Bay/Powderhorn Lake

Segment Description:

AU ID: **2451_01** Assessment Area: Northern end of Matagorda Bay

NS DSHS Shellfish Harvesting Maps

UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

AU ID: **2451_02** Assessment Area: Remainder of segment

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

2452 Tres Palacios Bay/Turtle Bay

Segment Description:

AU ID: **2452_02** Assessment Area: Turtle Bay

NS DSHS Shellfish Harvesting Maps

PS- Point Source Unknown; NPS- Non-Point Source

AU ID: **2452_03** Assessment Area: Tres Palacios Creek Arm

NS DSHS Shellfish Harvesting Maps

UNK- Source Unknown; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

2452A Tres Palacios Harbor (unclassified water body)

Segment Description:

AU ID: **2452A_01** Assessment Area: Entire water body

CS Nutrient Screening Levels

NPS- Non-Point Source; PS- Point Source Unknown

2453 Lavaca Bay/Chocolate Bay

Segment Description:

AU ID: **2453_02** Assessment Area: North-northeastern portion of the bay near Point Comfort

NS DSHS Shellfish Harvesting Maps

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **2453_03** Assessment Area: Chocolate Bay area

NS DSHS Shellfish Harvesting Maps

NPS- Non-Point Source

2453A Garcitas Creek Tidal (unclassified water body)

Segment Description: From the confluence of Lavaca Bay in Jackson County to a point 8.5 miles upstream of FM 616 in Jackson County

AU ID: **2453A_01** Assessment Area: Entire water body

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source; UNK- Source Unknown

2453D Lavaca Bay Ship Channel Area (unclassified water body)

Segment Description:

AU ID: **2453D_01** Assessment Area: Entire water body

NS Dissolved Oxygen 24hr minimum

PS- Industrial Point Source Discharge; UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

NS DSHS Advisories, Closures, and Risk Assessments

PS- Industrial Point Source Discharge; UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

2454 Cox Bay

Segment Description:

AU ID: **2454_01** Assessment Area: North end of bay near Cox Creek

NS DSHS Shellfish Harvesting Maps

UNK- Source Unknown

CS Nutrient Screening Levels

UNK- Source Unknown

AU ID: **2454_02** Assessment Area: Remainder of Cox Bay

CS Nutrient Screening Levels

UNK- Source Unknown; NPS- Non-Point Source

2454A Cox Lake (unclassified water body)

Segment Description: From the dam site located 2.5 miles southeast of Point Comfort in Calhoun County to the Calhoun/Jackson County line

AU ID: **2454A_01** Assessment Area: Entire water body

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges

2455 Keller Bay

Segment Description:

AU ID: **2455_01** Assessment Area: Upper arm

NS DSHS Shellfish Harvesting Maps

UNK- Source Unknown

2456 Carancahua Bay

Segment Description:

AU ID: **2456_02** Assessment Area: Upper half of bay

NS Bacteria Geomean

UNK- Source Unknown; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Non-Point Source; UNK- Source Unknown

NS DSHS Shellfish Harvesting Maps

NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

2456A West Carancahua Creek Tidal (unclassified water body)

Segment Description: From the confluence with Carancahua Bay in Jackson County to Jackson CR 440, 6.3 miles upstream of FM 616 in Jackson County

AU ID: **2456A_01** Assessment Area: Entire water body

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source

NS Dissolved Oxygen 24hr minimum

NPS- Non-Point Source

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source

2461 Espiritu Santo Bay

Segment Description:

AU ID: 2461_01 Assessment Area: Entire segment

CS Nutrient Screening Levels

UNK- Source Unknown

2462 San Antonio Bay/Hynes Bay/Guadalupe Bay

Segment Description:

AU ID: 2462_01 Assessment Area: San Antonio and Hynes Bays

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- Non-Point Source

AU ID: 2462_02 Assessment Area: Guadalupe Bay

NS DSHS Shellfish Harvesting Maps

UNK- Source Unknown

2472 Copano Bay/Port Bay/Mission Bay

Segment Description:

AU ID: 2472_01 Assessment Area: Mission Bay, Aransas River arm, Port Bay, and eastern shoreline

NS DSHS Shellfish Harvesting Maps

UNK- Source Unknown

2473 St. Charles Bay

Segment Description:

AU ID: 2473_01 Assessment Area: Entire bay

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; UNK- Source Unknown

2482 Nueces Bay

Segment Description:

AU ID: 2482_01 Assessment Area: Entire bay

NS DSHS Shellfish Harvesting Maps

PS- Municipal Point Source Discharges

2483 Redfish Bay

Segment Description:

AU ID: 2483_01 Assessment Area: Entire segment

NS DSHS Shellfish Harvesting Maps

NPS- Non-Point Source; UNK- Source Unknown; NPS- Urban Runoff/Storm Sewers

2484 Corpus Christi Inner Harbor

Segment Description:

AU ID: **2484_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers

2485 Oso Bay

Segment Description:

AU ID: **2485_01** Assessment Area: Upper bay (Holly Road to County Hwy 24)

NS Dissolved Oxygen 24hr average

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr minimum

NPS- Urban Runoff/Storm Sewers

NS DSHS Shellfish Harvesting Maps

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Non-Point Source; NPS- Urban Runoff/Storm Sewers

AU ID: **2485_02** Assessment Area: Middle bay (State Park Road 22 to Holly Road)

NS Dissolved Oxygen 24hr average

NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr minimum

NPS- Urban Runoff/Storm Sewers

NS DSHS Shellfish Harvesting Maps

NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

AU ID: **2485_03** Assessment Area: Lower portion of bay (Ocean Drive to State Park Road 22)

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr average

NPS- Urban Runoff/Storm Sewers

NS Dissolved Oxygen 24hr minimum

NPS- Urban Runoff/Storm Sewers

NS DSHS Shellfish Harvesting Maps

NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers

2485A Oso Creek (unclassified water body)

Segment Description: From the confluence with Oso Bay in southern Corpus Christi to a point 3 miles upstream of SH 44, west of Corpus Christi in Nueces County

AU ID: **2485A_01** Assessment Area: Entire water body

NS Bacteria Geomean

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

NS Bacteria Single Sample

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Urban Runoff/Storm Sewers; NPS- Non-Point Source

2491 Laguna Madre

Segment Description:

AU ID: **2491_01** Assessment Area: Upper portion of bay north of the Arroyo Colorado confluence

NS Dissolved Oxygen 24hr minimum

NPS- Non-Point Source; UNK- Source Unknown

CS Nutrient Screening Levels

NPS- Non-Point Source; UNK- Source Unknown

AU ID: **2491_02** Assessment Area: Area adjacent to the Arroyo Colorado confluence

CN Bacteria Single Sample

NPS- Non-Point Source; NPS- Upstream Source

NS Dissolved Oxygen 24hr minimum

NPS- Upstream Source; NPS- Non-Point Source

NS DSHS Shellfish Harvesting Maps

NPS- Irrigated Crop Production; PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

CS Nutrient Screening Levels

NPS- Irrigated Crop Production; PS- Municipal Point Source Discharges; NPS- Urban Runoff/Storm Sewers

2492 Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada

Segment Description:

AU ID: **2492_01** Assessment Area: Entire segment

CS Nutrient Screening Levels

NPS- Non-Point Source

2492A San Fernando Creek (unclassified water body)

Segment Description: From the confluence with Cayo Del Grullo in Kleberg County to the Lake Alice Dam in Jim Wells County

AU ID: **2492A_01** Assessment Area: Entire water body

NS Bacteria Geomean

PS- Municipal Point Source Discharges; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source

NS Bacteria Single Sample

PS- Municipal Point Source Discharges; NPS- Non-Point Source

CS Nutrient Screening Levels

PS- Municipal Point Source Discharges; NPS- On-site Treatment Systems (Septic Systems and Similar Decencentralized Systems); NPS- Non-Point Source

2494 Brownsville Ship Channel

Segment Description:

AU ID: **2494_01** Assessment Area: Brownsville Ship Channel

CS Dissolved Oxygen grab screening level

NPS- Non-Point Source; UNK- Source Unknown

2494A Port Isabel Fishing Harbor (unclassified water body)

Segment Description: From the confluence with the Laguna Madre in Cameron County to 1/4 mile south of SH 100 in Port Isabel in Cameron County

AU ID: **2494A_01** Assessment Area: Entire water body

CN Bacteria Geomean

NPS- Non-Point Source

CS Nutrient Screening Levels

NPS- Non-Point Source

2501 Gulf of Mexico

Segment Description: From the Gulf shoreline to the limit of Texas jurisdiction between Sabine Pass and the Rio Grande

AU ID: **2501_01** Assessment Area: Sabine Pass to Sea Rim Park area

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **2501_02** Assessment Area: Jefferson-Chambers County line area

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **2501_03** Assessment Area: Bolivar Point to San Luis Pass area

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **2501_04** Assessment Area: Freeport Area

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **2501_05** Assessment Area: Area between Freeport and Port Aransas

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **2501_06** Assessment Area: Port Aransas Area

NS DSHS Advisories, Closures, and Risk Assessments

UNK- Source Unknown; NPS- Atmospheric Depositon - Toxics

AU ID: **2501_07** Assessment Area: Area between Port Aransas and Port Mansfield

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **2501_08** Assessment Area: Port Mansfield area

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown

AU ID: **2501_09** Assessment Area: Area between Port Mansfield and Port Isabel

NS DSHS Advisories, Closures, and Risk Assessments

NPS- Atmospheric Depositon - Toxics; UNK- Source Unknown