# 2008 Texas Index of Water Quality Impairments (March 19, 2008)

This index identifies all water bodies with one or more impairments. The index is divided into two main categories:

Category 4 Impairments that are not suitable for a TMDL or for which a TMDL has already been approved

Category 5 Impairments which may be suitable for development of a TMDL

#### **General Information**

SegID and Name: The unique identifier (SegID), segment name, and location of the water body. The SegID may be

one of two types of numbers. The first type is a classified segment number (4 digits, *e.g.*, 0218), as defined in Appendix A of the Texas Surface Water Quality Standards (TSWQS). The second type (five digits, e.g., 0218A) is a partially classified water body described in Appendix D of the TSWQS, or an unclassified water body, not defined in the TSWQS, though associated with a classified water body because it is in the same watershed. The segment name and description

immediately follow SegID.

Area: Identifies the assessment unit (AU\_ID, e.g. 0101A\_01) and describes the location of the specific

area in which one or more water quality standards are not met.

Parameter(s): Pollutants or water quality conditions that assessment procedures indicate do not meet assigned

water quality standards.

## **Explanation of Column Headings**

Category: In the 2008 Assessment, one of two categories was assigned to each impaired parameter to provide

information about water quality status and management activities on that water body. Both

Category 4 and Category 5 are divided into three subcategories; when a water body has parameters in multiple subcategories, its overall category is the highest category. The category and its

subcategories are defined below:

Category 4: Standard is not supported or is threatened for one or more designated uses but does

not require the development of a TMDL.

Category 4a - TMDL has been completed and approved by EPA.

Category 4b - Other pollution control requirements are reasonably expected to result

in the attainment of the water quality standard in the near future.

Category 4c - Nonsupport of the water quality standard is not caused by a pollutant.

<u>Category 5</u>: The water body does not meet applicable water quality standards or is threatened for

one or more designated uses by one or more pollutants.

Category 5a - A TMDL is underway, scheduled, or will be scheduled.

Category 5b - A review of the water quality standards for this water body will be

conducted before a TMDL is scheduled.

Category 5c - Additional data and information will be collected before a TMDL is

scheduled.

Carryforward: Some previously listed impairments did not have adequate data to re-assess in 2008 and were

carried forward from 2006.

Year First Listed: The assessment year the pollutant or water quality condition in this water body initially did not

meet water quality standards as indicated in any of the areas assessed (AU\_IDs).

# SegID: 0101A Dixon Creek (unclassified water body)

From confluence of the Canadian River to the upstream perennial portion of the stream east of Borger in Hutchinson County

Area		<u>Category</u>	Carryforward	Year First Listed
0101A_01	Dixon Creek downstream of Phillips			
	depressed dissolved oxygen	5b	Yes	2000
	bacteria	5c	No	2000

# SegID: 0101B Rock Creek (unclassified water body)

Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

Area		Category	Carryforward	Year First Listed
0101B_01	Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger			
	bacteria	5c	No	2006

# SegID: 0102 Lake Meredith

From Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to normal pool level of 2936.5 feet (impounds Canadian River)

Area		<u>Category</u>	Carryforward	Year First Listed
0102_01	Downstream half of lake including Big Blue Creek arm			
	chloride	5c	No	2006
	mercury in walleye	5c	No	2002
	sulfate	5c	No	2006
	total dissolved solids	5c	No	2006
0102_02	Upstream half of lake, above Big Blue Creek arm			
	chloride	5c	No	2006
	mercury in walleye	5c	No	2002
	sulfate	5c	No	2006
	total dissolved solids	5c	No	2006

SegID: 01	SegID: 0103 Canadian River Above Lake Meredith From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County				
Area	<del>-</del>	<u>Category</u>	Carryforward	Year First Listed	
0103_01	Lake Meredith headwaters to Sand Creek				
	chloride	5c	No	2006	
0103_02	Sand Creek to Punta de Agua Creek				
	chloride	5c	No	2006	
0103_03	Punta de Agua Creek to New Mexico State Line				
	chloride	5c	No	2006	

SegID: 0105	<b>Rita Blanca Lake</b> From Rita Blanca Dam in Hartley County up to normal poor Creek)	ol level of 3860	feet (impounds R	ita Blanca
<u>Area</u> 0105_01	Entire segment	<u>Category</u>	<u>Carryforward</u>	Year First Listed
	рН	5c	No	2004

SegID: 0199	PA Palo Duro Reservoir (unclassified water body) From Palo Duro dam up to normal pool elevation of 2 (impounds Palo Duro Creek)	,892 feet north of Sp	earman in Hansfo	ord County
Area		<u>Category</u>	Carryforward	Year First Listed
0199A_01	Entire reservoir			
	depressed dissolved oxygen	5c	Yes	2000

SegID: 0201	A Mud Creek (unclassified water body)  From the confluence of the Red River to the upstream pe in Bowie County	rennial portion of	the stream north	west of De Kalb
Area		Category	Carryforward	Year First Listed
0201A_01	Entire water body			
	bacteria	5c	No	2002
	depressed dissolved oxygen	5c	No	2006

### SegID: 0202G Smith Creek (unclassified water body)

From the confluence with Pine Creek north of Paris to the upstream portion of the stream in north Paris in Lamar County

Area		Category	Carryforward	Year First Listed
0202G_01	Entire segment			
	bacteria	5c	No	2006

#### SegID: 0206B South Groesbeck Creek (unclassified water body)

From the confluence of Groesbeck Creek NNW of Quanah in Hardeman County to the upstream portion 7.8 miles (12.6 Km) southwest of Childress

Area		<u>Category</u>	Carryforward	Year First Listed
0206B_01	Entire segment			
	bacteria	5c	No	2006

#### SegID: 0207 Lower Prairie Dog Town Fork Red River

From a point immediately upstream of the confluence of Buck Creek in Hardeman County to the confluence of a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

Area		Category	Carryforward	Year First Listed
0207_04	SH 70 to upstream end of segment			
	bacteria	5c	No	2006

#### SegID: 0207A Buck Creek (unclassified water body)

From Oklahoma State Line east of Childress in Childress County to the upstream perennial portion of the stream west of Wellington in Collinsworth County

Area		Category	Carryforward	Year First Listed
0207A_01	From Oklahoma state line to House Log Creek			
	bacteria	5c	No	2000

### SegID: 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

Area		Category	Carryforward	Year First Listed
0211_02	East Fork confluence to dam			
	depressed dissolved oxygen	5b	No	1996

SegID: 0214	wichita River Below Diversion Lake Dam From the confluence with the Red River in Clay County to Diversion Dam in Archer County					
Area		<u>Category</u>	Carryforward	Year First Listed		
0214_02	FM 2393 to River Road WWTP					
	bacteria	5c	No	2006		
0214_05	From Beaver Creek to Diversion Dam					
	bacteria	5c	No	2006		

SegID: 0214	A Beaver Creek (unclassified water body) From the confluence of the Wichita River west of Wichita F portion of the stream south of Vernon in Wilbarger County	alls in Wichita	a County to the up	stream perennial
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0214A_02	From Bull Creek to Santa Rosa Lake dam			
	bacteria	5c	No	2006

SegID: 0218	Wichita/North Fork Wichita River From a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County to a point 8.5 kilometers (5.3 miles) downstream of the most upstream crossing of FM 193 in Dickens County)			
Area		Category	Carryforward	Year First Listed
0218_03	From the confluence with Deadman Creek to the confluence with Middle Wichita River selenium in water	4c	No	2000
0218_04	From the confluence with Middle Wichita River to confluence with Salt Creek selenium in water	4c	No	2000
0218_05	From the confluence with Salt Creek to end of segment selenium in water	4c	Yes	2000

SegID: 0218A	Middle Fork Wichita River (unclassified water body) From the confluence of the North Wichita River southwes perennial portion of the stream northeast of Guthrie in Kin		oard County to th	ne upstream
Area		<u>Category</u>	Carryforward	Year First Listed
0218A_01 I	Entire segment			
S	selenium in water	4c	No	2002

SegID: 0226 South Fork Wichita River From the confluence with the North Fork Wichita River in Knox County to a point 15.0 kilometers (9.3 miles) upstream of US 82 in Dickens County				
Area		Category	Carryforward	Year First Listed
0226_01	Lower end of segment to SH 6			
	chloride	5c	No	2006
0226_02	From SH 6 to confluence with Willow Creek			
	chloride	5c	No	2006
0226_03	From confluence with Willow Creek to confluence with Long Canyon Creek			
	chloride	5c	No	2006
0226_04	Low-water dam to 0.5 mile upstream			
	chloride	5c	No	2006

SegID: 0229	Upper Prairie Dog Town Fork Red River From a point 100 meters (110 yards) upstream of the confluctake Tanglewood Dam in Randall County	ence of Salt Fo	ork Creek in Arms	strong County to
Area		<u>Category</u>	Carryforward	Year First Listed
0229_02	Palo Duro Canyon State Park upstream boundary to upper end of segment at Tanglewood Dam pH	5c	No	2006

SegID: 0230A	Paradise Creek (unclassified water body) From the confluence with the Pease River east of Vernon to Foard County	the upstream	perennial portion	near Thalia in
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0230A_03 L	Lower 5 miles of water body			
b	pacteria	5c	No	2006

# SegID: 0299A Sweetwater Creek (unclassified water body) From the Oklahoma State Line in Wheeler County to the upstream perennial portion of the stream northwest of Wheeler in Wheeler County (tributary of North Fork Red River) Area 0299A\_01 From Oklahoma State Line to confluence with Graham Creek bacteria 5c No 2002

depressed dissolved oxygen

SegID: 0302	Wright Patman Lake From Wright Patman Lake Dam in Bowie/Cass County Bassett Creek in Bowie/Cass County, up to the normal River)			
Area		<u>Category</u>	Carryforward	Year First Listed
0302_02	300 acres at International Paper intake			
	depressed dissolved oxygen	5a	No	1996
	pH	5a	No	2000
0302_04	500 acres in the northeast corner of lake			
	pН	5a	No	2000
0302_05	200 acres in the northwestern tip of lake			
	pH	5a	No	2000
0302_06	Big Creek arm			
	pН	5a	No	2000
0302_07	4000 acres mid-lake			
	pH	5a	Yes	2000
0302_08	1600 acres in upper mid-lake			
	pН	5a	Yes	2000
0302_10	4000 acres in upper portion of lake			

#### SegID: 0303B White Oak Creek (unclassified water body) From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County Area Category Carryforward Year First Listed 0303B\_01 Lower 25 miles of segment depressed dissolved oxygen 2000 5b No 0303B\_02 Middle 25 miles near Hwy 271 depressed dissolved oxygen 2000 5b No 0303B\_03 Upper 25 miles of segment bacteria 5c 2006 No 2000 depressed dissolved oxygen 5b No

5a

No

SegID: 0304A Swampoodle Creek (unclassified water body)  From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County				
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0304A_01	Entire segment			
	impaired fish community	5c	No	2006
	impaired macrobenthos community	5c	No	2006

1996

# SegID: 0304B Cowhorn Creek (unclassified water body)

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Area		<u>Category</u>	Carryforward	Year First Listed
0304B_01	Entire water body			
	impaired fish community	5c	No	2006
	impaired macrobenthos community	5c	No	2006

### SegID: 0305 North Sulphur River

From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 miles) upstream of FM 68 in Fannin County

Area		<u>Category</u>	Carryforward	Year First Listed
0305_02	Upper 23 miles			
	impaired fish community	5b	No	2006
	impaired macrobenthos community	5b	No	2006

## SegID: 0306 Upper South Sulphur River

From a point 1.0 km (0.6 miles) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

Area		Category	Carryforward	Year First Listed
0306_02	25 miles above SH 11			
	pH	5b	No	New

#### SegID: 0307 Cooper Lake

from Cooper Lake dam in Delta/Hopkins County to a point 1.0 kilometers (0.6 mile) upstream of SH 71 on the South Sulphur River arm in Delta/Hopkins County and 300 meters (330 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm in Delta County, up to a conservation pool elevation of 440 feet (impounds the Middle Sulphur/South Sulphur River)

		rect (impounds the ivitable Sulphul/South Sulphul River)			
	Area		<u>Category</u>	Carryforward	Year First Listed
03	307_01	Lower 5000 acres near dam			
		pH	5b	No	2000
03	307_02	Lower 3000 acre Doctors Creek arm			
		pH	5b	No	2000
03	307_03	Middle 5000 acres			
		pH	5b	No	2000
03	307_04	Middle 2000 acre Johns Creek arm			
		pH	5b	No	2000

SegID: 0401	Caddo Lake
-------------	------------

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

Area		Category	Carryforward	Year First Listed
0401_01	Lower 5000 acres			
	mercury in largemouth bass and freshwater drum	5c	No	1996
0401_02	Harrison Bayou arm			
	depressed dissolved oxygen	5c	No	2000
	pH	5c	Yes	1996
	mercury in largemouth bass and freshwater drum	5c	No	1996
0401_03	Goose Prairie arm			
	depressed dissolved oxygen	5c	Yes	2000
	mercury in largemouth bass and freshwater drum	5c	No	1996
	pH	5c	Yes	1996
0401_05	Clinton Lake			
	depressed dissolved oxygen	5c	No	2000
	mercury in largemouth bass and freshwater drum	5c	No	1996
	pH	5c	No	1996
0401_07	Mid-lake near Uncertain			
	depressed dissolved oxygen	5c	No	2000
	mercury in largemouth bass and freshwater drum	5c	No	1996
0401_08	Remainder of segment			
	mercury in largemouth bass and freshwater drum	5c	No	1996

### SegID: 0401A Harrison Bayou (unclassified water body)

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

Area		Category	Carryforward	Year First Listed
0401A_01	Lower 5 miles			
	depressed dissolved oxygen	5c	No	2000
0401A_02	Middle 3 miles near FM 134			
	depressed dissolved oxygen	5c	No	2000

# SegID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

Area		<u>Category</u>	Carryforward	Year First Listed
0402_01	Lower 9 miles			
	pН	5b	No	2000
	mercury in largemouth bass and freshwater drum	5c	No	1998
0402_02	11 miles below Black Cypress Creek			
	pН	5b	Yes	2000
	mercury in largemouth bass and freshwater drum	5c	No	1998
0402_03	Middle 15 miles near Jefferson			
	mercury in largemouth bass and freshwater drum	5c	No	1998
0402_04	Upper 7 miles			
	mercury in largemouth bass and freshwater drum	5c	No	1998

### SegID: 0402A Black Cypress Bayou (unclassified water body)

Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

Area		Category	Carryforward	Year First Listed
0402A_01	Lower 15 miles of water body			
	depressed dissolved oxygen	5b	No	2000
0402A_02	Middle 17 miles near CR 1617			
	bacteria	5c	Yes	2006
	depressed dissolved oxygen	5b	No	2000
0402A_03	Middle 1 mile, Pruitt Lake			
	depressed dissolved oxygen	5b	No	2000
	mercury in fish tissue	5c	No	2000
0402A_04	Middle 13 miles near FM 250			
	bacteria	5c	No	2006
0402A_05	Upper 10 miles of water body			
	depressed dissolved oxygen	5b	No	2000

# SegID: 0403 Lake O' the Pines

From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

Area		Category	Carryforward	Year First Listed
0403_04	Upper 3700 acres			
	depressed dissolved oxygen	4a	No	2000

SegID: 0404	<b>Big Cypress Creek Below Lake Bob Sandlin</b> From a point 1.0 km (0.6 miles) downstream of US 259 in M Camp/Titus Counties	orris/Upshur	Counties to Fort S	Sherman Dam in
Area		Category	Carryforward	Year First Listed
0404_02	Upper 18 miles			
	bacteria	5a	No	1996

SegID: 0404A Ellison Creek Reservoir (unclassified water body)  From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)				(impounds
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0404A_01	Entire reservoir			
	PCBs in fish tissue	5c	No	2006
	toxic sediment (LOE)	5c	No	2006

SegID: 0404B Tankersley Creek (unclassified water body) Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30				
Area		<u>Category</u>	Carryforward	Year First Listed
0404B_01	Lower 3 miles			
	bacteria	5a	No	2000
0404B_02	Middle 2 miles near FM 127			
	bacteria	5a	No	2000
0404B_03	3 miles below Tankersley Lake			
	bacteria	5a	No	2000

SegID: 0404C Hart Creek (unclassified water body) Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402				of FM 1402
Area		<u>Category</u>	Carryforward	Year First Listed
0404C_01	Entire water body			
	bacteria	5a	No	2006

# SegID: 0404N Lake Daingerfield (unclassified water body) Southeast of the City of Daingerfield in Daingerfield State Park in Morris County Area 0404N\_01 Entire lake mercury in fish tissue 5c No 2006

SegID: 0405	Lake Cypress Springs From Franklin County Dam in Franklin County up to the nor Cypress Creek)	mal pool elev	ation of 378 feet	(impounds Big
<u>Area</u> 0405_03	Panther Arm	Category	<u>Carryforward</u>	Year First Listed
_	depressed dissolved oxygen	5c	No	2006

SegID: 0406	SegID: 0406 Black Bayou From the Louisiana State Line in Cass County to FM 96 in Cass County					
Area		Category	Carryforward	Year First Listed		
0406_01	Lower 12 miles					
	bacteria	5c	Yes	2006		
	bacteria	5c	No	2006		
	depressed dissolved oxygen	5b	No	1996		
	pH	5b	No	2006		
0406_02	Upper 12 miles					
	depressed dissolved oxygen	5b	No	1996		
	pĤ	5b	No	2006		

SegID: 0407	James' Bayou From the Louisiana State Line in Marion Co	unty to Club Lake Road north	west of Linden in	Cass County
Area		Category	Carryforward	Year First Listed
0407_01	Lower 15 miles of segment			
	depressed dissolved oxygen	5b	No	2000
0407_02	Upper 25 miles of segment			
	рН	5b	No	New
	bacteria	5c	No	2006
	depressed dissolved oxygen	5b	No	2000

SegID: 0409 Little Cypress Bayou (Creek) From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County				
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0409_01	Lower 25 miles of segment			
	bacteria	5c	No	2006
	depressed dissolved oxygen	5b	No	2000
0409_02	Middle 18 miles above Hwy 154			
	bacteria	5c	No	2006
	depressed dissolved oxygen	5b	No	2000
0409_03	Middle 25 miles below Hwy 271			
	depressed dissolved oxygen	5b	No	2000
0409_04	Upper 25 miles			
	bacteria	5c	No	2006

SegID: 0409	OB South Lilly Creek (unclassified water body) From the confluence of Lilly Creek to approximately 2 is	miles west of FM 1	1647	
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0409B_01	Entire segment			
	bacteria	5c	No	2006

SegID: 050	Sabine River Tidal From the confluence with Sabine Lake in	n Orange County to West Bluff in	Orange County	
Area		<u>Category</u>	Carryforward	Year First Listed
0501_02	Upper 14 miles of segment			
	bacteria	5c	Yes	2006

# SegID: 0501B Little Cypress Bayou (unclassified water body)

From the confluence with the Sabine River to the headwaters west of Reese in Orange County.

Area		Category	Carryforward	Year First Listed
0501B_01	Lower 4.2 miles of bayou			
	water toxicity	5c	Yes	2004
	bacteria	5c	No	2006
	depressed dissolved oxygen	5c	No	2006
0501B_02	0.3 mile upstream to 0.5 mile downstream of Bear Path Road			
	bacteria	5c	No	2006
	depressed dissolved oxygen	5c	No	2006
	water toxicity	5c	Yes	2004
0501B_03	Upper 3.2 miles of bayou			
	water toxicity	5c	Yes	2004
	depressed dissolved oxygen	5c	No	2006
	bacteria	5c	No	2006

## SegID: 0502A Nichols Creek (unclassified water body)

From the confluence of the Sabine River to the upstream perennial portion of the stream south of Kirbyville in Newton and Jasper Counties

Area		<u>Category</u>	Carryforward	Year First Listed
0502A_01	Lower 25 miles of creek			
	depressed dissolved oxygen	5c	No	2002
	water toxicity	5c	Yes	2002
	bacteria	5c	Yes	2002

# SegID: 0502B Caney Creek (unclassified water body)

Perennial stream from the Sabine River upstream to the confluence with Martin Branch

Area		Category	Carryforward	Year First Listed
0502B_02	From Davison Street upstream to the confluence with Caney			
	Branch and Little Caney Branch			
	bacteria	5c	No	2006

# SegID: 0504 Toledo Bend Reservoir

From Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds the Sabine River)

<u> </u>				
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0504_01	Lowermost 5200 acres of reservoir, adjacent to dam, including			
	Indian Creek arm	<i>F</i>	Ma	1000
0504.03	mercury in largemouth bass and freshwater drum	5c	No	1998
0504_02	Six Mile Boat Lane arm			
	mercury in largemouth bass and freshwater drum	5c	No	1998
0504_03	Sunshine Bay arm			
	mercury in largemouth bass and freshwater drum	5c	No	1998
0504_04	Near SH 21			
	mercury in largemouth bass and freshwater drum	5c	No	1998
0504_05	Patroon Bayou Branch arm			
_	mercury in largemouth bass and freshwater drum	5c	No	1998
0504_06	Tenaha Creek arm		- 12	
	depressed dissolved oxygen	5c	Yes	2000
	mercury in largemouth bass and freshwater drum	5c	No	1998
0504_07	Uppermost 5120 acres of reservoir			
	mercury in largemouth bass and freshwater drum	5c	No	1998
0504_08	Negreet Bayou arm			
	mercury in largemouth bass and freshwater drum	5c	No	1998
0504_09	San Miguel arm			
_	mercury in largemouth bass and freshwater drum	5c	No	1998
0504_10	San Patricia arm		110	1,,,0
0207_10	mercury in largemouth bass and freshwater drum	5c	No	1998
0504_11	Toledo Bend reservoir near Buzzard Bend	JC	110	1770
0304_11		~	N	1000
0504.15	mercury in largemouth bass and freshwater drum	5c	No	1998
0504_12	Remainder of reservoir			
	mercury in largemouth bass and freshwater drum	5c	No	1998

# SegID: 0504C Palo Gaucho Bayou (unclassified water body)

From the confluence with Toledo Bend Reservoir in Sabine County to the headwaters northeast of San Augustine in San Augustine County

Area		Category	Carryforward	Year First Listed
0504C_01	Entire segment			
	water toxicity	5c	Yes	2002

SegID: 0504E Clear Lake	SegID:	0504E	Clear Lak	e
-------------------------	--------	-------	-----------	---

Oxbow lake 12 miles northwest of Logansport, LA

Area		Category	Carryforward	Year First Listed
0504E_01	Oxbow lake 12 miles northwest of Logansport, LA			
	mercury in largemouth bass and freshwater drum	5c	No	2006

# SegID: 0505 Sabine River Above Toledo Bend Reservoir

From a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

Area		Category	Carryforward	Year First Listed
0505_03	22 mile reach near SH 149			
	bacteria	5a	No	2002

# SegID: 0505B Grace Creek (unclassified water body)

Perennial stream from the confluence with the Sabine River up to FM 1844 in Gregg County

Area		Category	Carryforward	Year First Listed
0505B_02	Upper 12.3 miles			
	depressed dissolved oxygen	5c	Yes	2000
	bacteria	5c	Yes	2000

### SegID: 0505G Wards Creek (unclassified water body)

From the confluence with Hatley Creek to the headwaters east of Hallsville in Harrison County

Area		Category	Carryforward	Year First Listed
0505G_01 Wards	Creek from the confluence with Sewell Creek upstream			
to the c	onfluence with unnamed 2nd order stream			
depress	ed dissolved oxygen	5c	No	2000

#### SegID: 0505O Hills Lake

Oxbow lake 13 miles east of Carthage

Area		Category	Carryforward	Year First Listed
05050_01	Entire segment			
	mercury in largemouth bass and freshwater drum	5c	No	2006

# SegID: 0506A Harris Creek (unclassified water body)

From the confluence of the Sabine River northeast of Winona in Smith County to the upstream perennial portion of the stream east of Tyler in Smith County

Area		Category	Carryforward	Year First Listed
0506A_01	Entire segment			
	depressed dissolved oxygen	5b	Yes	2000

#### SegID: 0506G Little White Oak Creek (unclassified water body)

From the confluence with the Sabine River to the headwaters southwest of Gilmer in Upshur County

Area		Category	Carryforward	Year First Listed
0506G_01	Entire water body			
	water toxicity	5c	Yes	2004

### SegID: 0507 Lake Tawakoni

From Iron Bridge Dam in Rains County up to normal pool elevation of 437 feet (impounds Sabine River)

Area		<u>Category</u>	Carryforward	Year First Listed
0507_04	Cowleech Fork of Sabine River arm			
	pH	5c	No	New

#### SegID: 0507G South Fork of Sabine River (unclassified water body)

From the confluence with Lake Tawakoni upstream to the confluence with Klutts and Sabine Creeks

Area		<u>Category</u>	Carryforward	Year First Listed
0507G_01	Entire segment			
	bacteria	5c	No	2006

SegID: 0508	Adams Bayou Tidal From the confluence with the Sabine River in Ora 10 in Orange County	ange County to a point 1.	1 km (0.7 miles) t	upstream of IH
Area		<u>Category</u>	Carryforward	Year First Listed
0508_01	Lower 3 miles of segment			
	depressed dissolved oxygen	4a	Yes	1996
	bacteria	4a	No	1996
0508_02	2 mile reach near Western Avenue			
	depressed dissolved oxygen	4a	Yes	1996
	bacteria	4a	Yes	1996
0508_03	1 mile reach near Green Avenue			
	bacteria	4a	Yes	1996
	depressed dissolved oxygen	4a	Yes	1996
0508_04	Upper 2 miles of segment			
	bacteria	4a	Yes	1996
	depressed dissolved oxygen	4a	Yes	1996

SegID: 0508	Adams Bayou Above Tidal (unclassified water body) From a point 1.1 km (0.7 miles) upstream of IH 10 in Orathe stream northwest of Orange in Orange Count	ange County to th	e upstream peren	nial portion of
Area		<u>Category</u>	Carryforward	Year First Listed
0508A_01	Entire bayou above tidal			
	bacteria	4a	No	2000
	depressed dissolved oxygen	4a	No	2000

SegID: 0508	B Gum Gully (unclassified water body) From the confluence of Adams Bayou to the upstream per in Orange County	rennial portion of	the stream north	west of Orange
Area		Category	Carryforward	Year First Listed
0508B_01	Entire creek			
	bacteria	4a	Yes	2000
_	depressed dissolved oxygen	4a	Yes	2000

SegID: 0508	GC Hudson Gully (unclassified water body) From the confluence with Adams Bayou to the headway	nters near US 890 in	Pinehurst in Ora	nge County
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0508C_01	Entire creek			
	bacteria	4a	Yes	2002
	depressed dissolved oxygen	4a	Yes	2002

SegID: 0511	Cow Bayou Tidal From the confluence with the Sabine River in Orang 10 in Orange County	e County to a point 4.	8 km (3.0 miles) ι	upstream of IH
Area		<u>Category</u>	Carryforward	Year First Listed
0511_01	Lower 5 miles			
	bacteria	4a	No	2000
0511_02	6 mile reach near FM 105			
	depressed dissolved oxygen	4a	No	2000
0511_03	5 mile reach near FM 1442 (north crossing)			
	bacteria	4a	No	2000
	pН	4a	No	2000
	depressed dissolved oxygen	4a	No	2000
0511_04	Upper 4 miles			
	bacteria	4a	Yes	2000
	depressed dissolved oxygen	4a	Yes	2000
	pH	4a	Yes	2000

SegID: 0511	A Cow Bayou Above Tidal (unclassified water body) From a point 4.8 km (3.0 miles) upstream of IH 10 in Orang the stream northeast of Vidor in Orange County	e County to th	e upstream peren	nial portion of
Area		Category	Carryforward	Year First Listed
0511A_02	Upper 5.3 miles of above-tidal reach			
	depressed dissolved oxygen	4a	Yes	2000

SegID: 0511B Coon Bayou (unclassified water body)  From the confluence with Cow Bayou up to the extent of tidal limit in Orange County				
<u>Area</u> 0511B_01	Entire tidal reach	<u>Category</u>	<u>Carryforward</u>	Year First Listed
	depressed dissolved oxygen bacteria	4a 4a	Yes Yes	2000 2000

SegID: 051	1C Cole Creek (unclassified water body) From the confluence of Cow Bayou west of Orange in the stream south of Mauriceville in Orange Count	Orange County to t	he upstream perei	nnial portion of
Area		<u>Category</u>	Carryforward	Year First Listed
0511C_01	Entire tidal reach			
	bacteria	4a	Yes	2000
	depressed dissolved oxygen	4a	Yes	2000

### SegID: 0511E Terry Gully (unclassified water body)

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

Area		Category	Carryforward	Year First Listed
0511E_01	Entire creek			
	bacteria	4a	Yes	2002

## SegID: 0512A Running Creek (unclassified water body)

From the confluence with Lake Fork Reservoir to the headwaters southeast of Martin Springs in Hopkins County

Area		Category	Carryforward	Year First Listed
0512A_01	Entire creek			
	bacteria	5c	Yes	2002

## SegID: 0512B Elm Creek (unclassified water body)

From the confluence with Lake Fork Reservoir in Rains County to the headwaters northwest of Shirley in Hopkins County

Area		Category	Carryforward	Year First Listed
0512B_01	Entire creek			
	bacteria	5c	Yes	2002

#### SegID: 0514 Big Sandy Creek

From the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 miles) upstream of SH 11 in Hopkins County

Area		Category	Carryforward	Year First Listed
0514_02	From just upstream of FM 49 to upper end of segment			
	bacteria	5c	No	2006

#### SegID: 0603 B. A. Steinhagen Lake

From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm in Jasper County, up to the normal pool elevation of 83 feet (impounds Neches River)

Area		<u>Category</u>	Carryforward	Year First Listed
0603_01	Main pool by dam			
	mercury in white and hybrid white/striped bass	5c	No	1998
0603_02	Remainder of reservoir			
	mercury in white and hybrid white/striped bass	5c	No	1998

### SegID: 0603A Sandy Creek (unclassified water body)

From the confluence of B.A. Steinhagen Lake southwest of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in Jasper in Jasper County

Area		Category	Carryforward	Year First Listed
0603A_01	Lower 11.5 miles			
	bacteria	5c	No	2000

#### SegID: 0603B Wolf Creek (unclassified water body)

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

Area		Category	Carryforward	Year First Listed
0603B_01	Entire creek			
	bacteria	5c	No	2006

#### **SegID: 0604** Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

Area		Category	Carryforward	Year First Listed
0604_04	From SH 21 to US 84			
	lead in water	5c	Yes	2002

#### SegID: 0604A Cedar Creek (unclassified water body)

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

Area		Category	Carryforward	Year First Listed
0604A_01	Lower area downstream of FM 2497			
	bacteria	5c	Yes	2000
0604A_02	Upper area upstream of FM 2497			
	bacteria	5c	No	2000

### SegID: 0604B Hurricane Creek (unclassified water body)

Perennial stream from the confluence with Cedar Creek to the confluence of two unnamed tributaries 100 meters upstream of SH Loop 287 in Lufkin

Area		Category	Carryforward	Year First Listed
0604B_01	Entire Segment as described in Appendix D			
	bacteria	5c	No	2000

### SegID: 0604C Jack Creek (unclassified water body)

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

Area		Category	Carryforward	Year First Listed
0604C_01	Entire water body			
	bacteria	5c	No	2000

#### SegID: 0604D Piney Creek (unclassified water body)

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

Area		Category	Carryforward	Year First Listed
0604D_01	Lower 25 miles			
	bacteria	5c	No	2006
	depressed dissolved oxygen	5c	No	2004

## SegID: 0604M Biloxi Creek (unclassified water body)

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

Area		Category	Carryforward	Year First Listed
0604M_02	Lower portion below CR 228		-	
	bacteria	5c	No	2004
0604M_03	Upper portion above CR 228			
	bacteria	5c	No	2004
	depressed dissolved oxygen	5c	No	2006

### SegID: 0604T Lake Ratcliff (unclassified water body)

Lake in Houston County 3.4 miles northeast of Kennard

Area		Category	Carryforward	Year First Listed
0604T_01	Entire lake			
	mercury in largemouth bass	5c	No	2002

SegID: 0605	From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)			
Area		Category	Carryforward	Year First Listed
0605_03	Mid-lake near Tyler PWS intake			
	pH	5c	No	2006
0605_09	Flat Creek arm			
	pH	5c	No	2006
0605_10	Upper Lake			
	рН	5c	No	2006

SegID: 0605	5A Kickapoo Creek (unclassified water body) From the confluence of Lake Palestine east of Brownsbo portion of the stream northeast of Murchinson in Hender		County to the upst	ream perennial
<u>Area</u> 0605A_01	Downstream of FM 1803	<u>Category</u>	<u>Carryforward</u>	Year First Listed
	bacteria depressed dissolved oxygen	5c 5c	No No	2000 2006

SegID: 0606	Neches River Above Lake Palestine From a point 6.7 km (4.2 miles) downstream of FM 279 Van Zandt County	in Henderson/Smi	ith County to Rhi	nes Lake Dam in
Area		Category	Carryforward	Year First Listed
0606_01	Lower boundary to Prairie Creek			
	bacteria	5c	No	New
0606_02	Prairie Creek to river mile 7.0			
	depressed dissolved oxygen	5c	No	1996
	pH	5c	No	2002
	zinc in water	5c	No	1996
0606_03	River mile 7.0 to headwaters			
	depressed dissolved oxygen pH	5c 5c	Yes No	1996 2002

# SegID: 0606A Prairie Creek (unclassified water body)

Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.

	Listed
0606A_01 Perennial stream form the confluence with the Neches River to	
a point immediately upstream of the confluence of Caney	
Creek	
bacteria 5c Yes 2002	

# SegID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0607_01	Mouth to river mile 5.7			
	depressed dissolved oxygen	5b	Yes	1996
0607_02	River Mile 5.7 to mile 12.1			
	depressed dissolved oxygen	5b	No	1996
0607_03	River Mile 12.1 to mile 35.4 at confluence with Willow Creek (0607C)			
	bacteria	5c	No	New
	depressed dissolved oxygen	5b	No	1996
0607_04	River Mile 35.4 at confluence with Willow Creek (0607C) to mile 60.4			
	depressed dissolved oxygen	5b	No	1996
	depressed dissolved oxygen	5b	Yes	1996
0607_05	River Mile 60.4 to top of segment at FM 787			
	depressed dissolved oxygen	5b	Yes	1996

# SegID: 0607A Boggy Creek (unclassified water body)

From the confluence of Pine Island Bayou south of Lumberton in Hardin County to the upstream perennial portion of the stream west of Lumberton in Hardin County

Area		<u>Category</u>	Carryforward	Year First Listed
0607A_01	Entire creek			
	depressed dissolved oxygen	5b	No	2000

### SegID: 0607B Little Pine Island Bayou (unclassified water body)

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

Area		<u>Category</u>	Carryforward	Year First Listed
0607B_01	Lower 25 miles			
	bacteria	5c	No	2006
	depressed dissolved oxygen	5b	No	2000

### SegID: 0607C Willow Creek (unclassified water body)

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

Area		Category	Carryforward	Year First Listed
0607C_01	Entire creek			
	depressed dissolved oxygen	5b	No	2000

#### SegID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

Area		Category	Carryforward	Year First Listed
0608_02	From FM 418 to Lake Kimble dam			
	pH	5b	Yes	2000

#### SegID: 0608A Beech Creek (unclassified water body)

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

Area		Category	Carryforward	Year First Listed
0608A_01	Lower 20 miles of water body			
	bacteria	5c	No	2006

### SegID: 0608B Big Sandy Creek (unclassified water body)

From the confluence of Village Creek northwest of Kountze in Hardin County to the upstream perennial portion of the stream northeast of Livingston in Polk County

Area		Category	Carryforward	Year First Listed
0608B_01	Lower 30 miles downstream of US 190			
	bacteria	5c	No	2000

SegID: 0608C	Cypress	Creek	(unclassified	water	body)
--------------	---------	-------	---------------	-------	-------

From the confluence of Village Creek east of Kountze in Hardin County to the upstream perennial portion of the stream northwest of Kountze in Hardin County

Area		Category	Carryforward	Year First Listed
0608C_01	Entire water body			
	depressed dissolved oxygen	5b	No	2000
	aluminum in water	5c	No	2004
	bacteria	5c	No	2006

# SegID: 0608E Mill Creek (unclassified water body)

From the confluence of Village Creek southwest of Silsbee in Hardin County to the upstream perennial portion of the stream northwest of Silsbee in Hardin County

Area		Category	Carryforward	Year First Listed
0608E_01	Entire water body			
	depressed dissolved oxygen	5c	No	2006

#### SegID: 0608F Turkey Creek (unclassified water body)

From the confluence of Village Creek north of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

Area		Category	Carryforward	Year First Listed
0608F_01	Lower 25 miles of segment			
	bacteria	5c	No	2000

# SegID: 0608G Lake Kimball (unclassified water body)

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0608G_01	Entire lake			
	mercury in fish tissue	5c	No	2000

SegID: 0610	Sam Rayburn Reservoir From Sam Rayburn Dam in Jasper County to a point 5.6 kilo on the Angelina River Arm in Angelina/Nacogdoches County of Curry Creek on the Attoyac Bayou Arm in Nacogdoches/Selevation of 164 ft (except on the Angelina River Arm)(important)	y and to a poi San Augustine	nt 3.9 km (2.4 mile County, up to the	les) downstream e normal pool
Area		Category	Carryforward	Year First Listed
0610_01	Main pool by the dam			
	mercury in largemouth bass and freshwater drum	5c	No	1996
0610_02	Lower Angelina River arm			
	mercury in largemouth bass and freshwater drum	5c	No	1996
0610_03	Mid-Angelina River arm (SH 147)			
	mercury in largemouth bass and freshwater drum	5c	No	1996
0610_04	Upper mid-Angelina River arm			
	mercury in largemouth bass and freshwater drum	5c	No	1996
0610_05	Lower Attoyac Bayou arm			
	mercury in largemouth bass and freshwater drum	5c	No	1996
0610_06	Upper Attoyac Bayou arm			
	mercury in largemouth bass and freshwater drum	5c	No	1996
0610_07	Upper Angelina River arm			
	mercury in largemouth bass and freshwater drum	5c	No	1996
0610_08	Bear Creek arm			
	mercury in largemouth bass and freshwater drum	5c	No	1996
0610_09	Lower Ayish Bayou arm			
	mercury in largemouth bass and freshwater drum	5c	No	1996
0610_10	Upper Ayish Bayou arm			
	mercury in largemouth bass and freshwater drum	5c	No	1996

SegID: 0610A Ayish Bayou (unclassified water body) Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine				
Area		Category	Carryforward	Year First Listed
0610A_01	Lower portion downstream of US 96			
	bacteria	5a	No	2000
0610A_02	Middle portion from US 96 to SH 21			
	bacteria	5a	Yes	2000
0610A_03	Upper portion from SH 21 to headwaters			
	bacteria	5a	Yes	2000

lead in water

SegID: 0611	SegID: 0611 Angelina River Above Sam Rayburn Reservoir From the aqueduct crossing 1.0 km (0.6 miles) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County				
Area		Category	Carryforward	Year First Listed	
0611_01	Lower boundary to FM 1911				
	bacteria	5a	No	2000	
0611_03	FM 343 to US 84				
	bacteria	5a	No	2000	

#### SegID: 0611A East Fork Angelina River (unclassified water body) From the confluence of the Angelina River at the Rusk/Nacogdoches county line to the upstream perennial portion of the stream west of Mount Enterprise in Rusk County Carryforward Area Category Year First Listed 0611A\_01 Confluence with Grassy Lake area 2002 bacteria 5a Yes 2000 lead in water 5c Yes 0611A\_02 Grassy Lake area to county road near Happy Valley lead in water 5c Yes 2000 0611A\_03 County road near Happy Valley to Wooten Creek lead in water Yes 2000 5c 0611A\_04 Wooten Creek to headwaters

5c

Yes

SegID: 0611B La Nana Bayou (unclassified water body)  From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County				
Area		<u>Category</u>	Carryforward	Year First Listed
0611B_01	Mouth to unimproved road near FM 3228/1275			
	bacteria	5a	No	2000
0611B_02	Unimproved road near FM 3228/1275 to SH 7			
	bacteria	5a	No	2000

2000

SegID: 0612	2 Attoyac Bayou From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County			
Area		<u>Category</u>	Carryforward	Year First Listed
0612_01	Mouth to 8.2 miles downstream of SH 7			
	bacteria	5a	No	2004
0612_02	8.2 miles below SH 7 to Bear Creek confluence			
	bacteria	5a	No	2004
0612_03	Bear Creek to headwaters			
	bacteria	5a	No	2004

SegID: 0615	The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to a point 2.75 kilometers (1.71 miles) upstream of the confluence of Paper Mill Creek			
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0615_01	Upstream of Papermill Creek			
	depressed dissolved oxygen	5c	Yes	2002
	mercury in largemouth bass and freshwater drum	5c	No	2002
0615_02	Downstream of Papermill Creek			
	bacteria	5c	No	2006
	depressed dissolved oxygen	5c	No	2002
	impaired fish community	5c	Yes	2002
	mercury in largemouth bass and freshwater drum	5c	No	2002

SegID: 0615A Papermill Creek (unclassified water body) From the confluence of Sam Rayburn Reservoir (Angelina River Arm) northeast of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County				
Area		<u>Category</u>	Carryforward	Year First Listed
0615A_01	Lower 9 miles			
	bacteria	5c	No	2006

SegID: 0701	<b>Taylor Bayou Above Tidal</b> From the saltwater lock 7.7 km (4.8 miles) downstream of SH Valley Authority Canal in Jefferson County	73 in Jeffers	son County to the	Lower Neches
Area		Category	Carryforward	Year First Listed
0701_01	From saltwater lock to 8 miles upstream			
	depressed dissolved oxygen	5a	No	1996
0701_02	from 8 miles upstream of saltwater lock to the confluence of N and S Forks Taylor Bayou			
	depressed dissolved oxygen	5a	No	1996

### SegID: 0701D Shallow Prong Lake (unclassified water body)

Reservoir on Big Hill Bayou located approximately 3.5 miles downstream of the confluence with Taylor Bayou in Jefferson County

Area		Category	Carryforward	Year First Listed
0701D_01	Entire water body			
	depressed dissolved oxygen	5a	No	2004

#### SegID: 0702A Alligator Bayou (unclassified water body)

From the Alligator Bayou pump station at the Jefferson County hurricane protection levee one mile downstream of Spur 215 in Port Arthur to a point immediately upstream of the confluence with Jefferson county Drainage District No. 7 city outfall canal

Area		Category	Carryforward	Year First Listed
0702A_02	Lower portion from SH82 to its confluence with Taylor Bayou		-	
	impaired fish community	5c	No	2002
	toxic sediment (LOE)	5c	No	1998
0702A_03	Upper portion from its headwaters at the Port Arthur Canal to SH82			
	water toxicity	5c	No	1998
0702A_04	Drainage canal leading into Alligator Bayou approx. 0.8 miles north of SH82			
	water toxicity	5c	No	1998

#### SegID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

Area		Category	Carryforward	Year First Listed
0704_02	From confluence with Bayou Din to upper end of segment			
	depressed dissolved oxygen	5a	No	1998

#### SegID: 0801C Cotton Bayou (unclassified water body)

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point approximately 1 mile north of IH 10 in Chambers County

Area		Category	Carryforward	Year First Listed
0801C_01	Upper half of bayou			
	depressed dissolved oxygen	5b	Yes	2006

# SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

Area		Category	Carryforward	Year First Listed
0803_01	Lowermost portion of reservoir, adjacent to dam	-		
	pН	5c	No	New
	sulfate	5c	No	2006
0803_02	Lower portion of reservoir, East Wolf Creek			
	sulfate	5c	No	2006
0803_03	Lower portion of reservoir, East Willow Springs			
	sulfate	5c	No	2006
0803_04	Middle portion of reservoir, East Pointblank			
	sulfate	5c	No	2006
0803_05	Middle portion of reservoir, downstream of Kickapoo Creek			
	sulfate	5c	No	2006
0803_06	Middle portion of reservoir, centering on US 190			
	sulfate	5c	No	2006
	pH	5c	No	New
0803_07	Upper portion of reservoir, west of Carlisle			
	sulfate	5c	No	2006
0803_08	Cove off upper portion of reservoir, East Trinity			
	sulfate	5c	No	2006
0803_09	West Carolina Creek cove, off upper portion of reservoir			
	sulfate	5c	No	2006
0803_10	Upper portion of reservoir, centering on SH 19			
	sulfate	5c	No	2006
0803_11	Riverine portion of reservoir, centering on SH 21			
_	sulfate	5c	No	2006
0803_12	Remainder of reservoir			
	sulfate	5c	No	2006

### SegID: 0804G Catfish Creek (unclassified water body)

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

Area		Category	Carryforward	Year First Listed
0804G_01	Entire Segment			
	depressed dissolved oxygen	5c	No	2006
	impaired macrobenthos community	5c	No	2006

SegID: 0805	From a point immediately upstream of the confluence of the C Henderson/Navarro County to a point immediately upstream of Dallas County			
Area		Category	Carryforward	Year First Listed
0805_01	25 mile reach near FM 85			
	PCBs in fish tissue	5a	No	2002
0805_02	25 mile reach near SH 34			
	chlordane in fish tissue	4b	No	1998
	chlordane in fish tissue	4b	No	1998
	PCBs in fish tissue	5a	No	2002
0805_03	11 mile reach near S. Loop 12			
	chlordane in fish tissue	4a	No	1998
	PCBs in fish tissue	5a	No	2002
	bacteria	5a	No	1996
	chlordane in fish tissue	4a	No	1998
0805_04	Upper 8 miles			
	bacteria	5a	No	1996
	chlordane in fish tissue	4a	No	1998
	chlordane in fish tissue	4a	No	1998
	PCBs in fish tissue	5a	No	2002
0805_05	Remainder of segment			
	PCBs in fish tissue	5a	No	2002
0805_06	From 15.57 mi. upstream of SH 34 to 4.71 mi. downstream of S Loop 12			
	chlordane in fish tissue	4b	No	1998
	chlordane in fish tissue	4b	No	1998
	PCBs in fish tissue	5a	No	2002

SegID: 0806	From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County				
Area		<u>Category</u>	Carryforward	Year First Listed	
0806_01	Lower 22 miles of the segment				
	chlordane in fish tissue	4a	No	1998	
	PCBs in fish tissue	5a	No	1996	

SegID: 0800	6A Fosdic Lake (unclassified water body) From Fosdic Lake Dam to the reservoir headwaters in Oakla	nd Lake Park	in Tarrant County	
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0806A_01	Entire lake			
	PCBs in fish tissue	4a	No	1998

# SegID: 0806B Echo Lake (unclassified water body)

From Echo Lake Dam to the reservoirs headwaters in Tarrant County

Area		Category	Carryforward	Year First Listed
0806B_01	Entire lake			
	PCBs in fish tissue	4a	No	1998

# SegID: 0806D Marine Creek (unclassified water body)

Two mile stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tenmile Bridge Road in Fort Worth.

Area		Category	Carryforward	Year First Listed
0806D_01	Marine Creek from the confluence with W. Fork Trinity River 2			
	miles upstream to Tenmile Bridge Rd. in Ft. Worth			
	bacteria	5a	No	2006

### SegID: 0806E Sycamore Creek (unclassified water body)

Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

Area		Category	Carryforward	Year First Listed
0806E_01	Five mile stretch of Sycamore Creek running upstream from			
	confluence with the W. Fork of Trinity River to confluence with			
	Echo Lake Tributary in Fort Worth			
	bacteria	5a	No	2006

SegID: 0807	Lake Worth From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594.3 feet (impounds West Fork Trinity River)			
Area		<u>Category</u>	Carryforward	Year First Listed
0807_01	Entire reservoir			
	PCBs in fish tissue	4a	No	2002

SegID: 0810	gID: 0810 West Fork Trinity River Below Bridgeport Reservoir From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County			unty to
Area		Category	<u>Carryforward</u>	Year First Listed
0810_01	Lower 25 miles of segment			
	bacteria	5a	No	1998

### SegID: 0810A Big Sandy Creek (unclassified water body)

Fifteen mile stretch of Sycamore Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

Area		Category	Carryforward	Year First Listed
0810A_01	Fifteen mile stretch of Big Sandy Creek running from			
	confluence with Waggoner Creek to FM 1810 West of Alvord,			
	Wise Co.			
	bacteria	5a	No	2006

## SegID: 0810B Garrett Creek (unclassified water body)

Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County

Area		Category	Carryforward	Year First Listed
	Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co. bacteria	5a	No	2006

#### SegID: 0810C Martin Branch (unclassified water body)

The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0810C_01	Eight mile stretch of Martin Branch running upstream from			
	confluence with Center Creek to FM 730 south of Decatur,			
	Wise County.			
	bacteria	5a	No	2006

#### SegID: 0810D Salt Creek (unclassified water body)

Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

Area		Category	Carryforward	Year First Listed
0810D_01	Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.			
	bacteria	5a	No	2006

SegID: 0812	West Fork Trinity River Above Bridgeport Reservoir From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County				
Area		Category	Carryforward	Year First Listed	
0812_01	Lower 25 miles of segment				
	chloride	5b	No	1998	
	depressed dissolved oxygen	5b	Yes	1998	
	total dissolved solids	5b	No	1998	
0812_02	Upper 60 miles of segment				
	chloride	5b	No	1998	
	total dissolved solids	5b	No	1998	

SegID: 0818 Cedar Creek Reservoir From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)					
Area		Category	Carryforward	Year First Listed	
0818_01	1674				
	pН	5c	No	2002	
0818_02	Caney Creek cove				
	pН	5c	No	2002	
0818_03	Clear Creek cove				
	pH	5c	No	2002	
0818_04	Lower portion of reservoir east of Key Ranch Estates				
	pH	5c	No	2002	
0818_05	Cove off lower portion of reservoir adjacent to Clearview Estates				
	pH	5c	No	2002	
0818_06	Middle portion of reservoir downstream of Twin Creeks cove				
	pH	5c	No	2002	
0818_07	Twin Creeks cove				
	pH	5c	No	2002	
0818_08	Prairie Creek cove				
	pH	5c	No	2002	
0818_09	Upper portion of reservoir adjacent to Lacy Fork cove				
	pH	5c	No	2002	
0818_11	Upper portion of reservoir east of Tolosa				
	pH	5c	No	2002	
0818_12	Uppermost portion of reservoir downstream of Kings Creek				
	рН	5c	No	2002	

SegID: 0819	From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County  County				
Area		Category	Carryforward	Year First Listed	
0819_01	Entire segment				
	sulfate	5b	No	New	
	total dissolved solids	5b	No	New	
	chloride	5b	No	New	

SegID: 0820C Muddy Creek (unclassified water body) From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County				
Area		Category	Carryforward	Year First Listed
0820C_01	Entire creek			
	bacteria	5c	No	2002

SegID: 0822	SegID: 0822 Elm Fork Trinity River Below Lewisville Lake From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County			
Area		Category	Carryforward	Year First Listed
0822_02	4.5 miles upstream to 7.5 miles downstream DWU intake			
	bacteria	5a	No	2006

SegID: 0822A Cottonwood Branch (unclassified water body)  A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.				
Area 0822A_02	A 3. 5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.	Category	Carryforward	Year First Listed
	bacteria	5a	No	2006

SegID: 0822B Grapevine Creek (unclassified water body)  A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1. 5 miles upstream of SH 21, Tarrant County.				
Area 0822B 01	A 5.5 mile stretch of Grapevine Creek running upstream from	Category	Carryforward	Year First Listed
0022 <b>D_</b> 01	Coppell Rd. in Coppell, Dallas Co., to approximately 1. 5			
	miles upstream of SH 21, Tarrant County. bacteria	5a	No	2006

SegID: 0829	Clear Fork Trinity River Below Benbrook Lake From the confluence with the West Fork Trinity River in Tar County	rrant County t	o Benbrook Dam	in Tarrant
Area		<u>Category</u>	Carryforward	Year First Listed
0829_01	Lower mile of segment			
	PCBs in fish tissue	5a	No	1996

SegID: 0831	SegID: 0831 Clear Fork Trinity River Below Lake Weatherford From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County				
Area		Category	Carryforward	Year First Listed	
0831_04	2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence depressed dissolved oxygen	5b	No	1996	
0831_05	From the confluence of Squaw Ck. to Lake Weatherford Dam depressed dissolved oxygen	5b	No	1996	

SegID: 0833	3 Clear Fork Trinity River Above Lake Weatherford From a point 3.1 km (1.9 miles) upstream of FM 1707 in Park	cer County, to	o FM 3107 in Par	ker County
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0833_02	Upper 11 miles of segment			
	depressed dissolved oxygen	5b	No	1998
0833_03	From the confluence of McKnight Branch to the confluence of Cottonwood Ck. depressed dissolved oxygen	5b	No	1998
0833_04	From the confluence with Dobbs Branch to confluence with McKnight Branch depressed dissolved oxygen	5b	Yes	1998

### SegID: 0838C Walnut Creek (unclassified water body)

A 7 mile stretch of Walnut Creek running upstream from Holland Road, to confluence with Willow Branch, NW Mansfield, Tarrant County.

Area		Category	Carryforward	Year First Listed
0838C_01	Entire segment.			
	bacteria	5c	No	2006

## SegID: 0841 Lower West Fork Trinity River

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

Α		Catalana	C	Vara Finat Lists 1
<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0841_01	Lower 14 miles of segment			
	bacteria	5a	No	1996
	chlordane in fish tissue	4a	No	1996
	PCBs in fish tissue	5a	No	1996
0841_02	Upper 13 miles of segment			
	chlordane in fish tissue	4a	No	1996
	PCBs in fish tissue	5a	No	1996

### SegID: 0841A Mountain Creek Lake (unclassified water body)

From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

Area		Category	Carryforward	Year First Listed
0841A_01	Entire reservoir			
	heptachlor epoxide in fish tissue	4a	No	2000
	PCBs in fish tissue	4a	No	1996
	dieldrin in fish tissue	4a	No	2000
	DDE in fish tissue	4a	No	2000
	DDD in fish tissue	4a	No	2000
	chlordane in fish tissue	4a	No	2000
	DDT in fish tissue	4a	No	2000

### SegID: 0841B Bear Creek (unclassified water body)

A 10 mile stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to just upstream of HWY 183, Dallas County.

Area		Category	Carryforward	Year First Listed
0841B_01	Entire segment.			
	bacteria	5a	No	2006

### SegID: 0841C Arbor Creek (unclassified water body)

A 2.2 mile stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 miles upstream of Tarrant/Dallas county line.

Area		Category	Carryforward	Year First Listed
0841C_01	Entire segment.			
	bacteria	5a	No	2006

#### SegID: 0841D Big Bear Creek (unclassified water body)

An 8 mile stretch of Big Bear Creek running upstream from confluence with Little Bear Creek to SH 26, Tarrant Co.

Area		Category	Carryforward	Year First Listed
0841D_01	Entire segment.			
	bacteria	5a	No	2006

### SegID: 0841E Copart Branch Mountain Creek (unclassified water body)

A 2.8 mile stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 miles upstream of Camden Road on Dallas Naval Academy, Dallas County.

Area		Category	Carryforward	Year First Listed
0841E_01	Entire segment.			
	bacteria	5c	No	2006

#### SegID: 0841F Cottonwood Creek (unclassified water body)

A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

Area		Category	Carryforward	Year First Listed
0841F_01	Entire segment.			
	bacteria	5c	No	2006

### SegID: 0841G Dalworth Creek (unclassified water body)

A 2.2 mile stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
0841G_01	Entire segment.			
	bacteria	5a	No	2006

### SegID: 0841H Delaware Creek (unclassified water body)

An 8.5 mile stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

Area		Category	Carryforward	Year First Listed
0841H_01	Entire segment.			
	bacteria	5a	No	2006

## SegID: 0841J Estelle Creek (unclassified water body)

A 4 mile stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.

Area		Category	Carryforward	Year First Listed
0841J_01	Entire segment.			
	bacteria	5a	No	2006

### SegID: 0841K Fish Creek (unclassified water body)

A 10.5 mile stretch of Fish Creek running upstream from approx. 100 m downstream of FM 382 in Grand Prairie, Dallas Co., to approx. 0.25 mi. upstream of Collins Rd. in Arlington, Tarrant Co. Includes north and south branches of Fish Creek.

Area		Category	Carryforward	Year First Listed
0841K_01	Entire segment.			
	bacteria	5c	No	2006

#### SegID: 0841M Kee Branch (unclassified water body)

Three mile stretch of Kee Branch running upstream from confluence with Rush Creek to approx. 300 m upstream of Polly-Webb Road in Arlington, Tarrant Co. Sta. ID 10792

Area		Category	Carryforward	Year First Listed
0841M_01 B	Entire segment.			
b	pacteria	5a	No	2006

### SegID: 0841N Kirby Creek (unclassified water body)

Four mile stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

Area		Category	Carryforward	Year First Listed
0841N_01	Entire segment			
	bacteria	5c	No	2006

## SegID: 0841S Vilbig Lakes (unclassified water body)

A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

Area		Category	Carryforward	Year First Listed
0841S_01	A 5 acre area in NW corner of Vilbig Lakes, near confluence			
	with unnamed creek, approx. 100 m south of intersection of			
	Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.			
	bacteria	5c	No	2006

### SegID: 0841U West Irving Creek (unclassified water body)

A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

Area		Category	Carryforward	Year First Listed
0841U_01	A 4 mile stretch of West Irving Branch running upstream from			
	approx. 0.4 mi. downstream of Oakdale Rd. to just south of			
	Sowers Road in Irving, Dallas Co.			
	bacteria	5c	No	2006

# SegID: 0901 Cedar Bayou Tidal

From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

Area		<u>Category</u>	Carryforward	Year First Listed
0901_01	Entire segment			
	dioxin in catfish and crab tissue	5a	No	2002
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	New
	bacteria	5c	No	2006

### SegID: 0902 Cedar Bayou Above Tidal

From a point  $2.2~\mathrm{km}$  ( $1.4~\mathrm{miles}$ ) upstream of IH 10 in Chambers/Harris County to a point  $7.4~\mathrm{km}$  ( $4.6~\mathrm{miles}$ ) upstream of FM 1960 in Liberty County

Area		Category	Carryforward	Year First Listed
0902_01	Entire segment			
	impaired macrobenthos community	5c	No	2006

SegID: 1001	San Jacinto River Tidal From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County			
Area		<u>Category</u>	Carryforward	Year First Listed
1001_01	From Lake Houston Dam to US Hwy 90			
	dioxin in catfish and crab tissue	5a	No	2000
1001_02	From US Hwy 90 to IH 10			
	dioxin in catfish and crab tissue PCBs in fish tissue	5a 5a	No No	2000 2002

SegID: 1002	Lake Houston From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44.5 feet (impounds San Jacinto River)			
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1002_06	Confluence with Spring Creek to West Lake Houston Pkwy			
	bacteria	5a	No	2006

SegID: 1003 East Fork San Jacinto River From the confluence of Caney Creek in Harris County to US 190 in Walker County					
Area		Category	Carryforward	Year First Listed	
1003_01	Confluence with Caney Creek upstream to US 59				
	bacteria	5a	No	2006	
1003_02	US Hwy 59 to 25 miles upstream (just upstream of Clear Creek confluence) bacteria	5a	No	2006	
1003_03	25 miles upstream of US 59 to US 190 (upper segment boundary) bacteria	5a	No	2006	

SegID: 100	4 West Fork San Jacinto River From the confluence of Spring Creek in Harris/Montgome	ery County to Co	nroe Dam in Mor	atgomery County
Area		<u>Category</u>	Carryforward	Year First Listed
1004_02	IH 45 to the Spring Creek confluence bacteria	5a	No	1996
	Dacteria	Ja	110	1990

# SegID: 1004D Crystal Creek (unclassified water body)

From the confluence of the east and west forks of Crystal Creek to the confluence with the West Fork of the San Jacinto River.

Area		Category	Carryforward	Year First Listed
1004D_01	Confluence with West Fork San Jacinto River upstream to			
	confluence of the East and West Forks of Crystal Creek			
	bacteria	5a	No	2006

### SegID: 1004E Stewarts Creek (unclassified water body)

From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River.

Area		Category	Carryforward	Year First Listed
1004E_02 I	From Airport Rd to confluence with West Fork San Jacinto			
l	River			
ł	bacteria	5a	No	2006

### SegID: 1005 Houston Ship Channel/San Jacinto River Tidal

From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

Area		Category	Carryforward	Year First Listed
1005_01	Downstream I-10 to Lynchburg Ferry Road			
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2002
	dioxin in catfish and crab tissue	5a	No	1996
1005_02	Lynchburg Ferry Road to Goose Island			
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2002
	bacteria	5c	No	2006
	dioxin in catfish and crab tissue	5a	No	1996
1005_03	Goose Island to SH 146			
	dioxin in catfish and crab tissue	5a	No	1996
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2002
1005_04	SH 146 to Morgans Point			
	dioxin in catfish and crab tissue	5a	No	1996
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2002

# SegID: 1006 Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

Area		Category	Carryforward	Year First Listed
1006_01	Houston Ship Channel Tidal-Greens Bayou confluence to	Category	Carryrorward	1 cai first Listed
1000_01	Patrick Bayou confluence			
	bacteria	5c	No	2006
	chlordane in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	heptachlor epoxide in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
1006_02	Houston Ship Channel Tidal- Patrick Bayou confluence to lower segment boundary			
	heptachlor epoxide in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	dieldrin in fish tissue	4b	No	2004
	chlordane in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
1006_03	Greens Bayou Tidal			
	chlordane in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	heptachlor epoxide in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
1006_04	Patrick Bayou Tidal			
	chlordane in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
	mercury in water	5a	Yes	1998
	heptachlor epoxide in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
	toxic sediment (LOE)	5c	No	2000
	dioxin in catfish and crab tissue	5a	No	1996
1006_05	Goodyear Creek Tidal			
	dioxin in catfish and crab tissue	5a	No	1996
	PCBs in fish tissue	5a	No	2002
	heptachlor epoxide in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
	depressed dissolved oxygen	5c	No	2006
	bacteria	5c	No	2006
	chlordane in fish tissue	4b	No	2004

SegID: 1006I	Halls Bayou	(unclassified	water body)
--------------	-------------	---------------	-------------

Perennial stream from the confluence with Greens Bayou up to US 59 in Harris County

Area		Category	Carryforward	Year First Listed
1006D_01	From the confluence with Greens Bayou to US 59			
	bacteria	5a	No	2002
1006D_02	From Hirsch Road to Homestead Road			
	bacteria	5a	No	2002

### SegID: 1006F Big Gulch Above Tidal (unclassified water body)

From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

Area		<u>Category</u>	Carryforward	Year First Listed
1006F_01	Entire water body			
	bacteria	5a	No	2002

### SegID: 1006H Spring Gully Above Tidal (unclassified water body)

From confluence with Greens Bayou to US 90 in Harris County

Area		Category	Carryforward	Year First Listed
1006H_01	Entire water body			
	bacteria	5a	No	2002

### SegID: 1006I Unnamed Tributary of Halls Bayou (unclassified water body)

From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County

Area		Category	Carryforward	Year First Listed
1006I_01	Entire water body			
	bacteria	5a	No	2002

### SegID: 1006J Unnamed Tributary of Halls Bayou (unclassified water body)

From the confluence of Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

Area		Category	Carryforward	Year First Listed
1006J_01	Entire water body			
	bacteria	5a	No	2002

# SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

Area	w	Category	<u>Carryforward</u>	Year First Listed
1007_01	Houston Ship Channel/Buffalo Bayou Tidal			
	heptachlor epoxide in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
	dioxin in catfish and crab tissue	5a	No	1996
	chlordane in fish tissue	4b	No	2004
	bacteria	5c	No	2006
	dieldrin in fish tissue	4b	No	2004
1007_02	Sims Bayou Tidal (upstream of SH 35 to Houston Ship			
-	Channel confluence)			
	dieldrin in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	heptachlor epoxide in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
	chlordane in fish tissue	4b	No	2004
1007_03	Hunting Bayou Tidal (I-10 to confluence with Houston Ship			
	Channel)			
	chlordane in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	heptachlor epoxide in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
1007_04	Brays Bayou Tidal (downstream of I 45 to confluence with the	•		
100/_UT	Houston Ship Channel)			
	dioxin in catfish and crab tissue	5a	No	1996
	heptachlor epoxide in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
	chlordane in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
1007_05	Vince Bayou Tidal (SH 225 to confluence with the Houston			
100/_00	Ship Channel			
	PCBs in fish tissue	5a	No	2002
	toxic sediment (LOE)	5c	Yes	2002
	heptachlor epoxide in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	dieldrin in fish tissue	4b	No	2004
	chlordane in fish tissue	4b	No	2004
	bacteria	5c	No	2004
1007_06	Berry Bayou Tidal (2.4 km upstream of the Sims Bayou	30	110	2000
100/_00	confluence)			
	dieldrin in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	46 5a	No No	2004 1996
	heptachlor epoxide in fish tissue	5а 4b	No No	2004
	PCBs in fish tissue	46 5a	No No	2004
	chlordane in fish tissue	3a 4b	No No	2002
	emoranie in non noone	<del>1</del> U	INO	400 <del>4</del>

SegID: 1007	Houston Ship Channel/Buffalo Bayou Tidal From a point immediately upstream of Greens Bayou in Harr upstream of US 59 in Harris County, including tidal portion	•	a point 100 meters	s (110 yards)
Area		<u>Category</u>	Carryforward	Year First Listed
1007_07	Buffalo Bayou (US 59 to upstream of 69th Street WWTP)			
	chlordane in fish tissue	4b	No	2004
	heptachlor epoxide in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
	bacteria	5c	No	2006
	dioxin in catfish and crab tissue	5a	No	1996
	dieldrin in fish tissue	4b	No	2004
1007_08	Little Vince Bayou Tidal (From confluence with Vince Bayou to SH 225)			
	PCBs in fish tissue	5a	No	2002
	chlordane in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	heptachlor epoxide in fish tissue	4b	No	2004

SegID: 1007	7A Canal C-147 tributary of Sims Bayou Above Tidal (uncla Houston Ship Channel/Buffalo Bayou Tidal tributary	assified water	body)	
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1007A_01	From confluence with an unnamed flood control ditch near			
	Corsair St to the confluence with Sims Bayou			
	bacteria	5c	No	2006

SegID: 1007B Brays Bayou Above Tidal (unclassified water body) Perennial stream from 11.5 km upstream of confluence with Houston Ship Channel up to SH 6				
Area		Category	Carryforward	Year First Listed
1007B_01	From 11.5km upstream of confluence with Brays Bayou Tidal			
	to SH 6			
	bacteria	5a	No	2002
1007B_02	SH 6 to Clodine Road			
	bacteria	5a	No	2002

### SegID: 1007C Keegans Bayou Above Tidal (unclassified water body)

Perennial stream from confluence with Brays Bayou upstream to Harris County line

Area		Category	Carryforward	Year First Listed
1007C_01	From Harris County line to confluence with Brays Bayou			
	bacteria	5a	No	2002

### SegID: 1007D Sims Bayou Above Tidal (unclassified water body)

Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

Area		Category	Carryforward	Year First Listed
1007D_01	From 0.4 miles north of Beltway 8 to Hiram Clark			
	bacteria	5a	No	2002
1007D_02	From Hirman Clark to 11 miles upstream of the confluence with the Houston Ship Channel			
	bacteria	5a	No	2002
1007D_03	From 11 miles upstream of the Houston Ship Channel confluence to SH 35			
	bacteria	5a	No	2002

### SegID: 1007E Willow Waterhole Bayou Above Tidal (unclassified water body)

Perennial stream from confluence with Brays Bayou upstream to South Garden (in Missouri City)

Area		Category	Carryforward	Year First Listed
1007E_01	Entire water body			
	bacteria	5a	No	2002

### SegID: 1007F Berry Bayou Above Tidal (unclassified water body)

Perennial stream from 2.4 km upstream from the confluence with Sims Bayou to the southern city limits of South Houston

Area		Category	Carryforward	Year First Listed
1007F_01	1.5 miles upstream from confluence with Sims Bayou to SH 3			
	bacteria	5a	No	2002

### SegID: 1007G Kuhlman Gully Above Tidal (unclassified water body)

From confluence with Brays Bayou in Harris County to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

Area		Category	Carryforward	Year First Listed
1007G_01	Entire water body			
	bacteria	5a	No	2002

### SegID: 1007H Pine Gully Above Tidal (unclassified water body)

From the confluence with Sims Bayou in Harris County to Broadway in Harris County

Area		<u>Category</u>	Carryforward	Year First Listed
1007H_01	Entire water body			
	bacteria	5a	No	2002

### SegID: 1007I Plum Creek Above Tidal (unclassified water body)

From the confluence with Sims Bayou in Harris County to Telephone Road in Harris County

Area		Category	Carryforward	Year First Listed
1007I_01	Entire water body			
	bacteria	5a	No	2002

#### SegID: 1007K Country Club Bayou Above Tidal (unclassified water body)

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

Area		Category	Carryforward	Year First Listed
1007K_01	From just downstream of South Lockwood Drive to the			
	confluence with Brays Bayou			
	bacteria	5a	No	2002
	depressed dissolved oxygen	5c	No	2002

### SegID: 1007L Unnamed Non-Tidal Tributary of Brays Bayou (unclassified water body)

From the confluence with Brays Bayou near Fondren Road to a point 0.60 miles upstream in Harris County

Area		Category	Carryforward	Year First Listed
1007L_01	Entire perennial portion of water body			
	bacteria	5a	No	2002

### SegID: 1007M Unnamed Non-Tidal Tributary of Hunting Bayou (unclassified water body)

From the confluence with Hunting Bayou to Mercury Road in Harris County

Area		Category	Carryforward	Year First Listed
1007M_01	Entire water body			
	bacteria	5a	No	2002

## SegID: 1007N Unnamed Non-Tidal Tributary of Sims Bayou (unclassified water body)

From confluence with Sims Bayou, south of Airport Road, to Reed Road, east of SH 288 in Harris County

Area		<u>Category</u>	Carryforward	Year First Listed
1007N_01	Entire water body			
	bacteria	5a	No	2002

### SegID: 1007O Unnamed Non-Tidal Tributary of Buffalo Bayou (unclassified water body)

From confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

Area		Category	Carryforward	Year First Listed
10070_01	Entire water body			
	depressed dissolved oxygen	5c	No	2002
	bacteria	5a	No	2002

### SegID: 1007R Hunting Bayou Above Tidal (unclassified water body)

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

Area		Category	Carryforward	Year First Listed
1007R_01	From Bain Street to Sayers Street (South Fork)			
	bacteria	5a	No	2002
	depressed dissolved oxygen	5c	No	2002
1007R_02	From just east of Elysian Street to Falls Street (North Fork)			
	bacteria	5a	No	2002
1007R_03	From Falls Street to Loop 610 East			
	bacteria	5a	No	2002
1007R_04	From Loop 610 East to IH 10			
	bacteria	5a	No	2002

SegID: 1008	Spring Creek From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the most upstream crossing of FM 1736 in Waller County					
Area		Category	Carryforward	Year First Listed		
1008_02	Field Store Road to SH 249					
	bacteria	5a	No	1996		
	depressed dissolved oxygen	5b	No	1996		
1008_03	SH 249 to IH 45					
	bacteria	5a	No	1996		
1008_04	IH 45 to confluence with Lake Houston					
	bacteria	5a	No	1996		

SegID: 10081	B Upper Panther Branch (unclassified water body) Intermittent stream with perennial pools from the normal poupstream to Old Conroe Road	ol elevation of	125 feet of Lake	Woodlands
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1008B_01	From Old Conroe Road to the confluence with Bear Branch			
	bacteria	5a	No	2006

SegID: 1008	SH Willow Creek (unclassified water From 0.3 miles north of Juergen Rd	body) to the confluence with Spring Creek		
Area		<u>Category</u>	Carryforward	Year First Listed
1008H_01	Entire water body			
	bacteria	5a	No	2006

SegID: 1009	Cypress Creek From the confluence with Spring Creek in Harris Count Creek in Waller County	y to the confluence	e of Snake Creek	and Mound
Area		Category	Carryforward	Year First Listed
1009_01	Upper portion of segment to downstream of US 290			
	bacteria	5a	No	1996
1009_02	US 290 to SH 249			
	bacteria	5a	No	1996
1009_03	SH 249 to IH 45			
	bacteria	5a	No	1996
1009_04	IH 45 to confluence with Spring Creek			
	bacteria	5a	No	1996

### SegID: 1009C Faulkey Gully (unclassified water body)

Perennial stream from its confluence with Cypress Creek upstream 3.2 km, which is approximately 1.0 km upstream of Louetta Road

Area		Category	Carryforward	Year First Listed
1009C_01	From an unnamed lake 0.3 miles southeast of Telge Road to			
	the confluence with Cypress Creek			
	bacteria	5c	No	2006

### SegID: 1009D Spring Gully (unclassified water body)

Perennial stream from a point 1 km upstream of Louetta Road upstream to Spring Cypress Road

Area		Category	Carryforward	Year First Listed
1009D_01	Entire water body			
	bacteria	5c	No	2006

## SegID: 1009E Little Cypress Creek

From the confluence with Cypress Creek upstream to Hwy 290A.

Area		Category	Carryforward	Year First Listed
1009E_01	Entire water body			
	bacteria	5a	No	2006

## SegID: 1010 Caney Creek

From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

Area		<u>Category</u>	<b>Carryforward</b>	Year First Listed
1010_02	FM 1097 to SH 105			
	bacteria	5a	No	2006
1010_04	FM 2090 to lower segment boundary			
	bacteria	5a	No	2006

# SegID: 1011 Peach Creek

From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

Area		Category	Carryforward	Year First Listed
1011_02	US Hwy 59 to confluence with Caney Creek			
	bacteria	5a	No	2006

SegID: 1013	3 Buffalo Bayou Tidal From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepard Drive in Harris County			
<u>Area</u> 1013_01	Entire segment	Category	<u>Carryforward</u>	Year First Listed
_	bacteria	5a	No	1996

SegID: 1013	A Little White Oak Bayou (unclassified water body) From the confluence with Whiteoak Bayou to Yale Street			
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1013A_01	From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610			
	bacteria	5a	No	2002
	depressed dissolved oxygen	5c	No	2002

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal (unclassified water body)  Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County				
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1013C_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1014	<b>Buffalo Bayou Above Tidal</b> From a point 400 meters (440 yards) upstream of Shepherd	Drive in Harri	s County to SH 6	in Harris County
Area	- ·	Category	<u>Carryforward</u>	Year First Listed
1014_01	Entire segment			
	bacteria	5a	No	1996

	SegID: 1014	A Bear Creek (unclassified water body) Perennial stream from the confluence with South Mayde Cree tributary 1.24 km north of Logenbaugh Road	k upstream t	o the confluence	with an unnamed
	Area		Category	Carryforward	Year First Listed
	1014A_01	Confluence with South Mayde Creek to a point upstream of an			
		unnamed tributary north of Langenbaugh Road	F	N.	2006
Ļ		bacteria	5a	No	2006

# SegID: 1014B Buffalo Bayou (unclassified water body)

Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

Area		Category	Carryforward	Year First Listed
1014B_01	From SH6 to the confluence with Willow Fork Buffalo Bayou			
	bacteria	5a	No	2006

### SegID: 1014E Langham Creek (unclassified water body)

Perennial stream from the confluence with Dinner Creek upstream to FM 529

Area		Category	Carryforward	Year First Listed
1014E_01	Confluence with Bear Creek upstream to the confluence with			
	Dinner Creek			
	bacteria	5a	No	2006

### SegID: 1014H South Mayde Creek (unclassified water body)

Perennial stream in the Addicks Reservoir flood pool area, from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road.

Area		Category	Carryforward	Year First Listed
1014H_01	From the confluence with Buffalo Bayou upstream to the			
	confluence with an unnamed tributary 0.62 km east of			
	Barker-Cypress Road			
	bacteria	5a	No	2002
1014H_02	From the confluence with an unnamed tributary 0.62 km east			
	of Barker-Cypress Road upstream to an unnamed tributary			
	1.05 km south of Clay Road			
	bacteria	5a	No	2002

### SegID: 1014K Turkey Creek (unclassified water body)

Perennial stream from the confluence with South Mayde Creek in Harris County upstream to the headwaters south of Clay Road in Harris County

Area		Category	Carryforward	Year First Listed
1014K_01	From the confluence with South Mayde Creek upstream to a point south of Clay Road			
	bacteria	5a	No	2002
1014K_02	From south of Clay Road upstream to north of Tanner Road			
	bacteria	5a	No	2002

### SegID: 1014L Mason Creek (unclassified water body)

Perennial stream from the confluence with Buffalo Bayou upstream to channelization, 1.55 km south of Franz Road

Area		Category	Carryforward	Year First Listed
1014L_01	Confluence with Buffalo Bayou upstream to the channelization			
	south of Franz Rd.			
	bacteria	5a	No	2006

### SegID: 1014M Neimans Bayou (unclassified water body)

From confluence with Buffalo Bayou Above Tidal to upstream of IH 10

<u>Area</u>	<u>Category</u>	Carryforward	Year First Listed
1014M_01 Entire water body			
depressed dissolved oxygen	5c	No	2002
bacteria	5a	No	2002

### SegID: 1014N Rummel Creek (unclassified water body)

From confluence with Buffalo Bayou Above Tidal in Harris County to IH 10/Beltway 8 in Harris County

Area		Category	Carryforward	Year First Listed
1014N_01	Entire water body			
	bacteria	5a	No	2002

### SegID: 1014O Spring Branch (unclassified water body)

From confluence with Buffalo Bayou in Harris County to Blalock Road in Harris County

Area		Category	Carryforward	Year First Listed
10140_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1016 Greens Bayou Above Tidal From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County				
Area		<u>Category</u>	Carryforward	Year First Listed
1016_01	Upper segment boundary (FM 1960) to IH 45			
	bacteria	5a	No	1996
1016_02	IH 45 to US 59			
	bacteria	5a	No	1996
1016_03	US 59 to lower segment boundary at the Halls Bayou confluence			
	bacteria	5a	No	1996

SegID: 1016A Garners Bayou (unclassified water body) Perennial stream from the confluence with Williams Gully upstream to 1.5 km north of Atoscocita Road				
Area		Category	Carryforward	Year First Listed
1016A_02	From the confluence with Williams Gully upstream to 1.5 km north of Atascosita Road bacteria	5a	No	2002
1016A_03	From the confluence with Greens Bayou upstream to the confluence with Williams Gully bacteria	5a	No	2002

SegID: 1016B Unnamed Tributary of Greens Bayou (unclassified water body) From confluence with Greens Bayou to Hirsch Road in Harris County				
Area		<u>Category</u>	Carryforward	Year First Listed
1016B_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1016	6C Unnamed Tributary of Greens Bayou (unclassified water From the confluence with Greens Bayou, east of Aldine We County	• .	o the Hardy Toll	Road in Harris
Area		Category	Carryforward	Year First Listed
1016C_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1016D Unnamed Tributary of Greens Bayou (unclassified water body) From confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County				US Hwy 59 in
Area 1016D 01	Entire water body	<u>Category</u>	Carryforward	Year First Listed
10100_01	bacteria depressed dissolved oxygen	5a 5c	No No	2002 2002

SegID: 1017	From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County				
Area		<u>Category</u>	Carryforward	Year First Listed	
1017_01	Huffsmith Rd to the confluence with Vogel Creek				
	bacteria	5a	No	1996	
1017_02	Vogel Creek to the Cole Creek confluence				
	bacteria	5a	No	1996	
1017_03	Cole Creek confluence to the Brickhouse Gully confluence				
	bacteria	5a	No	1996	
1017 04	Brickhouse Gully confluence to lower segment boundary				
_	bacteria	5a	No	1996	

SegID: 101'	A Brickhouse Gully/Bayou (unclassified Perennial stream from the confluence		Road	
Area		<u>Category</u>	Carryforward	Year First Listed
1017A_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1017B Cole Creek (unclassified water body) Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8				
Area		<u>Category</u>	Carryforward	Year First Listed
1017B_02	From Flintlock Street to confluence with White Oak Bayou			
	bacteria	5a	No	2002

SegID: 1017D Unnamed Tributary of Whiteoak Bayou (unclassified water body)  From confluence with Whiteoak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County				
Area		<u>Category</u>	Carryforward	Year First Listed
1017D_01	Entire water body			
	bacteria	5a	No	2002
	depressed dissolved oxygen	5c	No	2002

SegID: 1017F	SegID: 1017E Unnamed Tributary of White Oak Bayou (unclassified water body)  From the confluence with White Oak Bayou, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County			n Street, south of
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1017E_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1101	P: 1101 Clear Creek Tidal From the confluence with Clear Lake at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County			
Area		Category	Carryforward	Year First Listed
1101_01	Upper segment boundary to Chigger Creek confluence			
	bacteria	5a	No	1996
1101_02	Chigger Creek confluence to IH 45			
	bacteria	5a	No	1996
1101_03	IH45 to Cow Bayou confluence			
	bacteria	5a	No	1996

SegID: 1101B Chigger Creek (unclassified water body) From the confluence of Clear Creek Tidal to the Brazos River Authority Canal near CR 143 in Galveston County				
Area 1101B 01	From the headwaters to FM 528	Category	Carryforward	Year First Listed
· <u>-</u> -	bacteria  FM 528 to the confluence with Clear Creek	5a	No	2002
_	bacteria	5a	No	2002

SegID: 1101D Robinson Bayou (unclassified water body) From confluence with Clear Creek to 0.33 mile upstream of Webster Street in Galveston County				
Area		<u>Category</u>	Carryforward	Year First Listed
1101D_01	From headwater to Abilene St.			
	bacteria	5c	No	2006
1101D_02	From Abilene St. to confluence with Clear Lake			
	bacteria	5c	No	2006

SegID: 1102	Clear Creek Above Tidal From a point 100 meters (110 yards) upstream of FM 528 Bend County	in Galveston/Ha	arris County to Ro	ouen Road in Fort
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1102_01	Upper segment boundary (Rouen Road) to SH 288			
	bacteria	5a	Yes	1996
	total dissolved solids	4a	No	2002
1102_02	SH 288 to Hickory Slough confluence			
	total dissolved solids	4a	No	2002
	impaired fish community	5c	No	2006
	bacteria	5a	No	1996
1102_03	Hickory Slough confluence to Turkey Creek confluence			
	total dissolved solids	4a	No	2002
	bacteria	5a	No	1996
1102_04	Turkey Creek confluence to Mary's Creek confluence			
	bacteria	5a	No	1996
	total dissolved solids	4a	No	2002
1102_05	Mary's Creek confluence to lower segment boundary			
	bacteria	5a	No	1996
	total dissolved solids	4a	No	2002

SegID: 1102	2A Cowart Creek (unclassified water body) Intermittent stream with perennial pools from the conflue 35 in Brazoria County	nce with Clear Cr	reek in Galveston	County to SH
Area		Category	Carryforward	Year First Listed
1102A_01	Sunset Drive to SH35			
	bacteria	5a	No	2002
1102A_02	Confluence with Clear Creek to Sunset Drive			
	bacteria	5a	No	2002

## SegID: 1102B Mary's Creek/ North Fork Mary's Creek (unclassified water body)

Perennial stream from the confl. with Clear Creek upstrm to confl. with N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW of Pearland. Includes perennial portion of N. Fork Mary's Creek to confl. with unnamed trib approx. 3.2 km upstrm of FM 1128

Area		Category	Carryforward	Year First Listed
1102B_01	Entire segment			
	bacteria	5a	No	2002

# SegID: 1102C Hickory Slough (unclassified water body)

From approximately 0.3 miles upstream of CR 92 to the confluence with Clear Creek.

Area		Category	Carryforward	Year First Listed
1102C_01	From confluence with Clear Creek to (approx. 0.3 miles)			
	upstream of CR 93			
	bacteria	5c	No	2006

### SegID: 1102D Turkey Creek (unclassified water body)

From IH 45 to confluence with Clear Creek

Area		Category	Carryforward	Year First Listed
1102D_01	Confluence with Clear Creek to IH 45			
	bacteria	5c	No	2006

# SegID: 1102E Mud Gully (unclassified water body)

From Beamer Rd to the confluence with Clear Creek

Area		<u>Category</u>	Carryforward	Year First Listed
1102E_01	Beamer Road to confluence with Clear Creek			
	bacteria	5c	No	2006

SegID: 1103	Dickinson Bayou Tidal From the confluence with Dickinson Bay 2.1 km (1.3 miles) a point 4.0 km (2.5 miles) downstream of FM 517 in Galvest			
Area		Category	Carryforward	Year First Listed
1103_01	From 2.5 miles downstream of FM 517 to the Bordens Gully confluence			
	depressed dissolved oxygen	5a	No	1996
	bacteria	5a	No	1996
1103_02	From the Bordens Gully confluence to the Benson Bayou confluence			
	depressed dissolved oxygen	5a	No	1996
	bacteria	5a	No	1996
1103_03	From the Benson Bayou confluence to the confluence with Gum Bayou			
	bacteria	5a	No	1996
	depressed dissolved oxygen	5a	No	1996

SegID: 110	3A Bensons Bayou (unclassified water body) From the confluence with Dickinson Bayou Tidal to 0.37 m	iles upstream o	of FM 646 in Galv	veston County
Area		Category	Carryforward	Year First Listed
1103A_01	From confluence with Dickinson Bayou Tidal to 0.37 miles upstream of FM 646			
	bacteria	5a	No	2002

SegID: 1103B	Bordens Gully (unclassified water body) From confluence with Dickinson Bayou Tidal to upstream	of Calder Road	in Galveston Cou	unty
Area		<u>Category</u>	Carryforward	Year First Listed
1103B_01 I	Entire water body			
ł	pacteria	5a	No	2002

SegID: 1100	Geisler Bayou (unclassing From confluence with Di	<b>fied water body</b> ) ckinson Bayou tidal to IH 45 in Galv	reston Count	y	
Area			Category	Carryforward	Year First Listed
1103C_01	Entire water body				
	bacteria		5a	No	2002

SegID: 1104	Dickinson Bayou Above Tidal From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County				
Area		<u>Category</u>	Carryforward	Year First Listed	
1104_01	From lower segment boundary upstream to FM 517				
	bacteria	5a	No	1996	
	depressed dissolved oxygen	5c	No	2006	
1104_02	From FM 517 upstream to FM 528				
	bacteria	5a	No	1996	

SegID: 1110	Oyster Creek Above Tidal From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County				
Area		Category	Carryforward	Year First Listed	
1110_02	4 mi upstream South Texas Water Co. Canal to just above Ramsey Prison Unit bacteria	5c	No	2006	
1110_03	From just upstream of Ramsey Prison Unit (Cow Cr) to CR 290/S Walker St. bacteria	5c	No	2006	
	depressed dissolved oxygen	5b	No	1996	

S	SegID: 1113	From the confluence with Clear Lake (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff road in Pasadena in Harris County (includes Mud Lake)				
	Area		Category	Carryforward	Year First Listed	
	1113_01	Upper segment boundary to confluence with Big Island Slough				
		depressed dissolved oxygen	5b	No	1996	
	1113_02	Big Island Slough confluence to Horsepen Bayou confluence				
		depressed dissolved oxygen	5b	No	1996	
		bacteria	5c	No	2006	

SegID: 1113A Armand Bayou Above Tidal (unclassified water body) From a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County				
Area		<u>Category</u>	Carryforward	Year First Listed
1113A_01	0.5 miles downstream of Genoa Red Bluff to Preston Road			
	depressed dissolved oxygen bacteria	5c 5a	Yes No	1998 1998

### SegID: 1113B Horsepen Bayou (unclassified water body)

From SH3 to the confluence of Armand Bayou Tidal

Area		Category	Carryforward	Year First Listed
1113B_01	Confluence with Armand Bayou to SH 3			
	bacteria	5c	No	2006

## SegID: 1202H Allen's Creek (unclassified water body)

From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

Area		<u>Category</u>	Carryforward	Year First Listed
1202H_01	Entire water body			
	bacteria	5c	No	2002

# SegID: 1202J Big Creek (unclassified water body)

From the confluence of Cottonwood and Coon Creeks, 5 miles north of Needville in Fort Bend County, downstream to the confluence with the Brazos River

Area		Category	Carryforward	Year First Listed
1202J_01	Upstream portion of water body to Whaley-Longpoint Road			
	bacteria	5c	No	2002
	impaired fish community	5b	No	2006

### SegID: 1205 Lake Granbury

From DeCordova Bend Dam in Hood County to a point 100 meters (110 yards) upstream of FM 2580 in Parker County, up to normal pool elevation of 693 feet (impounds Brazos River)

Area		<u>Category</u>	Carryforward	Year First Listed
1205_01	Upstream portion of lake			
	chloride	5c	No	New
1205_02	Portion of lake adjacent to the City of Oak Trail Shores			
	chloride	5c	No	New
1205_03	Portion of lake adjacent to the City of Granbury			
	chloride	5c	No	New
1205_04	Portion of lake downstream of Granbury			
	chloride	5c	No	New
1205_05	Downstream portion of lake			
	chloride	5c	No	New

SegID: 1206	From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Shepard Dam in Palo Pinto County				
Area		Category	Carryforward	Year First Listed	
1206_01	Downstream portion of segment				
	chloride	5b	No	2006	
	impaired macrobenthos community	5c	No	New	
1206_02	Middle Portion of Segment				
	impaired macrobenthos community	5c	No	New	
	chloride	5b	No	2006	
1206_03	Upstream portion of segment				
	chloride	5b	No	2006	

SegID: 1208	Brazos River Above Possum Kingdom Lake From a point immediately upstream of the confluence of Co confluence of the Double Mountain Fork Brazos River and t			onewall County
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1208_01	From confluence with Possum Kingdom upstream to confluence with spring Branch bacteria	5c	No	New
1208_02	Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek bacteria	5c	No	New
1208_04	From confluence with Boggy Creek upstream to confluence with Millers Creek bacteria	5c	No	New
1208_05	From confluence with Millers Creek upstream to confluence with Lake Creek bacteria	5c	No	New

SegID: 1209	Navasota River Below Lake Limestone From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County			
Area		Category	Carryforward	Year First Listed
1209_02	From confluence with Rocky Creek to confluence with Sandy Branch bacteria	5a	No	2002
1209_03	From confluence with Sandy Branch to confluence with Shepherd Branch bacteria	5a	No	2002
1209_05	From confluence with Camp Creek to 25 miles upstream bacteria	5a	No	2002

### SegID: 1209A Country Club Lake (unclassified water body)

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

Area		Category	Carryforward	Year First Listed
1209A_01	Entire reservoir			
	toxic sediment (LOE)	5c	No	1999

## SegID: 1209B Fin Feather Lake (unclassified water body)

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

Area		Category	Carryforward	Year First Listed
1209B_01	Entire reservoir			
	toxic sediment (LOE)	5c	No	2000

### SegID: 1209C Carters Creek (unclassified water body)

Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County

Area		Category	Carryforward	Year First Listed
1209C_01	Entire water body			
	bacteria	5a	No	1999

#### SegID: 1209D Country Club Branch (unclassified water body)

From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

Area	<u>Category</u>	Carryforward	Year First Listed
1209D_01 entire water body			
bacteria	5c	No	2006

### SegID: 1209E Wickson Creek (unclassified water body)

Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

Area		Category	Carryforward	Year First Listed
1209E_01	Entire water body			
	bacteria	5c	No	2006

# SegID: 1209G Cedar Creek (unclassified water body)

From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

Area		Category	Carryforward	Year First Listed
1209G_01	Entire water body			
	bacteria	5c	No	2002

### SegID: 1209H Duck Creek (unclassified water body)

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

<u>Area</u>	<u>Category</u>	Carryforward	Year First Listed
1209H_01 From the lower end of the creek to FM 2096			
bacteria	5c	No	2006
1209H_02 From FM 2096 to Twin Oak Reservoir dam			
bacteria	5c	No	2006

### SegID: 1209I Gibbons Creek (unclassified water body)

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

Area		Category	Carryforward	Year First Listed
12091_01	From lower end to confluence with Dry Creek			
	bacteria	5c	No	2002

### SegID: 1209J Shepherd Creek (unclassified water body)

From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County

Area		Category	Carryforward	Year First Listed
1209J_01	Entire water body			
	bacteria	5c	No	2002

### SegID: 1209K Steele Creek (unclassified water body)

From confluence with Navasota River in Robertson County to a point 2.4 miles upstream of FM 147 in Limestone County

Area		Category	Carryforward	Year First Listed
1209K_02 F	From the confluence with Willow Creek upstream to the end of			
th	ne water body			
ba	acteria	5c	No	2002

### SegID: 1209L Burton Creek (unclassified water body)

From the confluence with Carters Creek in College Station, upstream to its headwaters located 0.4 miles east of Fin Feather Lake in Brazos County.

Area		Category	Carryforward	Year First Listed
1209L_01	entire water body			
	bacteria	5c	No	2006

## SegID: 1210A Navasota River above Lake Mexia (unclassified water body)

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 miles upstream of SH 31 in Hill County

Area		Category	Carryforward	Year First Listed
1210A_01	Entire water body			
	bacteria	5c	No	2002

### SegID: 1211A Davidson Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

Area		Category	Carryforward	Year First Listed
1211A_02	Upper 25 miles			
	bacteria	5c	No	2002

#### SegID: 1212 Somerville Lake

From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

Area		Category	Carryforward	Year First Listed
1212_01	Eastern end of reservoir near dam			
	depressed dissolved oxygen	5c	No	New
	pH	5c	No	2002
1212_03	Middle of reservoir near Birch Creek State Park			
	pH	5c	No	2002

# SegID: 1212B East Yegua Creek (unclassified water body)

From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

Area		Category	Carryforward	Year First Listed
1212B_01	Lower 25 miles			
	bacteria	5c	Yes	2002

SegID: 1213	From the confluence with the Brazos River in Milam County Lampasas River in Bell County	to the conflu	ence of the Leon	River and the
Area		Category	Carryforward	Year First Listed
1213_01	From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water			
	bacteria bacteria	5c	No	2006

SegID: 1214	San Gabriel River From the confluence with the Little River in Milam Count	y to Granger Lal	ke Dam in Willian	mson County
Area		Category	Carryforward	Year First Listed
1214_01	From confluence with Little River upstream to confl. with Alligator Creek bacteria chloride	5a 5c	No No	2006 New
	sulfate	5c	No	2006
1214_02	From confluence with Alligator Creek upstream to Lake Granger chloride sulfate	5c 5c	No No	New 2006

SegID: 1217	SegID: 1217 Lampasas River Above Stillhouse Hollow Lake From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County					
Area		<u>Category</u>	Carryforward	Year First Listed		
1217_04	From the FM 1690 crossing to the CR 117 crossing					
	bacteria	5c	Yes	2002		
1217_05	From CR 117 crossing to the upper end of the segment					
	bacteria	5c	Yes	2002		

SegID: 1217	7D North Fork Rocky Creek (unclassified water body) From its confluence with South Rocky Creek, upstream t Burnet County	o its headwaters 7	<sup>7</sup> miles west of US	S Hwy 183 in
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1217D_01	entire water body			
	depressed dissolved oxygen	5b	No	2006

SegID: 1218	Nolan Creek/ South Nolan Creek From the confluence with the Leon River in Bell County to most upstream crossing of US 190 and Loop 172 in Bell Co	•	eters (110 yards) u	apstream to the
Area		<u>Category</u>	Carryforward	Year First Listed
1218_01	Entire segment			
	bacteria	5a	No	1996

SegID: 1220	A Cowhouse Creek (unclassified water body)  From the confluence of Belton Lake in Bell County south perennial portion of the stream north of Goldthwaite in M		Coryell County to	the upstream
Area 1220A 03	Upstream portion of water body	Category	Carryforward	Year First Listed
1220A_03	bacteria bacteria	5c	No	2006

SegID: 1221	Leon River Below Proctor Lake From a point 100 meters (110 yards) upstream of FM 236 in County	Coryell Coun	ty to Proctor Dan	n in Comanche
Area		Category	Carryforward	Year First Listed
1221_01	Directly upstream of Lake Belton			
	bacteria	5a	No	1996
1221_04	From the confluence with Plum Creek, upstream to the confluence with Pecan Creek bacteria	5a	No	1996
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek bacteria	5a	No	1996
1221_06	From confluence with South Leon Creek upstream to confluence with Walnut Creek bacteria	5a	No	1996
1221_07	From the confluence with Walnut Creek upstream to Lake Proctor bacteria	5a	No	1996

### SegID: 1221A Resley Creek (unclassified water body)

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

Area		Category	Carryforward	Year First Listed
1221A_01	Downstream portion, from confluence with Leon River			
	upstream to conf. with unnamed tributary, approx. 1.0 mile N.			
	of Comanche County Line			
	bacteria	5c	No	2004
	depressed dissolved oxygen	5c	No	2006
1221A_02	From confluence with unnamed tributary, upstream to end of water body, approx. 1.0 mile north west of Dublin			
	bacteria	5c	No	2004

### SegID: 1221B South Leon River (unclassified water body)

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

Area		<u>Category</u>	Carryforward	Year First Listed
1221B_01	Entire water body			
	bacteria	5c	No	2006

# SegID: 1221C Pecan Creek (unclassified water body)

Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton

Area		Category	Carryforward	Year First Listed
1221C_01	Entire water body			
	bacteria	5c	No	2006

### SegID: 1221D Indian Creek (unclassified water body)

Perennial stream from an unnamed second order tributary (approximately 0.7 km downstream of Live Oak Street crossing) upstream to the confluence with Bachelor Prong Creek

Area		Category	Carryforward	Year First Listed
1221D_01	From confluence with Leon River, upstream to confluence with			
	Armstrong Creek			
	bacteria	5c	No	2006
1221D_02	From confluence with Armstrong Creek upstream to			
	headwaters of water body			
	bacteria	5c	No	2006

### SegID: 1221F Walnut Creek (unclassified water body)

From its confluence with Leon River upstream to its headwaters 2.4 miles west of Dublin in Erath County

Area		Category	Carryforward	Year First Listed
1221F_01	entire water body			
	bacteria	5c	No	2006

## SegID: 1222A Duncan Creek (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

Area		Category	Carryforward	Year First Listed
1222A_01	Entire creek			
	bacteria	5c	No	1999

### SegID: 1222B Rush-Copperas Creek (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

Area		Category	Carryforward	Year First Listed
1222B_01	Entire water body			
	bacteria	5c	No	2006

#### SegID: 1222C Sabana River (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

Area		Category	Carryforward	Year First Listed
1222C_01	Downstream portion of segment			
	bacteria	5c	No	2006

### SegID: 1222E Sweetwater Creek (unclassified water body)

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 miles west of Comanche in Comanche County

Area		Category	Carryforward	Year First Listed
1222E_01	entire water body			
	bacteria	5c	No	2006

SegID: 1223	Leon River Below Leon Reservoir From a point immediately upstream of the confluence of M Eastland County	ill Branch in C	omanche County	to Leon Dam in
Area		Category	Carryforward	Year First Listed
1223_01	Entire Segment			
	bacteria	5c	No	2006
	depressed dissolved oxygen	5c	No	New

SegID: 1223	Armstrong Creek (unclassified water body) From its confluence with the Leon River downstream of Leo County 6.2 miles east of State Hwy 16.	on Reservoir, ı	apstream to its hea	adwaters in Erath
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1223A_01	entire water body			
	bacteria	5c	No	2006

SegID: 1226	North Bosque River From a point 100 meters (110 yards) upstream of FM 185 in McLennan County to a point immediately above the confluence of Indian Creek in Erath County				
Area		<u>Category</u>	Carryforward	Year First Listed	
1226_03	Portion of segment near Meridian				
	excessive algal growth	4a	No	1996	
1226_04	Upstream portion of segment near Hico				
	excessive algal growth	4a	No	1996	

SegID: 1226	6B Green Creek (unclassified water body) From the confluence of the North Bosque River south of Cla portion of the stream south of Stephenville in Erath County	irette in Erath	County to the up	stream perennial
Area		<u>Category</u>	Carryforward	Year First Listed
1226B_01	Entire water body			
	depressed dissolved oxygen	5c	No	2006

SegID: 1220	SegID: 1226E Indian Creek (unclassified water body) From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County			
<u>Area</u> 1226E 01	Entire water body	Category	Carryforward	Year First Listed
1220L_01	bacteria	5c	No	2002

SegID: 1226	gID: 1226F Sims Creek (unclassified water body) From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County			
Area		Category	Carryforward	Year First Listed
1226F_01	Entire water body			
	bacteria	5c	Yes	2002

SegID: 1226	K Little Duffau Creek (unclassified water body) From its confluence with Duffau Creek, upstream to its head County	lwaters 2.4 mi	les south west of	US 67 in Erath
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1226K_01	entire water body			
	bacteria	5c	No	2006

SegID: 1227	Nolan River From a point immediately upstream of the confluence of Ro Johnson County	ock Creek in Hi	ill County to Cleb	urne Dam in
Area		Category	Carryforward	Year First Listed
1227_01	Downstream portion, including Mustang Creek confluence			
	chloride	5b	No	2006
	sulfate	5b	No	2002
	total dissolved solids	5b	No	2006
1227_02	Upstream portion, to Lake Pat Cleburne			
	chloride	5b	No	2006
	sulfate	5b	No	2002
	total dissolved solids	5b	No	2006

SegID: 1229	Paluxy River /North Paluxy River From the confluence with the Brazos River in Somerve County	ll County to the co	nfluence of Rougl	n Creek in Erath
Area		Category	Carryforward	Year First Listed
1229_01	Lower 7 miles			
	sulfate	5c	No	New
	total dissolved solids	5c	No	New
1229_02	Middle 25 miles			
	sulfate	5c	No	New
	total dissolved solids	5c	No	New
	chloride	5c	No	New
1229_03	Upper 25 miles			
	chloride	5c	No	New
	sulfate	5c	No	New
	total dissolved solids	5c	No	New

SegID: 1232I	B Deadman Creek (unclassified water body) From the confluence of the Clear Fork Brazos River south of perennial portion of the stream north of Hamby in Jones Cour		ones County to the	e upstream
Area		Category	Carryforward	Year First Listed
	From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water			
	bacteria	5c	No	2006

SegID: 123	From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County				
Area		<u>Category</u>	Carryforward	Year First Listed	
1238_01	25 miles near Hwy 83				
	chloride	5b	No	2002	
1238_02	25 miles near Hwy 380 at Swenson				
	chloride	5b	No	2002	
1238_03	Remainder of segment				
	chloride	5b	No	2002	

SegID: 1240	White River Lake From White River Dam in Crosby County up to normal	pool elevation of 2	2369 feet (impour	nds White River)
<u>Area</u> 1240 01	Entire segment	Category	Carryforward	Year First Listed
1270_01	chloride total dissolved solids	5c 5c	No No	2002 2006

SegID: 1241	From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County				
Area		<u>Category</u>	Carryforward	Year First Listed	
1241_01	25 miles near Hwy 83				
	chloride	5b	No	2006	
1241_02	Remainder of segment				
	chloride	5b	No	2006	

SegID: 1241A North Fork Double Mountain Fork Brazos River (unclassified water body) Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon				
Area		Category	Carryforward	Year First Listed
1241A_02	Upstream portion, from confluence with Yellow House Draw to Lake Buffalo Springs bacteria	5c	No	2004

SegID: 1242	SegID: 1242B Cottonwood Branch (unclassified water body) Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary				
Area		<u>Category</u>	Carryforward	Year First Listed	
1242B_01	Downstream portion, downstream of Sanderson Farms receiving water bacteria	5c	No	2006	
1242B_02	Upstream portion, upstream of Sanderson Farms receiving water bacteria	5c	No	2006	

SegID: 1242C Still Creek (unclassified water body) Perennial stream from the confluence with Thompsons Creek upstream to the confluence with Cottonwood Branch					
Area		<u>Category</u>	Carryforward	Year First Listed	
1242C_01	Downstream of Bryan WWTP				
	bacteria	5c	No	2006	
1242C_02	Portion upstream of city of Bryan WWTP				
	bacteria	5c	No	2006	

SegID: 1242D Thompson Creek (unclassified water body)  Intermittent stream with perennial pools from the confluence with the Brazos River upstream to the confluence with Thompson Branch north of FM 1687				
Area		<u>Category</u>	Carryforward	Year First Listed
1242D_01	Portion downstream of the confluence with Still Creek			
	bacteria	5c	No	2002
1242D_02	Portion of segment upstream of confluence with Still Creek			
	depressed dissolved oxygen	5c	No	2004
	bacteria	5c	No	2002

SegID: 1242I	Campbells Creek (unclassified water body) From the confluence with the Little Brazos River upstream Antonio Road	to the headwat	ers, one mile wes	t of Old San
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1242I_01 I	Entire water body			
l	bacteria	5c	No	2002

SegID: 1242J	Deer Creek (unclassified water body) From the confluence with the Brazos River upstream to the Fork Deer Creek in Falls County	e confluence of	West Fork Deer C	Creek and East
Area		<u>Category</u>	Carryforward	Year First Listed
1242J_01	Entire water body			
	bacteria	5c	No	2006

#### SegID: 1242K Mud Creek (unclassified water body)

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

Area		Category	Carryforward	Year First Listed
1242K_01	Entire water body			
	bacteria	5a	No	2002

#### SegID: 1242L Pin Oak Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 miles south of Franklin

Area		Category	Carryforward	Year First Listed
1242L_01	Entire water body			
	bacteria	5a	No	2002

#### SegID: 1242M Spring Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

Area		Category	Carryforward	Year First Listed
1242M_01	Entire water body			
	bacteria	5a	No	2002

#### SegID: 1242N Tehuacana Creek (unclassified water body)

From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 miles south of Penelope in Hill County

<u>Area</u> <u>Category</u>	<u>Carryforward</u>	Year First Listed
1242N_01 Downstream portion of water body, from confluence with		
Brazos River upstream to confl. with Little Tehuacana Creek		
bacteria 5a	No	2002

#### SegID: 1242O Walnut Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mile south of White Rock

Area		Category	Carryforward	Year First Listed
12420_01	Entire water body			
	bacteria	5c	No	2006

# SegID: 1242P Big Creek (unclassified water body)

From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

Area		Category	Carryforward	Year First Listed
1242P_01	Downstream portion of water body			
	bacteria	5c	No	2002

SegID: 1244	SegID: 1244 Brushy Creek From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County				
Area		<u>Category</u>	<b>Carryforward</b>	Year First Listed	
1244_03	From confluence with Cottonwood Branch upstream to City of Round Rock WWTP outfall bacteria	5a	No	2006	
1244_04	From immediately upstream of City of Round Rock WWTP outfall upstream to end of segment bacteria	5a	No	2006	

#### SegID: 1245 Upper Oyster Creek

From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1245_01	From the confluence with the Brazos River upstream to Dam #3			
	bacteria	4a	No	1996
	depressed dissolved oxygen	5a	No	1996
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land			
	bacteria	4a	No	1996
	depressed dissolved oxygen	5a	No	1996
1245_03	From Harmon St. crossing in Sugar Land upstream to the end of the segment			
	depressed dissolved oxygen	5a	No	1996
	bacteria	4a	No	1996

#### SegID: 1245C Bullhead Bayou (unclassified water body)

From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

Area		Category	Carryforward	Year First Listed
1245C_01	Entire water body			
	bacteria	5c	No	2006

#### SegID: 1245D Unnamed tributary of Bullhead Bayou (unclassified water body)

Tributary to Bullhead Bayou in Fort Bend County

Area Category Carryforward Year First Listed

1245D\_01 Entire water body
bacteria 5c No 2006

## SegID: 1246E Wasp Creek (unclassified water body)

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mile east of FM 185

 Area
 Category
 Carryforward
 Year First Listed

 1246E\_01
 Entire water body
 5c
 No
 2002

#### SegID: 1247A Willis Creek (unclassified water body)

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

Area		Category	Carryforward	Year First Listed
1247A_01	Entire water body			
	bacteria	5c	No	2002

#### SegID: 1248C Mankins Branch (unclassified water body)

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

Area		<u>Category</u>	Carryforward	Year First Listed
1248C_01	Entire water body			
	bacteria	5c	No	2004

SegID: 1255 Upper North Bosque River From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County				
Area		Category	Carryforward	Year First Listed
1255_01	Lower portion of segment downstream of Stephenville			
	bacteria	5c	No	1996
	excessive algal growth	4a	No	1996
1255_02	Upper portion of segment, upstream of Stephenville			
	bacteria	5c	No	1996
	depressed dissolved oxygen	5c	No	New
	excessive algal growth	4a	No	1996

# SegID: 1255A Goose Branch (unclassified water body) From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County Area 1255A\_01 Entire water body bacteria 5c No 2002

SegID: 1255	From the confluence with the South Fork of the Upper Nor headwaters, 2.0 miles north of FM 219	- ·	r in Stephenville,	upstream to the
Area		Category	Carryforward	Year First Listed
1255B_01	Entire water body			
	bacteria	5c	No	2002

SegID: 1255	SC Scarborough Creek (unclassified water body) From the confluence with the North Fork of the upper No miles (0.2 km) southeast of FM 219 in Erath County	orth Bosque River	r, upstream to the	headwaters 0.1
Area		<u>Category</u>	Carryforward	Year First Listed
1255C_01	Entire water body			
	bacteria	5c	Yes	2002

#### SegID: 1255E Unnamed tributary of Goose Branch (unclassified water body)

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

Area		Category	Carryforward	Year First Listed
1255E_01	Entire water body			
	bacteria	5c	Yes	2002

#### SegID: 1255F Unnamed tributary of Scarborough Creek (unclassified water body)

From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Erath County, upstream to the headwaters, 0.3 mile north of FM 219

Area		Category	Carryforward	Year First Listed
1255F_01	Entire water body			
	bacteria	5c	Yes	2002

### SegID: 1255G Woodhollow Branch (unclassified water body)

From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County

Area		Category	Carryforward	Year First Listed
1255G_01	Entire water body			
	bacteria	5c	Yes	2002

#### SegID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County

Area		Category	Carryforward	Year First Listed
1301_01	Entire Segment			
	bacteria	5c	No	2006
	bacteria	5c	Yes	2006

SegID: 1302	SegID: 1302 San Bernard River Above Tidal From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County			
Area		Category	Carryforward	Year First Listed
1302_01	Lower 25 miles of segment			
	bacteria	5a	No	2002
1302_02	25 miles from just upstream of FM 442 to downstream of US 90A	~	N	2002
	bacteria	5a	No	2002
1302_03	25 miles from downstream of US 90A to upstream of FM 3013			
	bacteria	5a	No	2002

SegID: 1302	SegID: 1302A Gum Tree Branch (unclassified water body) From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 miles upstream near RR 102				
Area		<u>Category</u>	Carryforward	Year First Listed	
1302A_01	The entire 15 miles of the segment				
	bacteria	5c	No	2006	

SegID: 1302B West Bernard Creek (unclassified water body) From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 miles upstream near FM 1093				
Area		<u>Category</u>	Carryforward	Year First Listed
1302B_01	Lower 15 miles of segment			
	depressed dissolved oxygen	5c	No	2006
1302B_02	Upper 25 miles of segment			
	bacteria	5c	No	2006

SegID: 1304	Caney Creek Tidal From the confluence with the Intracoastal Waterway in Mata upstream of the confluence of Linnville Bayou in Matagorda	•	to a point 1.9 km	n (1.2 miles)
Area		Category	Carryforward	Year First Listed
1304_01	Lower 25 miles of segment			
İ	bacteria	5c	No	2006

SegID: 1305	Caney Creek Above Tidal From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to Old Caney Road in Wharton County					
Area		Category	Carryforward	Year First Listed		
1305_02	25 miles surrounding SH 35					
	depressed dissolved oxygen	5b	No	1999		
	bacteria	5a	No	2002		
1305_03	Upper 55 miles of segment					
	depressed dissolved oxygen	5b	No	1999		

SegID: 1401	Colorado River Tidal  From the confluence with the Gulf of Mexico in Matagorda County to a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County			
Area		<u>Category</u>	Carryforward	Year First Listed
1401_01	Entire segment			
	bacteria	5a	No	2006

SegID: 1402	2A Cummins Creek (unclassified water body) Perennial stream from the confluence with the Colorado Rive 1291 in Colorado County	er upstream to	the confluence o	f Boggy Creek at
<u>Area</u> 1402A 01	From the confluence with the Colorado River upstream to the	Category	Carryforward	Year First Listed
_	confluence of Boggy Creek at FM 1291 in Colorado County impaired fish community impaired macrobenthos community	4c 4c	No No	2002 2002

SegID: 1402H Skull Creek (unclassified water body)  From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus				
Area		Category	Carryforward	Year First Listed
1402H_01	Entire water body			
	depressed dissolved oxygen	5b	No	New

SegID: 1403	Lake Austin From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to normal pool elevation of 492.8 feet (impounds Colorado River)				
Area		Category	Carryforward	Year First Listed	
1403_03	Quinlan Park upstream to Mansfield Dam				
	depressed dissolved oxygen	4c	No	1996	

SegID: 1403A Bull Creek (unclassified water body)  From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County				
Area		Category	Carryforward	Year First Listed
1403A_04	From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery			
	impaired macrobenthos community	5c	Yes	2002

SegID: 1	SegID: 1403J Spicewood Tributary to Shoal Creek (unclassified water body) From the MoPac Expressway in north Austin in Travis County to a point west of Hart Lane in Travis County				
Area			<u>Category</u>	Carryforward	Year First Listed
1403J_	01 1	Entire water body			
	ł	pacteria	5c	Yes	2002

SegID: 1403	SegID: 1403K Taylor Slough South (unclassified water body)  Form the confluence of Lake Austin in Travis County to a point west of Pecos Street in Austin in Travis County			
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1403K_01	Entire water body			
	bacteria	5c	No	2002

SegID: 1400	SegID: 1403R Westlake-Davenport Tributary to Lake Austin (unclassified water body)  From the confluence of Lake Austin in Travis County to a point east of Loop 360 and The High Road in Travis County			High Road in
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1403R_01	Entire water body			
	bacteria	5c	No	2006

SegID: 1411	E. V. Spence Reservoir From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)				
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed	
1411_01	Main pool from the dam upstream to the Rough Creek				
	confluence area				
	sulfate	4a	No	1996	
	total dissolved solids	4a	No	1996	
	From the Rough Creek confluence area upstream to the confluence of Little Silver Creek				
	sulfate	4a	No	1996	
	total dissolved solids	4a	No	1996	

SegID: 1412	Colorado River Below Lake J. B. Thomas  From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County			
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1412_02	From the confluence of Beals Creek upstream to the dam			
	below Barber Reservoir pump station bacteria	5c	No	New

SegID:	2: 1413 Lake J. B. Thomas From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)				
Area		Frederic and an L. L.	<u>Category</u>	<u>Carryforward</u>	Year First Listed
1413_0		Entire water body			
	C	chloride	5c	No	New

SegID: 1416	San Saba River From the confluence with the Colorado River in San Saba C Prong and the Middle Valley Prong in Schleicher County	County to the co	onfluence of the N	North Valley
Area		Category	Carryforward	Year First Listed
1416_01	From the confluence with the Colorado River in San Saba County upstream to the US 190			
	bacteria	5c	No	New

# SegID: 1416A Brady Creek (unclassified water body)

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

Area		Category	Carryforward	Year First Listed
1416A_03	From FM 714 upstream to Brady Lake dam			
	depressed dissolved oxygen	5c	No	2004

SegID: 1421	Concho River From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County			
Area		<u>Category</u>	Carryforward	Year First Listed
1421_07	From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River impaired macrobenthos community	5c	Yes	2002
1421_08	North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam			
	bacteria	5c	No	New
	depressed dissolved oxygen	5c	No	New

SegID: 1425	O. C. Fisher Lake From San Angelo Dam in Tom Green County up to normal p Concho River)	pool elevation	of 1908 feet (imp	oounds North
<u>Area</u> 1425 01	Entire reservoir	<u>Category</u>	<u>Carryforward</u>	Year First Listed
_	chloride	5c	No	2002

total dissolved solids

SegID: 1420	6 Colorado River Below E. V. Spence Reservoir From a point 3.7 km (2.3 miles) below the confluence Dam in Coke County	of Mustang Creek in	n Runnels County	to Robert Lee
Area		<u>Category</u>	Carryforward	Year First Listed
1426_01	Lower end of segment to Country Club Lake			
	chloride	4a	No	2002
	total dissolved solids	4a	No	1999
1426_02	Country Club Lake to Coke County line			
	chloride	4a	No	2002
	total dissolved solids	4a	No	1999
1426_03	Coke County line to SH 208			
	total dissolved solids	4a	No	1999
	chloride	4a	No	2002
1426_04	SH 208 to dam			
	chloride	4a	No	2002

SegID: 1427	A Slaughter Creek (unclassified water body) Intermittent stream with perennial pools from the confluence Austin	e with Onion (	Creek to above US	S 290 west of
Area		<u>Category</u>	Carryforward	Year First Listed
1427A_01	Entire water body			
	impaired macrobenthos community	5b	Yes	2002

4a

No

1999

SegID: 1428	Colorado River Below Town Lake From a point 100 meters (110 yards) upstream of FM 969 ne. Travis County	ar Utley in Ba	astrop County to I	Longhorn Dam in
Area		Category	<u>Carryforward</u>	Year First Listed
1428_03	Walnut Creek to Longhorn Dam			
	bacteria	5c	No	2006

#### SegID: 1428B Walnut Creek (unclassified water body)

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

Area		Category	Carryforward	Year First Listed
1428B_01	From the Colorado River upstream to FM 969			
	bacteria	5c	No	2006
1428B_03	From old Manor Road upstream to Dessau Road			
	bacteria	5c	No	2006
1428B_05	From MoPac/Loop 1 upstream to railroad tracks west of Loop			
	1			
	bacteria	5c	No	2006

# SegID: 1428C Gilleland Creek (unclassified water body)

Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

Area		Category	Carryforward	Year First Listed
1428C_01	From the Colorado River upstream to Taylor Lane			
	bacteria	5a	No	1999

## SegID: 1429B Eanes Creek (unclassified water body)

From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

Area		Category	Carryforward	Year First Listed
1429B_01	Entire water body			
	bacteria	5c	Yes	1999

#### SegID: 1429C Waller Creek (unclassified water body)

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

Area		Category	Carryforward	Year First Listed
1429C_01	From the confluence with Town Lake to East MLK Blvd.			
	bacteria	5c	No	2004
	impaired macrobenthos community	5c	Yes	2002
1429C_03	Upper portion of creek			
	bacteria	5c	No	2004

SegID: 14	31 Mid Pecan Bayou  From a point immediately upstream of the immediately upstream of Willis Creek in B	•	c in Brown Count	y to a point
Area	<u>-</u>	<u>Category</u>	Carryforward	Year First Listed
1431_01	Entire water body			
	bacteria	5c	No	2006

SegID: 1501	Tres Palacios Creek Tidal From the confluence with Tres Palacios Bay in Matagord the confluence of Wilson creek in Matagorda County	a County to a poi	nt 1.0 km (0.6 mi	les) upstream of
Area 1501 01	Ending	<u>Category</u>	Carryforward	Year First Listed
1501_01	Entire segment	<b>5</b> .	NT.	2006
	bacteria depressed dissolved oxygen	5a 5b	No No	2006 1996
	depressed dissolved oxygen	30	NO	1990

SegID: 1502	<b>Tres Palacios Creek Above Tidal</b> From a point 1.0 km (0.6 miles) upstream of the confluence in Wharton County	of Wilson Cre	ek in Matagorda	County to US 59
Area		Category	Carryforward	Year First Listed
1502_01	Middle 23 miles of segment			
1	bacteria	5c	No	1996

SegID: 1602	Lavaca River Above Tidal From a point 8.6 km (5.3 miles) downstream of US 59 in J upstream of SH 95 in Lavaca County	ackson County t	to a point 5.5 km	(3.4 miles)
Area		<u>Category</u>	Carryforward	Year First Listed
1602_01	Upper 29 miles of segment			
	depressed dissolved oxygen	5b	No	2004
1602_02	Middle 34 miles of segment between SH111 and US90			
	bacteria	5c	No	New
1602_03	Lower 31 miles of segment			
	bacteria	5c	No	New

#### SegID: 1803A Elm Creek (unclassified water body)

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

Area		Category	Carryforward	Year First Listed
1803A_01	Entire water body			
	depressed dissolved oxygen	5a	No	1999

#### SegID: 1803B Sandies Creek (unclassified water body)

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

Area		Category	Carryforward	Year First Listed
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.			
	bacteria	5a	No	2002
	depressed dissolved oxygen	5a	No	1999
1803B_02	From the confluence with Elm Creek to upper end of water body			
	depressed dissolved oxygen	5a	No	1999

# SegID: 1803C Peach Creek (unclassified water body)

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

Area		Category	Carryforward	Year First Listed
1803C_01	Lower 25 miles of water body			
	bacteria	5a	No	2002
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.			
	depressed dissolved oxygen	5c	No	2006
	bacteria	5a	No	2002

#### SegID: 1804A Geronimo Creek (unclassified water body)

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

Area		Category	Carryforward	Year First Listed
1804A_01	Entire water body			
	bacteria	5c	No	2006

SegID: 1805	E 1805 Canyon Lake From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)					
Area		Category	Carryforward	Year First Listed		
1805_01	Cove around Jacob's Creek Park					
	mercury in fish tissue	5c	No	2006		
1805_02	North end of Crane's Mill Park peninsula to south end of Canyon Park mercury in fish tissue	5c	No	2006		
1805 03	Upper end of segment	36	110	2000		
1003_03	mercury in fish tissue	5c	No	2006		
1805_04	Lower end of reservoir from dam upstream to Canyon Park mercury in fish tissue	5c	No	2006		

SegID: 1806	Guadalupe River Above Canyon Lake From a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County to the confluence of North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County				
Area		Category	<u>Carryforward</u>	Year First Listed	
1806_04	From 1 mile upstream Flat Rock Dam to confluence with				
	Camp Meeting Creek				
	bacteria	4a	No	2002	
1806_06	From RR 394 1 mile downstream				
	bacteria	4a	No	2002	
1806_08	From 25 miles upstream of lower end to confluence with Big				
1000_00	Joshua Creek				
	bacteria	4a	No	2002	

SegID: 1806A	A Camp Meeting Creek (unclassified water body) From the confluence of Flatrock Lake in southeast Kerrville portion of the stream west of Kerrville in Kerr County	in Kerr Coun	y to the upstream	perennial
Area		<u>Category</u>	Carryforward	Year First Listed
1806A_03	Upper 9 miles			
	depressed dissolved oxygen	5b	No	1999

SegID: 1810	Plum Creek From the confluence with the San Marcos River in Caldwell C	County to FM	1 2770 in Hays Co	ounty
Area		Category	Carryforward	Year First Listed
1810_01	Confluence with San Marcos River to approx. 2.5 mi. upstream of the confluence with Clear Fork Plum Creek bacteria	5c	No	2004
1810_03	From approx. 0.5 mi. upstream of SH 21 to upper end of segment bacteria	5c	No	2004

SegID: 1901	Lower San Antonio River From the confluence with the Guadalupe River in Refugio/Vidownstream of FM 791 at Mays crossing near Falls City in Ka	•		, , , , , , , , , , , , , , , , , , ,
Area	25 21 1	<u>Category</u>	<u>Carryforward</u>	Year First Listed
1901_01	25 miles downstream of the confluence with Manahuilla Creek			
	bacteria	5a	No	2000
1901_02	25 miles upstream of Manahuilla Creek			
	bacteria	5a	No	2000
1901_03	From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr			
	bacteria	5a	No	2000
1901_04	9 miles downstream of Escondido Creek			
	bacteria	5a	No	2000
1901_05	From upstream end of segment to Escondido Creek			
	bacteria	5a	No	2000

SegID: 1902	2 Lower Cibolo Creek From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County				
Area		Category	Carryforward	Year First Listed	
1902_01	Lower 5 miles of segment				
	bacteria	5a	No	2004	
1902_02	From 5 miles upstream of confluence with the San Antonio River to FM 541				
	bacteria	5a	No	2004	
	impaired fish community	5c	No	2006	
1902_03	From FM 541 to confluence with Clifton Branch				
	bacteria	5a	Yes	2004	

SegID: 1905	Medina River Above Medina Lake From the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County			
Area		<u>Category</u>	Carryforward	Year First Listed
1905_01	From lower end of segment to RR 470, upstream of Bandera			
	impaired fish community	4c	No	New

SegID: 1906	Country Leon Creek From the confluence with the Medina River in Bexar Country to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar Country				
<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	Year First Listed	
1906_02	From 3 miles upstream lower end of segment to confluence with Indian Creek depressed dissolved oxygen	5c	Yes	1999	
1906_04	From Hwy 353 to two miles upstream				
	bacteria depressed dissolved oxygen	5a 5c	Yes Yes	1996 1999	
1906_05	From 2 miles upstream of Hwy 353 to Hwy 90				
_	depressed dissolved oxygen PCBs in fish tissue	5c 5a	Yes No	1999 2004	
1906_06	Remainder of segment				
	bacteria	5a	No	1996	

SegID: 1	Upper Cibolo Creek From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County			
Area	_	<u>Category</u>	<u>Carryforward</u>	Year First Listed
1908_02				
	end of segment	~	3.7	2006
	bacteria	5c	No	2006

impaired macrobenthos community

SegID: 1910	O Salado Creek From the confluence with the San Antonio River in Bexar County Bullis in Bexar County	·	·	
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1910_01	From confluence with San Antonio River to confluence with Rosillo Creek			
	bacteria	4a	No	1996
1910_02	From confluence with Rosillo Creek to Roland Road			
	bacteria	4a	No	1996
1910_03	From Roland Road to Rice Road			
	impaired macrobenthos community	5b	No	2006
	bacteria	4a	No	1996
	impaired fish community	5b	No	2004
1910_04	From Rice Road to IH 10			
	bacteria	4a	Yes	1996
	depressed dissolved oxygen	4a	Yes	1996
1910_06	From approx. 1.5 miles upstream of IH 35 to Hwy 368			
	bacteria	4a	No	1996
	depressed dissolved oxygen	4a	No	1996
1910_07	From Hwy 368 to approx 1.5 miles upstream of Loop 410			
	depressed dissolved oxygen	4a	Yes	1996
	impaired fish community	5b	Yes	2004
		~1	3.7	2006

SegID: 1910A	Walzem Creek (unclassified water body) From the confluence with Salado Creek to approximately 1.5 Antonio	o miles upstrea	am of Walzem Ro	ad in San
Area		<u>Category</u>	Carryforward	Year First Listed
1910A_01 L	Lower 0.25 miles			
b	acteria	4a	No	2002

No

5b

2006

SegID: 1911	1 Upper San Antonio River From a point 600 meters (660 yards) downstream of FM 791 a County to a point 100 meters (110 yards) upstream of Hildebr			
Area		Category	Carryforward	Year First Listed
1911_02	From 6 miles upstream of lower end of segment to confluence with Picosa Cr			
1911_03	bacteria From confluence with Picosa Creek to approx. 2.5 miles upstream of FM 536	4a	No	1996
	bacteria	4a	No	1996
1911_06	From 2 miles downstream of confluence with Medina River to confluence bacteria	4a	No	1996
1911_08	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr bacteria	4a	No	1996
1911_09	From confluence with Salado Creek to confluence with Sixmile Creek			
	bacteria	4a	No	1996
	impaired fish community	5c	No	2006
1911_10	From confluence with Sixmile Creek to confluence with San Pedro Creek bacteria	4a	No	1996
1011 11		4a	NO	1990
1911_11	Upper 8 miles of segment			
	bacteria	4a	No	1996

SegID: 1913	Mid Cibolo Creek From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County				
Area		Category	Carryforward	Year First Listed	
1913_02	From Bexar CR 320 to approx. 0.50 miles upstream of Buffalo Lane in Cibolo depressed dissolved oxygen	4b	No	1999	
1913_03	From approx. 0.50 mi. upstream of Buffalo Lane in Cibolo to upper end of segment bacteria	5c	No	2006	

S	SegID: 2001	Mission River Tidal From the confluence with Mission Bay in Refugio County to of US 77 in Refugio County	o a point 7.4 k	ilometers (4.6 mil	es) downstream
	Area		Category	<u>Carryforward</u>	Year First Listed
	2001_01	Entire segment			
		bacteria	5a	No	2004

SegID: 2003	Aransas River Tidal From the confluence with Copano Bay in Aransas/Refugio Cupstream of US 77 in Refugio/San Patricio County	County to a po	int 1.6 kilometers	(1.0 mile)
Area	Estina acomout	<u>Category</u>	Carryforward	Year First Listed
_	Entire segment	<b>5</b> .	NT.	2004
_	bacteria	5a	No	2004

SegID: 2004A	SegID: 2004A Aransas Creek (unclassified water body) From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.			
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
2004A_01	Entire 20 miles of segment			
1	bacteria	5c	No	2006

SegID: 2106	Nueces/Lower Frio River From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County				
Area		Category	Carryforward	Year First Listed	
2106_01	Lower 17 miles of segment				
	total dissolved solids	5c	No	2006	
2106_02	Upper 10 miles of segment				
	total dissolved solids	5c	No	2006	

SegID: 2107 Atascosa River From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County						
Area		Category	Carryforward	Year First Listed		
2107_01	Lower 25 miles of segment					
	bacteria	5a	No	1996		
2107_02	25 miles surrounding FM 541					
	bacteria	5a	No	1996		
	depressed dissolved oxygen	5b	No	1996		
	impaired fish community	5b	No	2006		
2107_03	25 miles surrounding State Highway 97					
	impaired fish community	5b	No	2006		
	depressed dissolved oxygen	5b	No	1996		

SegID: 2108	San Miguel Creek From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County			
Area		<u>Category</u>	Carryforward	Year First Listed
2108_01	Lower 25 miles of segment			
	bacteria	5c	No	2006

SegID: 2109	SegID: 2109 Leona River From the confluence with the Frio River in Frio County to US 83 in Uvalde County					
Area		Category	Carryforward	Year First Listed		
2109_01	Lower 25 miles of segment					
	bacteria	5c	No	2006		
2109_02	25 miles surrounding US Highway 57					
	bacteria	5c	No	2006		
2109_03	Upper 28 miles of segment					
_	bacteria	5c	No	2006		

SegID: 2110	<b>Lower Sabinal River</b> From the confluence with the Frio River in Frio County to upstream of SH 127 in Uvalde County	to Uvalde County	to a point 100 me	eters (110 yards)
Area		<u>Category</u>	Carryforward	Year First Listed
2110_01	Entire segment			
	nitrate	4a	Yes	2002

SegID: 2113 Upper Frio River From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County					
Area		Category	Carryforward	Year First Listed	
2113_01	Lower 25 miles of segment				
	impaired fish community	5c	No	2006	
	impaired macrobenthos community	5c	No	2006	
2113_02	Upper 22 miles of segment				
	impaired fish community	5c	No	2006	

SegID: 2116	From Choke Canyon Reservoir From Choke Canyon Dam in Live Oak County to a point 4.2 km (2.6 miles) downstream of SH 16 on the Frio River Arm in McMullen County and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm in McMullen County, up to the normal pool elevation of 220.5 feet (impounds Frio River)				
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed	
2116_06	Western end of lake up to RR 99 bridge				
	depressed dissolved oxygen	5c	Yes	2006	

Se	egID: 2117	Frio River Above Choke Canyon Reservoir From a point 4.2 km (2.6 miles) downstream of SH 16 in McN yards) upstream of US 90 in Uvalde County	Mullen Coun	ty to a point 100 r	meters (110
_	Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
1	2117_02	From 1.5 mi. downstream of SH 97 to 23.5 mi. upstream of SH			
		97 crossing bacteria	5c	No	New

SegID: 2201 Arroyo Colorado Tidal From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County					
Area		Category	Carryforward	Year First Listed	
2201_03	Approx. 3 miles upstream to 2 miles downstream of Marker 27				
	bacteria	5c	No	2006	
2201_04	Approx. 1 mile upstream to 3 miles downstream of Camp Perry				
	bacteria	5c	No	2006	
	depressed dissolved oxygen	5a	No	1996	
2201_05	Upper 4 miles of segment				
	bacteria	5c	No	2006	
	PCBs in smallmouth buffalo and longnose gar	5c	No	New	
	mercury in longnose gar	5c	No	New	
	depressed dissolved oxygen	5a	No	1996	
	DDE in smallmouth buffalo and longnose gar	4a	No	New	

# SegID: 2202 Arroyo Colorado Above Tidal

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

Area		Category	Carryforward	Year First Listed
2202_01	Lower 4 miles of segment			
	bacteria	5a	No	1996
	DDE in smallmouth buffalo and longnose gar	4a	No	2002
	mercury in longnose gar	5c	No	New
	PCBs in smallmouth buffalo and longnose gar	5c	No	New
2202_02	Approx. 11 miles upstream to approx. 4 miles downstream of US 77			
	DDE in smallmouth buffalo and longnose gar	4a	No	2002
	mercury in longnose gar	5c	No	New
	bacteria	5a	No	1996
	PCBs in smallmouth buffalo and longnose gar	5c	No	New
2202_03	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015			
	bacteria	5a	No	1996
	DDE in smallmouth buffalo and longnose gar	4a	No	2002
	mercury in longnose gar	5c	No	New
	PCBs in smallmouth buffalo and longnose gar	5c	No	New
2202_04	Upper 19 miles of segment			
	bacteria	5a	No	1996
	PCBs in smallmouth buffalo and longnose gar	5c	No	New
	DDE in smallmouth buffalo and longnose gar	4a	No	2002
	mercury in longnose gar	5c	No	New

# SegID: 2202A Donna Reservoir (unclassified water body)

Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County

Area		Category	Carryforward	Year First Listed
2202A_01	Entire reservoir			
	PCBs in fish tissue	4a	No	1996

sulfate

total dissolved solids

SegID: 2204	Petronila Creek Above Tidal From a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County				
Area		<u>Category</u>	Carryforward	Year First Listed	
2204_01	Lower 25 miles of segment				
	chloride	4a	No	1999	
	sulfate	4a	No	1999	
	total dissolved solids	4a	No	1999	
2204_02	Upper 19 miles of segment				
	chloride	4a	No	1999	

4a

4a

No

No

1999 1999

SegID	D: 2302	<b>Rio Grande Below Falcon Reservoir</b> From a point 10.8 km (6.7 miles) downstream of the Internation Starr County	ntional Bridge i	n Cameron Coun	ty to Falcon Dam
A1	rea		<u>Category</u>	Carryforward	Year First Listed
2302	2_07	Rancho Viejo Floodway area to El Jardin Pump Station			
	1	bacteria	5c	No	1996

SegID: 2302	2A Arroyo Los Olmos (unclassified water body) From confluence with the Rio Grande at Rio Grande City to	El Sauz in Sta	arr County	
<u>Area</u> 2302A 01	Entire water body	<u>Category</u>	Carryforward	Year First Listed
	bacteria	5c	No	2004

SegID: 2304	Rio Grande Below Amistad Reservoir From the confluence of the Arroyo Salado (Mexico) in Zapata	a County to A	Amistad Dam in V	Val Verde County
Area		Category	Carryforward	Year First Listed
2304_02	San Felipe Creek confluence to the Las Moras Creek confluence bacteria	5c	No	1996
2304_08	Laredo water treatment plant intake to International Bridge #2 bacteria	5c	No	1996
2304_09	International Bridge # 2 to just below Chacon Creek confluence			57,7
	bacteria	5c	No	1996
2304_10	Chacon Creek confluence to the Arroyo Salado confluence bacteria	5c	No	1996

SegID: 2306	Rio Grande Above Amistad Reservoir From a point 1.8 km (1.1 miles) downstream of the confluent the confluence of the Rio Conchos (Mexico) in Presidio Cou	•	Canyon in Val Vo	erde County to
Area 2306 01	Confluence with Rio Conchos to Alamito Creek	<u>Category</u>	Carryforward	Year First Listed
_	bacteria	5c	No	1999

SegID: 2307	Rio Grande Below Riverside Diversion Dam From the confluence of the Rio Conchos (Mexico) in Presion Paso County	dio County to R	Riverside Diversio	on Dam in El
Area		Category	Carryforward	Year First Listed
2307_01	Downstream of Riverside Dam to Guadalupe Bridge	<u>categor</u> j	Curryrormaza	Tour Tribe Distre
	bacteria	5c	No	1996
	chloride	5c	No	1996
	total dissolved solids	5c	No	1996
2307_02	Guadalupe Bridge to the Alamo Grade Structure			
	bacteria	5c	No	1996
	chloride	5c	No	1996
	total dissolved solids	5c	No	1996
2307_03	Alamo Grade Structure to Little Box Canyon			
	chloride	5c	No	1996
	total dissolved solids	5c	No	1996
2307_04	Little Box Canyon to 25 miles upstream of Rio Conchos confluence			
	chloride	5c	No	1996
	total dissolved solids	5c	No	1996
2307_05	25 miles upstream of the Rio Conchos confluence (lower segment boundary)			
	chloride	5c	No	1996
	total dissolved solids	5c	No	1996

SegID: 2311	Upper Pecos River From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County			
Area		Category	Carryforward	Year First Listed
2311_05	US 80 (Bus 20) to FM 1776			
	depressed dissolved oxygen	5c	No	2006
2311_06	FM 1776 to US 67			
	depressed dissolved oxygen	5c	No	2006

Se	egID: 2314	Rio Grande Above International Dam From International Dam in El Paso County to the New Mexicology.	ico State Line	in El Paso County	
2	<u>Area</u> 2314_02	Upstream of Anthony Drain to International Dam	Category	<u>Carryforward</u>	Year First Listed
	1	bacteria	5c	No	1996

Sea	gID: 2421	Upper Galveston Bay			
	Area		Category	Carryforward	Year First Listed
2.	421_01	Red Bluff to Five Mile Cut to Houston Point to Morgans Point		<del></del>	
		bacteria (oyster waters)	5a	No	1996
		dioxin in catfish and crab tissue	5a	No	1996
		PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004
2.	421_02	Western portion of the bay			
		bacteria (oyster waters)	5a	No	1996

SegID: 242.	2 Trinity Bay			
Area		Category	Carryforward	Year First Listed
2422_01	Upper half of bay			
	bacteria (oyster waters)	5a	No	1998

SegID: 2422	2B Double Bayou West Fork (unclassified water body) From the confluence with Trinity Bay to Belton Road in	Chambers County	7	
Area 2422B_01	Entire water body	<u>Category</u>	Carryforward	Year First Listed
	bacteria depressed dissolved oxygen	5c 5c	No No	2006 2004

SegID: 2423	B East Bay			
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
2423_01	Area adjacent to the ICWW (Segment 0702)			
	bacteria (oyster waters)	5a	No	1998

SegID: 2424	West Bay			
Area	Area adjacent to Lower Galveston Island	Category	Carryforward	Year First Listed
_	bacteria (oyster waters)	5a	No	1996

SegID: 2424A Highland Bayou (unclassified water body) From confluence with Jones Bay to Avenue Q 0.5 miles (0.8 km) north of SH 6 between Arcadia and A Loma in Galveston County				
Area		Category	Carryforward	Year First List
2424A_01	From the headwaters to FM 2004			
	bacteria	5a	No	2002
	depressed dissolved oxygen	5c	No	2002
2424A_02	From FM 2001 to FM 519			
	bacteria	5a	No	2002
2424A 04	From Fairwood Road to Bayou Lane			
_	bacteria	5a	No	2002

SegID: 2424	4C Marchand Bayou (unclassified water body) From confluence with Highland Bayou to 0.45 mile nor	th of IH 45 in Galv	eston County	
Area 2424C_01	Entire water body	<u>Category</u>	Carryforward	Year First Listed
	bacteria depressed dissolved oxygen	5a 5c	No Yes	2002 2002

SegID: 2425F	3 Jarbo Bayou (unclassified water body) From confluence with Clear Lake to 0.6 mile upstream of F	M 518 in Galv	eston County	
<u>Area</u> 2425B 01	From headwaters to Lawrence Road	Category	Carryforward	Year First Listed
_	bacteria	5c	No	2002

SegID: 242	6 Tabbs Bay			
Area	Fudin	<u>Category</u>	Carryforward	Year First Listed
2426_01	Entire segment			
	dioxin in catfish and crab tissue	5a	No	1996
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004

SegID: 242	7 San Jacinto Bay			
Area		Category	Carryforward	Year First Listed
2427_01	Entire segment			
	dioxin in catfish and crab tissue	5a	No	1996
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004

SegID: 242	8 Black Duck Bay			
Area		<u>Category</u>	Carryforward	Year First Listed
2428_01	Entire segment			
	dioxin in catfish and crab tissue	5a	No	1998
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004

SegID: 242	9 Scott Bay			
Area		<u>Category</u>	Carryforward	Year First Listed
2429_01	Entire segment			
	dioxin in catfish and crab tissue	5a	No	1998
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004

SegID: 2430	) Burnett Bay			
Area		<u>Category</u>	Carryforward	Year First Listed
2430_01	Entire segment			
	dioxin in catfish and crab tissue	5a	No	1998
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004

SegID: 243	2 Chocolate Bay			
Area 2432_01	Entire segment	Category	Carryforward	Year First Listed
2432_01	bacteria (oyster waters)	5a	No	1996

SegID: 2433	Bastrop Bay/Oyster Lake			
Area		<u>Category</u>	Carryforward	Year First Listed
2433_02	Oyster Lake			
	bacteria (oyster waters)	5a	No	2006

SegID: 243	4 Christmas Bay			
Area		Category	Carryforward	Year First Listed
2434_01	Area adjacent to West Bay			
	bacteria (oyster waters)	5a	No	2006

SegID: 2435	5 Drum Bay			
Area		<u>Category</u>	Carryforward	Year First Listed
2435_01	Area adjacent to Christmas Bay			
	bacteria (oyster waters)	4c	No	2006

SegID: 243	6 Barbours Cut			
Area	Entire accurant	<u>Category</u>	Carryforward	Year First Listed
2436_01	Entire segment dioxin in catfish and crab tissue	5a	No	1998
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004

SegID: 243	8 Bayport Channel			
Area 2438 01	Entire segment	Category	Carryforward	Year First Listed
2430_01	Entire segment dioxin in catfish and crab tissue	5a	No	2000
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004

SegID: 2439	Lower Galveston Bay			
<u>Area</u> 2439_01	Area adjacent to the Texas City Ship Channel and Moses Lake	<u>Category</u>	Carryforward	Year First Listed
	bacteria (oyster waters)	5a	No	1996

SegI	ID: 2441	East Matagorda Bay			
	Area		Category	<u>Carryforward</u>	Year First Listed
244	41_01 (	Caney Creek am and western shoreline area			
	ł	bacteria (oyster waters)	5a	No	1998

SegID: 244	2 Cedar Lakes			
Area		Category	Carryforward	Year First Listed
2442_01	Entire segment			
	bacteria (oyster waters)	5a	No	1998

SegID: 2451	Matagorda Bay/Powderhorn Lake			
<u>Area</u> 2451_01	Northern end of Matagorda Bay	Category	Carryforward	Year First Listed
	bacteria (oyster waters)	5a	No	1996

SegID: 245	2 Tres Palacios Bay/Turtle Bay			
Area 2452 02	T d D	Category	Carryforward	Year First Listed
2452_02 2452_03	Turtle Bay bacteria (oyster waters) Tres Palacios Creek Arm	5a	No	1998
2.32_03	bacteria (oyster waters)	5a	No	1998

SegID: 245.	3 Lavaca Bay/Chocolate Bay			
Area		Category	Carryforward	Year First Listed
2453_02	North-northeastern portion of the bay near Point Comfort			
	bacteria (oyster waters)	5a	No	1996
2453_03	Chocolate Bay area			
	bacteria (oyster waters)	5a	No	1996

SegID: 2453A	Garcitas Creek Tidal (unclassified water body) From the confluence of Lavaca Bay in Jackson County to a p County	point 8.5 miles	s upstream of FM	616 in Jackson
Area		<u>Category</u>	Carryforward	Year First Listed
2453A_01	Entire water body			
(	depressed dissolved oxygen	5b	No	1999

# SegID: 2453D Lavaca Bay Ship Channel Area (unclassified water body)

Area		<u>Category</u>	Carryforward	Year First Listed
2453D_01	Entire water body			
	mercury in fish and crab tissue	4b	No	1996
	depressed dissolved oxygen	5c	No	2006

# SegID: 2454 Cox Bay

Area		Category	Carryforward	Year First Listed
2454_01	North end of bay near Cox Creek			
	bacteria (oyster waters)	5a	No	2006

#### SegID: 2455 Keller Bay

Area		<u>Category</u>	Carryforward	Year First Listed
2455_01	Upper arm			
	bacteria (oyster waters)	5a	No	2006

# SegID: 2456 Carancahua Bay

Area		Category	Carryforward	Year First Listed
2456_02	Upper half of bay			
	bacteria	5c	No	2006
	bacteria (oyster waters)	5a	No	1996

# SegID: 2456A West Carancahua Creek Tidal (unclassified water body)

From the confluence with Carancahua Bay in Jackson County to Jackson CR 440, 6.3 miles upstream of FM 616 in Jackson County

Area		Category	Carryforward	Year First Listed
2456A_01	Entire water body			
	depressed dissolved oxygen	5c	No	2006

SegID: 24	62 San Antonio Bay/Hynes Bay/Guadalupe Bay			
Area	<del>-</del>	Category	Carryforward	Year First Listed
2462_02	Guadalupe Bay bacteria (oyster waters)	5a	No	1996

SegID: 247	2 Copano Bay/Port Bay/Mission Bay			
Area 2472_01	Mission Bay, Aransas River arm, Port Bay, and eastern shoreline	Category	Carryforward	Year First Listed
	bacteria (oyster waters)	5a	No	1998

SegID: 2482	Nueces Bay			
Area 2482_01	Entire bay	Category	Carryforward	Year First Listed
2702_01	zinc in oyster tissue	4a	No	1998

SegID: 248.	3 Redfish Bay			
Area		<u>Category</u>	Carryforward	Year First Listed
2483_01	Entire segment			
	bacteria (oyster waters)	5a	No	2006

SegID: 2483	5 Oso Bay			
Area		Category	Carryforward	Year First Listed
2485_01	Upper bay (Holly Road to County Hwy 24)		-	
	bacteria (oyster waters)	5a	No	2006
	depressed dissolved oxygen	5b	No	1996
2485_02	Middle bay (State Park Road 22 to Holly Road)			
	bacteria (oyster waters)	5a	No	2006
	depressed dissolved oxygen	5b	No	1996
2485_03	Lower portion of bay (Ocean Drive to State Park Road 22)			
	bacteria (oyster waters)	5a	No	2006
	depressed dissolved oxygen	5b	No	1996
	bacteria	4a	No	2004

SegID: 2485.	A Oso Creek (unclassified water body) From the confluence with Oso Bay in southern Corpus Christ Corpus Christi in Nueces County	sti to a point 3	miles upstream o	f SH 44, west of
Area		<u>Category</u>	Carryforward	Year First Listed
2485A_01	Entire water body			
	bacteria	5a	No	2002

SegID: 249	1 Laguna Madre			
Area		Category	Carryforward	Year First Listed
2491_01	Upper portion of bay north of the Arroyo Colorado confluence			
	depressed dissolved oxygen	5b	No	1999
2491_02	Area adjacent to the Arroyo Colorado confluence			
	bacteria (oyster waters)	5a	No	2006
	depressed dissolved oxygen	5b	No	1999

SegID: 2492	A San Fernando Creek (unclassified water body) From the confluence with Cayo Del Grullo in Kleberg Coun	ty to the Lake	Alice Dam in Jim	n Wells County
Area		<u>Category</u>	<u>Carryforward</u>	Year First Listed
2492A_01	Entire water body			
	bacteria	5c	No	2006

# SegID: 2501 Gulf of Mexico

From the Gulf shoreline to the limit of Texas jurisdiction between Sabine Pass and the Rio Grande

Area		Category	Carryforward	Year First Listed
2501_01	Sabine Pass to Sea Rim Park area			
	mercury in king mackerel > 43 inches	5c	No	1998
2501_02	Jefferson-Chambers County line area			
	mercury in king mackerel > 43 inches	5c	No	1998
2501_03	Bolivar Point to San Luis Pass area			
	mercury in king mackerel > 43 inches	5c	No	1998
2501_04	Freeport Area			
	mercury in king mackerel > 43 inches	5c	No	1998
2501_05	Area between Freeport and Port Aransas			
	mercury in king mackerel > 43 inches	5c	No	1998
2501_06	Port Aransas Area			
	mercury in king mackerel > 43 inches	5c	No	1998
2501_07	Area between Port Aransas and Port Mansfield			
	mercury in king mackerel > 43 inches	5c	No	1998
2501_08	Port Mansfield area			
	mercury in king mackerel > 43 inches	5c	No	1998
2501_09	Area between Port Mansfield and Port Isabel			
	mercury in king mackerel > 43 inches	5c	No	1998
2501_10	Port Isabel area			
	mercury in king mackerel > 43 inches	5c	No	1998