

Carlos Ramos

Paulo Novais

Céline Ehrwein Nihan

Juan M. Corchado Rodríguez *Editors*

Ambient Intelligence - Software and Applications

5th International Symposium
on Ambient Intelligence

Advances in Intelligent Systems and Computing

Volume 291

Series editor

Janusz Kacprzyk, Polish Academy of Sciences, Warsaw, Poland
e-mail: kacprzyk@ibspan.waw.pl

For further volumes:

<http://www.springer.com/series/11156>

About this Series

The series “Advances in Intelligent Systems and Computing” contains publications on theory, applications, and design methods of Intelligent Systems and Intelligent Computing. Virtually all disciplines such as engineering, natural sciences, computer and information science, ICT, economics, business, e-commerce, environment, healthcare, life science are covered. The list of topics spans all the areas of modern intelligent systems and computing.

The publications within “Advances in Intelligent Systems and Computing” are primarily textbooks and proceedings of important conferences, symposia and congresses. They cover significant recent developments in the field, both of a foundational and applicable character. An important characteristic feature of the series is the short publication time and world-wide distribution. This permits a rapid and broad dissemination of research results.

Advisory Board

Chairman

Nikhil R. Pal, Indian Statistical Institute, Kolkata, India
e-mail: nikhil@isical.ac.in

Members

Rafael Bello, Universidad Central “Marta Abreu” de Las Villas, Santa Clara, Cuba
e-mail: rbellop@uclv.edu.cu

Emilio S. Corchado, University of Salamanca, Salamanca, Spain
e-mail: escorchado@usal.es

Hani Hagras, University of Essex, Colchester, UK
e-mail: hani@essex.ac.uk

László T. Kóczy, Széchenyi István University, Győr, Hungary
e-mail: koczy@sze.hu

Vladik Kreinovich, University of Texas at El Paso, El Paso, USA
e-mail: vladik@utep.edu

Chin-Teng Lin, National Chiao Tung University, Hsinchu, Taiwan
e-mail: ctlin@mail.nctu.edu.tw

Jie Lu, University of Technology, Sydney, Australia
e-mail: Jie.Lu@uts.edu.au

Patricia Melin, Tijuana Institute of Technology, Tijuana, Mexico
e-mail: epmelin@hafsamx.org

Nadia Nedjah, State University of Rio de Janeiro, Rio de Janeiro, Brazil
e-mail: nadia@eng.uerj.br

Ngoc Thanh Nguyen, Wroclaw University of Technology, Wroclaw, Poland
e-mail: Ngoc-Thanh.Nguyen@pwr.edu.pl

Jun Wang, The Chinese University of Hong Kong, Shatin, Hong Kong
e-mail: jwang@mae.cuhk.edu.hk

Carlos Ramos · Paulo Novais
Céline Ehrwein Nihan · Juan M. Corchado Rodríguez
Editors

Ambient Intelligence - Software and Applications

5th International Symposium
on Ambient Intelligence

 Springer

Editors

Carlos Ramos
Polytechnic of Porto
Porto
Portugal

Paulo Novais
CCTC/Informatics Department
University of Minho
Braga
Portugal

Céline Ehrwein Nihan
Haute Ecole d'Ingénierie et de Gestion
du Canton de Vaud
Yverdon-les-Bains
Switzerland

Juan M. Corchado Rodríguez
Dept. of Computing Science and Control
Faculty of Science
University of Salamanca
Salamanca
Spain

ISSN 2194-5357

ISSN 2194-5365 (electronic)

ISBN 978-3-319-07595-2

ISBN 978-3-319-07596-9 (eBook)

DOI 10.1007/978-3-319-07596-9

Springer Cham Heidelberg New York Dordrecht London

Library of Congress Control Number: 2014939995

© Springer International Publishing Switzerland 2014

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Contents

Context-Aware Automatic Service Selection Mechanism for Ambient Intelligent Environments	1
<i>Houda Haiouni, Ramdane Maamri</i>	
A Multimodal Conversational Agent for Personalized Language Learning	13
<i>David Griol, Ismael Baena, José Manuel Molina, Araceli Sanchis de Miguel</i>	
Power Indices of Influence Games and New Centrality Measures for Agent Societies and Social Networks	23
<i>Xavier Molinero, Fabián Riquelme, Maria Serna</i>	
Self-Healing Multi Agent Prototyping System for Crop Production	31
<i>Haeng-Kon Kim, Hyun Yeo</i>	
The Impact of Using Gamification on the Eco-driving Learning	45
<i>Víctor Corcoba Magaña, Mario Muñoz Organero</i>	
Person Localization Using Sensor Information Fusion	53
<i>Ricardo Anacleto, Lino Figueiredo, Ana Almeida, Paulo Novais</i>	
Improving Modularity, Interoperability and Extensibility in Ambient Intelligence	63
<i>Marco Gomes, Davide Carneiro, André Pimenta, Milton Nunes, Paulo Novais, José Neves</i>	
UAVs Applied to the Counting and Monitoring of Animals	71
<i>Pablo Chamoso, William Raveane, Victor Parra, Angélica González</i>	
Easy Development and Use of Dialogue Services	81
<i>José Javier Durán, Alberto Fernández, Sara Rodríguez, Vicente Julián, Holger Billhardt</i>	

Design and Implementation of the Intelligent Plant Factory System Based on Ubiquitous Computing	89
<i>Jeonghwan Hwang, Hoseok Jeong, Hyun Yoe</i>	
Getting and Keeping Aged People Socially Included: Trials with Real End-Users of the EasyReach System.	99
<i>Michele Cornacchia, Filomena Papa, Enrico Nicolò, Bartolomeo Sapia</i>	
A General-Purpose mHealth System Relying on Knowledge Acquisition through Artificial Intelligence	107
<i>Giovanna Sannino, Ivanoe De Falco, Giuseppe De Pietro</i>	
Video Processing Architecture: A Solution for Endoscopic Procedures Results	117
<i>Isabel Laranjo, Joel Braga, Domingos Assunção, Carla Rolanda, Luís Lopes, Jorge Correia-Pinto, Victor Alves</i>	
A Multi-agent Platform for Hospital Interoperability	127
<i>Luciana Cardoso, Fernando Marins, Filipe Portela, Manuel Santos, António Abelha, José Machad</i>	
Mobile Solution Using NFC and In-Air Hand Gestures for Advertising Applications	135
<i>Francisco Manuel Borrego-Jaraba, Gonzalo Cerruela García, Nicolás García Pedrajas, Irene Luque Ruiz, Miguel Ángel Góme-Nieto</i>	
Ubiquitous Sensorization for Multimodal Assessment of Driving Patterns	143
<i>Fábio Silva, Cesar Analide, Celestino Gonçalves, João Sarmento</i>	
CloudFit: A Cloud-Based Mobile Wellness Platform Supported by Wearable Computing	151
<i>Angel Ruiz-Zafra, Manuel Noguera, Kawtar Benghazi, José María Heredia Jiménez</i>	
Developing Ambient Support Technology for Risk Management in the Mining Industry	161
<i>Helena Lindgren, Lage Burström, Bengt Järholm</i>	
Wireless Sensor Networks to Monitoring Elderly People in Rural Areas	171
<i>Gabriel Villarrubia, Juan F. De Paz, Fernando de la Prieta, Antonio J. Sánchez</i>	
Context-Aware Module for Social Computing Environments	183
<i>Gabriel Villarrubia, Juan F. De Paz, Javier Bajo, Yves Demazeau</i>	

Wireless Multisensory Interaction in an Intelligent Rehabilitation Environment	193
<i>Miguel Oliver, José Pascual Molina, Francisco Montero, Pascual González, Antonio Fernández-Caballero</i>	
Lateral Fall Detection via Events in Linear Prediction Residual of Acceleration	201
<i>F.H. Aysha Beevi, C.F. Pedersen, S. Wagner, S. Hallerstede</i>	
Fighting Elders' Social and Technological Exclusion: The TV Based Approach	209
<i>Luís Correia, Nuno Costa, António Pereira</i>	
A Decision Support System for Medical Mobile Devices Based on Clinical Guidelines for Tuberculosis	217
<i>Sílvio César Cazella, Rafael Feyh, Ângela Jornada Ben</i>	
New Applications of Ambient Intelligence	225
<i>Davide Carneiro, Paulo Novais</i>	
AmI: Monitoring Physical Activity	233
<i>Ricardo Costa, Luís Calçada, Diva Jesus, Luís Lima, Luís C. Lima</i>	
Multi-agent Technology to Perform Odor Classification	241
<i>Sigeru Omatu, Tatsuyuki Wada, Sara Rodríguez, Pablo Chamoso, Juan M. Corchado</i>	
Author Index	253

Context-Aware Module for Social Computing Environments

Gabriel Villarrubia¹, Juan F. De Paz¹, Javier Bajo², and Yves Demazeau³

¹ BISITE, Universidad de Salamanca, Salamanca, Spain
{gvg, fcofds}@usal.es

² DIA, Universidad Politécnica de Madrid, Madrid, Spain
jbajo@fi.upm.es

³ CNRS, LIG, Grenoble, France
Yves.Demazeau@imag.fr

Abstract. The continuous evolution of the information and telecommunication technologies has led to new forms of social interaction, including social networks. Social interaction is a new paradigm that studies the use of information technologies with social purposes. Social computing envisions a new kind of computation where humans and machines collaborate to compute and resolve a problem. In this paper we present a context-aware module for the PANGEA architecture that incorporates contextual information to enrich the social knowledge representation.

Keywords: Multi-agent systems, Human-agent societies, Context-Aware Computing.

1 Introduction

During recent years social computational solutions have emerged to provide new ways for interaction and communication. Some examples are Amazon, where the humans contribute to the computation including their opinions and recommendations about the products, Captcha [25], where both humans and computers collaborate to provide an efficient authentication system, etc. Social computing is a new computational model where human and computers collaborate to improve social relationships using computer science [26], [4], [7], [15], [7], [9]. For Wang et al. [26] Social Computing is the computational facilitation of social studies and human social dynamics as well as the design and use of ICT technologies that consider social context. In this sense, it is important to define new mechanisms to include contextual information in the social computing model. For Robertson et al. [17] social computing requires and effective combination of computational and human resources: On the one hand, humans bring their competences, knowledge and skills, together with their networks of social relationships and their understanding of social structures. On the other hand, ICT can search for and deliver relevant information. Humans can then use this information within their contexts to achieve their goals and, eventually, to improve the overall environment in which they live.

One of the open challenges for Social Computing is to provide more realistic ways to improve social behaviors and relationships using computer science. The existing solutions have focused on theoretical underpinnings, technological infrastructure and applications. However, it is necessary to capture contextual information to enrich the social model, thus providing more realistic computational tools for the cooperation between humans and computers. In this paper, we present an extension of the PANGEA [29] architecture a multiagent architecture based on virtual organizations [2], [3], that incorporates a context-aware computing model [27], [23], [21] to obtain contextual information. In this paper, we extend the PANGEA architecture and we define all the infrastructure components, both sensor networks and computing, especially at a hardware level. We define a broker that interacts with the sensing technologies and a set of adapters that normalize the data. The broker communicates with the rest of the platform by means of adapters. We design a new model to integrate the JDL information fusion model within the virtual organization-based multiagent architecture [4], [18], [23], [19]. Particularly, we focus on designing new algorithms for mixtures of experts specialized in fusing information obtained from wireless sensor networks.

The rest of the paper is organized as follows: section 2 revises the related work. Section 3 presents the proposed model. Finally, in section 4 the preliminary conclusions obtained are presented.

2 Related Work

Recent tendencies have led to the social computing paradigm of designing social systems. One of the challenges to be addressed to obtain an extended model with context-aware computing abilities is the procurement of effective management architectures for WSNs. Until now, WSNs and their applications have been developed without considering a management solution that can dynamically adapt to both the changes that occur in the environment, and to user needs. Some approaches as the MANNA management architecture for WSNs propose the functional, information, and physical management architectures, that take into account the specific characteristics of this type of network [12]. However, this architecture does not take into account either adaptive and organizational aspects, or intelligent information fusion (IF). Lim *et al.* [12][13] propose a sensor grid architecture, called the scalable proxy-based architecture for sensor grid (SPRING), to address these design issues [12]. However, the architecture is focused on a sensor grid design and not on exploitation. H-WSNMS uses the concept of a virtual command set, H-WSNMS, to facilitate management functions for specific WSN applications from the individual WSN platforms [26], but does not take IF algorithms into account and is not designed on the basis of organizational aspects. MARWIS is a management architecture for heterogeneous wireless sensor networks (WSNs). It supports common management tasks such as monitoring, (re-)configuration, and updating program code in a WSN [21]. MARWIS, however, does not take organizational aspects into account and does not fuse information. Yu *et al.* [26] propose a lightweight middleware system that supports WSNs to

handle real-time network management using a hierarchical framework [27]. Although they take organizational aspects into account, they do not consider IF algorithms and user services. G-Sense [15] is an architecture that integrates mobile and static wireless sensor networks in support of location-based services, participatory sensing, and human-centric sensing applications. It does not, however, take organizational aspects into account, nor does it include IF technologies. Nowadays it is possible to find different proposals for architectures that manage wireless sensor networks [7][14][4][12]; however, most of them are designed for specific environments or specific purposes and none of them combines organizational aspects, IF techniques, advanced storage mechanisms and open integration design.

Although significant progress has been made in the development of architectures to manage wireless sensor networks, at present there is no single open platform that efficiently integrates heterogeneous WSNs, and provides both intelligent IF techniques and intelligent services. Therefore, there is no platform in the market that facilitates the communication and integration of the wide variety of existing sensors, providing intelligent IF facilities, intelligent management of user services. The proposed Virtual Organization (VO) of multiagent architecture is based on the social computing paradigm and will provide intelligence to the platform with adaptation to the needs of the application problem, while the cloud environment will ensure the availability of the required resources at all times.

3 PANGEA Architecture

PANGEA (Platform for Automatic coNstruction of orGanizations of intElligents Agents) [29] is an agent platform to develop open multi-agent systems; it can manages roles, norms, organizations and suborganizations that facilitate the inclusion of organizational aspects. The services offered by the agents are included independently from the agent, facilitating their flexibility and adaption. PANGEA incorporates a CBR-BDI reasoning mechanism available for the agents. The basic agent types defined in PANGEA can be seen in Figure 1, they are:

- **OrganizationManager**: the agent responsible for the actual management of organizations and suborganizations. It is responsible for verifying the entry and exit of agents, and for assigning roles. To carry out these tasks, it works with the **OrganizationAgent**, which is a specialized version of this agent.
- **InformationAgent**: the agent responsible for accessing the database containing all pertinent system information.
- **ServiceAgent**: the agent responsible for recording and controlling the operation of services offered by the agents. It works as the **Directory Facilitator** defined in the FIPA standard.
- **NormAgent**: the agent that ensures compliance with all the refined norms in the organization.

- **CommunicationAgent**: the agent responsible for controlling communication among agents, and for recording the interaction between agents and organizations.
- **Sniffer**: manages the message history and filters information by controlling communication initiated by queries.
- **DiscoveryAgent**: implements an intelligent mechanism to discover services.
- **MonitorAgent**: interacts with the platform to show the information to the end user.

PANGEA is a service-oriented platform that can take maximum advantage of the distribution of resources. To this end, all services are implemented as Web Services. This makes it possible for the platform to include both a service provider agent and a consumer agent, thus emulating a client-server architecture. The provider agent (a general agent that provide a service) knows how to contact the web service, the rest of the agents know how to contact with the provider agent due to their communication with the ServiceAgent, which contains this information about services.




Fig. 1. First-person training view

3.1 Extensions for Context-Aware Computing

The extended model for the PANGEA architecture allows obtaining and managing contextual information that can provide an added value to design social computing models and obtain immersion at the MAS level. Contextual information can enrich the humans' information providing more realistic data about the humans' situation, including human actions and behaviors in a given society. Context-aware systems manage information that characterizes an individual and her environment. These systems require sensor networks to capture the context information and intelligent systems that can manage the information efficiently.




Fig. 2. Extended model for the sensor and physical layers

The proposed extended model is deployed into a layered architecture as shown in Figure 2. As we can see, the extended model is composed of different layers associated with the different functional blocks. The fusion levels of information are distributed along the different layers that can be found in the description of the JDL fusion model [1][17]. As defined in JDL, existing levels of data fusion from 0 to 6 are Data Assessment, Object Assessment, Situation Assessment, Impact Assessment, and Process Refinement. These levels are distributed in the different layers of the architecture shown in Figure 2.

The following section describes the components and main features of the architecture:

- **Layer 0. Sensing/performance technologies.** Layer 0 of the platform is a broker that defines communication with sensor networks of different natures (Wi-Fi, ZigBee, Bluetooth, etc.), and obtains the raw data from sensor networks. This process of acquiring raw data from sensor networks is associated with *Level 0 - Data Assessment*. The main novelty of this layer is the ability to provide the platform and the upper layers with openness regarding the connection to sensor networks of different natures. It thus ensures that upper layers of the architecture have access to information and are able to perform data fusion at different levels.
- **Layer 1. Low-level services.** Given the information exchanged with the environment through layer 0 as described above, the existing functional requirements and a set of low-level services will now be defined; specifically those that depend on the types of networks and technologies integrated into every deployment. After obtaining the raw data, a gateway is provided, defined through adapters that allow the information received to be standardized. The data processing corresponds to *Level 1 - Object Assessment* as indicated by the JDL classification shown above. In this first stage, the platform provides services such as filtering of signals, normalization services or other treatment services at the basic level signals. These services are provided by the adapters and is associated with algorithms that perform initial treatment of the data, so that these data can be presented to higher layers in a more homogenized way. Each of these services expose an API to higher layers that allows interaction with each low-level service, and thus, with the underlying sensing/performance technologies.
- **Layer 2. Information fusion algorithms.** This layer includes *levels 2 to 4 of IF displayed on the JDL model*. The platform is structured as a VO of MAS. Each organization includes the roles required to facilitate an intelligent management of the information obtained from the lower levels of the architecture. The MAS incorporates agents specifically designed to interact with low-level services. In addition, we introduce the design of intelligent agents specialized in IF. For this purpose, roles that allow merging information automatically through supervised learning and previous training have been included.

4 Conclusions

This paper has presented an extended model for social computing for the PANGEA architecture, aimed at extending the concept of social computing to obtain immersion at the MAS level. Social computing has gained relevance during recent years, trying to combine sociology and computer sciences to design social systems. The extended model proposed in this paper is currently being detailed and evaluated using location-aware systems. A location-aware system can notably help to obtain real-time information that can be used for social computing purposes in different applications that can

make use of location data to create social machines. Some examples can be the prediction of social dynamics, design of activities, urban architectural design, management of emergency situations or other several social behaviors that can be analyzed and supported by computational technologies. Particularly, in future work, we want to focus on a case study to design an agent-based social simulation model for work environment and to introduce new variables in the simulation model, such as individual and group behavior obtained from the location of the participants. The agent-based social simulation model will be an extension of a previous model aimed at emulate human behaviours in a work environment to predict the labour integration of handicapped people.

The inclusion of a context-aware module in the PANGAEA architecture can help us to introduce and analyse contextual information and patterns related to interaction and collaboration behaviours that usually are hidden in real societies. More specifically, the use of location-aware techniques can help us to detect friendship or other collaboration events that cannot be regulated in current agent-based social simulation models. The use of fusion will allow the implementation of specific experts, signal agents to process and filter signal data. One of the main advantages of this implementation is the high adaptability of the platform to dynamically incorporate new agents (experts, mixtures, filtering algorithms, etc.). Thus, a fusion agent will make use of the information provided by two or more expert agents to generate high level information services. The IF process requires communication among the different layers of the architecture that will be implemented through message passing protocols.

Acknowledgments. Work partially supported by the Spanish Government through the project iHAS (grant TIN2012-36586-C03).

References

1. Abras, S., Ploix, S., Pesty, S., Jacomino, M.: A multi-agent home automation system for power management. *LNEE*, vol. 15, pp. 59–68 (2008)
2. Artikis, A.: Dynamic Protocols for Open Agent Systems. In: Decker, S., Sierra, C. (eds.) *Proc. of 8th Int. Conf. on Autonomous Agents and Multiagent Systems, AAMAS 2009*. International Foundation for Autonomous Agents and Multiagent Systems, May, pp. 10–15 (2009)
3. Argente, E., Botti, V., Carrascosa, C., Giret, A., Julian, V., Rebollo, M.: An Abstract Architecture for Virtual Organizations: The THOMAS approach. *Knowledge and Information Systems* 29, 379–403 (2011)
4. Bajo, J., Corchado, J.M.: Evaluation and monitoring of the air-sea interaction using a CBR-Agents approach. *Case-Based Reasoning Research and Development*, 50–62 (2005)
5. Carneiro, D., Castillo, J., Novais, P., Fernández-Caballero, A., Neves, J.: Multimodal Behavioural Analysis for Non-invasive Stress Detection. *Expert Systems With Applications* 39(18), 13376–13389 (2012) ISSN: 0957-4174
6. Dimeas, A.L., Hatziargyriou, N.D.: Operation of a Multiagent System for Microgrid Control. *IEEE Transactions on Power Systems* 20(3), 1447–1455 (2005)

7. Fraile, J.A., Bajo, J., Corchado, J.M., Abraham, A.: Applying wearable solutions in dependent environments. *IEEE Transactions on Information Technology in Biomedicine* 14(6), 1459–1467 (2011)
8. Fuentes-Fernández, R., Gómez-Sanz, J.J., Pavón, J.: Understanding the human context in requirements elicitation. *Requirements engineering* 15(3), 267–283 (2010)
9. Fuentes-Fernandez, R., Gomez-Sanz, J.J., Pavon, J.: Model integration in agent-oriented development. *International Journal of Agent-Oriented Software Engineering* 1(1), 2–27 (2007)
10. Gómez-Romero, J., Serrano, M.A., Patricio, M.A., García, J., Molina, J.M.: Context-based Scene Recognition from Visual Data in Smart Homes: An Information Fusion approach. *ACM/Springer Journal of Personal and Ubiquitous Computing. Special Issue on Sensor-driven Computing and Applications for Ambient Intelligence* 16(7), 835–857 (2012)
11. Haibo, L., Fang, Z.: Design and implementation of wireless sensor network management systems based on WEBGIS. *Journal of Theoretical and Applied Information Technology* 49(2), 792–797 (2013)
12. Karim, L., Mahmoud, Q.H., Nasser, N., Khan, N.: LRSA: A multi-component Wireless Sensor Network management framework. In: 2012 IEEE Global Communications Conference (GLOBECOM), pp. 683–688 (2012)
13. Lim, H.B., Iqbal, M., Wang, W., Yao, Y.: The National Weather Sensor Grid: a large-scale cyber-sensor infrastructure for environmental monitoring. *IJSNet* 7(1/2), 19–36 (2010)
14. Liu, Y., Seet, B.C., Al-Anbuky., A.: An Ontology-Based Context Model for Wireless Sensor Network (WSN) Management in the Internet of Things. *J. Sens. Actuator Netw.* 2(4), 653–674 (2013)
15. Pavon, J., Sansores, C., Gomez-Sanz, J.J.: Modelling and simulation of social systems with INGENIAS. *International Journal of Agent-Oriented Software Engineering* 2(2), 196–221 (2008)
16. Perez, A.J., Labrador, M.A., Barbeau, S.J.: G-Sense: a scalable architecture for global sensing and monitoring. *IEEE Network* 24(4), 57–64 (2010)
17. Robertson, D., Giunchiglia, F.: Programming the social computer. *Phil. Trans. R. Soc. A.* 371, 20120379
18. Rodríguez, S., Pérez-Lancho, B., De Paz, J.F., Bajo, J., Corchado, J.M.: Ovamah: Multiagent-based adaptive virtual organizations. In: 12th International Conference on Information Fusion, FUSION 2009, pp. 990–997 (2009)
19. Rodríguez, S., de Paz, Y., Bajo, J., Corchado, J.: Social-based planning model for multiagent systems. *Expert Systems with Applications* 38(10), 13005–13023 (2011)
20. Schuler, D.: Social computing. *Communications of the ACM* Volume 37(1), 28–29 (1994)
21. Tapia, D.I., Alonso, R.S., De Paz, J.F., Corchado, J.: Introducing a distributed architecture for heterogeneous wireless sensor networks. In: Omatu, S., Rocha, M.P., Bravo, J., Fernández, F., Corchado, E., Bustillo, A., Corchado, J.M. (eds.) IWANN 2009, Part II. LNCS, vol. 5518, pp. 116–123. Springer, Heidelberg (2009)
22. Tapia, D.I., Abraham, A., Corchado, J.M., Alonso, R.: Agents and ambient intelligence: case studies. *Journal of Ambient Intelligence and Humanized Computing* 1(2), 85–93 (2010)
23. Tapia, D.I., Rodríguez, S., Bajo, J., Corchado, J.M.: FUSION@, a SOA-based multi-agent architecture. In: International Symposium on Distributed Computing and Artificial Intelligence, DCAI 2008, pp. 99–107 (2008)

24. Tapia, D.I., Alonso, R.S., García, Ó., de la Prieta, F., Pérez-Lancho, B.: Cloud-IO: Cloud computing platform for the fast deployment of services over wireless sensor networks. In: Uden, L., Herrera, F., Bajo, J., Corchado, J.M. (eds.) 7th International Conference on KMO. *Advances in Intelligent Systems and Computing*, vol. 172, pp. 493–504. Springer, Heidelberg (2013)
25. Von Ahn, L., Dabbish, L.: Designing games with a purpose. *Communications of the ACM* 51(8), 58–67 (2008)
26. Wang, F.Y., Carley, K.M., Zeng, D., Mao, W.: Social Computing: From Social Informatics to Social Intelligence. *IEEE Intelligent Systems* 22(2), 79–83 (2007)
27. Venturini, V., Carbo, J., Molina, J.M.: Methodological design and comparative evaluation of a MAS providing AmI. *Expert Systems with Applications* 39, 10656–10673 (2012)
28. Wong, J.K.W., Li, H., Wang, S.W.: Intelligent building research: a review. *Automation in Construction* 14(1), 143–159 (2005)
29. Zato, C., Villarrubia, G., Sánchez, A., Barri, I., Rubión, E., Fernández, A., Rebate, C., Cabo, J.A., Álamos, T., Sanz, J., Seco, J., Bajo, J.J.: MCorchado. PANGEA - Platform for Automatic coNstruction of oRganizations of intElligent Agents. In: *Distributed 9th International Conference Computing and Artificial Intelligence* (2012)