


Center for
Mathematical Economics
Working Papers

527

September 2014

Non-Implementability of Arrow-Debreu Equilibria by Continuous Trading under Knightian Uncertainty

Frank Riedel and Patrick Beißner



Center for Mathematical Economics (IMW)
Bielefeld University
Universitätsstraße 25
D-33615 Bielefeld · Germany

e-mail: imw@uni-bielefeld.de
<http://www.imw.uni-bielefeld.de/wp/>
ISSN: 0931-6558

Non–Implementability of Arrow–Debreu Equilibria by Continuous Trading under Knightian Uncertainty

FRANK RIEDEL* PATRICK BEISSNER†

Center for Mathematical Economics
Bielefeld University

September 18, 2014

Abstract

Under risk, Arrow–Debreu equilibria can be implemented as Radner equilibria by continuous trading of few long–lived securities. We show that this result generically fails if there is Knightian uncertainty in the volatility. Implementation is only possible if all discounted net trades of the equilibrium allocation are mean ambiguity–free.

Key words and phrases: Knightian Uncertainty, Ambiguity, general Equilibrium, Asset Pricing, Radner Equilibrium

JEL subject classification: D81, C61, G11

*Center for Mathematical Economics, Bielefeld University, 33501 Bielefeld, Germany. Email: friedel@uni-bielefeld.de

†Corresponding Author. Center for Mathematical Economics, Bielefeld University, 33501 Bielefeld, Germany. Email: patrick.beissner@uni-bielefeld.de

1 Introduction

A celebrated and fundamental result of financial economics characterizes the situations in which all contingent consumption plans can be financed by trading few long-lived assets; in diffusion models, asset markets are dynamically complete if the number of risky assets corresponds to the number of independent sources of uncertainty. When information is generated by a d -dimensional Brownian motion, d risky assets consequently suffice to span a dynamically complete market.

In such a setting, one can thus expect an equivalence between the rather heroic equilibria of the Arrow–Debreu type – where all trade takes place on a perfect market for contingent claims at time zero, and no trade ever takes place afterwards, – and the more realistic Radner equilibria where agents trade long-lived assets dynamically over time.

Such equivalence of static and dynamic equilibria for diffusion models has been established in different settings and at different levels of generality by Duffie and Huang (1985), Duffie and Zame (1989), Karatzas, Lehoczky, and Shreve (1990), Anderson and Raimondo (2008), Riedel and Herzberg (2013), Hugonnier, Malamud, and Trubowitz (2012).

In this paper, we show that this celebrated equivalence generically breaks down under Knightian uncertainty about volatility. We place ourselves in a framework which makes it as easy as possible for the market to span the equilibrium allocations. Even then, we claim, Arrow–Debreu equilibria will usually not be implementable by a dynamic market if there is Knightian uncertainty in individual endowments.

In which sense do we make it easy? First, we consider a model in which a d -dimensional Brownian motion with ambiguous volatility generates the economy’s information flow. Second, as in the Duffie–Huang–approach, we consider nominal asset markets. The nominal asset structure allows for an exogenously chosen asset structure. If there is no spanning in this setting, one cannot expect spanning in the more demanding real asset setting considered by Anderson and Raimondo (2008), Riedel and Herzberg (2013), and Hugonnier, Malamud, and Trubowitz (2012) where security prices and consumption prices are endogenously determined in equilibrium and linked via the real dividend structure. Third, we consider a setting where aggregate endowment is ambiguity-free. This is the ideal starting point for an economic analysis of insurance properties of competitive markets. In this setting, a “good” economic institution should lead to an ambiguity-free al-

location for all (ambiguity-averse) individuals. Indeed, we show that the efficient (and thus, Arrow-Debreu equilibrium) allocations in this Knightian economy provide full insurance against uncertainty. This generalizes the results of Billot, Chateauneuf, Gilboa, and Tallon (2000), Dana (2002), Tallon (1998) and De Castro and Chateauneuf (2011) to the continuous-time setting with non-dominated sets of priors.

We study the possibility of implementation in the so-called Bachelier model where the risky (or, in this Knightian setting, maybe better: uncertain) asset is given by the Brownian motion itself because this case is particularly transparent. Indeed, in the classic case, one can then immediately apply the martingale representation theorem to find the portfolio strategies that finance the Arrow-Debreu (net) consumption plans. We study under what condition this result holds in an uncertain world. Under Knightian uncertainty about volatility, the martingale representation theorem changes in several aspects. Implementation is possible if and only if the value of net trades is mean ambiguity-free, or in other words, if the expected value of net trades is the same for all priors.

We thus completely clarify under what conditions one can implement Arrow-Debreu as Radner equilibria. Clearly, being free of ambiguity in the mean is weaker than being free of ambiguity in the strong sense of having the same probability distribution under all priors. Nevertheless, our result implies that “generically”, implementation will be impossible under Knightian uncertainty about volatility. We show this explicitly in the case when there is no aggregate uncertainty in the economy. The set of all endowments for which implementation fails is prevalent.¹

An additional contribution of our paper concerns the existence of Arrow-Debreu equilibria; without existence, the question of implementation would be void. Existence is not a trivial application of the well-known results on existence of general equilibrium for Banach lattices as the informed reader might think (and the authors used to think as well). Under volatility uncertainty, the natural commodity space combines the well-known L^p -space with some degree of continuity. In fact, the right commodity space consists of contingent claims that are suitably integrable or even bounded almost surely for

¹In infinite-dimensional settings, there is no obvious notion of genericity. We use the concept of prevalence (or shyness) introduced into theoretical economics by Anderson and Zame (2001) who show that it is a reasonable measure-theoretic generalization to infinite-dimensional spaces of the usual “almost everywhere”-concept in finite-dimensional contexts. Compare also Hunt, Sauer, and Yorke (1992).

all priors, and are *quasi-continuous*. A mapping is quasi-continuous if it is continuous in nearly all its domain. The property of quasi-continuity comes for free in the probabilistic setting: Lusin’s theorem establishes the fact that any measurable function on a nice topological space is quasi-continuous. Under volatility uncertainty, this equivalence between measurability and quasi-continuity no longer holds true. We are thus led to study a new commodity space which has not been studied so far in general equilibrium theory. Compare also the discussion of this space in the recent papers Epstein and Ji (2013), Epstein and Ji (2014) and Beißner (2014).

For this commodity space, the available existence theorems do not immediately apply. The abstract question of existence must thus be dealt with separately, but we leave the general question of existence for the future as it is not the main concern of this paper. In this paper, we use a different approach to establish existence. In our homogenous framework, one can show that the efficient allocations coincide with the efficient allocations under risk (compare the related results of Dana (2002) in a static setting). When all agents share the same prior, it is well known that the efficient allocations are independent of the prior and can be determined by maximizing a suitable weighted sum of utilities pointwise. As a consequence, the efficient allocations are continuous functions of aggregate endowment; they are quasi-continuous if aggregate endowment is quasi-continuous. This allows us to establish existence in our new commodity space where quasi-continuity is required. One can just fix any prior P and choose an Arrow–Debreu equilibrium in the expected utility economy where all agents use this prior. These equilibria are also equilibria under Knightian uncertainty. As a by-product, we obtain indeterminacy of equilibria, as in related Knightian settings, such as Tallon (1998), Dana (2002), Rigotti and Shannon (2005), or Dana and Riedel (2013).

The paper is set up as follows. The next section describes the economy. Section 3 studies efficient allocations and Arrow–Debreu equilibria. Section 4 contains our main results on (generic non-)implementability. Section 5 concludes. The appendix contains additional material on Knightian uncertainty in continuous time.

2 The Economy under Knightian Uncertainty

We consider an economy over the time interval $[0, T]$ with Knightian uncertainty.

There is a finite set of agents $\mathbb{I} = \{1, \dots, I\}$ agents in the economy who care only about consumption at terminal time T . The agents share a common view of the uncertainty in their world in the sense that they all agree on the same set of priors \mathcal{P} on the state space $\Omega = C[0, T]^d$ of possible trajectories for the canonical d -dimensional Brownian motion $W_t(\omega) = \omega(t)$.

Quite general specifications are possible here, and we discuss some of them in the last section. To have a concrete model, we start here with volatility uncertainty for d independent Brownian motions. Let $\Sigma = \prod_{k=1}^d [\underline{\sigma}^k, \bar{\sigma}^k]$ for $0 < \underline{\sigma}^k \leq \bar{\sigma}^k, k = 1, \dots, d$. Σ models the possible values of the volatilities of our ambiguous Brownian motion W . The set of priors \mathcal{P} consists of all probability measures P that make W a martingale such that the covariation between any W^k and W^l satisfies $(\langle W^k, W^l \rangle_t)_{k,l=1,\dots,d} \in \Sigma$ for all $t \geq 0$ P -a.s. In our concrete case, this means that the covariation between two different Brownian motions vanishes and the variation of a Brownian motion W^k satisfies $(\underline{\sigma}^k)^2 t \leq \langle W^k \rangle_t \leq (\bar{\sigma}^k)^2 t$ for all $t \geq 0$.

The set of priors is not dominated by a single probability measure. In such a context, sets that are conceived as null by the agents cannot be identified with null set under one probability measure. Indeed, as possible scenarios are described by a whole class of potentially singular priors, an event can only be considered as negligible or null when it is a null sets under all priors simultaneously. Such sets are called polar sets; the corresponding sure events, those that have probability one under all priors, are called *quasi-sure* events.

These issues require a reconsideration of some measure theoretic results. Under risk, a measurable function is “almost” continuous in the sense that for every $\epsilon > 0$ there is an open set O with probability at least $1 - \epsilon$ such that the function is continuous on O ; this is Lusin’s theorem. Under non-dominated Knightian uncertainty, this Lusin property, or quasi-continuity, does not come for free from measurability, and one needs to impose it. We refer to Epstein and Ji (2013) and Denis, Hu, and Peng (2011) for the financial and measure-theoretic background.

A proper commodity space under non-dominated Knightian uncertainty then consists of all bounded quasi-continuous functions; it is denoted by $\mathbb{H} = L_{\mathcal{P}}^{\infty}$. The boundedness assumption of endowments is made for ease of exposition and to keep the arguments as concise as possible for our aims; it can be relaxed, of course, as we discuss later on. The consumption set, denoted by \mathbb{H}_+ , consists of quasi-surely positive functions in \mathbb{H} .

Agents’ preferences are given by Gilboa–Schmeidler-type expected utility

functionals of the form

$$U^i(c) = \mathbb{E}u^i(c) = \inf_{P \in \mathcal{P}} E^P u^i(c)$$

for nonnegative consumption plans $c \in \mathbb{H}_+$ and a Bernoulli utility function

$$u^i : [0, \infty) \rightarrow \mathbb{R}$$

which is concave, strictly increasing, sufficiently smooth, and satisfies the Inada condition

$$\lim_{x \downarrow 0} \frac{\partial u^i}{\partial x}(x) = \infty.$$

In the following, we will denote by \mathcal{E} the economy we just described and refer to it as the *Knightian economy* to distinguish it from expected utility economies \mathcal{E}^P later on. In the economy \mathcal{E}^P , agents use expected utility $E^P u^i(c)$ for a particular common prior $P \in \mathcal{P}$; otherwise, the economy has the same structure as \mathcal{E} .

Agents have an endowment e^i which is bounded and bounded away from zero quasi-surely.

In the following, we consider a situation where the market can potentially insure individuals against their idiosyncratic ambiguity because ambiguity washes out in the aggregate. We explicitly do allow for aggregate (and individual) risk.

Definition 2.1 *$X \in \mathbb{H}$ is ambiguity-free (in the strong sense) if X has the same probability distribution under all priors $P, Q \in \mathcal{P}$.*

We assume throughout this paper that aggregate endowment e is ambiguity-free in the strong sense. We thus make it as easy as possible for the market to provide insurance.

3 Efficient Allocations and Arrow–Debreu Equilibria with No Aggregate Ambiguity

Before considering the possibility or impossibility of implementing Arrow–Debreu equilibria by trading few long-lived assets, we need to study existence

and properties of equilibria in our context. It will turn out that efficient allocations, and a fortiori Arrow–Debreu equilibrium allocations are ambiguity–free. If we allow for a complete set of forward markets at time zero, the market is thus able to ensure all individuals against their idiosyncratic Knightian uncertainty.

We recall the structure of efficient allocations in the homogenous expected utility case. If all agents agree on one particular probability P , the efficient allocations are independent of that P ; indeed, they are characterized by the equality of marginal rates of substitution. For weights $\alpha^i \geq 0$, the efficient allocation c_α maximizes pointwise the sum

$$\sum_{i \in \mathbb{I}} \alpha^i u^i(c^i)$$

over all vectors $c \in \mathbb{R}_+^I$ with $\sum_{i \in \mathbb{I}} c^i \leq e(\omega)$. It is characterized by the first–order conditions

$$\alpha^i \frac{\partial u^i}{\partial x}(c_\alpha^i) = \alpha^j \frac{\partial u^j}{\partial x}(c_\alpha^j)$$

for all agents with strictly positive weights $\alpha^i, \alpha^j > 0$; the agents with weight zero consume zero, of course. Due to our assumptions, one can then write the efficient allocations as a continuous function

$$c_\alpha = c_\alpha(e)$$

of aggregate endowment. In the following, we denote by Δ the simplex of weights α that sum up to 1 and by $\mathbb{O} = (c_\alpha)_{\alpha \in \Delta}$ the set of efficient allocations in homogenous expected utility economies.

Theorem 3.1 1. *Every efficient allocation in \mathcal{E} is ambiguity–free.*

2. *The efficient allocations in the Knightian economy \mathcal{E} coincide with the efficient allocations $(c_\alpha)_{\alpha \in \Delta}$ in homogenous expected utility economies \mathcal{E}^P and are independent of a particular prior $P \in \mathcal{P}$.*

PROOF: Note that the efficient allocations in homogenous expected utility economies \mathbb{O} are ambiguity–free as they can be written as monotone functions of aggregate endowment. As these functions are continuous, they are also quasi–continuous in the state variable and thus do belong to our commodity space.

We first show that these allocations are also efficient in our Knightian economy. Fix some weights $\alpha \in \Delta$ and fix some $P \in \mathcal{P}$. Let c be a feasible allocation. Then we have

$$\sum_{i \in \mathbb{I}} \alpha^i U^i(c^i) \leq \sum_{i \in \mathbb{I}} \alpha^i E^P u^i(c^i) = E^P \sum_{i \in \mathbb{I}} \alpha^i u^i(c^i).$$

As c_α maximizes the weighted sum of utilities pointwise, we continue with

$$E^P \sum_{i \in \mathbb{I}} \alpha^i u^i(c^i) \leq E^P \sum_{i \in \mathbb{I}} \alpha^i u^i(c_\alpha^i) = \sum_{i \in \mathbb{I}} \alpha^i E^P u^i(c_\alpha^i).$$

Now c_α is ambiguity-free, hence we have $E^P u^i(c_\alpha^i) = E^Q u^i(c_\alpha^i)$ for all $P, Q \in \mathcal{P}$ and thus $E^P u^i(c_\alpha^i) = \underline{\mathbb{E}} u^i(c_\alpha^i) = U^i(c_\alpha^i)$. We conclude that c_α maximizes the weighted sum of Gilboa-Schmeidler utilities. It is thus efficient.

Now let d be another efficient allocation. By the usual separation theorem, it maximizes the weighted sum of utilities

$$\sum_{i \in \mathbb{I}} \alpha^i U^i(c^i)$$

for some $\alpha \in \Delta$. Set

$$\Gamma = \{\omega \in \Omega : \text{there is } i \in \mathbb{I} \text{ with } d^i(\omega) \neq c_\alpha^i(\omega)\}.$$

Due to our strict concavity assumptions, we have

$$\sum_{i \in \mathbb{I}} \alpha^i u^i(d^i(\omega)) < \sum_{i \in \mathbb{I}} \alpha^i u^i(c_\alpha^i(\omega))$$

for all $\omega \in \Gamma$. Now assume that Γ is not a polar set. Then there is $P \in \mathcal{P}$ with $P(\Gamma) > 0$. Therefore, we have

$$E^P \sum_{i \in \mathbb{I}} \alpha^i u^i(d^i) < E^P \sum_{i \in \mathbb{I}} \alpha^i u^i(c_\alpha^i).$$

Since c_α is ambiguity-free, $E^P \sum_{i \in \mathbb{I}} \alpha^i u^i(c_\alpha^i) = \sum_{i \in \mathbb{I}} \alpha^i U^i(c_\alpha^i)$. On the other hand, by ambiguity-aversion,

$$\sum_{i \in \mathbb{I}} \alpha^i U^i(c_\alpha^i) \leq E^P \sum_{i \in \mathbb{I}} \alpha^i u^i(d^i),$$

and we obtain a contradiction. We thus conclude that Γ is a polar set and thus $d = c_\alpha$ quasi-surely. \square

The preceding theorem obtains the same characterization of efficient allocations in our Knightian case as Dana (2002) does for Choquet expected utility economies. The argument is different, though: as our set of priors does not lead to a convex capacity, one cannot use the comonotonicity of efficient allocations to identify a unique worst-case measure for the agents. Instead, we rely on aggregate endowment being ambiguity-free to reach the conclusion that all efficient allocations are ambiguity-free and coincide with the efficient allocations of any expected utility economy in which all agents share the same prior. Moreover, we do not have a dominating measure here.

As a consequence of the theorem we obtain the following generalization of Billot, Chateauneuf, Gilboa, and Tallon (2000) to our non-dominated setting.

Corollary 3.2 *If there is no aggregate uncertainty, i.e. $e \in \mathbb{R}_+$ quasi-surely, then all efficient allocations are full insurance allocations.*

Let us now turn to Arrow-Debreu equilibria. In the first step, it is important to clarify the structure of price functionals. A price is a positive and continuous linear price functional Ψ on the commodity space $L^{\infty}_{\mathcal{P}}$. A typical representative of these price functionals has the form of a pair (ψ, P) where ψ is the *state-price density* as in the expected utility case and P is some particular prior in \mathcal{P} . Knightian uncertainty adds the new feature that the market also chooses the measure $P \in \mathcal{P}$.

An *Arrow-Debreu equilibrium* consists then of a feasible allocation $c = (c^i)_{i \in \mathbb{I}} \in \mathbb{H}_+^{\mathbb{I}}$ and a price Ψ such that for all $d \in \mathbb{H}_+$ the strict inequality $U^i(d) > U^i(c^i)$ implies $\Psi(d) > \Psi(c^i)$.

We are going to show that Arrow-Debreu equilibria exist and equilibrium prices are indeterminate. Recall that \mathcal{E}^P is the economy in which agents have standard expected utility preferences $U_P^i(c) = E^P u^i(c)$ for the same prior $P \in \mathcal{P}$ and the same endowments as in our original economy. Bewley (Theorem 2 in Bewley (1972)) has shown that Arrow-Debreu equilibria exist with state-price densities in $L^1(\Omega, \mathcal{F}, P)$ for the economy \mathcal{E}^P . By the first welfare theorem, an equilibrium allocation in \mathcal{E}^P can be identified with some c_α for a vector of weights $\alpha \in \Delta$ and the corresponding equilibrium state-price density with $\psi_\alpha = \alpha^i (u^i)'(c_\alpha^i)$. Due to our assumption that endowments are in the interior of the consumption set, all weights α_i are strictly positive.

We are now ready to characterize the equilibria of our Knightian economy.

Theorem 3.3 1. Let (c_α, ψ_α) be an equilibrium of \mathcal{E}^P for some $\alpha \in \Delta$ and $P \in \mathcal{P}$. Then $(c_\alpha, \psi_\alpha \cdot P)$ is an Arrow–Debreu equilibrium of the Knightian economy.

2. If (c, Ψ) is an Arrow–Debreu equilibrium of \mathcal{E} , then there exists $\alpha \in \text{rint } A$ and $P \in \mathcal{P}$ such that $c = c_\alpha$ and $\Psi = \psi_\alpha \cdot P$ with

$$\psi_\alpha = \alpha^i (u^i)'(c_\alpha^i) \quad \text{for } i \in \mathbb{I}.$$

In particular, Arrow–Debreu equilibria

- exist,
- their price is indeterminate,
- and the allocation is ambiguity–free.

PROOF: Let (c_α, ψ_α) be an equilibrium of \mathcal{E}^P . c_α obviously clears the market and is budget–feasible in the Knightian economy because we use the same pricing functional as in the economy \mathcal{E}^P . It remains to show that c_α^i maximizes utility in the Knightian economy subject to the budget constraint.

In the first place, we need to verify that c_α belongs to our commodity space \mathbb{H} (which is smaller than the commodity space $L^\infty(\Omega, \mathcal{F}, P)$ considered by Bewley (1972) as it contains only quasi–continuous elements). But we have already noted above that the c_α are quasi–continuous, and thus elements of \mathbb{H}_+ , because they can be written as continuous functions of e .

Let d be budget–feasible for agent i . As c_α is an Arrow–Debreu equilibrium in the expected utility economy \mathcal{E}^P , we have $E^P u^i(c_\alpha^i) \geq E^P u^i(d)$. As c_α^i is ambiguity–free by Theorem 3.1, we have $U^i(c_\alpha^i) = E^P u^i(c_\alpha^i)$. Therefore,

$$U^i(d) \leq E^P u^i(d) \leq E^P u^i(c_\alpha^i) = U^i(c_\alpha^i)$$

and we are done.

For the converse, let (c, Ψ) be an Arrow–Debreu equilibrium of \mathcal{E} . By the first welfare theorem and Theorem 3.1, there exist $\alpha \in \Delta$ with $c = c_\alpha$. All $\alpha^i > 0$ as individual endowments are strictly positive. (Otherwise, $c_\alpha^i = 0$ which is dominated by e^i .) Due to utility maximization, Ψ has to be a supergradient of U^i at c_α^i . The set of supergradients consists of linear

functionals of the form $\psi_\alpha \cdot \mathcal{P}$, where P is a minimizer in the set of priors. Since $u^i(c_\alpha^i)$ is ambiguity-free, $E^P u^i(c_\alpha^i)$ is constant on \mathcal{P} and hence every element in \mathcal{P} is a minimizer of the Gilba–Schmeidler-type expected utility. \square

4 (Non-)Implementability by Continuous Trading of Few Long-Lived Securities

We now tackle the question if the efficient allocations of Arrow–Debreu equilibria can be implemented by trading a few long-lived assets dynamically over time. Under risk, the answer is (essentially) affirmative. If we allow the market to select the asset structure, Duffie and Huang (1985) establish implementability. In this case, we have purely nominal assets whose dividends are not directly related to commodities. One can thus choose their prices independently of consumption prices. In general, of course, the asset price structure with real assets is endogenous. In that case, the question of Radner implementability is much more complex and was only recently solved by Anderson and Raimondo (2008), Riedel and Herzberg (2013) and Hugonnier, Malamud, and Trubowitz (2012). If the asset market is *potentially complete* in the sense that sufficiently many independent dividend streams are traded, then one can obtain endogenously dynamically complete asset markets in sufficiently smooth Markovian economies. For non-smooth economies and non-Markovian state variables, the question is still open.

As we focus on the intrinsic limit of implementability which is created by Knightian uncertainty, we make here the life as easy as possible for the financial market: as in Duffie and Huang (1985), we consider the case with nominal assets freely chosen by the market. Since the equivalence between Arrow–Debreu and Radner equilibria usually breaks down, the result is stronger if we allow the market to choose the asset structure for nominal assets. If one cannot even implement the Arrow–Debreu equilibrium in the nominal case, one cannot do so with real assets either.

The Bachelier Market We consider first the simplest case of a so-called Bachelier market. There is a riskless asset $S_t^0 = 1$. Moreover, the price of the other d assets is given by our d -dimensional ambiguous (or \mathbb{E})–Brownian motion $S_t = B_t$. A trading strategy then consists of a process

$(\theta^1, \dots, \theta^d) = \theta \in \Theta(S)$, the space of admissible integrands for (Knightian) Brownian motion (see Appendix A.2, Epstein and Ji (2013) or Denis, Hu, and Peng (2011) on details for the admissible integrands). The agents start with wealth zero (as there is no endowment nor consumption at time zero). Their gains from trade at time t are then

$$G_t^\theta = \theta_t S_t = \int_0^t \theta_u dS_u = \sum_{1 \leq k \leq d} \int_0^t \theta_u^k dS_u^k. \quad (1)$$

They can afford to consume $c^i \in \mathbb{H}_+$ with $(c^i - e^i)\psi = G_T^{\theta^i}$ where ψ is the spot consumption price at time T , a nonnegative \mathcal{F}_T -measurable function. A budget-feasible consumption-portfolio plan (c^i, θ^i) is a pair of a consumption plan and a trading strategy that satisfy the above budget constraint.

A Radner equilibrium consist of a spot consumption price ψ and portfolio-consumption plans $(c^i, \theta^i)_{i \in \mathbb{I}}$ such that markets clear, i.e. $\sum c^i = e$, $\sum \theta^i = 0$, and agents maximize their utility over all portfolio-consumption plans that satisfy the budget constraint.

Theorem 4.1 *In the Bachelier model with asset prices $S = B$, an Arrow-Debreu equilibrium of the form $(c, \psi \cdot P)$ can be implemented as a Radner equilibrium if and only if the value of the net trades $\xi^i = \psi(c^i - e^i)$ are mean ambiguity-free, i.e. for all $P, Q \in \mathcal{P}$*

$$E^P \xi^i = E^Q \xi^i.$$

PROOF: Let $(c, \psi \cdot P)$ be an Arrow-Debreu Equilibrium as in Theorem 3.3.

Suppose we have an implementation in the Bachelier model with trading strategies θ^i . The Radner budget constraint gives

$$\xi^i = G_T^{\theta^i} = \int_0^T \theta_t^i dB_t \quad \mathcal{P}\text{-quasi surely.}$$

Stochastic integrals are symmetric \mathbb{E} -martingales, i.e. $E^P \int_0^T \theta_t^i dB_t = \mathbb{E} \int_0^T \theta_t^i dB_t$ for all $P \in \mathcal{P}$. Consequently the value of each net trade is mean ambiguity-free.

We show now that implementation is possible if net trades are mean ambiguity-free. We divide the proof into three steps. First, we introduce the candidate trading strategies for agent $i \neq I$ and show market clearing in

the second step. Finally we show that these strategies are maximal in the budget sets.

Let the value of the net trade ξ^i be mean ambiguity-free for all agents $i \in \mathbb{I}$. The Arrow-Debreu budget constraint gives $0 = E^P \xi^i = \mathbb{E} \xi^i$. Consequently by Corollary A.7, the process $t \mapsto \mathbb{E}_t \xi^i$ is a symmetric \mathbb{E} -martingale, so by the martingale representation theorem A.6

$$\mathbb{E}_t \xi^i = \int_0^t \theta_r^i dS_r, \quad \mathcal{P}\text{-quasi surely}$$

and

$$\xi^i = \int_0^T \theta_t^i dS_t.$$

Hence, the trading strategies θ^i are candidates for trading strategies in a Radner equilibrium with allocation c and spot consumption price ψ .

By market-clearing in an Arrow-Debreu equilibrium, we have

$$0 = \sum_{i \in \mathbb{I}} \xi^i = \int_0^T \sum_{i \in \mathbb{I}} \theta_t^i dS_t.$$

As stochastic integrals that are zero have a zero integrand (even under Knightian uncertainty; see Proposition 3.3 in Soner, Touzi, and Zhang (2011)), we conclude that the portfolios clear, $\sum_{i \in \mathbb{I}} \theta^i = 0$.

It remains to check that the consumption-portfolio strategy (c^i, θ^i) is optimal for agent i under the Radner-budget constraint. Suppose there is a trading strategy (d, η) with

$$\psi(d - e^i) = \int_0^T \eta_t dS_t.$$

We then have

$$E^P \psi(d - e^i) = \mathbb{E} \int_0^T \eta_t dS_t = 0,$$

and d is thus budget-feasible in the Arrow-Debreu model. We conclude that $U^i(d) \leq U^i(c^i)$. \square

To illustrate the theorem, we consider a concrete example.

Example 4.2 Let $e(\omega) \equiv 1$, $I = 2$, $d = 1$, and $u^i = \log$ for $i = 1, 2$. Assume $e^1 = \phi(B_T) = \exp(B_T) \wedge 1$ and $e^2 = 1 - e^1$. By Corollary 3.2 and

Theorem 3.3, equilibrium allocations are full insurance; therefore, the state price density is deterministic, so that we may take without loss of generality $\psi = \frac{\alpha_i}{c_i^\alpha} = 1$.

In this case, the expected value of net trades $\xi^i = c^i - e^i$ depends on the particular measure $P \in \mathcal{P}$. For example, if B has constant volatility σ under P , then

$$E^P \exp(B_T) \wedge 1 = \exp(\sigma^2/2)\Phi(-\sigma) + 1/2$$

where Φ is the standard normal distribution. Radner implementation is therefore impossible.

The previous example suggests that Radner implementation might not be expected, in general. In the next step, we clarify this question in a world without aggregate uncertainty. We know from our analysis in the previous section that all Arrow–Debreu equilibria fully insure all agents in such a setting. We claim that “for almost all” economies, or “generically”, Radner implementation is impossible.

While the notion of “almost all” has a natural meaning in the finite-dimensional context because one can use Lebesgue measure to define negligible sets as null sets under that measure, the notion of “almost all” does not generalize immediately to infinite-dimensional Banach spaces because there is no translation-invariant measure that assigns positive measure to all open sets on such spaces. Anderson and Zame (2001) develop the notion of prevalence which coincides with the usual notion of full Lebesgue measure in finite-dimensional contexts and is thus an appropriate generalization to infinite-dimensional settings.

In the following, we fix aggregate endowment with no uncertainty $e > 0$ and consider the class of economies parametrized by individual endowments

$$\mathcal{K} = \left\{ (e^i)_{i \in \mathbb{I}} \in \mathbb{H}_+^{\mathbb{I}} : \sum_{i \in \mathbb{I}} e^i = e \right\}.$$

We say that an economy with endowments $(e^i)_{i \in \mathbb{I}}$ does not allow for implementation if there is no Arrow–Debreu equilibrium $(c, \psi \cdot P)$ which can be implemented as a Radner equilibrium. Let \mathcal{R} be the subset of economies in \mathcal{K} which do not allow for implementation.

In Theorem 4.1, we introduced the notion mean ambiguity-free random variables in \mathbb{H} . The collection of all such elements is denoted by \mathbb{M} and set $\mathbb{M}^c = \mathbb{H} \setminus \mathbb{M}$. For an alternative characterization of \mathbb{M} , see Corollary A.7.

Theorem 4.3 *With no aggregate uncertainty, implementation of Arrow–Debreu equilibrium via a Bachelier Model is generically impossible: \mathcal{R} is prevalent in \mathcal{K} .*

PROOF: Let $(c_\alpha, \psi \cdot P)$ be an equilibrium and let $e = 1$ without loss of generality. By Corollary 3.2, e^i is the only non-constant within the value of each net trade $\xi^i = \alpha_i (u^i)'(c_\alpha^i)(c_\alpha^i - e^i)$. Consequently by Theorem 4.1 implementability fails if there is a $i \in \mathbb{I}$ with $e^i \in \mathbb{M}^c$.

From this observation, we may focus on the prevalence of the property “mean ambiguity-free” within the space of initial endowments \mathcal{K} . The following claim is crucial; its proof is below. The order relation \leq induced by the cone \mathbb{H}_+ .

Claim: $\mathbb{M}^c \cap [0, 1]$ is a prevalent set in $[0, 1] = \{Y \in \mathbb{H} : 0 \leq Y \leq 1\}$ of \mathbb{H} .

In the case $I = 2$, one endowment within $[0, 1]$ determines a distribution of endowments via $e^2 = e - e^1$, hence $\mathcal{K} \cap \mathbb{M}^{\mathbb{I}}$ is a shy subset of \mathcal{K} . Therefore the claim implies that \mathcal{R} is prevalent in \mathcal{K} .

For an arbitrary \mathbb{I} , we have $(\mathbb{M}^c \cap [0, 1])^{\mathbb{I}}$ is a prevalent subset in $[0, 1]^{\mathbb{I}}$ of $\mathbb{H}^{\mathbb{I}}$. This follows by the same arguments as in the proof of the claim, by choosing the subspace $T^{\mathbb{I}}$ of $\mathbb{H}^{\mathbb{I}}$ as the finite dimensional test space. Hence, $\mathbb{M}^c \cap [0, 1] \times (\mathbb{M} \cap [0, 1])^{\mathbb{I}-1}$ is a shy set in $[0, 1]^{\mathbb{I}}$. The result then follows by an analogous argument as in the case $I = 2$.

We come now to the proof of the claim made above. The proof relies on the Martingale representation Theorem A.6. The Corollary A.7 implies $M^1 := \mathbb{M} \cap [0, 1] = \{(\eta, 0) \in \mathcal{M} \times \{0\} : \int_0^T \eta_t dB_t \in [0, 1]\}$, where \mathcal{M} is the completion of piecewise constant process, see (2) in Appendix A.3.

Let \mathbb{BV} denote the Banach space of progressive-measurable processes with continuous paths and of bounded variation on $[0, T] \times \Omega$, so that

$$(\mathcal{M} \times \mathbb{K}_0) \cap [0, 1] =: MK^1 \subset X := (\mathcal{M} \times \mathbb{BV}),$$

where \mathbb{K}_0 denotes all processes $x + \hat{K}$ such that $x \in \mathbb{R}$ and $\hat{K} \in \mathbb{K}^M$.²

The main step is to define a tractable “test-space” T (to check prevalence) via a concrete K : By Remark A.8 and setting $\varphi_t \equiv 1 \in \mathbb{R}^d$, fix $K^1 \in \mathbb{K}^M$ given by

$$K_t^1 = \int_0^t 1 d\langle B \rangle_r - \int_0^t G(1) dr = \sum_{k=1}^d \langle B^k \rangle_t - \frac{t}{2} (\bar{\sigma}^k)^2.$$

²Akin to (3), set $\mathbb{K}^M = \{-K : \mathbb{E}\text{-martingale}, K_0 = 0, \text{continuous, incr.}, \mathbb{E} \sup_t K_t^2 < \infty\}$.

The process $(-K_t^*) = -(x + K_t^1) \in \mathbb{K}_0$ is again an increasing \mathbb{E} -martingale since \mathbb{E} preserves constants. Positive homogeneity of \mathbb{E} implies that $-aK^*$ is an \mathbb{E} -martingale if $a \geq 0$. A rescaling of K^* into K yields $K \in \mathbb{K}_0 \cap [0, 1]$.³

Fix the following one dimensional test space

$$T = \left\{ (0, -aK) : a \in \mathbb{R} \right\}$$

of X and denote the Lebesgue measure on T by λ_T ; we have to check:

1. *There is a $c \in X$ with $\lambda_T(MK^1 + c) > 0$:*

The arbitrary translation of MK^1 is performed by $c = (0, 0) \in X$. Since only a positive $a \in \mathbb{R}$ makes $-aK$ an \mathbb{E} -martingale, we derive $\lambda_T(MK^1) \geq \lambda_T((0, -aK) : a \in [0, 1]) = \lambda_{\mathbb{R}}([0, 1]) = 1 > 0$.

2. *For all $z \in X$ we have $\lambda_T(E + z) = 0$:*

This follows directly from the definition of T and M^1 , since at most one $K \in MK^1$ lies in $M^1 + z$. The condition follows, since $\lambda_T(\{0, K\}) = 0$ for every $K \in \mathbb{K}$.

By Fact 6 of Anderson and Zame (2001) every finitely shy set in MK^1 is also a shy set in MK^1 , and therefore $\mathbb{M}^c \cap [0, 1] = \mathbb{H} \cap [0, 1] \setminus \mathbb{M} \cap [0, 1] \cong MK^1 \setminus M^1$ is a prevalent subset of MK^1 . \square

Remark 4.4 *The proof of Theorem 4.3 also establishes the general fact that \mathbb{M} is a shy subset in \mathbb{H} .*

4.1 General Asset Structures

The Bachelier model we presented allows for negative values of the price process. Theorem 4.1 is still valid, when our \mathbb{E} -Brownian motion $B = B^+ + B^-$ of the Bachelier model is decomposed into the positive B^+ and negative part B^- . The trading strategies are then given by $\theta_t^{i,+} = \theta_t^i 1_{\{B_t \geq 0\}}$ and $\theta_t^{i,-} = -\theta_t^i 1_{\{B_t < 0\}}$ where θ^i denotes the fractions invested in the uncertain assets of Theorem 4.1. In the same fashion, as mentioned in Section 5 of Duffie and Huang (1985), the number of assets becomes $2 \cdot d + 1$.

³This is possible since $\min_k (\underline{\sigma}^k)^2 t \leq \langle B^k \rangle_t \leq \max_k (\bar{\sigma}^k)^2 t$ as discussed in the Appendix for the the case $d = 1$.

On the other it is also possible to implement the Arrow-Debreu equilibrium with an arbitrary symmetric \mathbb{E} -martingale. A canonical example is a symmetric \mathbb{E} -martingale of exponential form:

$$M_t = \exp \left(\int_0^t \eta_s dB_s + \frac{1}{2} \int_0^t \eta_s^2 d\langle B \rangle_s \right)$$

The strictly positive process (M_t) is the unique solution of the following linear stochastic differential equation with respect to the \mathbb{E} -Brownian motion B ,⁴

$$\frac{dM_t}{M_t} = \eta_t dB_t, \quad M_0 = 1.$$

From a general perspective, we aim to enlarge the scope of Theorem 4.1 by allowing a large family of symmetric \mathbb{E} -martingales as feasible substitutes of the Bachelier Model. The following result takes a leaf out of Duffie (1986), where the notion of “martingale generator” points to the implementability of an Arrow-Debreu Equilibrium under some classical probability space.

Proposition 4.5 *Theorem 4.1. is still valid if we replace the implementing B with a symmetric \mathbb{E} -martingale $M_t = M_0 + \int_0^t V_t dB_t$, such that $V_t \neq 0$ \mathcal{P} -q.s. and $V_t \in L^\infty$.*

PROOF: We show that every $\int H dB$ can be written as a $\int H^M dM$.

By Proposition 3.3 in Soner, Touzi, and Zhang (2011) states that under every $P \in \mathcal{P}$, the Itô integral $\int H dB$ with respect to some $H \in \mathcal{M}$, coincides P -almost surely with the stochastic integral under $(\Omega, \mathbb{H}, \mathbb{E})$.

By using the representation of \mathbb{E} from Proposition A.2, we have $\langle M \rangle^P = \int V^2 d\langle B \rangle^P$ P -almost surely, where $\langle B \rangle^P$ denotes the quadratic variation of the \mathbb{E} -Brownian motion B under P , since B is an E^P -martingale under every $P \in \mathcal{P}$. Since V is bounded, we have $\|\eta\|_{\mathcal{M}} < \infty$ if and only if

$$\sup_{P \in \mathcal{P}} E^P \int_0^T \eta_t^2 d\langle M \rangle_t^P < \infty$$

Consequently, a stochastic integral with respect to the present symmetric \mathbb{E} -martingale $M = \int V dB$ can then be written as $\int_0^t \theta_s dM_s = \int_0^t \theta_s d \int_0^s V dB = \int_0^t \theta_s V_s dB_s$, where $\theta \in \mathcal{M}$, see (2) for the exact of \mathcal{M} . The equations hold P -almost surely for every $P \in \mathcal{P}$.

⁴ See Section 5 in Peng (2010) for details and especially Remark 1.3 therein.

From the conditions on V it follows that M may represent payoffs in \mathbb{M} similarly to B , since for every $X \in \mathbb{M}$ (with $\mathbb{E}X = 0$), we have

$$X = \int_0^T \theta_t dB_t = \int_0^T \frac{\theta_t}{V_t} V_t dB_t = \int_0^T \frac{\theta_t}{V_t} dM_t$$

and this yields $H^M = \frac{\theta_t}{V_t} \in \mathcal{M}$. □

Remark 4.6 *In finance models it is more usual to take a commodity space of square-integrable random variables, i.e. $\mathbb{E}X^2 < \infty$. As stated in the Martingale Representation Theorem A.6, square-integrable random variables are included. If $\mathbb{H} = L^2_{\mathcal{P}}$ all results of Section 4 remain valid, see Remark A.3.*

5 Conclusion

This paper establishes a crucial difference of risk and Knightian uncertainty. Under risk, dynamic trading of few long-lived assets suffices to implement the efficient allocations of Arrow–Debreu equilibria as dynamic Radner equilibria if the number of traded assets is equal to the number of sources of uncertainty. This result generically fails under Knightian uncertainty even in the stylized framework of no aggregate uncertainty and for nominal asset structures.

All results of the paper are formulated in terms of Peng’s sub-linear expectation space $(\Omega, \mathbb{H}, \mathbb{E})$. As stated in Proposition A.2, the Knightian expectation \mathbb{E} can be represented by a set priors that corresponds to different volatility processes $\sigma_t(\omega)$ that live within constant bounds Σ . A further extension refers to the possibility to extend results when the Knightian expectation is induced by time-dependent and stochastic volatility bounds. For instance, Epstein and Ji (2014) introduce a more general family of time-consistent conditional Knightian expectations. Since most results of the paper are heavily based on the Martingale representation Theorem A.6, extensions to more general volatility specifications crucially depend on the availability of an analogous martingale Representation.

A Knightian Uncertainty in Continuous Time

We fix a time horizon $T > 0$. Our state space consists of all continuous trajectories on the time interval $[0, T]$ that start in zero:

$$\Omega = C_0^d([0, T]) = \{\omega : [0, T] \rightarrow \mathbb{R}^d : \omega(0) = 0\} .$$

The coordinate process

$$B_t(\omega) = \omega(t)$$

will describe the information flow of our economy as in the usual continuous-time diffusion model. As agents live in a Knightian world, we do not assume that the distribution P of the process B is commonly known. Instead, we just use a nonlinear expectation \mathbb{E} which is defined on a suitably rich space \mathbb{H} of functions on Ω in the sense of the following definition.

Definition A.1 *Let \mathbb{H} be a vector lattice of functions from Ω to \mathbb{R} that contains the constant functions. We call $(\Omega, \mathbb{H}, \mathbb{E})$ an uncertainty space if the mapping*

$$\mathbb{E} : \mathbb{H} \rightarrow \mathbb{R}$$

satisfies the following properties:

1. *preserves constants:* $\mathbb{E}c = c$ *for all $c \in \mathbb{R}$,*
2. *monotone:* $\mathbb{E}X \leq \mathbb{E}Y$ *for all $X, Y \in \mathbb{H}$, $X \leq Y$*
3. *sub-additive:* $\mathbb{E}(X + Y) \leq \mathbb{E}X + \mathbb{E}Y$ *for all $X, Y \in \mathbb{H}$,*
4. *homogeneous:* $\mathbb{E}(\lambda X) = \lambda \mathbb{E}X$ *for $\lambda > 0$ and $X \in \mathbb{H}$.*

We call \mathbb{E} a (Knightian) expectation.

We start here with the notion of an uncertainty space rather than modeling the set of priors because we want to stress that one can build a whole new theory of *uncertainty* (rather than *probability* theory) by starting with the notion of an uncertainty space rather than a probability space, as the work of Peng (2006) demonstrates. Peng calls such spaces sublinear expectation spaces, but from a philosophical point of view, the name “uncertainty space” seems quite fitting to us.

Distributions under $(\Omega, \mathbb{H}, \mathbb{E})$ and \mathbb{E} -Brownian Motion Of particular importance to us is the fact that one can develop the notion of Brownian motion in this Knightian setup. We assume throughout the paper that B is an \mathbb{E} -Brownian motion⁵, the ambiguous version of classic Brownian motion on Wiener space.

We would like to take a second to explain how such an ambiguous Brownian motion is to be understood. With regard to the concept of ambiguity free (in the strong sense) from Definition 2.1, we start how one can define the notion of a “distribution” of a function $X \in \mathbb{H}$ in our setting. When \mathbb{H} is sufficiently rich (what we assume), then for every continuous and bounded function $f : \mathbb{R} \rightarrow \mathbb{R}$, $f(X) \in \mathbb{H}$ as well. We can then define a new operator

$$\mathbb{F}^X$$

on the space $C_b(\mathbb{R})$ of continuous, bounded real functions by setting

$$\mathbb{F}^X(f) = \mathbb{E}f(X).$$

We call the operator \mathbb{F}^X the (uncertain) distribution of X . We consequently say that $X, Y \in \mathbb{H}$ have identical uncertainty, or $X \stackrel{d}{=} Y$, if $\mathbb{F}^X = \mathbb{F}^Y$.

The notion of independence is crucial for probability theory. We follow Peng again in letting Y be (\mathbb{E} -)independent of X if for all continuous bounded functions $f : \mathbb{R}^2 \rightarrow \mathbb{R}$ we have

$$\mathbb{E}f(X, Y) = \mathbb{E} \mathbb{E}f(x, Y)|_{x=X}.$$

One can thus first fix the value of $X = x$, take the expectation with respect to Y , and then take the expectation with respect to X . This is one way to generalize the notion of independence to the Knightian case. Without going into the philosophical issues involved here, we just take this approach. In the same vein, we call Y independent of $X_1, \dots, X_n \in \mathbb{H}$ if for all continuous bounded functions $f : \mathbb{R}^{n+1} \rightarrow \mathbb{R}$ we have

$$\mathbb{E}f(X_1, \dots, X_n, Y) = \mathbb{E} \mathbb{E}f(x_1, \dots, x_n, Y)|_{x_1=X_1, \dots, x_n=X_n}.$$

The class of (normalized) normal distributions is infinitely divisible. In particular, if we have two independent standard normal distributions, then

⁵Again, we slightly deviate from Peng’s nomenclature where this object is called G -Brownian motion - no G exists at this point.

for positive numbers a and b , the new variable $Z = aX + bY$ is again normally distributed with variance $a^2 + b^2$. This property is well known to characterize the class of normal distributions. One can take this characterization of normal distributions to call $X \in \mathbb{H}$ \mathbb{E} -normal if for any $Y \in \mathbb{H}$ which has identical uncertainty and is independent of X , the uncertain variable $Z = aX + bY$ has the same uncertainty as $\sqrt{a^2 + b^2}X$.

We have now the tools at hand to define uncertain \mathbb{E} -Brownian motion. B is called an \mathbb{E} -Brownian motion if all increments are independent of the past and identically \mathbb{E} -normal: for all $s, t \geq 0$ and all $0 \leq t_1 \leq t_2 \leq \dots \leq t_n \leq t$ the increment $B_{t+s} - B_t$ is independent of B_{t_1}, \dots, B_{t_n} .

It is, of course, a completely nontrivial question whether such an ambiguous Brownian motion exists. This has been shown by Shige Peng (Peng (2006)) with the help of the theory of viscosity solutions of nonlinear partial differential equations. An alternative route proceeds via the construction of a suitable set of multiple priors. Indeed, readers familiar with the literature on ambiguity aversion in decision theory or the theory of risk measures in mathematical finance might immediately anticipate a representation of our Knightian expectation in terms of a set of probability measures. For the case of Knightian Brownian motion, the set of probability measures has a special structure that we now describe.

A.1 Representing Priors and Volatility Uncertainty

We start with the simpler one-dimensional case. Fix two bounds $0 < \underline{\sigma} \leq \bar{\sigma}$. The set \mathcal{P}^1 consists of all probability measures P on Ω endowed with the Borel σ -field that make B a martingale whose quadratic variation $\langle B \rangle$ is P -almost surely between the following two bounds:

$$\underline{\sigma}^2 t \leq \langle B \rangle_t \leq \bar{\sigma}^2 t.$$

In general, the set of priors \mathcal{P}^d can be parametrized by a subset Θ of $\mathbb{R}^{d \times d}$; this set describes the possible volatility structures of the d -dimensional Knightian Brownian motion. Theorem 52 in Denis, Hu, and Peng (2011) implies the next results.

Proposition A.2 *For any $X \in \mathbb{H}$, we have the representation*

$$\mathbb{E}X = \sup_{P \in \mathcal{P}^d} E^P X$$

where E^P is the probabilistic expectation of X under the probability measure P . \mathcal{P}^d is a weakly-compact set, with respect to the topology induced $C_b(\Omega)$.

We give a more detailed description of the lattice \mathbb{H} of payoffs we are working with and set for the rest of the appendix $\mathcal{P} = \mathcal{P}^d$. Peng constructs the \mathbb{E} -Brownian motion first on the set of all locally Lipschitz functions of B that satisfy a polynomial growth constraint. The space \mathbb{H} is obtained by closing this space under the norm

$$\|X\|_\infty = \inf\{M \geq 0 : |X| \leq M \text{ } \mathcal{P}\text{-q.s.}\},$$

where \mathcal{P} -q.s. refers to P -almost surely for every $P \in \mathcal{P}$. As indicated in the introduction and Section 2, we may formulate the uniform version of Luisin's property: A mapping $X : \Omega \rightarrow \mathbb{R}$ is said to be quasi-continuous (q.c.) if for all $\epsilon > 0$ there exists an open set O with $c(O) = \sup_{P \in \mathcal{P}} P(O) < \epsilon$ such that $X|_{\Omega \setminus O}$ is continuous.

Similarly to Lebesgue spaces based on a probability space, we restrict attention to equivalent classes. Under \mathbb{E} , as shown in Denis, Hu, and Peng (2011), we have the following representation of our commodity space

$$L_{\mathcal{P}}^\infty = \{X \in \mathcal{L} : X \text{ has a q.c. version and } \|X\|_\infty < \infty\}$$

where \mathcal{L} denotes the space of \mathcal{N} -equivalence classes of measurable payoffs and $\mathcal{N} := \{X \text{ } \mathcal{F}\text{-measurable and } X = 0 \text{ } \mathcal{P}\text{-q.s.}\}$ are the trivial payoffs with respect to \mathcal{P} that do not charge any $P \in \mathcal{P}$. We say that X has a \mathcal{P} -q.c. version if there is a quasi-continuous function $Y : \Omega \rightarrow \mathbb{R}$ with $X = Y$ q.s.

Remark A.3 *Instead of $\|\cdot\|_\infty$, one may take $\|\cdot\|_2 = (\mathbb{E}|X|^2)^{\frac{1}{2}}$ and establish with Theorem 25 in Denis, Hu, and Peng (2011) that the space $L_{\mathcal{P}}^2$, the completion of $C_b(\Omega)$ under $\|\cdot\|_2$ is given by*

$$L_{\mathcal{P}}^2 = \left\{ X \in \mathcal{L} : X \text{ has a q.c. version, } \|X\|_2 < \infty, \lim_{n \rightarrow \infty} \mathbb{E}|X|1_{\{|X|>n\}} = 0 \right\}.$$

The results of the remaining appendix holds also under $L_{\mathcal{P}}^2$, so that Theorem 4.1 and Theorem 4.3 are still valid.

A.2 Conditional Knightian Expectation

For the purpose of a martingale representation theorem we need a well-defined conditional expectation. In accordance with the representation of \mathbb{E}

in Proposition A.2, we denote for each $P \in \mathcal{P}$, the conditional probability by $P_t = P(\cdot | \mathcal{F}_t)$. Fix a volatility regime $(\sigma_t) \in [\underline{\sigma}, \bar{\sigma}]$ and denote the resulting martingale law by P^σ . The set of priors with a time–depending restriction on the related information set \mathcal{F}_t , generated by $(B_s)_{s \leq t}$, is given by

$$\mathcal{P}_{t,\sigma} = \{P \in \mathcal{P} : P_t = P_t^\sigma \text{ on } \mathcal{F}_t\}.$$

This set of priors consists of all extensions of P_t^σ from \mathcal{F}_t to \mathcal{F}_T within \mathcal{P} . All priors in $\mathcal{P}_{t,\sigma}$ agree with P^σ in the events up to time t , as illustrated in Figure 1. As we are seeking for a rational–updating principle, we note, the




Figure 1: The representing priors of a conditional sub–linear expectation

following formulation of conditioning is closely related to dynamic consistency or rectangularity of Epstein and Schneider (2003).

The efficient use of information is commonly formalized by the concept of conditional expectations and depends on the underlying uncertainty model. We introduce a *universal* conditional expectation, that is under every prior almost surely equal to the maximum of relevant conditional expectations. This concept is formulated in the following.

Let $L_{t,\mathcal{P}}^2 \subset L_{\mathcal{P}}^2$ denote the subspace of \mathcal{F}_t –measurable payoffs. For all $X \in L_{\mathcal{P}}^2$ there exists an \mathcal{F}_t –measurable random variable $\mathbb{E}_t X \in L_{t,\mathcal{P}}^2$ such that

$$\mathbb{E}_t X = \sup_{P \in \mathcal{P}_{t,\sigma}} E_t^P X, \quad P^\sigma\text{-a.s. for every } P^\sigma \in \mathcal{P}.$$

The linear conditional expectation E_t^P under some P has strong connections to a positive linear projection operator. In the presence of multiple priors,

the conditional updating in an ambiguous environment involves a sub-linear projection $\mathbb{E}_t : L_{\mathcal{P}}^2 \rightarrow L_{t,\mathcal{P}}^2$. In this regard the conditional Knightian expectations satisfies a rational-updating principle, with $\mathbb{E}_0 = \mathbb{E}$.

Lemma A.4 (\mathbb{E}_t) *meet the law of iterated expectation: $\mathbb{E}_s \circ \mathbb{E}_t = \mathbb{E}_s$, $s \leq t$.*

Moreover, as shown in Proposition 16 of Peng (2006), every \mathbb{E}_t satisfies the properties of Definition A.1 now in the conditional sense, while the property constants preserving extends to $\mathbb{E}_t X = X$ for every $X \in L_{t,\mathcal{P}}^2$.

A.3 Spanning and Martingales

We proceed similarly to the single prior case, where the Radner implementation in continuous time is based on a classical martingale representation. As indicated in Proposition A.2, the multiple prior model enforces a conditional sub-linear expectation and spawns an elaborated martingale representation.

We start with a notion of martingales under the conditional expectation \mathbb{E}_t . Fix a random variable $X \in L_{\mathcal{P}}^2$. As stated in Lemma A.4, the time consistency of the conditional Knightian expectation allows to define a martingale similarly to the single prior setting, as being its own estimator.

Definition A.5 *An (\mathcal{F}_t) -adapted process (X_t) is an \mathbb{E} -martingale if*

$$X_s = \mathbb{E}_s X_t \quad \mathcal{P}\text{-q.s.} \quad \text{for all } s \leq t.$$

We call X a symmetric \mathbb{E} -martingale if X and $-X$ are both \mathbb{E} -martingales.

The nonlinearity of the conditional expectation implies that if (X_t) is an \mathbb{E} -martingale, then $-X$ is not necessarily an \mathbb{E} -martingale. Intuitively, the negation let \mathbb{E} become super-additive.

We come now to the representation of \mathbb{E} -martingales and specify the space of admissible integrands $\Theta(S)$ taking values in \mathbb{R}^d . All processes we consider are (\mathcal{F}_t) -progressively measurable.⁶ We begin with the space of well-defined integrands when the Bachelier model builds up the integrator:

$$\Theta(B) = \left\{ \eta \in \mathcal{M} : \eta_t \text{ satisfies (1)} \right\}, \quad (2)$$

⁶The filtration \mathcal{F}_t , deviates from the well-known two-step augmentation procedure from the stochastic analysis literature, i.e. including the null-sets and taking the right continuous version. Usually this new filtration is said to satisfy the ‘‘usual conditions’’. As mentioned in Section 2 of Soner, Touzi, and Zhang (2011), this assumption is no longer required. Consequently, the usually questionable assumption of a too rich information structure at time 0 can be dropped.

where \mathcal{M} is closure of piecewise constant progressively measurable processes $\sum_{k \geq 0} \eta_{t_k} 1_{[t_k, t_{k+1})}$ with $\eta_{t_k} \in L^2_{\mathcal{P}}$, under the norm $\|\eta\|_{\mathcal{M}} = \mathbb{E} \int_0^T \eta_t^2 d\langle B \rangle_t$, see Remark A.3

Condition (1) states the self-financing property of an adapted and B -integrable η . For the arguments in Theorem 4.1, it is crucial if a payoff $X \in L^2_{\mathcal{P}}$ can be represented or replicated in terms of a stochastic integral. To formulate Theorem A.6, set

$$\mathbb{K} = \left\{ (K_t) : K_0 = 0, \text{ cont. paths } \mathcal{P}\text{-q.s., increasing, } \mathbb{E} \sup_{t \in [0, T]} K_t^2 < \infty \right\}. \quad (3)$$

The following Theorem clarifies this issue, see Soner, Touzi, and Zhang (2011) for a proof.

Theorem A.6 *For every $X \in L^2_{\mathcal{P}}$, there exist a unique pair $(\eta, K) \in \mathcal{M} \times \mathbb{K}$, where $(-K_t)$ is a \mathbb{E} -martingale, such that for all $t \in [0, T]$*

$$\mathbb{E}_t X = \mathbb{E}_0 X + \int_0^t \eta_s dB_s - K_t, \quad \mathcal{P}\text{-q.s.}$$

The increasing \mathbb{E} -martingale $-K$ refers a correction term for the “overshooting” of the sub-linear expectation \mathbb{E}_t . Specifically, the conditional Knightian expectation enforces $t \mapsto \mathbb{E}_t X$ to be a supermartingale under every $P \in \mathbb{P}$. For some effective priors $P \in \mathcal{P}$, $\mathbb{E}_t X$ is an E^P -martingale. Foreclosing Corollary A.7, these two possible cases, can be distinguished, by the fact $E^P K_T = 0$ if and only if $E^P X = \mathbb{E} X$.

The following corollary illustrates which random variables have the replication property in terms of a stochastic integral. In this connection, a fair game against nature refers to the symmetric \mathbb{E} -martingale property. Apparently, in this situation the process is equivalently an E^P -martingale under every $P \in \mathcal{P}$.

Corollary A.7 *The space \mathbb{M} of mean ambiguous-free contingent claims is a closed subspace of $\mathbb{H} = L^2_{\mathcal{P}}$. More precisely, we have*

$$\mathbb{M} = \left\{ X \in \mathbb{H} : X = \mathbb{E} X + \int_0^T \eta_s dB_s \text{ for some } \eta \in \mathcal{M} \right\}.$$

The notion of perfect replication is associated to the situation when $K \equiv 0$. Elements in \mathbb{M} generate symmetric martingales, via the successive application of the conditional Knightian expectation along the augmented filtration (\mathcal{F}_t) .

Remark A.8 *When X is contained in a subset of $L^2_{\mathcal{P}}$, including all $\phi(B_T)$ with $\phi : \mathbb{R} \rightarrow \mathbb{R}$ Lipschitz continuous, then the \mathbb{E} -martingale $-K$ admits an explicit representation,*

$$K_t = \int_0^t \varphi_r d\langle B^G \rangle_r - \int_0^t G(\varphi_r) dr, \quad t \in [0, T],$$

where φ is an endogenous output of the martingale representation, so that K becomes a function of φ . If $d = 1$, the function G is given by $G(x) = \frac{1}{2} \sup_{\sigma \in \Sigma} \sigma^2 x$. As such it is an open problem, if every $X \in L^2_{\mathcal{P}}$ can be represented in this complete form. We refer to Peng, Song, and Zhang (2013) for the latest discussion.

References

- ANDERSON, R., AND R. RAIMONDO (2008): “Equilibrium in Continuous-Time Financial Markets: Endogenously Dynamically Complete Markets,” Econometrica, 76, 841–907.
- ANDERSON, R., AND W. ZAME (2001): “Genericity with Infinitely Many Parameters,” Advances in Microeconomic Theory, 1(1), 1–64.
- BEISSNER, P. (2014): “Equilibrium Prices under Ambiguous Volatility,” Mimeo, IMW Bielefeld.
- BEWLEY, T. (1972): “Existence of Equilibria in Economies with Infinitely Many Commodities,” Journal of Economic Theory, 4, 514–540.
- BILLOT, A., A. CHATEAUNEUF, I. GILBOA, AND J. TALLON (2000): “Sharing Beliefs: Between Agreeing and Disagreeing,” Econometrica, 68, 685–694.
- DANA, R. (2002): “On Equilibria when Agents Have Multiple Priors,” Annals of Operations Research, 114, 105–112.
- DANA, R., AND F. RIEDEL (2013): “Intertemporal Equilibria with Knightian Uncertainty,” Journal of Economic Theory, 148(2013), 1582–1605.
- DE CASTRO, L. I., AND A. CHATEAUNEUF (2011): “Ambiguity aversion and trade,” Economic Theory, 48(2-3), 243–273.

- DENIS, L., M. HU, AND S. PENG (2011): “Function Spaces and Capacity Related to a Sublinear Expectation: Application to G-Brownian Motion Paths,” Potential Analysis, 34, 139–161.
- DUFFIE, D. (1986): “Stochastic Equilibria: Existence, Spanning Number, and the No Expected Financial Gain from Trade Hypothesis,” Econometrica, 54(5), 1161–1184.
- DUFFIE, D., AND C. HUANG (1985): “Implementing Arrow-Debreu Equilibria by Continuous Trading of Few Long-Lived Securities,” Econometrica, 53, 1337–1356.
- DUFFIE, D., AND W. ZAME (1989): “The Consumption-Based Capital Asset Pricing Model,” Econometrica, 57, 1274–1298.
- EPSTEIN, L., AND S. JI (2013): “Ambiguous Volatility and Asset Pricing in Continuous Time,” Review of Financial Studies, 26(7), 1740–1786.
- EPSTEIN, L., AND S. JI (2014): “Ambiguous Volatility, Possibility, and Utility in Continuous Time,” Journal of Mathematical Economics, 50, 269–282.
- EPSTEIN, L., AND M. SCHNEIDER (2003): “Recursive Multiple Priors,” Journal of Economic Theory, 113, 1–31.
- HUGONNIER, J., S. MALAMUD, AND E. TRUBOWITZ (2012): “Endogenous Completeness of Diffusion Driven Equilibrium Markets,” Econometrica, 80(3), 1249–1270.
- HUNT, B., T. SAUER, AND J. YORKE (1992): “Prevalence: A Translation-Invariant ‘Almost Everywhere’ on Infinite-Dimensional Spaces,” Bulletin (New Series) of the American Mathematical Society, 27, 217–238.
- KARATZAS, I., J. P. LEHOCZKY, AND S. E. SHREVE (1990): “Existence and Uniqueness of Multi-Agent Equilibrium in a Stochastic, Dynamic Consumption / Investment Model,” Mathematics of Operations Research, 15(1), 80–128.
- PENG, S. (2006): “G-expectation, G-Brownian Motion and Related Stochastic Calculus of Itô Type,” Stochastic analysis and applications, The Abel Symposium 2005, 541–567.

- PENG, S. (2010): “Nonlinear expectations and stochastic calculus under uncertainty,” Arxiv preprint arXiv:1002.4546.
- PENG, S., Y. SONG, AND J. ZHANG (2013): “A complete representation theorem for G -martingales,” arXiv preprint arXiv:1201.2629v2.
- RIEDEL, F., AND F. HERZBERG (2013): “Existence of Financial Equilibria in Continuous Time with Potentially Complete Markets,” Journal of Mathematical Economics, 49(5), 398–404.
- RIGOTTI, L., AND C. SHANNON (2005): “Uncertainty and Risk in Financial Markets,” Econometrica, 73(1), 203–243.
- SONER, M., N. TOUZI, AND J. ZHANG (2011): “Martingale representation theorem for the G -expectation,” Stochastic Processes and their Applications, 121(2), 265–287.
- TALLON, J. (1998): “Do Sunspots Matter When Agents are Choquet-Expected-Utility Maximizers,” Journal of Economic Dynamics and Control, 22(3), 357–368.