

## IL23 and TGF- $\beta$ diminish macrophage associated metastasis in pancreatic carcinoma

S. Mazher Hussain<sup>1</sup>, Leighton F. Reed<sup>1</sup>, Bradley A. Krasnick<sup>2</sup>, Gustavo Miranda-Carboni<sup>1</sup>, Ryan C. Fields<sup>2</sup>, Ye Bi<sup>2</sup>, Abul Elahi<sup>1</sup>, Abidemi Ajidahun<sup>1</sup>, Paxton V. Dickson<sup>1,3</sup>, Jeremiah L. Deneve<sup>1,3</sup>, William G. Hawkins<sup>2</sup>, David Shibata<sup>1,3</sup>, Evan S. Glazer<sup>1,3</sup>

<sup>1</sup>University of Tennessee Health Science Center, Memphis, TN


<sup>2</sup>Barnes-Jewish Hospital and The Alvin J. Siteman Cancer Center, Washington University in St. Louis, St. Louis, MO

<sup>3</sup>UT West Cancer Center, Memphis, TN


### Supplementary Information

#### Figure 3 original blots

TGF- $\beta$  protein expression after IL23 treatment in macrophages



$\beta$ -actin protein expression after IL23 treatment in macrophages



Pan-NOS (nNOS, eNOS, or iNOS) expression was not significantly altered upon macrophage treatment with IL23 compared to PBS controls. Non-specific NOS breakdown products and low expression at the expected molecular weight was identified as marked.

