



THE AGA KHAN UNIVERSITY

# eCommons@AKU

School of Nursing & Midwifery, East Africa

Faculty of Health Sciences, East Africa

January 2019

# Nurse-identified patient care and health services research priorities in the United Arab Emirates: a Delphi study

Nabeel Al-Yateem University of Sharjah

Muna Al-Tamimi University of Sharjah

Maria Brenner Trinity College

Hanan Al Tawil University of Sharjah

Alaa Ahmad Sheikh Khalifa Medical City

See next page for additional authors

Follow this and additional works at: https://ecommons.aku.edu/eastafrica\_fhs\_sonam Part of the <u>Nursing Commons</u>

# **Recommended** Citation

Al-Yateem, N., Al-Tamimi, M., Brenner, M., Al Tawil, H., Ahmad, A., Brownie, S., Slewa-Younan, S. (2019). Nurse-identified patient care and health services research priorities in the United Arab Emirates: a Delphi study. *BMC Health Services Research*, 19(77), 1-8. **Available at:** https://ecommons.aku.edu/eastafrica\_fhs\_sonam/236

# Authors

Nabeel Al-Yateem, Muna Al-Tamimi, Maria Brenner, Hanan Al Tawil, Alaa Ahmad, Sharon Brownie, and Shameran Slewa-Younan

# **RESEARCH ARTICLE**

**Open Access** 



# Nurse-identified patient care and health services research priorities in the United Arab Emirates: a Delphi study

Nabeel Al-Yateem<sup>1,2,3\*</sup>, Muna Al-Tamimi<sup>1</sup>, Maria Brenner<sup>4</sup>, Hanan Al Tawil<sup>1</sup>, Alaa Ahmad<sup>5</sup>, Sharon Brownie<sup>6,7,8</sup> and Shameran Slewa-Younan<sup>9,10</sup>

# Abstract

**Background:** The need for improved research on ill health has been recognized internationally and locally in the United Arab Emirates (UAE). The UAE Nursing and Midwifery Council recently committed to enhancing the status and contributions of nursing in healthcare research across the UAE by establishing a National Committee for Research Development. This study using a Delphi method to identify research priorities from the perspective of nurses delivering frontline healthcare.

**Methods:** A two-phase Delphi design was implemented with 1032 nurses participating in phase one of the study and 1339 in phase two.

**Results:** The most important priority was patient safety and healthcare professionals' awareness of international patient safety goals (including staffing levels and shift length) and potential effects on patient safety. Other important priorities were infection control practices and management of communicable diseases.

**Conclusions:** These priorities may inform nursing research programs to improve patient care and health outcomes in the UAE and similar contexts worldwide.

**Keywords:** Nursing research, Evidence-based healthcare, Evidence-based practice, Delphi technique, United Arab Emirates

# Background

Identifying and setting research priorities for healthcare planning and delivery is central to effective and efficient health services [1-3]. The need for collaborative research among nurse researchers and other health professionals is well documented, and that for improved research on ill health has been recognized internationally [4-7]. These previous reports highlight the need to identify and prioritize research areas for nursing.

Nurses are the largest cohort in the health sector, and are well-positioned to contribute to enhancing standards of care and improving health systems [8, 9]. However, there is a dearth of knowledge about research priorities

\* Correspondence: Nalyateem@sharjah.ac.ae

<sup>2</sup>Research Institute for Medical and Health Sciences (RIMHS), University of Sharjah, Sharjah, United Arab Emirates

Full list of author information is available at the end of the article

for the nursing profession in the United Arab Emirates (UAE). Previous studies have addressed research priorities for specific nursing specialties and school nursing [10, 11]; however, no UAE-based studies have identified and ranked research priorities for the general nursing profession.

The UAE is a Middle Eastern nation comprising seven emirates covered by three health authorities: the Ministry of Health and Prevention (MOHaP), the Dubai Health Authority (DHA), and the Department Of Health - Abu Dhabi (DOH). The MOHaP, DHA, and DOH recently published strategic plans for 2017–2021 [12–14] that focus on delivering high quality health services. These strategic plans also cover identified health system priorities, which include non-communicable diseases, cancer, mental health, and respiratory problems. The nursing profession has an important role to play in achieving such aspirations. There are currently 33,429 nurses and midwives



© The Author(s). 2019 **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.

<sup>&</sup>lt;sup>1</sup>Department of Nursing, College of Health Sciences, University of Sharjah, P.O.B 27272, Sharjah, United Arab Emirates


employed in various roles across the public and private sectors in UAE. The nursing and midwifery population comprises a range of cultures, predominately Pilipino, Indian, Pakistani, and people from Western and other Arab countries. These nurses and midwives come to the UAE with varying education and skill levels.

The UAE Nursing and Midwifery Council recently strengthened the membership and activity of its Research Committee, which represents a significant step in enhancing the status and contributions of nursing across the UAE [15]. The Research Committee is tasked with developing research infrastructure, setting strategic directions, and identifying research priorities to expand practice, education, and leadership. The present study aimed to support these efforts by engaging the nursing workforce to identify and rank research priorities for nurses delivering frontline healthcare. The findings are expected to facilitate a more informed program of research, thereby improving outcomes for patients and their families Fig. 1.

Setting health services research priorities is a concept that emerged in the US, with nursing one of the first healthcare professions to engage in this process [16, 17].

In 1975, Lindeman conducted a landmark US study on clinical practice research priorities [18] in which nurses identified priorities for the discipline of nursing and highlighted their appreciation of the need to explore health service priorities in a wider multi-disciplinary context. Despite this early reference to multi-disciplinary and broader health system contexts, most subsequent studies focused on enhancing nurses' contributions to health services through encouraging targeted research programs to improve specialty-specific practice outcomes, rather than informing overall health policy [19–21]. For more than 20 years, most studies on nursing research priorities focused on specialist nursing practice, including correctional nursing [1]; care of children [22, 23]; health services, systems, and nursing administration [2]; and school nursing [10, 20]. In addition, many existing studies focused on specific geographic areas such as Australia and New Zealand [24, 25]; Ireland [26, 27]; Europe [23]; the Americas [19]; Africa [28]; and Eastern Mediterranean countries [29].

Many previous studies identified nursing research priorities using consultative processes that included: key medical, health policy, academic, and allied health



professionals; members of professional and statutory nursing organizations; funding agencies; and nurses in practice, management, education, and research roles. Some studies identified broad priorities, but offered little direction for developing scientifically verifiable standards to improve nursing practice and overall healthcare delivery. However, recent studies have focused on nurses and midwives identifying priorities for their own professions/clinical specialties to improve clinical practice [1, 22, 23, 30, 31]. Health research priorities are highly context-dependent. They vary according to factors such as: geographic location or country; prevalent culture; and the nature, status, and focus of the healthcare system. Variations in these factors mean that it is necessary to replicate studies on identifying research priorities in different countries. Consistent with this trend, the present study aimed to give voice to nurses across the entire UAE health system and capture their views about/ ranking of nursing and broader health service research priorities (All-party Parliamentary Group on Global Health, 2016; Deloitte, 2017).

# Methods

# Design: The Delphi method

The Delphi method was first developed to examine the impact of technology on warfare in 1950s, and has been defined as a type of consensus method (often using non-face-to-face techniques) for structuring a group communication process and allowing a group of individuals to deal with a complex problem [32]. It has been proven to be a feasible method when developing culturally-adapted interventions in mental health for minority and diverse groups [33]. The Delphi technique involves distribution of online questionnaires to a group of experts, with responses being anonymous. This method involves a number of iterations before consensus is reached. Feedback from the expert group as a whole is obtained to assist panelists to assess their ratings against the group feedback. This process involves eight steps: 1) framing a research question, 2) formation of the panel, 3) determining the expert panel size, 4) constructing the questionnaire, 5) providing information to panel members to aid their judgments, 6) administering the questionnaire, 7) analyzing response rounds and providing feedback to the panel, and 8) reporting results.

# Setting

This study was conducted across private- and public-sector hospitals in the UAE.

## Sample

Sample size calculations for the present study indicated that at least 1000 nurses were needed to achieve the desired power level. The calculations were based on an estimated population size of 33,429 nurses working across the UAE, a 95% confidence level, and a confidence interval of 3 [34]. The inclusion criterion was staff nurses who had worked in clinical settings in the UAE healthcare system for more than 1 year. Nurses with less than 1 year of experience were excluded as they might not have had sufficient exposure to the healthcare system to identify relevant research priorities.

A multistage clustered sampling procedure was initially considered appropriate to achieve the goals of the study. However, given difficulties in obtaining information about all UAE hospitals and resistance from many hospitals to recruitment of participants, the sampling procedure was changed to non-probability sampling. Therefore, nurses who met the inclusion criterion in all known hospitals that were accessible (i.e., gave permission to conduct the study) to the research team were invited to participate in the study. This included private and government-run hospitals, and hospitals managed by independent governing bodies (e.g., the DHA and DOH- Abu Dhabi) from across the UAE.

# Data collection

Two questionnaires were used to capture data for the two rounds of this study. The round one questionnaire included an open-ended question that invited participants to identify five research priorities that they considered most important to enhance the general delivery of nursing care in their hospital. Participants' demographic data were also gathered, including age, clinical setting, clinical grade, emirate in which they worked, qualification level, and years of experience.

The questionnaire for round two was developed from responses received in round one. Identified research priorities were placed randomly in the questionnaire, and round two participants were asked to rate the importance of each research priority on a 7-point Likert scale (1 = low importance to 7 = high importance). Demographic data were not collected in round two to decrease repetition and survey burden on participants, and improve the response rate. However, clinical setting and emirate were extracted from returned questionnaires. Typically, round two participants would be a subset of those from round one, but the variable length of hospital administrative procedures necessary to gain permission for data collection meant that more hospitals were able to participate at the time round two started. The addition of these hospitals meant that demographic information was not available for some round two participants. However, it was anticipated that demographic data collected in round one would provide adequate general information about the study population.

Hospitals that approved participation in the study were consulted about the survey medium (electronic or paper-based) that best suited their organization and staff. Those that selected electronic surveys were asked to provide a list of email addresses for their nursing staff. An invitation letter containing information about the study and a link to an online questionnaire was then emailed to participants. Hospitals that selected paper-based surveys were asked to provide information about their departments and number of staff in each department. Those hospitals were provided with hard copies of the invitation letter and questionnaire, which were distributed and collected centrally through their education or research offices. The same data collection process was followed in both rounds of the study.

# Data analysis

Responses to the open-ended question in round one were analyzed qualitatively, assisted by qualitative data analysis software (Atlas.ti V7°). Participants' statements about research priorities were read and key clinical research areas reported were highlighted as codes. Similar codes were grouped together and categorized into broad issues, which were considered initial research priorities (i.e., patient safety and awareness of international patient safety goals, including nursing staffing issues and shift length). Initial research priorities were then used to construct the second questionnaire (round two), with each priority represented as an item in the constructed questionnaire. Analysis of round two results entailed examination of the rating scores for each initial research priority as ranked on a 7-point Likert scale.

Because healthcare research activity in the UAE, especially among nurses, is still in its infancy [35], the study team agreed to select the highest-ranked research priorities to focus on as a starting point. Therefore, in regard to the consensus cut-off points, the group agreed that the criterion used to determine consensus that a research priority was of high importance was that the identified priority was rated as important/very important by at least 90% of participants. Priorities that were rated as important/very important by at least 75% of participants were considered of medium importance. The remaining priorities were considered of low importance.

#### Results

# Participants

In total, 1032 participants completed and returned the round one questionnaire, representing a 56% response rate (1830 questionnaires distributed). Participants were from across the emirates including Sharjah, Ajman, Fujairah, Dubai, and Abu Dhabi. The majority of participants were staff nurses, female, had a diploma-level qualification, and 5–10 years of experience. There were 1339 participants in round two, representing a response rate of 66% (2000 questionnaires distributed); these

participants were from various clinical settings. Participants' demographic details are presented in Table 1.

# **Research priorities**

Round one identified 31 general nursing research priorities, which were rated in terms of importance by round two participants. Based on the established criteria, five research priorities were identified as highly important and 26 were considered of medium importance. No priorities were considered of low importance. The most important research priority was patient safety and healthcare professionals' awareness of international patient safety goals. This included nursing staffing issues such as shift length and the flexibility of the work schedule and the potential effects on patient safety, and was rated as important by 91.5% of participants. The second most important research priority was infection control practices in different hospital departments, which was rated as important by 91.2% of participants. The third most important research priority was the interpersonal skills of nursing staff, including critical thinking, communication skills, problem solving, time management, and planning skills and the effect of such skills on care outcomes. This was rated as important by 90.4% of participating nurses. The fourth research priority was medication management in clinical settings, which was rated as important by 90.1% of participants. Finally, 90% of participants considered pain assessment and management policies and practices in the UAE to be important. Table 2 presents research priorities of high and medium importance for the nursing profession in the UAE, as ranked by participating nurses.

#### Discussion

The Delphi methodology used in this study was robust, as the goal was reaching consensus among study participants on priority research areas for the nursing profession in the UAE. Delphi studies are used extensively worldwide, and the literature indicates that this design is the most appropriate for studies of this nature [1, 2, 23]. Delphi studies vary in terms of sample size and type of participants. In similar studies identifying research priorities for nursing staff, the sample size ranged from 40 to 1695, and included staff nurses, academics, and nurse clinicians [1, 2, 19, 27, 28]. Therefore, the large sample size in the present study and inclusion of nursing staff from different clinical settings, specialties, levels, and from across the UAE is congruent with similar published studies. This strengthened the results, enhanced generalizability, and ensured the clinical relevance of the present study.

The outcomes of the present study may contribute to enhancing research-based practice and developing the nursing profession in the UAE and internationally. **Table 1** Demographic data for round one and round two participants

Al-Yateem et al. BMC Health Services Research

		n (%)
Round one ( <i>n</i> = 1032)		
Gender	Female	838 (81.2)
	Male	127 (12.3)
	Missing	67 (6.4)
Emirate	Ajman	83 (8.0)
	Sharjah	468 (45.3)
	Dubai	236 (22.9)
	Abu Dhabi	245 (23.7)
	Fujairah	0 (0.0)
Clinical Setting	General nursing	241 (23.4)
	Pediatric ward or setting	182 (17.6)
	Emergency department	142 (13.8)
	Operating theatre	125 (12.1)
	Maternity and labor ward	134 (13.0)
	Adult critical care units	169 (16.4)
	Long-term care facility (geriatric)	31 (3.0)
	No answer	8 (0.7)
Grade	Staff nurse	672 (65.1)
	Charge nurse	209 (20.3)
	Nurse educator	54 (5.2)
	Nurse administrator	22 (2.1)
	Other	17 (1.6)
	No answer	58 (5.6)
Qualification	Diploma	514 (49.8)
	Bachelor's	421 (40.8)
	Post graduate diploma	45 (4.4)
	Master's	43 (4.2)
	No answer	9 (0.8)
Experience	1–2 years	124 (12.1)
	2–5 years	158 (15.3)
	5–10 years	330 (32.0)
	More than 10 years	323 (31.3)
	No answer	97 (9.4)
Round two ( <i>n</i> = 1339)		
Emirate	Ajman	303 (22.6)
	Sharjah	415 (31.0)
	Dubai	277 (20.7)
	Abu Dhabi	202 (15)
	Fujairah	142 (10.6)
Clinical Setting	General nursing	223 (16.7)
	Pediatric ward or setting	267 (19.9)
	Emergency department	175 (13.1)
	Operating theatre	160 (11.9)

**Table 1** Demographic data for round one and round two participants (Continued)

	n (%)
Maternity and labor ward	176 (13.1)
Adult critical care units	308 (23.0)
Long-term care facility (geriatric)	30 (2.2)

Research-based practice is essential in developing the profession's theoretical base and to generate evidence underpinning nursing practice. Through engaging in research, nurses contribute to improving the health of individuals, families, communities, and populations. However, maximum benefits can be achieved when research efforts are focused and prioritized. Hinshaw (1997) examined the benefits of research priorities projects worldwide, and found an exponential growth in research after research priorities by the US National Institute of Nursing Research Agenda Project [17].

The findings of the present study are important in supporting nurses in gaining funding for research projects. Gaining research funding is highly competitive; the UAE is no exception, and this study may support nurses' funding applications in high-need research areas [16]. Furthermore, the transition of nursing education to higher education institutions mandated nurse academics to produce high-quality research similar to that of their peers, and caused a separation between nursing research and the clinical setting. This makes it necessary to build nurses' capacity for research (clinicians, educators, nurse managers, and leaders) and set clinically-informed research priorities to guide the nursing research agenda across the UAE [36].

Nursing is a major component of the healthcare system, and has an important part to play in ongoing healthcare service development. It is noteworthy that three of the five highly important priorities identified in this study focused on patient safety (and awareness of international patient safety goals), medication, and pain management for patients in different clinical areas in the UAE. Similar findings were identified in a study in Sweden, where identified priorities aimed to improve clinical practice, assure patients' wellbeing, and create a caring environment [37]. Other key priority areas identified in this study were the work environment for nurses and interpersonal skills (e.g., critical thinking, communication skills, problem solving, time management, and planning skills). Participants identified these issues as factors that can affect patient care outcomes. This is consistent with a previous study in Ireland that identified staffing issues in practice, communication in clinical practice, and recruitment and retention of nurses as highly important research areas [27].

**Table 2** Research priorities of high and medium importance for the nursing profession in the United Arab Emirates

	% 91.5
	91.5
21 O	-
-17	91.2
10 9	90.4
06 9	90.1
05 9	90.0
90 8	38.90
90 8	38.90
87 8	38.60
87 8	38.60
90 8	38.30
82 8	38.30
30 8	38.10
77 8	37.90
76 8	37.80
76 8	37.80
70 8	37.40
54 8	36.90
51 8	36.70
41 8	35.20
41 8	35.20
398	35.10
39 8	35.10
34 8	34.70
	21 70
27 8	34.20
	77 8 76 8 70 8 64 8 61 8 61 8 41 8 339 8 339 8 334 8

Table 2 Research priorities of high and medium importance for	
the nursing profession in the United Arab Emirates (Continued)	

		Importance rating	
Highly important research priorities		n	%
	centered care		
21	Learning local culture and language to provide comprehensive care	1120	83.60
22	Rehabilitation, palliative, and end of life care	1104	82.40
23	Care of patients with cancer	1101	82.20
24	Attending for psychosocial needs of patients while being admitted for treatment or surgery in hospitals	1084	81.00
25	Assisting graduate nurses and new recruits transitioning into their nursing career	1060	79.20
26	Utilization of care assistants, and none professional support staff to improve patients care	1053	78.60

A final point worth considering is whether the research priorities identified in the present study and similar international studies reflect actual research needs, or gaps in nurses' knowledge in these areas. This concern was raised in a study by Brenner et al. (2014) that sought to identify research priorities for pediatric nursing in Ireland. In that paper, the authors indicated that some identified priorities (specifically those related to pain management and assessment) might reflect a gap between nurses' knowledge and available evidence or suboptimal application of evidence in clinical practice, as evidence in that area is well advanced [22].

Finally, there are several limitations within this study, the nurses that participated in this study were predominantly diploma-qualified, which reflects the demographics of the nursing workforce in UAE. Their education and competency in understanding the research process (which might be limited by their educational preparation), might have affected their ability to identify accurate research priorities. In addition, it is worth noting that the reported gaps in nurses' knowledge of currently available clinical evidence could have impacted participants' suggested research areas, which may in fact reflect educational need rather than actual research priorities.

# Conclusions

This study used Delphi methodology to identify and rank research priorities for the nursing profession in the UAE. These identified priorities should be used to guide a more informed research program with the overarching aim of improving outcomes for patients and their families. These priorities may also support nurse researchers in conducting relevant research projects, and enable nurses to contribute their greatest therapeutic value. This study suggests that nurse researchers in the UAE should focus future projects on these identified research priorities. The findings from this study may also directly inform nurse-led research in similar contexts, as well as similar studies investigating nurse-identified research priorities in other parts of the world.

# Implications of study results

- The priority areas identified in this study are ideally situated to guide a relevant and effective national nursing research agenda in the UAE.
- Researchers in the fields of nursing and healthcare in UAE may consult the list of identified research priorities when conducting their research studies. This will ensure that the research they conduct is aligned with current, clinically relevant issues and priorities identified by their colleagues in clinical settings.
- Health service managers and policy makers may also consult this list of research priorities when prioritizing and allocating funds for health and nursing research in the UAE.

#### Abbreviations

DHA: Dubai Health Authority; DOH: Department of Health- Abu Dhabi; MOHaP: Ministry of Health and Prevention; UAE: United Arab Emirates

#### Acknowledgements

Not applicable.

#### Funding

This study was self-funded by the authors.

#### Availability of data and materials

The datasets used and/or analyzed during the present study are available from the corresponding author on reasonable request.

#### Authors' contributions

All authors have read and approved the manuscript. Authors contributions are as follows: NA, MB, SB, and SY contributed to the study conception/ design, data analysis, drafting of the manuscript, supervision, statistical expertise, and critical revisions for important intellectual content. AA, MA and HA contributed to the data collection, logistics support, and data entry.

#### Ethics approval and consent to participate

Approval to conduct the study was obtained from the MOHaP Research Ethics Committee (217/2015-04-16) and the Institutional Review Board/ Research Ethics Committee of Sheikh Khalifa Medical City, Abu Dhabi, UAE (REC-20.04.2016 [RS-438]). Participants were informed that completion and return/electronic submission of the survey would constitute consent for participation. Participant anonymity was maintained throughout both rounds of the study. No personal data about participants were collected or stored.

#### Consent for publication

Not applicable.

#### **Competing interests**

The authors declare that they have no competing interests.

#### **Publisher's Note**

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

#### Author details

<sup>1</sup>Department of Nursing, College of Health Sciences, University of Sharjah, P.O.B 27272, Sharjah, United Arab Emirates. <sup>2</sup>Research Institute for Medical and Health Sciences (RIMHS), University of Sharjah, Sharjah, United Arab Emirates. <sup>3</sup>School of Nursing, Midwifery and Indigenous Health, Faculty of Science, Charles Sturt University, Orange Campus, Orange, NSW, Australia. <sup>4</sup>Trinity College, Dublin, Ireland. <sup>5</sup>Sheikh Khalifa Medical City, Abu Dhabi, University, Karachi East Africa, Kenya. <sup>7</sup>School of Mucising, Griffith University, Griffith, Australia. <sup>8</sup>Oxford PRAXIS Forum, Green Templeton College, Oxford University, School of Medicine, Western Sydney University, Sydney, Australia. <sup>10</sup>Centre for Medicine, Western Sydney University, Sydney, Australia. <sup>10</sup>Centre for Mental Health, Melbourne, Australia.

### Received: 26 March 2018 Accepted: 8 January 2019 Published online: 29 January 2019

#### References

- Schoenly L. Research priorities in correctional nursing practice: results of a three-round Delphi study. J Correct Heal Care. 2015;21:400–7. https://doi. org/10.1177/1078345815600257.
- Scott ES, Murphy LS, Warshawsky NE. Nursing administration research priorities: findings from a Delphi study. J Nurs Adm. 2016;46:238–44. https:// doi.org/10.1097/NNA.00000000000337.
- Smith N, Mitton C, Peacock S, Cornelissen E, MacLeod S. Identifying research priorities for health care priority setting: a collaborative effort between managers and researchers. BMC Health Serv Res. 2009;9:165. https://doi.org/ 10.1186/1472-6963-9-165.
- Department of Health and Children. A research strategy for nursing and midwifery in Ireland. Dublin; 2003. https://health.gov.ie/wp-content/ uploads/2014/06/research\_strat\_research\_attainments.pdf.
- Turner S, Bhurke S, Cook A. Impact of NIHR HTA Programme funded research on NICE clinical guidelines: a retrospective cohort. Heal Res Policy Syst. 2015;13:37. https://doi.org/10.1186/s12961-015-0025-8.
- Webber J. Nursing and health policy perspectives. Int Nurs Rev. 2011;58: 145–6. https://doi.org/10.1111/inr.12031.
- World Health Organization (WHO). Research. 2017. http://www.who.int/ topics/research/en/. Accessed 4 May 2017.
- Brownie S, Hills P, Rossiter R. Public health service options for affordable and accessible noncommunicable disease and related chronic disease prevention and management. J Multidiscip Healthc. 2014;7:543.
- Henshall C. Why nurses should undertake more research. 2016. http:// theconversation.com/why-nurses-should-undertake-more-research-67105. Accessed 8 May 2017.
- Al-Yateem N, Docherty C, Brenner M, Alhosany J, Altawil H, Al-tamimi M, et al. Research Priorities for School Nursing in the United Arab Emirates (UAE ). J Sch Nurs 2016;:1–9.
- Al-Yateem N, Al-Tamimi M, Brenner M, Altawil H, Ahmad A, Brownie S. Research priorities for specialized nursing practice in the United Arab Emirates. Int Nurs Rev. 2017.
- 12. Dubai Health Authority (DHA). Dubai health strategy 2016 2021. Dubai UAE; 2016.
- MacCarthy D, Weinerman R, Kallstrom L, Kadlec H, Hollander MJ, Patten S. Mental health practice and attitudes of family physicians can be changed! Perm J. 2013;17:14–7.
- Health Authority of Abu Dhabi (HAAD). HAAD strategic plan (2015-2020). Abu Dhabi; 2015.
- Brownie SM, Hunter LH, Aqtash S, Day GE. Establishing policy foundations and regulatory systems to enhance nursing practice in the United Arab Emirates. Policy Polit Nurs Pract. 2015;16.
- Chang WY. Priority setting for nursing research. West J Nurs Res. 2000;22: 119–22 http://www.ncbi.nlm.nih.gov/pubmed/10886431.
- 17. Hinshaw AS. International nursing research priorities. J Prof Nurs. 1997;13:68.
- Lindeman CA. Delphi survey of priorities in clinical nursing research. Nurs Res. 1975;24.
- Bassalobre Garcia A, De Bortoli Cassiani SH, Reveiz L. A systematic review of nursing research priorities on health system and services in the Americas. Rev Panam Salud Pública 2015;37:162–171.
- 20. Gordon S, Barry C. Development of a school nursing research agenda in Florida: a Delphi study. J Sch Nurs. 2006;22:114–9.

- 21. Sun C, Larson E. Clinical nursing and midwifery research in African countries: a scoping review. Int J Nurs Stud. 2015;52:1011–6.
- Brenner M, Hilliard C, Regan G, Coughlan B, Hayden S, Drennan J, et al. Research priorities for Children's nursing in Ireland: a Delphi study. J Pediatr Nurs. 2014;29:301–8. https://doi.org/10.1016/j.pedn.2014.01.003.
- 23. Wielenga JM, Tume LN, Latour JM, van den Hoogen A. European neonatal intensive care nursing research priorities: an e-Delphi study. Arch Dis Child Fetal Neonatal Ed 2015;100:F66–F71.
- 24. Ramelet AS, Gill F. A Delphi study on national PICU nursing research priorities in Australia and New Zealand. Aust Crit Care. 2012;25:41–57. https://doi.org/10.1016/j.aucc.2011.08.003.
- Wynaden D, Heslop KR, Al Omari OR, Nelson DR, Osmond BR, Taylor MR, et al. Identifying mental health nursing research priorities: a Delphi study. Contemp Nurse. 2013;47:16–26.
- Butler MM, Meehan TC, Kemple M, Drennan J, Treacy M, Johnson M. Identifying research priorities for midwifery in Ireland. Midwifery. 2009;25: 576–87. https://doi.org/10.1016/j.midw.2007.08.004.
- Drennan J, Meehan T, Kemple M, Johnson M, Treacy MP, Butler M. Nursing research priorities for Ireland. J Nurs Scholarsh. 2007;39:298–305.
- Sun C, Dohrn J, Klopper H, Malata A, Omoni G, Larson E. Clinical nursing and midwifery research priorities in eastern and southern African countries: results from a Delphi survey. Nurs Res. 2015;64:466–75.
- Sun C, Dohrn J, Oweis A, Huijer HA, Abu-moghli F, Dawani H. Delphi survey of clinical nursing and midwifery research priorities in the Eastern Mediterranean. Region. 2017;223–35.
- LoBiondo-Wood G, Brown CG, Knobf MT, Lyon D, Mallory G, S a M, et al. Priorities for oncology nursing research: the 2013 national survey. Oncol Nurs Forum. 2014;41:67–76. https://doi.org/10.1188/14.ONF.67-76.
- Morley JE, Caplan G, Cesari M, Dong B, Flaherty JH, Grossberg GT, et al. International survey of nursing home research priorities. J Am Med Dir Assoc. 2014;15:309–12. https://doi.org/10.1016/j.jamda.2014.03.003.
- Jones J, Hunter D. Consensus methods for medical and health services research. BMJ Br Med J. 1995;311:376.
- Hardy DJ, O'Brien AP, Gaskin CJ, O'Brien AJ, Morrison-Ngatai E, Skews G, et al. Practical application of the Delphi technique in a bicultural mental health nursing study in New Zealand. J Adv Nurs. 2004;46:95–109.
- Creative Research Systems. Sample Size Calculator. 2018. https://www. surveysystem.com/sscalc.htm. Accessed 6 Dec 2018.
- McCreaddie M, Kuzemski D, Griffiths J, Sojka EM, Fielding M, Al Yateem N, et al. Developing nursing research in the United Arab Emirates: a narrative review. Int Nurs Rev. 2018;65:93–101. https://doi.org/10.1111/inr.12405.
- Segrott J, McIvor M, Green B. Challenges and strategies in developing nursing research capacity: a review of the literature. Int J Nurs Stud. 2006;43: 637–51.
- Bäck-Pettersson S, Hermansson E, Sernert N, Björkelund C. Research priorities in nursing - a Delphi study among Swedish nurses. J Clin Nurs. 2008;17: 2221–31.

#### Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

#### At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

