University of Massachusetts Medical School

eScholarship@UMMS

UMass Worcester PRC Publications

UMass Worcester Prevention Research Center

2017-10-16

Gender Differences in Indoor Tanning Habits and Location

Jessica Feng University of Massachusetts Medical School

Et al.

Let us know how access to this document benefits you.

Follow this and additional works at: https://escholarship.umassmed.edu/prc_pubs

Part of the Behavioral Medicine Commons, Behavior and Behavior Mechanisms Commons, Community Health and Preventive Medicine Commons, Dermatology Commons, Gender and Sexuality Commons, Preventive Medicine Commons, and the Skin and Connective Tissue Diseases Commons

Repository Citation

Feng J, Frisard CF, Nahar VK, Oleski JL, Hillhouse JJ, Lemon SC, Pagoto SL. (2017). Gender Differences in Indoor Tanning Habits and Location. UMass Worcester PRC Publications. https://doi.org/10.1016/j.jaad.2017.10.015. Retrieved from https://escholarship.umassmed.edu/prc_pubs/76

This material is brought to you by eScholarship@UMMS. It has been accepted for inclusion in UMass Worcester PRC Publications by an authorized administrator of eScholarship@UMMS. For more information, please contact Lisa.Palmer@umassmed.edu.

Accepted Manuscript

Gender Differences in Indoor Tanning Habits and Location

Jessica Feng, BS, Christine Frisard, MS, Vinayak K. Nahar, MD, MS, PhD, Jessica L. Oleski, MA, Joel J. Hillhouse, PhD, Stephenie C. Lemon, PhD, Sherry L. Pagoto, PhD



PII: S0190-9622(17)32541-0

DOI: 10.1016/j.jaad.2017.10.015

Reference: YMJD 12063

To appear in: Journal of American Dermatology

Received Date: 10 July 2017

Revised Date: 21 September 2017

Accepted Date: 9 October 2017

Please cite this article as: Feng J, Frisard C, Nahar VK, Oleski JL, Hillhouse JJ, Lemon SC, Pagoto SL, Gender Differences in Indoor Tanning Habits and Location, *Journal of American Dermatology* (2017), doi: 10.1016/j.jaad.2017.10.015.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1	Article Type: Research Letter
2 3 4	Title: Gender Differences in Indoor Tanning Habits and Location
5 6 7 8	Jessica Feng, BS ¹ ; Christine Frisard, MS ² ; Vinayak K. Nahar, MD, MS, PhD ^{3,4} ; Jessica L. Oleski MA ² ; Joel J. Hillhouse, PhD ⁵ ; Stephenie C. Lemon, PhD ² ; Sherry L. Pagoto, PhD ²
9 10	(1) School of Medicine, University of Massachusetts Medical School, Worcester, Massachusetts
11 12 13 14	(2) Division of Preventive and Behavioral Medicine, Department of Medicine, University of Massachusetts Medical School, Worcester, Massachusetts (3) Department of Dermatology, University of Mississippi Medical Center, Jackson, Mississippi
15 16 17	(4) Center for Animal and Human Health in Appalachia, College of Veterinary Medicine, DeBusk College of Osteopathic Medicine, and <i>School of Mathematics and Sciences</i> , Lincoln Memorial University, Harrogate, Tennessee
18 19 20	(5) Department of Community and Behavioral Health, College of Public Health, East Tennessee State University, Johnson City, Tennessee
21	Corresponding Author:
22	Sherry L. Pagoto, PhD
23	Division of Preventive and Behavioral Medicine
24	Department of Medicine
25 26	University of Massachusetts Medical School 55 Lake Ave N, Worcester, MA 01655
27	Email: sherry.pagoto@umassmed.edu
28	Phone: (508) 856-2062
29	Fax: (508) 856-3840
30	
31	Funding/Support: This study was funded by the Centers for Disease Control and
32	Prevention, Division of Cancer Prevention and Control, Prevention Research Center
33	grant number CDC U48 DP001933-04 to Sherry L. Pagoto and additional support
34	provided by National Institutes of Health grant number K24 HL124366-01A1 to Sherry L.
35	Pagoto to provide mentorship on this paper.
36	
37	Funding/Sponsor was involved?
38	Design and conduct of the study? YES
39	Collection, management, analysis, and interpretation of data? YES
40 41	Preparation, review, or approval of the manuscript? YES Decision to submit the manuscript for publication? YES
42	Decision to submit the manuscript for publication? 123
43	Financial Disclosure: None
44	
45	IRB Approval Status: Reviewed and approved by the University of Massachusetts
46	Medical School IRB.

47	
48	Conflict of Interest: Dr. Pagoto has consulted for Johnson & Johnson. The remaining
49	authors have no competing or conflicting interests to disclose. The findings and
50	conclusions in this report are those of the authors and do not necessarily represent the
51	official position of the Centers for Disease Control and Prevention.
52	
53	Reprint requests: Sherry L. Pagoto
54	
55	Manuscript word count: 500
56	References: 5
57	Number of Tables: 2
58	Supplementary Tables: 0
59	Number of Figures: 0
60	Supplementary Figures: 0
61	Supplementary Attachment: 1 (survey instrument)
62	
63	Keywords: Indoor tanning, skin cancer prevention, public health, UVA protection, UVB
64	protection, behavioral health, preventative medicine

To the Editor,

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

In 2013, 1.9 million US men reported tanning indoors. Existing research largely target teen and young adult female tanners, and less is known about male tanning behavior. Using Survey Sampling International, we recruited a nationally representative sample of 773 adults who intend to use or used an indoor tanning bed. Participants reporting a lifetime history of tanning indoors (n=636; 33.5% male) were included. The survey measured tanning frequency, tanning dependence, tanning location (salon, non-salon business, home), and influences on tanning location selection (1=strongly disagree, 5=strongly agree). Two or more affirmative responses on the 7item Behavioral Addiction Indoor Tanning Screener (BAITS) confirmed tanning dependence.² Participants were also surveyed about smoking, weekly soda consumption, and binge drinking (5 or more alcoholic beverages within a couple of hours) in past month. The University of Massachusetts Medical School institutional review board granted ethics approval. Bivariate comparisons were done using $\chi 2$ tests, independent samples t tests, and Wilcoxon rank sum tests, as appropriate using SAS/Stat Version 9.3 (SAS Institute Inc., Cary, NC). No significant differences were found between men (mean [SD], 6.0 [16.9]) and women (mean [SD], 6.0 [22.7]) in past year indoor tanning visits (P=.58; See Table 1). However, men were significantly more likely to meet the BAITS tanning dependence threshold (49.3% vs 29.6%, *P*=.001). Men were more likely to tan in private residences

(30.5% vs. 19.4%, P=.002). For factors influencing tanning location selection, men gave

significantly higher ratings to the ability to get other services at the same time (3.7 vs.

3.3, P=.004), ability to tan with fewer rules (3.6 vs. 3.2, P<0.001), and ability to use a tan as a workout reward (3.6 vs. 3.3, P=.002). Women gave significantly higher ratings to cleanliness (4.3 vs. 4.1, P=.06) and cost (4.2 vs. 3.9, P=0.001).

Male tanners were more likely to smoke (59.2% vs 38.8%, P=.001), reported more binge drinking in the past month (mean [SD], 4.7 [6.9] vs. 2.2 (4.2), P<.0001) and had higher weekly soda consumption (mean [SD], 13.7 [27.0] vs. 8.1 [12.6], P<.0001). Male tanners were significantly more ethnically diverse than female tanners (P=0.002, See Table 1).

Results revealed that while men and women tan at a similar frequency, men were more likely to screen positively for tanning dependence. Men had higher rates of comorbid risk behaviors consistent with prior research identifying associations between tanning dependence and alcohol addiction.³ Men had higher rates of tanning in private residences, where unsupervised tanning duration could facilitate dependence.

Tanning salon regulations may have less impact on reducing male tanning. Male tanners preference for settings that offer additional services may provide opportunities for targeted interventions.

Male tanners had a greater proportion of minorities than female tanners which is consistent with prior research.⁴ Other studies have shown that sexual minority men have higher tanning rates than heterosexual men.⁵ Studies that have explored largely white samples or did not assess sexual orientation may have painted an incomplete picture of male indoor tanning.

Future research is needed to better understand the characteristics and motivations of male indoor tanners.

112 **REFERENCES**

- 1. Guy GP, Berkowitz Z, Holman DM, Hartman AM. Recent Changes in the Prevalence
- of and Factors Associated With Frequency of Indoor Tanning Among US Adults.
- JAMA Dermatol. 2015;151(11):1256. doi:10.1001/jamadermatol.2015.1568.
- 2. Stapleton J, Hillhouse J, Turrisi R, Baker K, Manne S, Coups E. The Behavioral
- Addiction Indoor Tanning Screener (BAITS): An Evaluation of a Brief Measure of
- Behavioral Addictive Symptoms. *Acta Derm Venereol.* 2016;96(4):552-553.
- doi:10.2340/00015555-2290.
- 120 3. Cartmel B, Bale AE, Mayne ST, et al. Predictors of tanning dependence in white
- non-Hispanic females and males. J Eur Acad Dermatol Venereol. 2017;31(7):1223-
- 122 1228. doi:10.1111/jdv.14138.
- 4. Blashill AJ. Indoor Tanning and Skin Cancer Risk Among Diverse US Youth: Results
- From a National Sample. *JAMA Dermatol.* 2017;153(3):344.
- doi:10.1001/jamadermatol.2016.4787.
- 126 5. Mansh M, Katz KA, Linos E, Chren M-M, Arron S. Association of Skin Cancer and
- 127 Indoor Tanning in Sexual Minority Men and Women. *JAMA Dermatol*.
- 128 2015;151(12):1308. doi:10.1001/jamadermatol.2015.3126.

Table 1. Participant Characteristics by Gender							
•	All	Men	Women	P value			
	(n=636)	(n=213)	(n=423)				
Age, mean (SD)	36.2 (12.9)	36.9 (12.7)	35.9	.34			
		, ,	(12.9)				
Ethnicity				.002			
% White	76.4%	68.5%	80.4%				
% Hispanic	10.7%	12.7%	9.7%				
% Other	12.9%	18.8%	9.9%				
Education				.01			
% High school or GED	13.3%	9.9%	15.1%				
% Some college	23.5%	19.8%	25.4%				
% Associate or Bachelor	46.5%	48.1%	45.7%				
% Graduate	16.7%	22.2%	13.9%				
Health Behaviors							
Smoker	45.6%	59.2%	38.8%	.001			
Number of cans of soda	10.0 (18.9)	13.7 (27.0)	8.1	<.0001			
consumed per week, mean (SD)			(12.6)				
Number of days in the past 30 with	3.0 (5.4)	4.7 (6.9)		<.0001			
5 or more alcoholic beverages		,	2.2 (4.2)				
consumed, mean (SD)							
Skin type				.36			
%Always/usually burn	33.7%	33.8%	33.6%				
%Sometimes mild burn, tan	35.7%	38.5%	34.3%				
uniformly	30.7%	27.7%	32.2%				
%Rarely or never burn							

Table 2. Tanning Behavior by Gender							
	Men (n=213)	Women (n=423)	P value				
Frequency of indoor tanning in past year, mean (SD)	6.0 (16.9)	6.0 (22.7)	.58				
Tanning Location			.007				
Salon Only	91 (42.7%)	217 (51.3%)	7				
Non-Salon Business	57 (26.8%)	124 (29.3%)					
Home Tanner	65 (30.5%)	82 (19.4%)					
Tanning dependence/behavioral addiction	49.3%	29.6%	<.0001				
Factors influencing tanning location choice, mean (SD)							
Ability to tan and get other services at the same time	3.7 (1.06)	3.3 (1.14)	.004				
Ability to tan with less rules and regulations	3.6 (1.01)	3.2 (1.14)	<.0001				
Ability to reward myself with a tan after I workout	3.6 (1.11)	3.3 (1.14)	.002				
Cleanliness	4.1 (.97)	4.3 (.91)	.06				
Cost	3.9 (.93)	4.2 (.90)	.001				
Convenience	4.1 (.89)	4.2 (.86)	.06				
Professionalism	3.9 (.93)	4.0 (.90)	.28				

- 136 Acknowledgment section
- 137 Author Contributions: Dr. Pagoto had full access to all the data in the study and takes
- responsibility for the integrity of the data and the accuracy of the data analysis.
- 139 Study concept and design: Hillhouse, Pagoto.
- 140 Acquisition, analysis, or interpretation of data: All authors.
- 141 Drafting of the manuscript: Feng, Nahar, Pagoto
- 142 Critical revision of the manuscript for important intellectual content: Feng, Hillhouse,
- 143 Pagoto.
- 144 Statistical analysis: Frisard,
- 145 Obtaining funding: Hillhouse, Pagoto.
- 146 Administrative, technical, or material support: Frisard, Oleski
- 147 Study supervision: Hillhouse, Pagoto.