


Paleontological Contributions

Number 19

Stevensites, *Zittelites*, and *Gyrophyllloceras*, new generic names
proposed for *Stevensia* Énay, 2009, *Zittelia* Tavera Benitez,
1985, and *Gyrophyllites* Wiedmann, 1963
(Mollusca: Ammonoidea)


Raymond Énay and Michael K. Howarth



KU PALEONTOLOGICAL
INSTITUTE
The University of Kansas

April 19, 2018
Lawrence, Kansas, USA
ISSN 1946-0279
paleo.ku.edu/contributions

Cover figure: Left to right, type specimens of *Stevensites*, *Zittelites*, and *Gyrophylloceras*



Paleontological Contributions

April 19, 2018

Number 19

STEVENSITES, ZITTELITES, AND GYROPHYLLOCERAS, NEW GENERIC NAMES PROPOSED FOR *STEVENSIA* ÉNAY, 2009, *ZITTELIA* TAVERA BENITEZ, 1985, AND *GYROPHYLLITES* WIEDMANN, 1963 (MOLLUSCA: AMMONOIDEA)

Raymond Énay¹ and Michael K. Howarth²

¹Université Claude Bernard-Lyon 1, Département des Sciences de la Terre, Bâtiment Géode; 2 rue Raphaël Dubois, F-69622 Villeurbanne, France; e-mail: renay.geol@gmail.com; ²Department of Earth Sciences, The Natural History Museum, Cromwell Road, London SW7 5BD, England; email: m.howarth@nhm.ac.uk

ABSTRACT

Stevensites, *Zittelites*, and *Gyrophylloceras* are proposed as replacement names for the preoccupied ammonite genera *Stevensia* Énay, 2009, *Zittelia* Tavera Benitez, 1985, and *Gyrophyllites* Wiedmann, 1963, respectively.

Key words: Ataxioceratidae, Jurassic, Lithacoceratinae, Paraboliceratidae, Phylloceratidae.

On the occasion of the revision of the Jurassic ammonite volume of the *Treatise on Invertebrate Paleontology* currently in progress, the generic names *Stevensia* Énay, *Zittelia* Tavera Benitez, and *Gyrophyllites* Wiedmann were found to be preoccupied.

The genus *Stevensia* Énay, 2009, p. 144, was proposed for a group of Upper Jurassic ammonites from the Himalaya of central Nepal, and *Kossmatia desmidopthycha* Uhlig, 1910, p. 277, was originally designated as type species. It is preoccupied by *Stevensia* Cameron, 1932, p. 309, an insect (Coleoptera: Staphylinidae). To remove this primary homonym, *Stevensites* Énay gen. nov. is proposed herein as a replacement name, with *Kossmatia desmidopthycha* Uhlig, 1910, as type species.

The genus *Zittelia* Tavera Benitez, 1985, p. 114, was proposed for a group of Upper Jurassic ammonites from southern Spain, and the type species originally designated was *Ammonites eudichotomus* Zittel, 1868, p. 112. It is preoccupied by *Zittelia* Gemmellarlo,

1869, p. 258, a mollusc (Gastropoda). To remove this primary homonym, *Zittelites* Énay gen. nov. is proposed herein as a replacement name with *Ammonites eudichotomus* Zittel, 1868, p. 112 “normalform,” as type species.

The genus *Gyrophyllites* Wiedmann, 1963, p. 260, proposed for a group of Lower Cretaceous ammonites, with type species *Phylloceras lateumbilicatum* Pervinquier, 1907, p. 60, originally designated, is a junior homonym of *Gyrophyllites* Glocher, 1841, p. 322. Glocher's genus is an ichnotaxon (a trace fossil), an available genus-group name (ICZN, International Code of Zoological Nomenclature, 1999, p. 47, Article 42.2.1), which is widely used at the present time (e.g. Strzebonski & Uchman, 2015; Bayet-Goll & others, 2016). Accordingly, *Phylloceras* (*Gyrophylloceras*) Howarth new subgenus is proposed herein, with type species *Phylloceras lateumbilicatum* Pervinquier, 1907, p.60.

REFERENCES

- Bayet-Goll, Avram, Paolo Monaco, Farah Jalili, Mohammad-Hossein Mahmudy-Gharaie. 2016. Depositional environments and ichnology of Upper Cretaceous deep-marine deposits in the Sistan Suture Zone, Birjand, Eastern Iran. *Cretaceous Research* 60:28–51.
- Cameron, Malcolm. 1932. The Fauna of British India including Ceylon and Burma, Coleoptera. Staphylinidae 3. Taylor & Francis. London. xiv + 443 p., 4 pl.
- Énay, Raymond. 2009. Les ammonites du Jurassique supérieur (Oxfordien–Tithonien) et la stratigraphie des Spiti Shales (Callovien supérieur à Tithonien) du Pays Thakkhola, Népal central. *Documents des Laboratoires de Géologie, Lyo*, 166:351 p., 33 text-fig., 150 tab., 52 pl.
- Gemmellaro, G. G. 1869. Studii palontologici sulla Fauna del calcario a Terebratula janitor del Nord di Sicilia (continuazione). *Giornale di Scienze naturale e Economiche, Palermo*, vol. 5, fasc. 3–4, pt. 1 (Scienze naturale):257–264, pl. 4.
- Glocher, E. F. 1841. Über die kalkführende Sandsteinformation auf beiden Selten der mittleren March, in der Gegend zwischen Kwassitz und Kremsier. *Nova Acta Academiae Caesarea Leopoldino-Carolinae Germanicum Naturae Curiosorum* 19 (2 supplement):309–334, pl. 4.
- ICZN (International Commission on Zoological Nomenclature). 1999. *International Code of Zoological Nomenclature. Fourth Edition.* The International Trust for Zoological Nomenclature. London. 306 p.
- Pervinquière, Léon. 1907. Etudes de Paléontologie tunisienne; I, Céphalopodes des Terrains secondaires. *Carte Géologique de la Tunisie.* F. R. de Rudeval, Paris. v + 439 pp., 27 pl.
- Strezebonski, Piotr, & Alfred Uchman. 2015. The trace fossil Gyrophylites in deep-sea siliciclastic deposits of the Istebna Formation (Upper Cretaceous–Palaeocene) of the Carpathians: An example of biologically controlled distribution. *Paleogeography, Palaeoclimatology, Palaeoecology* 426:260–274.
- Tavera Benitez, J.-M. 1985. Los ammonites del Tithonico superior–Berriasense de la Zona Subbetica (Cordilleras Beticas). Tesis Doctoral, Universidad de Granada. 381 p., 49 pl.
- Uhlig, Victor. 1910. The Fauna of the Spiti Shales. *Memoirs of the Geological Survey of India, Palaeontologia Indica, Calcutta* (series 15) 4(2):133–306, pl. 19–48A, 77–91.
- Wiedmann, Jost. 1963. Unterkreide-Ammoniten von Mallorca. 2 Lieferung: Phylloceratina. *Abhandlungen der Mathematisch-Naturwissenschaftlichen Klasse der Akademie der Wissenschaften und der Literatur, Mainz*, 1963 (4):149–264, fig. 37–64, pl. 12–21.
- Zittel, K. A. von. 1868. Palaeontologische Studien über die Grenzschichten der Jura und Kreide-Formation im Gebiete der Karpathen. Alpen und Apenninen 1, Die Cephalopoden der Stramberger Schichten. *Palaeontologische Mittheilungen der Bayerische Staatsammlung, München* 2:1–VIII +1–118, 24 pl.