

Thomas Jefferson University Jefferson Digital Commons

Phase 1

Class of 2021

2-2019

The Pathway to Low Outlier Status in Venous Thromboembolism Events: An Analysis of Pancreatic Surgery in ACS NSQIP

Samantha L. Savitch *Thomas Jefferson University,* samantha.l.savitch@jefferson.edu

Tyler M. Bauer Thomas Jefferson University, tyler.bauer@jefferson.edu

Nikosi H. Alvarez Thomas Jefferson University

Adam P. Johnson Thomas Jefferson University, adam.johnson@jefferson.edu

Theresa P. Yeo Thomas Jefferson University, theresa.yeo@jefferson.edu

See next page for additional authors

Let us know how access to this document benefits you Follow this and additional works at: https://jdc.jefferson.edu/si_ctr_2021_phase1

Recommended Citation

Savitch, Samantha L.; Bauer, Tyler M.; Alvarez, Nikosi H.; Johnson, Adam P.; Yeo, Theresa; Lavu, Harish; Yeo, Charles J.; Winter, Jordan M.; Merli, Geno J.; and Cowan, Scott W., "The Pathway to Low Outlier Status in Venous Thromboembolism Events: An Analysis of Pancreatic Surgery in ACS NSQIP" (2019). SKMC JeffMD Scholarly Inquiry, Phase 1, Project 1.

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's Center for Teaching and Learning (CTL). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Phase 1 by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: Jefferson.edu.

Authors

Samantha L. Savitch, Tyler M. Bauer, Nikosi H. Alvarez, Adam P. Johnson, Theresa P. Yeo, Harish Lavu, Charles J. Yeo, Jordan M. Winter, Geno J. Merli, and Scott W. Cowan

Samantha Savitch SI Abstract – CTR Year 2

Introduction: Our institution's hepatopancreaticobiliary service (HPBS) is a high-volume pancreatic surgery service, which has demonstrated consistently low rates of symptomatic venous thromboembolism (VTE) compared to similar institutions as reported by NSQIP. We sought to determine if the HPBS's regimented multimodal VTE prophylaxis pathway plays a role in achieving consistently low VTE rates.

Methods: We queried the ACS NSQIP Participant User File and our institution's data from 2011-2016 for major pancreatic operations. We used Chi-squared analysis to compare the HPBS and national patient populations, and created a matched dataset based on preoperative patient factors. Univariate and multivariate analyses were performed on both the aggregate and matched data to determine independent risk factors for symptomatic VTE formation.

Results: Among 36,435 NSQIP patients, 850 (2.3%) received surgery by the HPBS. VTE rates were significantly lower for the HPBS (2.0%) compared to the national cohort (3.5%) (p=0.018); this significance was seen in the matched cohort as well (p=0.040). Upon multivariate analysis, having an operation performed by the HPBS independently conferred lower odds of VTE formation in both the aggregate (OR=0.572, p=0.024) and matched (OR=0.530, p=0.041) cohorts.

Discussion: The HPBS had statistically lower rates of symptomatic VTE compared to the national cohort as reported by NSQIP. We identified an independent protective effect of the HPBS on VTE formation, which we believe to be due, at least in part, to adherence to a high risk VTE prophylaxis pathway. This pathway could serve as a model for other institutions hoping to improve their VTE rates.