



2-2019

# 17-Hydroxyprogesterone Caproate Does Not Prevent Preterm Birth in Women with a Twin Pregnancy and a Prior Singleton Spontaneous Preterm Birth

Breanna Valcarcel, BS

*Thomas Jefferson University*, [breanna.valcarcel@jefferson.edu](mailto:breanna.valcarcel@jefferson.edu)

Andrew Ward, MD

*Thomas Jefferson University*, [andrew.x.ward@jefferson.edu](mailto:andrew.x.ward@jefferson.edu)

Huda Al-Kouatly, MD

*Thomas Jefferson University*, [huda.al-kouatly@jefferson.edu](mailto:huda.al-kouatly@jefferson.edu)

Vincenzo Berghella, MD

*Thomas Jefferson University*, [vincenzo.berghella@jefferson.edu](mailto:vincenzo.berghella@jefferson.edu)

Victoria Greenberg, MD

## [Let us know how access to this document benefits you](#)

Follow this and additional works at: [https://jdc.jefferson.edu/si\\_ctr\\_2021\\_phase1](https://jdc.jefferson.edu/si_ctr_2021_phase1) Part of the [Obstetrics and Gynecology Commons](#)

## Recommended Citation

Valcarcel, Breanna; Ward, Andrew; Al-Kouatly, Huda; Berghella, Vincenzo; and Greenberg, Victoria, "17-Hydroxyprogesterone Caproate Does Not Prevent Preterm Birth in Women with a Twin Pregnancy and a Prior Singleton Spontaneous Preterm Birth" (2019). SKMC JeffMD Scholarly Inquiry, Phase 1, Project 1.

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Phase 1 by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: [JeffersonDigitalCommons@jefferson.edu](mailto:JeffersonDigitalCommons@jefferson.edu).

Breanna Valcarcel  
SKMC Class of 2021  
SI CTR Abstract

**17-hydroxyprogesterone caproate does not prevent preterm birth in women with a twin pregnancy and a prior singleton spontaneous preterm birth**

**Authors:** Breanna Valcarcel, B.S., Andrew Ward, M.D., Huda Al-Kouatly, M.D., Victoria Greenberg, M.D., Vincenzo Berghella M.D.

**INTRODUCTION:** Prior spontaneous preterm birth (sPTB) is a risk factor for recurrent sPTB. Weekly 17-hydroxyprogesterone caproate (17P) is used to prevent sPTB in singletons, but there is insufficient evidence on its benefit in twin pregnancies.

**OBJECTIVE:** We hypothesized that 17P weekly injections would reduce the likelihood of sPTB in women carrying a twin pregnancy with a history of singleton sPTB.

**METHODS:** We performed a retrospective case control study of women with a twin gestation and prior singleton sPTB between 2005 and 2016. The study group consisted of women with a twin gestation that received weekly 17P starting at 16 to 20 weeks versus those who did not. The primary outcome was twin sPTB <34 weeks. The secondary outcome was a composite neonatal morbidity prior to hospital discharge.

**RESULTS:** Of 79 patients included, 27 women received weekly 17P and 52 did not. There were no statistically significant differences in maternal demographics (except maternal age) or in the rate of sPTB <34 weeks between cases and controls. There was no statistically significant difference in the rate of sPTB <32 and <24 weeks, mean birth weight, or mode of delivery between study and control groups. Composite neonatal morbidity occurred in 20 neonates (74%) in the study group and in 41 control pregnancies (79%).

**DISCUSSION:** Weekly 17P injections do not appear to decrease the incidence of sPTB or neonatal complications in twin pregnancies with a history of prior singleton sPTB. This study will therefore guide future patient management on this common obstetric dilemma.