



Munich Personal RePEc Archive

## **A comprehensive literature classification of simulation optimisation methods**

Wafik Hachicha and Ahmed Ammeri and Faouzi Masmoudi  
and Habib Chachoub

Unit of Mechanic, Modelling and Production (U2MP), Unit of  
Logistic, Industrial and Quality Management (LOGIQ), University  
of Sfax

24. May 2010

Online at <https://mpra.ub.uni-muenchen.de/27652/>

MPRA Paper No. 27652, posted 26. December 2010 19:44 UTC

# A COMPREHENSIVE LITERATURE CLASSIFICATION OF SIMULATION-OPTIMIZATION METHODS

Ahmed AMMERI, Habib CHABCHOUB

LOGIQ / ISGI  
High Institute of Industrial Management of Sfax  
B.P. 954, 3018, Sfax, Tunisia  
ammariahmed@yahoo.fr,  
habib.chabchoub@fsegs.rnu.tn

Wafik HACHICHA, Faouzi MASMUDI

U2MP/ ENIS  
Engineering School of Sfax  
B.P. 1173, 3038 Sfax, Tunisia  
Wafik\_hachicha@yahoo.fr,  
faouzi.masmoudi@enis.rnu.tn

**ABSTRACT:** Simulation Optimization (SO) provides a structured approach to the system design and configuration when analytical expressions for input/output relationships are unavailable. Several excellent surveys have been written on this topic. Each survey concentrates on only few classification criteria. This paper presents a literature survey with all classification criteria on techniques for SO according to the problem of characteristics such as shape of the response surface (global as compared to local optimization), objective functions (single or multiple objectives) and parameter spaces (discrete or continuous parameters). The survey focuses specifically on the SO problem that involves single performance measure.

**KEYWORDS:** Simulation Optimization, classification methods, literature survey

## 1 INTRODUCTION

Many real world problems in management and manufacturing are very complex and mathematically intractable so that simulation is the appropriate tool for system analysis and performance evaluation. Computer simulation requires developing a program that mimics the behavior of a system as it evolves over time and records the overall system performance. As the technology of computer hardware and software advances, simulation has emerged as an essential tool in research and real world applications. With the continuing developments in computer technology, simulation is receiving increasing attention as a decision-making tool.

Therefore, computer simulation is frequently used in evaluating complex systems and optimizing responses. However, simulation is not without pitfalls. Simulation output is subject to random errors and requires proper statistical analysis. Furthermore, simulation models are "run" rather than solved. It is traditionally viewed as a tool for performance evaluation instead of decision making or optimization. In recent years researchers have attempted to combine simulation and optimization procedures to provide a complete solution. However, Simulation is merely a tool for problem solving; by itself, it cannot provide an answer. In addition to a good model, one also needs a sound technique to utilize the information from a simulation to make a decision. One such technique is optimization via simulation.

Simulation Optimization (SO) provides a structured approach to system design and configuration when analytic

cal expressions for input/output relationships are unavailable. According to (Carson and Maria, 1997) SO can be defined as the process of finding the best input variable values from among all possibilities without explicitly evaluating each possibility and the objective of SO is to minimize the resources spent while maximizing the information obtained in a simulation experiment. There has been a great deal of work on SO in the research literature. Many comprehensive reviews of literature have been written on this topic. (Fu, 1994) contributes a general review of techniques for optimizing stochastic discrete-event systems via simulation, focusing on the techniques for optimization from a finite set: multiple-comparison procedures and ranking-and-selection procedures. (Carson and Maria, 1997) provide knowledge about the area of SO, with an extensive reference list pointing to detailed treatment of specific techniques. (Andradottir, 1998) presents a review of methods for optimizing stochastic systems using simulation. The focus is on gradient-based techniques for optimization with respect to continuous decision parameters and on random search methods for optimization with respect to discrete decision parameters. (Paul & Chaney, 1998) present an attempt to apply genetic algorithms (GA) to the problem of optimizing an existing simulation model. They demonstrate the capability of GA to solve hard inverse problems even in the area of complex simulation model optimisation. (Swicher & Hyden, 2000) provides a brief survey of the literature on discrete-event SO over the past decade (1988 to 2000). (Swisher and al, 2003) present a survey of the literature on discrete-event SO published in recent years (1988 to 2003), with a particular focus on discrete in put parameter optimization. (Tekin and Sabuncuoglu, 2004) presented a comprehensive survey on techniques for simulation optimization. They classified the existing

techniques according to the characteristics of the problems such as objective functions (single or multiple objectives) and parameter spaces (discrete or continuous parameters) and shape of the response surface (global as compared to local optimization). They also discussed major advantages, drawbacks and, comparisons of these techniques in the paper.

(Piera and al, 2004) described a new approach to integrate evaluation (simulation) methods with search methods (optimization) based not only on simulation results but also information from the simulation model. (Fu, 2006) develop a simulation optimization algorithm for determining the traffic light signal timings for an intersection of two one-way street traffic flows modelled as single-server queues. The system performance is estimated via stochastic discrete-event simulation, and gradient-based search based on stochastic approximation is applied. (Rosen and al, 2007) propose a SO method that involves a preference model, specifically adapted for decision making with simulation models. The proposed SO method is evaluated against two SO methods with embedded deterministic, multiple criteria decision making strategies. (Almeder and Preusser, 2007) presented a new approach that combines the advantages of complex simulation models and abstract optimization models. More recently (Fu and al, 2008) give a tutorial introduction to SO, beginning by classifying the problem setting according to the decision variables and constraints, putting the setting in the simulation context, and then summarize the main approaches to SO. (Alrefaei and Diabat, 2009) have focused on simulated annealing algorithm for solving multi-objective SO problems. The algorithm is based on the idea of simulated annealing with constant temperature, and uses a rule for accepting a candidate solution that depends on the individual estimated objective function values. For more comprehensive studies on this topic, the reader can referred to some others reviews papers including (Glynn, 1989), (Metketon, 1987), (Azadivar, 1992), (Fu, 1994), (Kleijnen, 1995) and references therein.

Applications of the SO approach exist in many fields. With respect to operations research problems we mention above all inventory models (Kochel and Nielander, 2005), logistic systems (Kochel and al, 2003; Yoo and al, 2010), and manufacturing systems (Kochel and Nielander, 2002; Kampf and Kochel, 2006).

As a result of this literature survey, there are several ways SO problems can be classified. We can classify SO problems regarding their input variables (quantitative variables and qualitative variables), output variables (a single objective SO problems or multi-objective problems), parameter spaces (discrete or continuous parameters), the shape of the response surface (global as compared to local optimization) or by their Optimization Procedure. Our main contribution in this paper is to provide a literature survey with all classification criteria and to propose a global classification scheme of SO methods.

The remainder of the paper is organized as follows: Section 2 we establish a common framework for simulation optimization problems and present the notation to be used. Section 3 presents a literature survey with all classification criteria on techniques for simulation optimization. Finally Section 4 draws conclusions.

## 2. PROBLEM DESCRIPTION

SO refers to the process for finding optimal system design whose performance is estimated by simulation (Kabirian and Ólafsson, 2007), and the problem setting thus contains the usual optimization components:

- ✓ Decision variables,
- ✓ objective function, and
- ✓ Constraints.

The SO can be defined as the latter case: repeated analysis of the simulation model with different values of design parameters, in an attempt to identify best simulated system performance. The design parameters of the real system are set to the 'optimal' parameter values determined by the SO exercise, rather than in an ad hoc manner based on qualitative insights gained from exercising the simulation model. A very general formulation of the above SO problem is to minimize the expected value of the objective function with respect to its constraint set as: The general SO problem setting is as follows:

$$\text{Min}_{\theta \in \Theta} f(\theta), \quad (1)$$

where  $\theta$  is a  $p$ -dimensional vector of all the decision variables,  $\Theta$  is the feasible region and  $f : \Theta \rightarrow \mathbb{R}$  is the objective function. If  $f(\theta)$  is a one-dimensional vector, the problem is single objective optimization, whereas if its dimension is more than one, the problem becomes multiobjective. The optimum is denoted by  $\theta^*$ . Without loss of generality, we will consider the minimization problem throughout the paper.

We assume that the system under consideration is complex enough that the expected performance  $f(\theta)$  of each system design  $\theta \in \Theta$  cannot be determined exactly, but is instead estimated through simulation. The optimization model response function is represented by  $f(\theta)$  which is usually the expected value (long-term average) of some simulated system performance measure  $Y$  as a function of the design parameter vector  $\theta$ . That is

$$f(\theta) = E(Y(\theta, \varepsilon)) \quad (2)$$

where  $\varepsilon$  represents the stochastic effects in the system. The form of  $f$  is not known. Its value is estimated using  $n$  runs of the simulation model under the design scenario specified by  $\theta$ .




Figure 1: Proposed classification scheme of simulation optimization methods

$$f(\hat{\theta}) = \sum_{i=1}^n \frac{Y_i}{n} \quad (3)$$

In Eq. (3) the dependence of Y on the value of  $\theta$  has been suppressed. While  $f(\theta)$  is deterministic, its estimate is stochastic, since the simulation run time must be finite (so  $n < \infty$ ).

It should be noted that, the general formulation (1) subsumes the usual mathematical programming settings (which prefers  $x$  to  $\theta$  for its decision variables):

- If  $f(\theta)$  is a scalar function, the problem is single objective optimization; whereas if it is a vector, the problem becomes multi-objective
- $f(\theta)$  is linear in  $\theta$  and  $\Theta$  can be expressed as a set of linear equations in  $\theta$  corresponds to *linear programming*, or *mixed integer linear programming* if part of the  $\Theta$  space involves an integer (e.g.,  $\{0,1\}$  binary) constraint.

### 3. THE PROPOSED CLASSIFICATION

As pointed out by (Tekin and Sabuncuoglu, 2004) the existing studies can be classified under two main headings: local optimization; and global optimization. Local optimization techniques are further classified in terms of discrete and continuous parameter spaces the discrete case can also further classified into finite parameter space and infinite parameter space. The main goal of this research is to propose a global classification scheme of SO problems. This structure is shown in Figure 1. For more details on the major techniques, we have presented, in table 1, table 2, and table 3 other SO references

#### 3.1 Local optimization

Local optimization problems are discussed in terms of discrete and continuous decision spaces. In a discrete space, decision variables take a discrete set of values such as the number of machines in the system, alternative locations of depots, different scheduling rules or policies, etc. Several techniques have been developed for simulation optimization when the input parameter values (i.e, the size of  $\Theta$ ) is discrete. If the set  $\Theta$  is finite and small, ranking and selection and multiple comparisons procedures are appropriate. If the set is infinite but very large, then techniques such as ordinal optimization and general search strategies, see (Tekin and Sabuncuoglu, 2004), (Swisher and al, 2004). On the other hand, in a continuous space, the feasible region consists of real-valued decision variables such as order quantity and reorder quantity in inventory problems, release time of factory orders, etc. If  $\Theta$  is continuous, other search methods can be employed. Stochastic gradient-based optimization methods such as: methods for estimating the gradient of  $f$ , Simplex search and Metamodel-based optimization methods see (Andradottir, 1998), (Swisher and Hyden, 2000).

#### 3.1.1 Discrete input parameter methods

The discrete input parameter case differentiates techniques appropriate for small and for large numbers of feasible input parameter values. As discussed in (Swisher and al, 2000) several techniques have been developed. If the set  $\Theta$  is finite and small, ranking and selection and multiple comparison procedures are appropriate. If the set  $\Theta$  is infinite or very large, then techniques such as ordinal optimization, random search, nested partitions method and general search strategies have been adapted for the simulation environment. However in the continuous case, gradient-based methods or metamodel based optimization can be used.

Tableau 1: Methods based on discrete input parameter

Optimization simulation methods	References
<b>Finite space</b>	
Ranking and Selection	(Koenig and Law, 1985), (Chen and al, 1996; 1997), (Morrice and al, 1998; 1999), (Hyden and Schruben, 1999), (Branke and al, 2007)
Multiple Comparison Procedures	(Hsu, 1984), (Hsu and Nelson, 1988), (Yang and Nelson, 1989; 1991), (Goldman and Nelson, 1990), (Kolonja and al, 1993), (Matejeik and Nelson, 1993; 1995), (Bofinger and Lewis, 1992), (Yuan and Nelson, 1993), (Nakayama, 1995; 1996; 1997; 2000), (Damerджи and Nakayama, 1996; 1999), (Swisher and al, 2000), (Nelson and al, 2001),
<b>Infinite space</b>	
Ordinal Optimization	(Ho.Sreenivas and Vakili, 1992), (Deng and al, 1992, (Ho, 1994), , (Ho and Deng, 1994), (Dai, 1995), ), (Chen, 1995; 1996), , (Ho and Larson, 1995), (Chen and al, 1996), (Ho and Larson, 1995), (Xie, 1997), (Deng and Ho, 1997) (Lau and Ho, 1997), (Lee and al, 1999).
General Search Strategies	Eglese, 1990), (Fleischer, 1995), (Leipins and Hilliard, 1989), (Muhlenbein, 1997), (Glover and Laguna, 1997), (Manz and al, 1989), (Haddock and Mittenhall, 1992), (Baretto and al, 1999), (Zeng and Wu, 1993), (Yucesan and Jacobson, 1996), (Stuckman and al, 1991), (Brady and Mc Garvey, 1998), (Dummler, 1999), (Facenda and Tenga, 1992), (Tompkins and Azadivar, 1995), (Glover et al, 1996), (Hall and al, 1996), (Hall and Bowden, 1997).
Random Search	(Andradottir, 2005), (Fu, 2007), (Chen et al, 2008).
Nested Partitions Methods	(Shi and Olafsson, 1997), (Shi et al, 1999).

### 3.1.1.1 Finite space

When the optimization involves selecting the best of a few alternatives, that is  $\Theta = \{\theta_1, \theta_2, \dots, \theta_m\}$ , where  $m$  is relatively small, then it may be possible to evaluate every solution and compare the performance. The two most popular methodologies for the class of the problem are: *Raking and Selection (R&S)* and *Multiple Comparison Procedures (MCPs)*. (*R&S*) focuses on selecting the optimal input parameter values. In *MCPs* the idea is to run a number of replications and make conclusions on a performance measure by constructing confidence intervals. *MCPs* approach the optimization problem as a statistical inference problem and, unlike *R&S* procedures, do not guarantee a decision. For excellent review of these techniques, one can refer to (Kim and Nelson, 2006)

### 3.1.1.2 Infinite space

When it is not possible to evaluate every solution using a statistical selection procedure, and the set  $\Theta$  is very large different other methods must be applied. Such as *Ordinal optimization* reduces the search for an optimal solution from sampling over a very large set of solutions to sampling over a smaller, more manageable set of good solutions. A more detailed treatment of this topic can found in (Ho and Deng, 1994), (Lee et al, 1999).

*General search strategies* such as *simulated annealing* (Eglese, 1990); (Fleischer, 1995), *genetic algorithms* (Leipins and Hilliard, 1989); (Muhlenbein, 1997) and *tabu search* (Glover and Laguna, 1997). (Glover and Laguna 1997) have been adapted for the stochastic environment associated with discrete-event simulation optimization.

*Random search (RS)* was first developed for deterministic optimization, but has been extended to the stochastic setting. (*RS*) can work on an infinite parameter space. Inputs of upper and lower bounds on each of the controllable factors define an overall search region. For more details on random search methods in simulation, see (Andradottir, 2005)

*Nested Partitions (NP)* is a randomized method for global optimization. The motivation for this method is that some parts of the feasible region may be most likely to contain the global optima. Hence it is efficient to concentrate the computational effort in these regions. The Nested Partitions Method takes a global perspective and combines global and local search techniques. For more details, see (Shi and Olafsson, 1997), (Shi and al, 1999).

### 3.1.2 Continuous input parameter methods

The feasible region,  $\Theta$ , is uncountable and infinite when the set of input parameters are continuous. Continuous simulation optimization problems fall into two categories: metamodel methods and stochastic gradient estimation.

### 3.1.2.1 Metamodel Methods

Metamodeling, which was first described by (Blanning, 1975) is a process of developing a mathematical relationship between a response measure of interest and a set of input variables. Metamodels Methods are often constructed in two primary stages. The first stage uses a factorial experimental design to collect a structured data set that is then used to find the functional relationship between decision variables and responses. After a metamodel is constructed, the what-if analysis can be obtained without the further consumption of expensive computing resources. See (Hurrion and Birgil, 1999), (Kleijnen, 1987) (Yesilyurt and Patera, 1995), (Barton and Meckesheimer, 2006).

### 3.1.2.2 Stochastic gradient estimation.

The goal of stochastic gradient estimation is to estimate the gradient of the performance measure with respect to the parameters. An extensive body of research exists for SO problems of this type. Input parameter methods may be classified as either gradient-based or non gradient-based.

#### a) Gradient based Approaches

A considerable amount of research has focused specifically on techniques for gradient estimation, such as, finite difference estimation, perturbation analysis (see Ho, 1984; Glynn, 1989; Suri, 1989), likelihood ratio estimators (see Glynn, 1987; Rubinstein and Shapiro, 1993) and frequency domain experimentation (Schruben and Coglian, 1991)

*Perturbation analysis (PA)* estimates all gradients of an objective function from a single simulation run (Bettonvil 1989), (Glasserman 1991), (Ho and Cao, 1991). The idea is that in a system, if a decision parameter is perturbed by an infinitesimal amount, the sensitivity of the output variable to the parameter can be estimated by tracing its pattern of propagation.

The *likelihood ratio (LR)*, (or the score functions), method involves expressing the performance measure as an integral involving the product of the densities of the underlying random variables. In the (*LR*) the expressing gradient of the expected value of an output variable is expressed as the expected value of a function. Since its introduction to simulation field a significant volume of work on this topic has been reported in the literature. A sample of these works can be found in (Glynn, 1989a), (Glynn, 1989b), (Reiman and Weiss, 1986), (Glynn 1987), (Rubinstein 1991), and (Rubinstein and Shapiro 1993).

As pointed by (Carson and Maria, 1997) *Frequency Domain Methods* is one in which selected input parameters are oscillated sinusoidally at different frequencies during one long simulation run.

Tableau 2: Methods based on continuous input parameter

Simulation optimization methods	References
<b>Metamodel methods</b>	
Response surface metamodels	(Daugherty and Turnquist, 1980), (Myers and Montgomery, 2002), (Santner et al, 2003), (Myers et al, 2004), (Jaluria, 2009), (Jach P.C, 2008), (Hachicha et al. 2010), (Barton and Meckesheimer, 2006) and (Kleijnen, 2008),
Regression spline metamodels	(Eubank, 1988), (Breiman, 1991), (Friedman, 1991).
Spatial correlation (kriging) metamodels	(Sacks and al, 1989), (Simpson and al, 1998), (Booker et al, 1999), (Meckesheimer et al, 2002), (Mitchell and Morris, 1992), ( Barton, 1992; 1998), (Kleijnen, 2005), (Santner et al, 2003).
Radial basis function metamodels	(Franke, 1982), (Tu and Barton, 1997), (Shin et al, 2002).
Neural network metamodels	(Masson and Wang, 1990), (Kolmogorov, 1961), (Netlab, 2005).
<b>Gradient Approaches</b>	
Perturbation analysis	(Bettonvil 1989), (Glasserman 1991), (Ho and Cao, 1991), (Wardi et al, 1991), (Chong and Ramadge, 1993), (Fu and Hu, 1994), (Donohue and Spearman, 1993), (Dai, 2000),
Harmonic analysis	(Jacobson and Schruben 1999).
Likelihood ratios	(Glynn, 1989b), (Glynn, 1989a), (Reiman and Weiss, 1986), (Glynn 1987), (Rubinstein 1991), (Rubinstein and Shapiro 1993), (Fu, 1994), (Nakayama and Shahabudin, 1998), (Nakayama et al, 1994), (Andradottir, 1996), (Fu and Hu, 1999).
Finite difference	(Fu, 2006), (Pegden and Gately, 1977), (Chen et al, 2008), (Fu, 2007).
Frequency domain analysis	(Schruben and Cogliano, 1981), (Hazra et al, 1997), (Heidergott, 1995), (Morrice and Schruben, 1989)
<b>Non-gradient approaches</b>	
Sample path optimization	(Gurkan et al, 1994), (Robinson, 1996), (Plambeck et al, 1996), (Healy and Schruben, 1991), (Healy and Xu, 1994), (Robinson, 1996), (Shapiro and Wardi, 1996), (Kleywegt et al, 2001), (Hunt, 2005).
Simplex search method	(Azadavir and Lee, 1988), (Haddock and Bengu, 1987), (Barton and Ivey, 1991; 1996), (Barton and Ivey, 1996), (Humphrey and Wilson, 1998),
Hooke and Jeeves method	(Haddock and Bengu, 1987)

Frequency domain experiments involve addressing three questions: how does one determine the unit of the experimental or oscillation index, how does one select the driving frequencies, and how does one set the oscillation

amplitudes. For more details on this technique, see (Schruben and Cogliano, 1981), (Morrice and Schruben, 1989), (Hazra et al, 1997), (Heidergott, 1995), *Harmonic analysis* (Jacobson and Schruben 1999), have been studied with the objective of developing efficient gradient estimators applicable to a broad class of discrete-event simulation models. These gradient estimators are then imbedded in optimization algorithms which control the step size taken in the gradient direction at each iteration.

**b) Non-gradient based approaches**

Non-gradient approaches provide an alternative to gradient estimation-based procedures. These methods include the *Nelder-Mead (simplex) method*, the *Hooke and Jeeves method* and *Sample Path Method*. The main idea of these methods is to take a large enough set of samples so that the stochastic problem is basically turned back into a deterministic problem to which the tools of nonlinear programming could be applied; for more details, see (Haddock and Bengu, 1987), (Barton and Ivey, 1991; 1996), (Gurkan et al, 1994), (Robinson, 1996), (Humphrey and Wilson, 1998), (Kleywegt et al, 2001)

**3.2 Global search methods**

Different methods can be used, such as evolutionary algorithms, simulated annealing, tabu search, Bayesian/sampling algorithms, and gradient surface method. Several of them are iterative.

**3.2.1 Evolutionary Algorithms**

*Evolutionary Algorithms* (EAs) are population-based metaheuristic optimization algorithms that use biology-inspired mechanisms like mutation, crossover, natural selection, and survival of the fittest in order to refine a set of solution candidates iteratively. The most popular (EA) are Genetic Algorithms (GAs), Evolutionary Programming (EP) and Evolution strategy (ES). For more material on the (EAs) see for example: (Back and al, 1997), (Hall et al, 1996), (Schwefel, 1995), (Biethahn and Nissen, 1994), (Maria, 1995), (Pierraval and Tautou, 1997), (Muhlebein, 1997), (Pirreval and Paris, 2000), (Cassady et al, 2000), (Yuan, 2009), (Farzanegan and Vahidipour, 2009).

**3.2.2 Simulated Annealing**

*Simulated Annealing* (SA) is a stochastic optimization method analogous to the physical annealing process where an alloy is cooled gradually so that a minimal energy state is achieved. Overviews of this heuristic can be found in (Kirkpatrick et al, 1983), (Van Laarhoven and Aarts, 1987), (Johnson et al, 1989), (Eglese, 1990) and (Koulamas et al, 1994), (Fleischer, 1995), (Alrefaei et al, 1995).

**3.2.3 Tabu Search**

*Tabu Search* (TS) developed by (Fred Glover, 1989) is distinguished by introducing adaptive memory into meta-

heuristic search, together with associated strategies for exploiting such memory, equipping it to penetrate complexities that often confound other approaches.

Tableau 3: Methods based on Global search

Simulation Optimization methods	References
Bayesian Sampling algorithms	(Lorenzen, 1985), (Easom, 1990), (Stuckman and Easom, 1992)
Gradient Surface Methods	(Ho et al, 1992), (Fu, 2007).
Simulated Annealing	(Van Laarhoven and Aarts, 1987), (Johnson et al, 1989), (Eglese, 1990), (Koulamas et al, 1994), (Stuckman et al, 1991), (Chen et al, 2008), Kirkpatrick et al, 1983), (Fleischer, 1995), (Alrefaei et al, 1995), (Manz et al, 1989), (Brady and McGravey, 1998), (April et al, 2003), (Barretto et al, 1998), (Suman and Kumar, 2006), (Mahmoud et al, 2009).
Tabu Search	(Glover, 1989; 1990), (Glover and Laguna, 1997), (Hu, 1992), (Osman, 1993), (Lutz et al, 1998), (Martin et al, 1998), (Dengis and Alabas, 2000), (April et al, 2003), (Hedar and Fukushima, 2006).
Evolutionary Algorithms	(Biethahn and Nissen, 1994), (Maria, 1995) (Schwefel, 1995), (Hall et al, 1996), (Back et al, 1997), (Pierraval and Tautou, 1997), (Muhlebein, 1997), (Pirreval and Paris, 2000), (Cassady et al, 2000), (April et al, 2003), (Haupt and Haupt, 2004) (Yuan, 2009), (Farzanegan and Vahidipour, 2009).

TS is an adaptive procedure with the ability to utilize many other methods which it directs to overcome their limitations of getting stuck in local optima. For more details for this method the reader can referred to (Osman, 1993), (Glover and Laguna, 1997), (Hu, 1992), (Osman, 1993), (Lutz et al, 1998), (Martin et al, 1998), (Dengis and Alabas, 2000), (April et al, 2003), (Hedar and Fukushima, 2006).

### 3.2.4 Bayesian/sampling algorithms

The Bayesian/Sampling (B/S) methodology is a search strategy where at each iteration; the next guess is chosen to be the point that maximizes the probability of not exceeding the previous value by some positive constant. See (Lorenzen, 1985) and (Easom, 1990) for more details.

### 3.2.5 Gradient surface method

Gradient surface method (GSM) combines the advantages of response surface methodology (RSM) and effi-

cient derivative estimation techniques like perturbation analysis (PA) or likelihood ratio method (LR). In GSM, the gradient estimation is obtained by PA (or LR), and the performance gradient surface is obtained from observations at various points in a fashion similar to the RSM. Zero points of the successive approximating gradient surface are then taken as the estimates of the optimal solution. GSM is characterized by several attractive features: it is a single-run method and more efficient than RSM; it uses at each iteration step the information from all data points rather than just the local gradient; it tries to capture the global features of the gradient surface and thereby quickly arrives at the vicinity of the optimal solution. See (Ho et al, 1992) and (Fu, 2007) for more details.

## 4. CONCLUSION

Simulation Optimization (SO) is an optimization itself; it is required if one wants to find the best steady-state values of important process variables. This is an active research area that has sparked as much interest in the academic world as in practical settings. The most exciting developments are usually reported annually in the Winter Simulation Conference. In this paper we provide a general overview of the different approaches for simulation optimization with all classification criteria found in the research literature and we propose a global classification scheme of SO methods. Comparative studies based on performances measure between these approaches will be our research perspective.

## REFERENCES

Almeder.C., Preusser. M. (2007) a hybrid simulation optimization approach for supply chains. *Proc. EUROSIM*, pp. 9-13 Sept, Ljubljana, Slovenia

Andradottir, S. (1996) Optimization of the transient and steady-state behavior of discrete event systems. *Management Science*, 42, pp.717-737.

Andradóttir, S. (1998). A review of simulation optimization techniques. In: Medeiros, D.J., Watson, E.F., Carson, J.S., Manivannan, M.S. (Eds.), *Proceedings of the 1998 Winter Simulation Conference*. IEEE Press, Piscataway, NJ, pp. 151–158.

Andradottir, S. (2005). An overview of simulation optimization via random search. Chapter 21 in *Handbooks in Operations Research and Management Science: Simulation*, S.G. Henderson and B.L. Nelson, eds., Elsevier.

Andradóttir, S. (2006). An overview of simulation optimization with random search. In *Handbooks in Operations Research and Management Science: Simulation*, ed. S.G. Henderson and B.L. Nelson, Chapter 20, pp. 617-632. Elsevier.

April, J., Glover, F., Kelly, J. P., & Laguna, M. (2003). Practical introduction to simulation optimization. In *Proceedings of the 2003 winter simulation conference*, Vol. 1 pp. 71–78, New Orleans, LA.

Azadivar, F. and Lee, Y. (1988) Optimization of discrete-variable stochastic systems *by computer simulation*.



- Mathematics and Computers in Simulation*, 30, pp. 331-345.
- Azadivar, F (1992). A tutorial on simulation optimization. in *Proceedings of the 1992 Winter Simulation Conference*. J.J. Swain, D.Goldsman, R.Crain and J.R.Wilson, eds IEEE, Piscataway, NJ, pp. 198-204.
- Back, T., Hammel, K. and Schwefel, H.P. (1997). Evolutionary computation: comments on the historical and current state. *IEEE Transactions on Evolutionary Computation*, 1, pp. 3-16.
- Barretto, M.R.P., Brito, N.M.J., Chwif, L. and Moseato, L.A. (1998). Scheduling with the LEO algorithm. Technical Report. *Society of Manufacturing Engineers*, pp.10-17.
- Barretto, M.R.P., Eldabi, T., Chwif, L. and Paul, J.R. (1999) Simulation optimization with the linear move and exchange move optimization algorithm, in *Proceedings of the 1999 Winter Simulation Conference*. IEEE Press, Piscataway, NJ, pp. 806-811.
- Barton, R.R. (1992). Metamodels for simulation input-output relations. In: Swain, J.J., Goldsman, D., Crain, R.C., Wilson, J.R. (Eds.), *Proceedings of the 1992 Winter Simulation Conference*. IEEE Press, Piscataway, NJ, pp. 289-299.
- Barton, R.R. (1998). Simulation metamodels. In: Medeiros, D.J., Watson, E.F., Carson, J.S., Manivannan, M.S. (Eds.), *Proceedings of the 1998 Winter Simulation Conference*. IEEE Press, Piscataway, NJ, pp. 167-174.
- Barton, R.R. and J.S. Ivey. (1991). Modifications of the nelder-mead simplex method for stochastic simulation response optimization. *Proceedings of the 1991 Winter Simulation Conference*, pp.945-953.
- Barton, R.R. and J.S. Ivey. (1996). Nelder-mead simplex modifications for simulation optimization. *Management Science* 42, pp.954-973.
- Barton, R. R., and M. Meckesheimer. (2006). Meta-modelbased simulation optimization. In *Handbooks in Operations Research and Management Science: Simulation*, ed. S. G. Henderson and B. L. Nelson, Chapter 18, pp.535-574. Elsevier
- Bechhofer, R.E., Santner, T.J. and Goldsman, D. (1995) *Design and Analysis of Experiments of Statistical Selection, Screening, and Multiple Comparisons*, Wiley, New York, NY.
- Bettonvil, B. (1989). A formal description of discrete event dynamic systems including infinitesimal perturbation analysis. *European Journal of Operational Research* 42; pp.213-222.
- Biethahn, J. and Nissen, V. (1994). Combinations of simulation and evolutionary algorithms in management science and economics. *Annals of Operations Research*, 52, pp.183-208.
- Blanning W.R (1975), The construction and implementation of metamodels, *Simulation* 24-25 (6) pp. 177-184
- Bofinger, E. and G.J. Lewis. (1992). Two-stage procedures for multiple comparisons with a control. *American Journal of Mathematical and Management Sciences* 12; pp.253-275.
- Booker, A.J., Dennis, J.E., Frank, P.D., Serafini, D.B., Torczon, V., Trosset, M.W. (1999). A rigorous framework for optimization of expensive functions by surrogates. *Structural Optimization* 17, pp.1-13.
- Brady, T. and McGarvey, B. (1998). Heuristic optimization using computer simulation: a study of staffing levels in a pharmaceutical manufacturing laboratory, in *Proceedings of the 1998 Winter Simulation Conference*. IEEE Press, Piscataway, NJ, pp. 1423-1428.
- Branke, J., S. E. Chick, and C. Schmidt. 2007. Selecting a selection procedure. *Management Science* 53; pp.1916-1932.
- Breiman, L. (1991). The  $\Pi$  method for estimating multivariate functions from noisy data (with discussion). *Technometrics* 33, pp.125-160.
- Cassady, C.R., Bowden, R.O., Liew, L. and Pohl, E.A. (2000) Combining preventive maintenance and statistical process control: a preliminary investigation. *IIE Transactions*, 32, pp.471-478.
- Carson, Y. and Maria, A. (1997). Simulation optimization: Methods and Applications. *Proceedings of the 1997 Winter Simulation Conference*
- Chang, H. S., M. C. Fu, J. Hu, and S. I. Marcus. (2007). Simulation-based algorithms for Markov decision processes. *Springer*.
- Chen, C.H. (1995). An effective approach to smartly allocate computing budget for discrete event simulation. *Proceedings of the IEEE Conference on Decision and Control*, pp.2598-2603.
- Chen, C.H. (1996) A lower bound for the correct subset selection probability and its application to discrete event system simulations. *IEEE Transactions on Automatic Control*, 41, pp.1227-1231.
- Chen, H. C., C. H. Chen, L. Dai, and E. Yucusan. (1997). New development of optimal computing budget allocation for discrete event simulation. In *Proceedings of the 1997 Winter Simulation Conference*, pp.334-341. Piscataway, NJ: IEEE.
- Chen, C. H., Fu, M., Shi, L. (2008). Simulation and Optimization, *Tutorials in Operations Research*, pp. 247-260, Informs, Hanover, MD
- Chong, E.K.P. and Ramadge, P.J. (1993) Optimization of queues using infinitesimal perturbation analysis. *SIAM Journal on Control and Optimization*, 31, pp.698-732.
- Dai, L. (1995). Convergence properties of ordinal comparison in the simulation of discrete event dynamic systems. *Proceedings of the IEEE Conference on Decision and Control*, pp.2604-2609.
- Dai, L. (2000) Perturbation analysis via coupling. *IEEE Transactions on Automatic Control*, 45, pp.614-628.
- Damerdj, H. and M.K. Nakayama. (1996). Two-stage procedures for multiple comparisons with a control in steady-state simulations. *Proceedings of the 1996 Winter Simulation Conference*, pp.372-375.
- Damerdj, H. and M.K. Nakayama. (1999). Two-stage multiple-comparison procedures for steady-state simulations. *ACM Transactions on Modeling and Computer Simulations* 9; pp.1-30.

- Deng, M. and Y.C. Ho. (1997). Iterative ordinal optimization and its application. *Proceedings of the IEEE Conference on Decision and Control*, pp.3562-3567.
- Deng, M., Y.C. Ho, and J.Q. Hu. (1992). *Effect of correlated estimation errors in ordinal optimization. Proceedings of the 1992 Winter Simulation Conference*, pp.466-474.
- Dengiz, B. and Alabas, C. (2000) Simulation optimization using tabu search, in *Proceedings of the 2000 Winter Simulation Conference*, IEEE Press, Piscataway, NJ, pp. 805-810.
- Dolgui, A. and D. Ofitserov. (1997). A stochastic method for discrete and continuous optimization in manufacturing systems. *Journal of Intelligent Manufacturing*, 8; pp.405-413.
- Donohue, K.L. and Spearman, M.L. (1993) Improving the design of stochastic production lines--an approach using perturbation analysis. *International Journal of Production Research*, 31, pp.2789-2806.
- Easom, E. (1990) A survey of global optimization techniques. *M.S. thesis. University of Louisville, Louisville, KY*.
- Eubank, R.L. (1988). Spline Smoothing and Nonparametric Regression. *Dekker, New York*.
- Eglese, R.W. (1990) Simulated annealing: a tool for operational research. *European Journal of Operational Research*, 46, pp.271-281.
- Farzanegan, A, Vahidipour. S. M, (2009). Optimization of comminution circuit simulations based on genetic algorithms search method. *Minerals Engineering* 22, pp.719-726
- Fleischer, M. (1995). Simulated Annealing: Past, Present, and Future, *Proceedings of the 1995 Winter Simulation Conference*, pp.155-161
- Friedman, J.H. (1991). Multivariate adaptive regression splines. *The Annals of Statistics* 19, pp.1-141.
- Franke, R. (1982). Scattered data interpolation: Tests of some methods. *Mathematics of Computation* 38, pp.181-200.
- Fu, M.C. (1994) Optimization via simulation: a review. *Annals of Operations Research*, 53, pp. 199-247.
- Fu, M. C. (2006). Simulation Optimization of Traffic Light Signal Timings via Perturbation Analysis. *Smith School of Business Institute for Systems Research. University of Maryland*
- Fu, M. C. (2007). Are we there yet? the marriage between simulation & optimization. *OR/MS Today* June; pp.16-17.
- Fu, M. C. (2008). What you should know about simulation and derivatives. *Naval Research Logistics. forthcoming*
- Fu, M.C. and Hu, J.Q. (1994) Smoothed perturbation analysis derivative estimation for Markov chains. *Operations Research Letters*, 15, pp.241-251.
- Fu, M. C., F. W. Glover and J. April (2005) Simulation optimization: a review, new developments, and applications, paper presented at *Proceedings of the 2005 Winter Simulation Conference*, pp.83-95, Piscataway, New Jersey, USA.
- Fu, M.C, Chen C.Chung, and Shi. L, (2008) Some topics for simulation optimization. *Proceedings of the 2008 Winter Simulation Conference*.
- Fu, M.C. and Hu, J.Q. (1999) Efficient design and sensitivity analysis of control charts using Monte Carlo simulation. *Management Science*, 45, pp.395-413.
- Glasserman, P. (1991). Gradient Estimation via Perturbation Analysis. *Kluwer Academic Publishers, Boston, Massachusetts*.
- Glover, F. (1989). Tabu Search - Part I, *ORSA Journal on Computing*, Vol. 1, No. 3, Summer 1989.
- Glover, F. (1990). Tabu Search - Part II, *ORSA Journal on Computing*, Vol. 2, No. 1, Winter 1990
- Glover, F. and Laguna, M. (1997) Tabu Search, *Kluwer, Norwell, MA*.
- Glover, F., J. P. Kelly, and M. Laguna. (1996). New Advances and Applications of Combining Simulation and Optimization, *Proceedings of the 1996 Winter Simulation Conference*, pp.144-152.
- Glynn, P.W. (1987). Likelihood ratio gradient estimation: an overview. *Proceedings of the 1987 Winter Simulation Conference*, pp.366-375.
- Glynn, P. W. (1989a). Likelihood Ratio Derivative Estimators for Stochastic Systems, *Proceedings of the 1989 Winter Simulation Conference*, pp. 374-380.
- Glynn, P. W. (1989b). Optimization of Stochastic Systems Via Simulation, *Proceedings of the 1989 Winter Simulation Conference*, pp.90-105.
- Goldsman, D. and B.L. Nelson. (1990). Batch-size effects on simulation optimization using multiple comparisons. *Proceedings of the 1990 Winter Simulation Conference*, pp.288-293.
- Goldsman, D. and B.L. Nelson. (1998). Comparing systems via simulation. In *Handbook on Simulation*, ed. J. Banks, John Wiley & Sons, Inc., New York.
- Goldsman, D. and B.L. Nelson. (1998b). Statistical screening, selection and multiple comparison procedures in computer simulation. *Proceedings of the 1998 Winter Simulation Conference*, pp.159-166.
- Gurkan, G., A.Y. Ozge, and S.M. Robinson. (1994). Sample-path optimization in simulation. *Proceedings of the 1994 Winter Simulation Conference*, pp.247-254.
- Hachicha, W., Ammeri, A., Masmoudi, F., Chabchoub, H. (2010). A multi-product lot size in make-to-order supply chain using discrete event simulation and response surface methodology. *International Journal of Services, Economics and Management*, In press.
- Haddock, J. and G. Bengu. (1987). Application of a simulation optimization system for a continuous review inventory system. *Proceedings of the 1987 Winter Simulation Conference*, pp.382-390
- Haddock, J. and J. Mittenhall. (1992). Simulation optimization using simulated annealing. *Computers and Industrial Engineering* 22; pp.387-395.
- Hall, J.D. and R.O. Bowden. (1997). Simulation optimization by direct search: a comparative study. *Proceedings of the 6th International Industrial Engineering Research Conference*, pp.298-303.

- Hall, J., Bowden, R. and Usher, J. (1996) Using evolution strategies and simulation to optimize a pool production system. *Journal of Materials Processing Technology*, 61, pp.47-52.
- Haupt, R. L., & Haupt, S. E. (2004). Practical genetic algorithms (2nd ed.). *New York: John Wiley*.
- Hazra, M.M., Morrice, D.J. and Park, S.K. (1997) A simulation clock-based solution to the frequency-domain experiment indexing problem. *IIE Transactions*, 29, pp.769-782.
- Hedar, A. R., & Fukushima, M. (2006). Tabu search directed by direct search methods for nonlinear global optimization. *European Journal of Operational Research*, 170(3), pp.329-349
- Heidergott, B. (1995) Sensitivity analysis of a manufacturing workstation using perturbation analysis techniques. *International Journal of Production Research*, 33, pp.611-622.
- Healy K. J. and L. W. Schruben. (1991). Retrospective simulation response optimization. In *Proceedings of the 1991 Winter Simulation Conference*, ed. B. L. Nelson, W. D. Kelton, and G. M. Clark, pp.901-906. Institute of Electrical and Electronics Engineers, Piscataway, New Jersey.
- Healy K. J. and Y. Xu. (1994). Simulation based retrospective approaches to stochastic system optimization. Preprint
- Ho, Y.C. (1994). Overview of ordinal optimization. *Proceedings of the IEEE Conference on Decision and Control*, pp.1975-1977.
- Ho, Y.C. and M. Deng. (1994). The problem of large search space in stochastic optimization. *Proceedings of the IEEE Conference on Decision and Control*, pp. 1470-1475.
- Ho, Y.C. and M.E. Larson. (1995). Ordinal optimization approach to rare event probability problems. *Discrete Event Dynamic Systems: Theory and Applications* 5; pp.281-301.
- Ho, Y.C., Shi, L., Dai, L. and Gong, W.B. (1992) Optimizing discrete event dynamic systems via the gradient surface method. *Discrete Event Dynamic Systems*, 2, pp.99-120.
- Ho, Y.C., R. Sreenivas, and P. Vakili. (1992). Ordinal optimization of discrete event dynamic systems. *Discrete Event Dynamical Systems* 2, pp.61-88.
- Ho, Y.C. and Cao, R. (1991) Perturbation Analysis of Discrete Event Dynamic Systems, *Kluwer, Norwell, MA*.
- Hu, N.F. (1992) Tabu search method with random moves for globally optimal-design. *International Journal for Numerical Methods in Engineering*, 35, pp.1055-1070.
- Hsu, J.C. (1984). Constrained simultaneous confidence intervals for multiple comparisons with the best. *Annals of Statistics* 12; pp.1136-1144.
- Hsu, J.C. and B.L. Nelson. (1988). Optimization over a finite number of system designs with one-stage sampling and multiple comparisons with the best. *Proceedings of the 1988 Winter Simulation Conference*, pp.451-457.
- Humphrey, D.G. and J.R. Wilson. (1998). A revised simplex search procedure for stochastic simulation response-surface optimization. *Proceedings of the 1998 Winter Simulation Conference*, pp.751-759.
- Hurrion. R.D, S. Birgil, (1999) A comparison of factorial and random experimental design methods for the development of regression and neural network simulation metamodels, *Journal of the Operational Research Society* 50 pp.1018-1033.
- Hunt, F. Y. (2005). Sample path optimality for a Markov optimization problem. *Stochastic Processes and Their Applications*, 115(6), pp.769-779.
- Hyden, P. and L.W. Schruben. (1999). Designing simultaneous simulation experiments. *Proceedings of the 1999 Winter Simulation Conference*, pp.389-394
- Jack P.C. Kleijnen (2008). Response surface methodology for constrained simulation optimization: An overview. *Simulation Modelling Practice and Theory* 16, pp. 50-64
- Jacobson, S.H. and L.W. Schruben. (1999). A harmonic analysis approach to simulation sensitivity analysis. *IIE Transactions* 31, pp. 231-243.
- Jaluria, Y ; (2009). Simulation-based optimization of thermal systems. *Applied Thermal Engineering* 29, pp.1346-1355
- Johnson, D.S., Aragon, C.R., McGeoch, K.A. and Schevon, C. (1989) Optimization by simulated annealing: an experimental evaluation: part 1, graph partitioning. *Operations Research*, 37, pp.865-893.
- Kabirian, A., Olafsson, S., (2007). Allocation of simulation runs for simulation optimization. In: *Proceedings of the 2007 Winter Simulation Conference*, pp 363-371.
- Kampf, M. & Kochel, P. (2006). Simulation-based sequencing and lot size optimisation for a production-and-inventory system with multiple items. *International Journal of Production Economics*, 104, pp.191-200
- Kim.S and Nelson.B (2006). Selecting the best system. *Handbook in OR & MS*, Vol. 13
- Kim, S. (2006). Gradient-based simulation optimization. In *Proceedings of the 2006 winter simulation conference* ; pp. 159-167 Monterey, CA.
- Kleijnen, J.P.C. (1987). Statistical Tools for Simulation Practitioners. *Dekker, New York*.
- Kleijnen, J.P.C. (1995). Sensitivity analysis and optimization simulation: design of experiments and case studies, In *Proceedings of the 1995 winter simulation conference*, C. Alexopoulos, K.Kang, W. R. Lilegdon and D.Goldsman, eds IEEE, Piscataway, N,J pp. 133-140.
- Kleijnen, J.P.C. (2005). An overview of the design and analysis of simulation experiments for sensitivity analysis. *European Journal of Operational Research* 164, pp.287-300.
- Kleijnen, J. (2008). Design and analysis of simulation experiments. *New York: Springer*.
- Kleywegt, A., A. Shapiro, and T. Homem-de-Mello. (2001). the sample average approximation method for

- stochastic discrete optimization. *SIAM Journal on Optimization* 12 ; pp.479–502.
- Koenig, L.W. and A.M. Law. (1985). A procedure for selecting a subset of size  $m$  containing the  $l$  best of  $k$  independent normal populations, with applications to simulation. *Communications in Statistics* B14:719
- Koulamas, C., Antony, S.R. and Jaen, R. (1994) A survey of simulated annealing applications to operations research problems. *International Journal of Management Sciences*, 22, pp. 41-56.
- Kochel, P.; Kunze, S.; Nielander, U., (2003). Optimal control of a distributed service system with moving resources: Application to the fleet sizing and allocation problem. *Internat. Journal of Production Economics*, v.81-82, pp.443-459
- Kochel, P. & Nielander, U. (2002). Kanban optimization by simulation and evolution. *Production Planning & Control*, 13, pp.725-734
- Kochel, P. & Nielander, U. (2005). Simulation-based optimisation of Multi-echelon inventory systems. *International Journal of Production Economics*, 93-94, pp.505-513.
- Lau, T.W.E. and Ho, Y.C. (1997) Universal alignment probabilities and subset selection for ordinal optimization. *Journal of Optimization Theory Applications*, 93, pp. 455-489.
- Law, A.M., Kelton, W.D. (2000). Simulation Modeling and Analysis, 3rd edition. *McGraw Hill, New York*.
- Lee, L.H, T.W.E. Lau., and Y.C. Ho. (1999). Explanation of goal softening in ordinal optimization. *IEEE Transactions on Automatic Control* (44); pp.94-98.
- Lee, Y.H., K.J. Park, and Y.B. Kim. (1997). *Single run optimization using the reverse-simulation method. Proceedings of the 1997 Winter Simulation Conference*, pp.187-193.
- Liepins, G.E. and Hilliard, M.R. (1989) Genetic algorithms: foundations and applications. *Annals of Operations Research*, 21, pp.31-58.
- Lorenzen, T.J. (1985) Minimum cost sampling plans using Bayesian methods. *Naval Research Logistics*, 32, pp.57-69.
- Lutz, C.M., Davis, K.R. and Sun, M.H. (1998) Determining buffer location and size in production lines using tabu search. *European Journal of Operational Research*, 106, pp.301-316.
- Mahmoud H. Alrefaei , Ali H. Diabat (2009) A simulated annealing technique for multi-objective simulation optimization. *Applied Mathematics and Computation* 215, pp.3029–3035
- Manz, E.M., Haddock, J. and Mittenthal, J. (1989) Optimization of an automated manufacturing system simulation model using simulated annealing, in *Proceedings of the 1989 Winter Simulation Conference*. IEEE Press, Piscataway, NJ, pp. 390-395.
- Maria, A. (1995). Genetic Algorithm for Multimodal Continuous Optimization Problems, *PhD Dissertation, University of Oklahoma, Norman*.
- Martin, A.D., Chang, T.M., Yih, Y. and Kincaid, R.K. (1998) Using tabu search to determine the number of kanbans and lotsizes in a generic kanban system. *Annals of Operations Research*, 78, pp.201-217.
- Matejcek, F.J. and B.L. Nelson. (1993). Simultaneous ranking, selection and multiple comparisons for simulation. *Proceedings of the 1993 Winter Simulation Conference*, pp.386-392.
- Matejcek, F.J. and B.L. Nelson. (1995). Two-stage multiple comparisons with the best for computer simulation. *Operations Research* 43, pp.633-640.
- Másson, E., Wang, Y.-J. (1990). Introduction to computation and learning in artificial neural networks. *European Journal of Operational Research* 47, pp.1–28.
- Meckesheimer, M., Booker, A.J., Barton, R.R., Simpson, T.W. (2002). Computationally inexpensive meta-model assessment strategies. *AIAA Journal* 40, pp. 2053–2060.
- Mitchell, T.J., Morris, M.D. (1992). The spatial correlation function approach to response surface estimation. In: Swain, J.J., Goldsman, D., Crain, R.C., Wilson, J.R. (Eds.), *Proceedings of the 1992 Winter Simulation Conference*. IEEE Press, Piscataway, NJ, pp. 565–571.
- Morrice, D. J., and L. W. Schruben. (1989). Simulation Sensitivity Analysis Using Frequency Domain Experiments, *Proceedings of the 1989 Winter Simulation Conference*, pp.367-373.
- Morrice, D.J., J. Butler, and P.W. Mullarkey. (1998). An approach to ranking and selection for multiple performance measures. *Proceedings of the 1998 Winter Simulation Conference*, pp.719-725.
- Morrice, D.J., J. Butler, P.W. Mullarkey, and S. Gavireni. (1999). Sensitivity analysis in ranking and selection for multiple performance measures. *Proceedings of the 1999 Winter Simulation Conference*, pp.618-624.
- Muhlenbein, H. (1997). Genetic algorithms. In *Local Search in Combinatorial Optimization*, eds. E. Aarts and J.K. Lenstra, pp.137-172.
- Myers, R.H., Montgomery, D.C. (2002). Response Surface Methodology: Process and Product Optimization Using Designed Experiments, *2nd edition. Wiley, New York*.
- Myers, R. H., Montgomery, D. C., Vining, G. G., Borror, C. M., & Kowalski, S. M. (2004). Response surface methodology: A retrospective and literature survey. *Journal of Quality Technology*, 36(1), pp.53–77
- Nakayama, M.K. (1995). Selecting the best system in steady-state simulations using batch means. *Proceedings of the 1995 Winter Simulation Conference*, pp.362-366.
- Nakayama, M.K. (1996) Multiple comparisons with the best in steady-state simulations. *Proceedings of the Second International Workshop on Mathematical Methods in Stochastic Simulation and Experimental Design*, pp.230-235.
- Nakayama, M.K. (1997). Multiple-comparison procedures for steady-state simulations. *Annals of Statistics* 25:2433-2450.
- Nakayama, M.K. and Shahabuddin, P. (1998) Likelihood ratio derivative estimation for finite-time performance

- measures in generalized semi-Markov processes. *Management Science*, 44, pp.1426-1441.
- Nakayama, M.K., Goyal, A. and Glynn, P.W. (1994) Likelihood ratio sensitivity analysis for Markovian models of highly dependable systems. *Operations Research*, 42, pp.137-157.
- Nakayama, M.K. (2000). Multiple comparisons with the best using common random numbers in steady-state simulations. *Journal of Statistical Planning and Inference* 85; pp.37-48.
- Nelson, B.L., Swann, J., Goldsman, D. and Song, W. (2001) Simple procedures for selecting the best simulated system when the number of alternatives is large. *Operations Research*, 49, pp.950-963.
- Netlab(2005).HowtouseNetlab.Available at <http://homepages.cae.wisc.edu/~ece539/software/netlab/intro.htm>.
- Nocedal, J., & Wright, S. J. (2006). Numerical optimization (2nd ed.). *New York: Springer-Verlag*
- Ólafsson, S and Kim, J. (2002). Simulation optimization: towards a framework for black-box simulation optimization, *Proceedings of the 2002 Winter Simulation Conference* E. Yücesan, C.-H. Chen, J. L. Snowdon, and J. M. Charnes, eds.
- Osman, I. H. (1993). Metastrategy Simulated Annealing and Tabu Search Algorithms for the Vehicle Routing Problem, *Annals of Operations Research*, 41, pp.421-451
- Paul. Ray. J and Chaney. Tomas.S. (1998). Simulation optimisation using a genetic algorithm. *Simulation Practice and Theory* 6, pp.601-611.
- Pegden, C.D. and Gately, M.P. (1977) Decision optimization for GASP 4 simulation models, in *Proceedings of the 1977 Winter Simulation Conference*. IEEE Press, Piscataway, NJ, pp. 125-133.
- Pflug, G. C. (1996). Optimization of stochastic models. Kluwer Academic.
- Pierreval, H. and Paris, J. (2000) Distributed evolutionary algorithms for simulation optimization. *IEEE Transactions on Systems, Man and Cybernetics, Part A: systems and Humans*, 30, pp.15-24.
- Pierreval, H. and Tautou, L. (1997) Using evolutionary algorithms and simulation for the optimization of manufacturing systems. *IIE Transactions*, 29, pp.181-189.
- Piera, M.A., Guasch, A., and Riera, D., (2004). Optimization of logistic and manufacturing systems through simulation- a colored Petri net-based methodology, *Simulation*, 80(3), 121-129.
- Plambeck, E. L., B.-R. Fu, S. M. Robinson, and R. Suri. (1996). Sample-path optimization of convex stochastic performance functions. *Mathematical Programming* 75; pp.137-176.
- Reiman, M. I. and A. Weiss. (1986). Sensitivity Analysis Via Likelihood Ratios, *Proceedings of the 1986 Winter Simulation Conference*, 285-289.
- Robinson, S.M. (1996). Analysis of sample-path optimization. *Mathematics of Operations Research* 21; pp.513- 528.
- Rosen. S.L, Harmonosky.C.M and Traband.M.T. (2007). A simulation optimization method that considers uncertainty and multiple performance measures. *European Journal of Operational Research* 181, 315-330
- Rubinstein, R.Y. (1991). How to optimize discrete-event systems from a single sample path by the score function method. *Annals of Operations Research* 27; pp.175-212.
- Rubinstein, R.Y. and A. Shapiro. (1993). Discrete Event Systems: Sensitivity Analysis and Stochastic Approximation using the Score Function Method, *John Wiley & Sons, Inc., Chichester*
- Santner, T.J., Williams, B.J., Notz, W.I. (2003). The Design and Analysis of Computer Experiments. *Springer-Verlag, New York*.
- Schruben, L.W. (1997). Simulation optimization using simultaneous replications and event time dilation. *Proceedings of the 1997 Winter Simulation Conference*, pp.177-180.
- Schruben, L.W. and Cogliano, V.J. (1981) Simulation sensitivity analysis: a frequency domain approach, in *Proceedings of the 1981 Winter Simulation Conference*, IEEE Press, Piscataway, NJ, pp. 455-459.
- Schwefel, H. P. (1995). Evolution and Optimum Seeking, *John Wiley*.
- Shapiro, A., and Y. Wardi. (1996). Convergence analysis of gradient descent stochastic algorithms. *Journal on Optimization Theory and Application* 91; pp.439-454.
- Shi, L. and S. Ólafsson. (1997). An integrated framework for deterministic and stochastic optimization. *Proceedings of the 1997 Winter Simulation Conference*, pp.358-365.
- Shi, L., C.H. Chen, and E. Yücesan. (1999). Simultaneous simulation experiments and nested partition for discrete resource allocation in supply chain management. *Proceedings of the 1999 Winter Simulation Conference*, pp.395-401.
- Shin, M., Sargent, R.G., Goel, A.L. (2002). Gaussian radial basis functions for simulation metamodeling. In: Yücesan, E., Chen, C.-H., Snowdon, J.L., Charnes, J.M. (Eds.), *Proceedings of the 2002 Winter Simulation Conference*. IEEE Press, Piscataway, NJ, pp. 483-488
- Simpson, T.W., Mauery, T.M., Korte, J.J., Mistree, F. (1998). Comparison of response surface and kriging-models for multidisciplinary design optimization. In: *7th Symposium on Multidisciplinary Analysis and Optimization*. AIAA-98-4755. AIAA, St. Louis, MO, pp. 381-391.
- Stuckman, B., G. Evans, and M. Mollaghasemi. (1991). Comparison of Global Search Methods for Design Optimization Using Simulation, *Proceedings of the 1991 Winter Simulation Conference*, pp.937-944.
- Suman, B., & Kumar, P. (2006). A survey of simulated annealing as a tool for single and multiobjective optimization. *Journal of the Operational Research Society*, 57(10), pp.1143-1160.
- Swisher, J.R., P.D. Hyden, S.H. Jacobson, and L.W. Schruben. (2004). A survey of of recent advances.in

- discrete in put parameter discrete-event simulation optimization. *IIE Transactions*, 36, pp.591–600.
- Swisher, J.R. and P.D. Hyden (2000). A survey of simulation optimization techniques and procedures. *Proceedings of the 2000 Winter Simulation Conference*.
- Tekin, E., & Sabuncuoglu, I. (2004). Simulation optimization: A comprehensive review on theory and applications. *IIE Transactions*, 36(11), pp.1067–1081.
- Tompkins, G. and F. Azadivar. (1995). Genetic algorithms in optimizing simulated systems. *Proceedings of the 1995 Winter Simulation Conference*, pp.757-762.
- Tomick, J., Arnold, S., Barton, R.R. (1995). Sample size selection for improved Nelder–Mead performance. In: Alexopolous, C., Kang, K., Lilegdon, W.R., Goldsman, D. (Eds.), *Proceedings of the 1995 Winter Simulation Conference*. IEEE Press, Piscataway, NJ, pp. 341–345
- Tukey, J.W. (1953). The problem of multiple comparisons. Unpublished manuscript.
- Tu, C.-H., Barton, R.R. (1997). Production yield estimation by the metamodel method with a boundary-focused experiment design. In: *Proceedings of DETC'97, 1997 ASME Design Engineering Technical Conference*. DETC97/DTM3870. ASME, Fairfield, NJ.
- Van Laarhoven, P.J.M. and Aarts, E.H.L. (1987) Simulated Annealing: Theory and Applications, *Reidel, Dordrecht, The Netherlands*.
- Xie, X. (1997). Dynamics and convergence rate of ordinal comparison of stochastic discrete-event systems. *IEEE Transactions on Automatic Control* 42:586-590.
- Yoo, T.; Cho, H. and Yücesan, E. (2010) Hybrid algorithm for discrete event simulation based supply chain optimization. *Expert Systems with Applications* 37, pp.2354–2361
- Yesilyurt, S., Patera, A.T. (1995). Surrogates for numerical simulations; optimization of eddy-promoter heat exchangers. *Computer Methods in Applied Mechanics and Engineering* 121, pp. 231–257.
- Yuan, F.C.; (2009). Simulation–optimization mechanism for expansion strategy using real option theory. *Expert Systems with Applications* 36, pp.829–837
- Yuan, M. and B.L. Nelson. (1993). Multiple comparisons with the best for steady-state simulation. *ACM Transactions on Modeling and Computer Simulation* 3; pp.66-79.
- Yucesan, E. and Jacobson, S.H. (1996) Computational issues for accessibility in discrete event simulation. *ACM Transactions on Modeling and Computer Simulation*, 6, pp.53-75.
- Zeng, J. and J. Wu. (1993). DEDS (discrete event dynamic systems) simulation-optimization algorithm using simulated-annealing combined with perturbation analysis. *Zidonghua Xuebao Acta Automatica Sinica*, 19; pp.728-731.