PRL **110**, 237601 (2013)

7 JUNE 2013

Room-Temperature Multiferroic Hexagonal LuFeO₃ Films

Wenbin Wang, 1,2 Jun Zhao, 3,8 Wenbo Wang, 2 Zheng Gai, 5 Nina Balke, 6 Miaofang Chi, 2 Ho Nyung Lee, 2 Wei Tian, 7 Leyi Zhu,⁶ Xuemei Cheng,⁸ David J. Keavney,⁹ Jieyu Yi,¹ Thomas Z. Ward,² Paul C. Snijders,² Hans M. Christen, Weida Wu, Jian Shen, 10,1,*,† and Xiaoshan Xu^{2,*,‡}

¹Department of Physics, University of Tennessee, Knoxville, Tennessee 37996, USA ²Materials Science and Technology Division, Oak Ridge National Laboratory, Oak Ridge, Tennessee 37831, USA ³Department of Physics, University of California, Berkeley, California 94720, USA ⁴Department of Physics and Astronomy, Rutgers University, Piscataway, New Jersey 08854, USA ⁵Center for Nanophase Materials Sciences, Oak Ridge National Laboratory, Oak Ridge, Tennessee 37831, USA ⁶Materials Science Division, Argonne National Laboratory, Argonne, Illinois 60439, USA 7 Quantum Condensed Matter Division, Oak Ridge National Laboratory, Oak Ridge, Tennessee 37831, USA 8 Department of Physics, Bryn Mawr College, Bryn Mawr, Pennsylvania 19010, USA ⁹Advanced Photon Source, Argonne National Laboratory, Argonne, Illinois 60439, USA ¹⁰State Key Laboratory of Surface Physics and Department of Physics, Fudan University, Shanghai 200433, China (Received 10 January 2013; published 4 June 2013)

The crystal and magnetic structures of single-crystalline hexagonal LuFeO₃ films have been studied using x-ray, electron, and neutron diffraction methods. The polar structure of these films are found to persist up to 1050 K; and the switchability of the polar behavior is observed at room temperature, indicating ferroelectricity. An antiferromagnetic order was shown to occur below 440 K, followed by a spin reorientation resulting in a weak ferromagnetic order below 130 K. This observation of coexisting multiple ferroic orders demonstrates that hexagonal LuFeO₃ films are room-temperature multiferroics.

DOI: 10.1103/PhysRevLett.110.237601 PACS numbers: 77.55.Nv, 61.05.cp, 75.25.-j, 75.85.+t

The coexistence and coupling of ferroelectric and magnetic orders in multiferroic materials promise many improvements over singly ordered ferroic materials for next generation applications in information technology, sensing, and actuation [1-3]. For widespread implementation of this technology, coexistence of long range magnetic and electric orders at room temperature will be required; at present, there is only one material, BiFeO₃, known to exhibit ferroelectric and antiferromagnetic orders above room temperature [4]. Hexagonal ferrites (h-RFeO₃, R =Sc. Y. and Ho-Lu) are expected to be ferroelectric due to the polar structure that lies at the origin of the ferroelectricity of YMnO₃ above room temperature ($T_C \approx 1000 \text{ K}$) [5]. In fact, the evidence of ferroelectricity has been found in h-YbFeO₃ films below 470 K [6]. Antiferromagnetic spin structures involving a triangular arrangement of the moments in the a-b plane are expected in h- $RFeO_3$ due to the structural symmetry [7]. Despite the frustration created by the triangular lattice, the strong interactions between the Fe³⁺ sites due to high spin and large Fe-O interactions [8,9] are expected to greatly increase the magnetic ordering temperature of h-RFeO₃ compared with that of RMnO₃ $(T_N \approx 100 \text{ K})$ [10]. This makes h-RFeO₃ promising candidates to be room-temperature multiferroics.

Here we focus on LuFeO₃, which is known to crystallize in both orthorhombic (o-LuFeO₃) and presently investigated hexagonal (h-LuFeO₃) structures. Orthorhombic LuFeO₃ is stable in bulk with a nonpolar Pbnm structure and exhibits C-type antiferromagnetism below $T_N = 620 \text{ K}$ [8]. In contrast, a polar $P6_3cm$ structure has been found in bulk (metastable) and thin film h-LuFeO₃ at room temperature [11,12]. A weak ferromagnetic order below 120 K has been recently reported in h-LuFeO₃ films [13]. While the polar structure of h-LuFeO₃ suggests ferroelectricity, the structural phase transitions have not been investigated. More importantly, the magnetic ordering temperature (the aforementioned key factor of the roomtemperature multiferroicity in h-RFeO₃) and the detailed magnetic structure have not been unambiguously determined in h-LuFeO₃. In this work, we show, using a combined investigation of neutron scattering and magnetometry, that an antiferromagnetic order occurs in h-LuFeO₃ films below $T_N = 440$ K, followed by a spin reorientation below $T_R = 130$ K as the origin of the previously observed weak ferromagnetic order. We also show that the polar structure P63cm in h-LuFeO3 films persists up to 1050 K according to the electron and x-ray diffraction measurements. The switchability of the polar behavior is observed using piezoelectric force microscopy at room temperature, providing strong evidence of ferroelectricity. These observations demonstrate that the h-LuFeO3 films are multiferroic at room temperature.

Hexagonal LuFeO₃ films (20-60 nm) have been grown epitaxially using pulsed laser deposition both onto α -Al₂O₃ (001) substrates and onto sputtered epitaxial Pt films (30 nm) on α -Al₂O₃ (001) substrates [14]. The film structure was determined in situ by reflection high energy electron diffraction (RHEED) and ex situ by x-ray diffraction (XRD) and transmission electron microscopy [15]. Piezoresponse force microscopy (PFM) was studied on the h-LuFeO₃/Pt/Al₂O₃ films. The neutron diffraction experiments were carried out on a stacked h-LuFeO₃ films on the HB1A thermal triple axis spectrometer at the High Flux Isotope Reactor, Oak Ridge National Laboratory. The temperature dependence of the magnetization was measured using a superconducting quantum interference device (SQUID) magnetometer. The temperature dependence of x-ray spectroscopy was studied using polarized synchrotron at beam line 4-ID-C at the Advanced Photon Source.

As shown in Fig. 1(a), the x-ray diffraction data indicate that the h-LuFeO₃ films are grown along the [001] direction without detectable impurity phases. The RHEED image shows intense diffraction streaks separated by weak streaks [Fig. 1(b)], which can be understood in terms of the detailed structure of h-LuFeO₃. The P6₃cm structure can be viewed as a result of the distortions from a nonpolar $P6_3/mmc$ structure with alternating LuO₂ and FeO layers [Fig. 2(a)]. The distortions include the rotations of the FeO₅ trigonal bipyramids with propagation vector $\vec{K} =$ (1/3, 1/3, 0) corresponding to a $\sqrt{3} \times \sqrt{3}$ reconstruction in the a-b plane (tripling the unit cell) and the displacements of the Lu atoms along the c axis with $\vec{K} = (0, 0, 0)$ which breaks the inversion symmetry and allows for an electric polarization along the c axis [Figs. 2(a)-2(d)] [5]. The RHEED pattern is in perfect agreement with the $\sqrt{3} \times \sqrt{3}$ reconstruction in the a-b plane. From the streak




FIG. 1 (color online). The structural characterizations of the h-LuFeO3 films using RHEED and XRD. (a) A typical θ -2 θ scan of an h-LuFeO3 film. The inset shows the close-up view of the h-LuFeO3 (002) peak. (b) A RHEED image of the h-LuFeO3 film with an electron beam along the Al2O3 and h-LuFeO3 [100] direction. (c) Intensities of the RHEED (100) peak and XRD (102) peak as functions of temperature. (d) PFM response displaying a square-shaped hysteresis loop. The amplitude and phase are shown in the insets. (e) Schematic of a written domain pattern with dc voltage ($V=20~V_{dc}$). (f) PFM image of the same region without dc voltage.

separations, the in-plane lattice constants of the h-LuFeO₃ films can be estimated as $a = 5.96 \pm 0.1$ Å, which is consistent with the value of the bulk $P6_3cm$ structure [12]. Hence, the indices of the diffraction streaks can be assigned using a $P6_3cm$ unit cell [16], as indicated in Fig. 1(b), suggesting an epitaxial relation Al_2O_3 [100] || h - LuFeO₃ [100], in agreement with the XRD characterization [17].

Temperature dependent RHEED and XRD have been carried out to study the robustness of the polar structure. As shown in Fig. 1(c), the intensity of the RHEED (100) peak [normalized with that of the (300) peak] is displayed as a function of temperature. A clear transition at approximately $1050(\pm 50)$ K is observed from the RHEED (100) peak intensity, indicating a structural transition. The intensity of the XRD (102) peak follows the trend of the RHEED (100) peak closely, although the transition is not observed due to limited temperature range [18].

Symmetry analysis predicts three possible routes for the transition from a $P6_3cm$ (Z=6, polar) structure to a $P6_3/mmc$ (Z=2, nonpolar) structure, where Z is the number of formula units per unit cell [Fig. 2(e)] [5,19]. According to the kinetic theory, the diffraction intensities differ dramatically for (100) and (102) peaks for different structures [17]: First, both (100) and (102) peaks vanish for structures with Z=2 unit cells. Second, for a $P6_3/mcm$ structure, the diffraction intensity for (100) and (102) peaks should be similar, while for a $P6_3cm$ structure, the (100) peak should be much weaker than that of the (102) peak. Therefore, the diminishing intensities of the RHEED




FIG. 2 (color online). The schematic representation of $P6_3/mmc$ and $P6_3cm$ structures and the possible transition routes. (a) and (b) are the $P6_3/mmc$ structure viewed from the [120] and [001] directions, respectively. (c) and (d) are the $P6_3cm$ structure viewed from the [100] and [001] directions, respectively. The bold lines in (b) and (d) indicate the unit cells in the a-b plane. (e) Possible routes from $P6_3/mmc$ to $P6_3cm$ structures.

(100) peak and XRD (102) peak suggest a transition from a Z=6 to a Z=2 structure. The fact that the intensity of the XRD (102) peak follows that of the RHEED (100) peak indicates the structure of the h-LuFeO₃ films at T<1050 K belongs to a $P6_3cm$ structure, i.e., no intermediate $P6_3/mcm$ structure is involved. Hence, the RHEED and XRD data suggest that the polar structure $P6_3cm$ of the h-LuFeO₃ films persists up to at least 1050 K.

To assess possible ferroelectricity in our h-LuFeO₃ films given the polar structure, we studied the switchability of the h-LuFeO₃ films (30 nm) on Pt-buffered Al₂O₃ using PFM [20]. Here we used band excitation switching spectroscopy with an ac imaging voltage of 2 V_{ac} and a maximum switching voltages of 12 V_{dc} to measure the piezoresponse loops [21]. A metal coated tip (Nanosensors) is used. We measured three piezoresponse loops at each position of a 10×10 point grid in a 3×3 μ m² area and extracted the average switching behavior as displayed in Fig. 1(d). The piezoelectric loops show square-shaped loops with switching voltages around 5 and $-7 V_{dc}$, which are indicative of ferroelectric switching. Further evidence of ferroelectric switching was obtained in decoupled write and read PFM processes, i.e., poling (write) the domain pattern with dc voltage (±20 V_{dc}) on the h-LuFeO3 film as shown in Fig. 1(e), then visualizing (read) the same region with only ac imaging voltage. As shown in Fig. 1(f), the written domain patterns are clearly visible in the PFM image. Furthermore, the pattern persists for at least two hours without any visible decay in domain contrast [17].

Now that the strong evidence of the room-temperature ferroelectricity in h-LuFeO₃ films is obtained, we investigate how robust the magnetic ordering is. Neutron diffraction experiments were carried out to study the magnetic order of h-LuFeO₃ films. The films were aligned in the (h 0 l) diffraction plane in a closed-cycle refrigerator. At low temperature, several Bragg peaks were clearly observed. As shown in Figs. 3(a) and 3(b), the (102) peak intensity drops as the temperature increases up to approximately 440 K while for the (100) peak the transition occurs at approximately 130 K [Figs. 3(c) and 3(d)]. In contrast, the change of the diffraction peaks (300) and (004) with temperature is minimal between 4 and 450 K [17]. In addition to neutron diffraction, measurements using SQUID magnetometer revealed that the zero-fieldcool (ZFC) magnetization and field-cool (FC) magnetization split at 130 K under a magnetic field along the c axis, indicating the appearance of a ferromagnetic component along the c axis [Fig. 3(d) inset].

Since h-LuFeO₃ is isomorphic with $RMnO_3$ and their magnetic structures can be characterized with the same propagation vector $\vec{K} = (0, 0, 0)$ (meaning magnetic unit cell is the same as the structural unit cell), we can analyze the magnetic structure of h-LuFeO₃ following the symmetry analysis in $RMnO_3$ [7,22–24]. In this case, the Bragg peaks (102) and (100) are, in principle, coming from a




FIG. 3 (color online). Magnetic Bragg peaks and the temperature dependence of their intensities from neutron diffraction. (a) and (c) are the diffraction intensity profile near the (102) and (100) magnetic Bragg points, respectively. The lines are the Gaussian fits. (b) and (d) are the temperature dependence of the (102) and (100) magnetic Bragg peak intensities, respectively. The curves in (b) and (d) are fits to the data points (see text). The inset of (d) shows the temperature dependence of the magnetization in ZFC and FC processes with the magnetic field along the c axis.

combination of nuclear and magnetic diffractions. However, our structural characterizations do not indicate any clear transition close to 440 K [Fig. 1(c)], which is consistent with the fact that in RMnO₃ the magnetic diffraction constitutes the majority of the intensity for the (102) peak [7]. Therefore, the transition at 440 K corresponds to the appearance of a long range antiferromagnetic order. Taking $T_N = 440(\pm 10)$ K, one can fit between 200 < T < 440 K the peak intensity using $I = I_n +$ $I_m(1-T/T_N)^{\alpha}$, where I_n and I_m are the nuclear and magnetic contributions of the intensity, respectively. The result shows $\alpha = 0.46 \pm 0.08$, falling well in the reported value range of YMnO₃ [25,26]. The fit for the (100) peak intensity gives a larger value $\alpha = 0.69 \pm 0.15$. The development of a ferromagnetic component below $T_R = 130(\pm 1) \text{ K sug-}$ gests that the system displays a second magnetic phase by a spin reorientation which is consistent with our x-ray magnetic dichroism measurements [17].

The possible magnetic structures of the h-LuFeO₃ films can be assigned by taking both the neutron diffraction and the magnetization measurements into account. Figure 4 summarizes the possible magnetic structures with the propagation vector $\vec{K} = (0, 0, 0)$ in h-LuFeO₃, where Γ_1 , Γ_2 , Γ_3 , and Γ_4 are irreducible representations of the $P6_3cm$ group. We notice that the only irreducible representation that allows for a ferromagnetic component along the c axis is Γ_2 [7]. Therefore the magnetic structure at temperature $T < T_R$ has to include Γ_2 mixed with Γ_1 , which contribute to the magnetic diffraction near (100) [17,27,28]. For the




FIG. 4 (color online). The possible magnetic structures of ${\rm Fe}^{3+}$ sites in $P6_3cm$ crystallographic structure and the assignments of magnetic structures for h-LuFeO3. The darker (lighter) balls represent ${\rm Fe}^{3+}$ sites at z/c=0 (z/c=1/2) and the arrows indicate the magnetic moment orientation. Γ_1 (Γ_3) and Γ_2 (Γ_4) are related by the in-plane rotation angle ϕ . The Γ_1 (Γ_2) and Γ_3 (Γ_4) are a homometric pair, meaning indistinguishable in our neutron scattering measurement. The magnetic structure of h-LuFeO3 takes the form Γ_2 , mixed with Γ_1 at $T < T_R$ and Γ_4 at $T_R < T < T_N$.

magnetic structure at temperatures $T_R < T < T_N$, Γ_1 and Γ_3 can be ruled out since Γ_1 and Γ_3 will lead to a substantial intensity of magnetic diffraction near (100) [17,27], which actually disappears at $T > T_R$. Therefore, the candidate magnetic structures capable of describing the magnetic structures at temperatures $T_R < T < T_N$ are Γ_2 or Γ_4 .

Assuming that the ferromagnetic moment is coming from the Dzialoshinskii-Moriya (DM) interaction [7,13,29–32], the effective Hamiltonian is $H_{\rm DM} = -\sum_{i,j} \vec{D}_{i,j} \cdot (\vec{S}_i \times \vec{S}_j)$, where \vec{S}_i (\vec{S}_j) is the spin on site i (j), and $\vec{D}_{i,j}$ is the interaction coefficient. The spin canting toward the c axis allows a slight reduction of the spin-spin angles from 120 deg, lowering energy according to the DM interaction, while keeping the in-plane projections of spin-spin angles at 120 deg. In principle, the interaction coefficients $\vec{D}_{i,j}$ do not change dramatically with the temperature. Since the spin structure Γ_2 generates a ferromagnetic component at $T < T_R$, the presence of Γ_2 at $T_R < T < T_N$ would also generate a similar ferromagnetic component which was not observed. Therefore, the only probable spin structure is Γ_4 at $T_R < T < T_N$.

Our results in h-LuFeO₃ films are distinct from previous reports in the clear observations of polar structure up to 1050 K and antiferromagnetism up to 440 K, the latter of which is difficult to detect using magnetization measurements alone, especially with the strong paramagnetic background from the YSZ substrates [11,13,17]. In principle, the magnetic ordering temperature in h-LuFeO₃ can be affected by the following factors: the exchange interaction

between the Fe³⁺ sites, which is supposed to be large, as indicated by the high T_N (620 K) in o-LuFeO₃ [8], the triangular spin lattice which creates the frustration and is supposed to lower the long range spin ordering temperature [8,33–36], and the magnetic anisotropy energy which affects the spin orientation and is responsible for relaxing the frustration and causing the long range magnetic order [35,36]. Clearly, future investigations on the interplay between these factors will be needed to account for the high magnetic ordering temperature in h-LuFeO₃.

In conclusion, we have demonstrated the coexistence of ferroelectricity and magnetic order at room temperature in h-LuFeO₃ films. The polar structure and the antiferromagnetic order of the films persist up to 1050 and 440 K, respectively. Besides the room temperature multiferroicity, a spin reorientation resulting in the Γ_2 magnetic structure below $T_R = 130 \text{ K}$ is found as the origin of the net magnetic moment collinear with the electric polarization which suggests a possible linear magnetoelectric coupling [37]. The Γ_2 magnetic structure also allows for a uniaxial alignment of the nonzero R^{3+} magnetic moments and a large net magnetic moment along the c axis in h-RFeO₃; this is observed in h-YbFeO₃ ($\approx 3\mu_B$ /formula unit) [6,38]. Therefore, future investigations should aim at tuning the spin reorientation up to room temperature or changing the spin structure to Γ_2 right below T_N . This approach should render hexagonal ferrites with magnetic R^{3+} the desirable multiferroic properties: large electric and magnetic polarizations as well as linear magnetoelectric couplings at room temperature.

This research was supported by the U.S. Department of Energy, Basic Energy Sciences, Materials Sciences, and Engineering Division (H. M. C., H. N. L, P. C. S., T. Z. W., X. S. X.) and performed in part at the Center for Nanophase Materials Sciences (CNMS) (Z.G., N.B.) and ORNL's Shared Research Equipment (SHaRE)(M.C.) User Facility, which are sponsored at Oak Ridge National Laboratory by the Office of Basic Energy Sciences, U.S. Department of Energy. We also acknowledge partial funding support from the National Basic Research Program of China (973 Program) under Grant No. 2011CB921801 (J.S.) and the U.S. DOE Office of Basic Energy Sciences, the U.S. DOE Grant No. DE-SC0002136 (W. B. W.). The work at the ORNL's High Flux Isotope Reactor was sponsored by the Scientific User Facilities Division, Office of Basic Energy Sciences, U.S. DOE. Use of the Advanced Photon Source was supported by the U.S. Department of Energy, Office of Science, Office of Basic Energy Sciences, under Contract No. DE-AC02-06CH11357. The work at Rutgers is supported by DOE-BES under Grant No. DE-SC0008147. X.M. Cheng acknowledges support from the National Science Foundation under Grant No. 1053854. J.Z. is supported by Miller Institute for Basic Research in Science and Thousand Young Talents Program.

- *To whom all correspondence should be addressed.
- †shenj5494@fudan.edu.cn
- *xiaoshan.xu@gatech.edu
- [§]Current Address: State Key Laboratory of Surface Physics and Department of Physics, Fudan University, Shanghai 200433, China.
- [1] H. Schmid, Ferroelectrics **162**, 317 (1994).
- [2] D. Khomskii, Physics 2, 20 (2009).
- [3] N. A. Spaldin, S. W. Cheong, and R. Ramesh, Phys. Today 63, No. 10, 38 (2010).
- [4] J. Wang, J.B. Neaton, H. Zheng, V. Nagarajan, S.B. Ogale, B. Liu, D. Viehland, V. Vaithyanathan, D.G. Schlom, U. V. Waghmare, N. A. Spaldin, K. M. Rabe, M. Wuttig, and R. Ramesh, Science 299, 1719 (2003).
- [5] C. J. Fennie and K. M. Rabe, Phys. Rev. B 72, 100103 (2005).
- [6] Y. K. Jeong, J.-H. Lee, S.-J. Ahn, S.-W. Song, H. M. Jang, H. Choi, and J. F. Scott, J. Am. Chem. Soc. 134, 1450 (2012).
- [7] A. Munoz, J. A. Alonso, M. J. Martinez-Lope, M. T. Cassis, J. L. Martinez, and M. T. Fernandez-Diaz, Phys. Rev. B 62, 9498 (2000).
- [8] N.P. Cheremisinoff, *Handbook of Ceramics and Composites* (M. Dekker, New York, 1990).
- [9] W. Wang, H. Wang, X. Xu, L. Zhu, L. He, E. Wills, X. Cheng, D. J. Keavney, J. Shen, X. Wu, and X. Xu, Appl. Phys. Lett. 101, 241907 (2012).
- [10] M. Fiebig, D. Frohlich, K. Kohn, S. Leute, T. Lottermoser, V. V Pavlov, and R. V. Pisarev, Phys. Rev. Lett. 84, 5620 (2000).
- [11] A. A. Bossak, I. E. Graboy, O. Y. Gorbenko, A. R. Kaul, M. S. Kartavtseva, V. L. Svetchnikov, and H. W. Zandbergen, Chem. Mater. 16, 1751 (2004).
- [12] E. Magome, C. Moriyoshi, Y. Kuroiwa, A. Masuno, and H. Inoue, Jpn. J. Appl. Phys. 49, 09ME06 (2010).
- [13] A. R. Akbashev, A. S. Semisalova, N. S. Perov, and A. R. Kaul, Appl. Phys. Lett. 99, 122502 (2011).
- [14] The h-LuFeO₃ films appear to relax rapidly (see Refs. [9,11]). Therefore, the films investigated here are all strain relaxed.
- [15] Here we use a relatively large incident angle (3.4°) for RHEED to increase the sensitivity to the bulk part of the films.
- [16] The P6₃cm unit cell is used for the indices of crystal directions and planes of h-LuFeO₃ in the rest of the paper.
- [17] See Supplemental Material at http://link.aps.org/ supplemental/10.1103/PhysRevLett.110.237601 for more

- detailed information of structural, ferroelectric, and magnetic characterizations and analysis.
- [18] The (100) peak cannot be measured for film samples grown along the [001] direction by XRD because the corresponding sample alignment orientation is not accessible.
- [19] T. Lonkai, D. G. Tomuta, U. Amann, J. Ihringer, R. W. A. Hendrikx, D. M. Tobbens, and J. A. Mydosh, Phys. Rev. B 69, 134108 (2004).
- [20] M. E. Lines and A. M. Glass, Principles and Applications of Ferroelectrics and Related Materials (Clarendon Press, Oxford, 1977).
- [21] S. Jesse, P. Maksymovych, and S. V Kalinin, Appl. Phys. Lett. 93, 112903 (2008).
- [22] E. F. Bertaut and M. Mercier, Phys. Lett. 5, 27 (1963).
- [23] E. F. Bertaut, Acta Crystallogr. Sect. A 24, 217 (1968).
- [24] P. J. Brown and T. Chatterji, J. Phys. Condens. Matter 18, 10085 (2006).
- [25] T. Chatterji, S. Ghosh, A. Singh, L. P. Regnault, and M. Rheinstadter, Phys. Rev. B **76**, 144406 (2007).
- [26] B. Roessli, S.N. Gvasaliya, E. Pomjakushina, and K. Conder, JETP Lett. 81, 287 (2005).
- [27] J. S. Helton, D. K. Singh, H. S. Nair, and S. Elizabeth, Phys. Rev. B 84, 064434 (2011).
- [28] Γ_2 cannot be mixed with Γ_4 because it generates uneven spins on different Fe³⁺ sites. Mixing of Γ_2 with Γ_3 is also unlikely because it involves antiphase rotations of spins on different layers of Fe³⁺ sites which affect the interlayer couplings of the spins.
- [29] I. Dzyaloshinsky, J. Phys. Chem. Solids 4, 241 (1958).
- [30] T. Moriya, Phys. Rev. **120**, 91 (1960).
- [31] F. J. Morin, Phys. Rev. 78, 819 (1950).
- [32] D. Treves, J. Appl. Phys. 36, 1033 (1965).
- [33] S. A. Klimin, M. N. Popova, B. N. Mavrin, P. H. M. van Loosdrecht, L. E. Svistov, A. I. Smirnov, L. A. Prozorova, H.-A. Krug von Nidda, Z. Seidov, A. Loidl, A. Y. Shapiro, and L. N. Demianets, Phys. Rev. B 68, 174408 (2003).
- [34] S. Mitsuda, M. Mase, T. Uno, H. Kitazawa, and H. Katori, J. Phys. Soc. Jpn. 69, 33 (2000).
- [35] M. L. Plumer and S. G. Condran, J. Phys. Condens. Matter 22, 296007 (2010).
- [36] A. P. Ramirez, Annu. Rev. Mater. Sci. 24, 453 (1994).
- [37] H. Das, A. L. Wysocki, and C. J. Fennie, arXiv:1302.1099.
- [38] H. Iida, T. Koizumi, Y. Uesu, K. Kohn, N. Ikeda, S. Mori, R. Haumont, R. Janolin, P. E. Kiat, J. M. Fukunaga, and Y. Noda, J. Phys. Soc. Jpn. 81, 024719 (2012).