East Tennessee State University Digital Commons @ East Tennessee State University

Appalachian Student Research Forum

2018 ASRF Schedule

Apr 4th, 1:40 PM - 1:55 PM

Impact of Adverse Childhood Experiences on HIV Risk Behaviors using a Nationally Representative Sample from 2011 and 2012

Elaine Loudermilk

Megan Quinn East Tennessee State University

Liang Wang East Tennessee State University

Follow this and additional works at: https://dc.etsu.edu/asrf



Part of the Epidemiology Commons

Loudermilk, Elaine; Quinn, Megan; and Wang, Liang, "Impact of Adverse Childhood Experiences on HIV Risk Behaviors using a Nationally Representative Sample from 2011 and 2012" (2018). Appalachian Student Research Forum. 99. https://dc.etsu.edu/asrf/2018/schedule/99

This Oral presentation is brought to you for free and open access by the Events at Digital Commons @ East Tennessee State University. It has been accepted for inclusion in Appalachian Student Research Forum by an authorized administrator of Digital Commons @ East Tennessee State University. For more information, please contact digilib@etsu.edu.

Impact of Adverse Childhood Experiences on HIV Risk Behaviors using a Nationally Representative Sample from 2011 and 2012

Elaine Loudermilk, MPH, Megan Quinn, DrPH, MSc, Liang Wang, MD, DrPH, MPH
Department of Biostatistics & Epidemiology
College of Public Health




Outline

- Background & current literature
- Research question
- Methodology
- Results
- Discussion
- Conclusion

Adverse Childhood Experiences (ACEs)

- 2015
 - 683,000 victims of child abuse & neglect
 - 1,670 children died



Mechanism by Which Adverse Childhood Experiences Influence Health and Well-being Throughout the Lifespan



BRFSS Adverse Childhood Experience (ACE) Module

Prologue: I'd like to ask you some questions about events that happened during your childhood. This information will allow us to better understand problems that may occur early in life, and may help others in the future. This is a sensitive topic and some people may feel uncomfortable with these questions. At the end of this section, I will give you a phone number for an organization that can provide information and referral for these issues. Please keep in mind that you can ask me to skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age. Now, looking back before you were 18 years of age---.

- 1) Did you live with anyone who was depressed, mentally ill, or suicidal?
- 2) Did you live with anyone who was a problem drinker or alcoholic?
- 3) Did you live with anyone who used illegal street drugs or who abused prescription medications?
- 4) Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional facility?
- 5) Were your parents separated or divorced?
- 6) How often did your parents or adults in your home ever slap, hit, kick, punch or beat each other up?
- 7) Before age 18, how often did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way? Do not include spanking. Would you say—
- 8) How often did a parent or adult in your home ever swear at you, insult you, or put you down?
- 9) How often did anyone at least 5 years older than you or an adult, ever touch you sexually?
- 10) How often did anyone at least 5 years older than you or an adult, try to make you touch sexually?
- 11) How often did anyone at least 5 years older than you or an adult, force you to have sex?

Response Options

Questions 1-4	Question 5	Questions 6-11
1=Yes	1=Yes	1=Never
2=No	2=No	2=Once
7=DK/NS	8=Parents not married	3=More than once
9=Refused	7=DK/NS	7=DK/NS
	9=Refused	9=Refused

HIV

- 2016
 - 40,000 new HIV diagnoses
- Risks:
 - Unprotected sex
 - Sharingneedles/syringes

HIV CAN BE TRANSMITTED THROUGH...





Current Literature

- STDs increase with number of ACEs
- Increase in ACEs linked with increased HIV risk behaviors
- Child sexual abuse exposure led to multiple sexual partners and drug use



How do ACEs impact HIV risks among adults in the US?



Methodology

- Behavioral Risk Factor Surveillance System, 2011-2012
- Landline and cell phones for sampling
- ACE module:
 - Minnesota, Montana, Vermont, Washington,
 Wisconsin, Iowa, North Carolina, Tennessee

Methodology

- Outcome-HIV risk (yes/no)
 - Intravenous drug use
 - Treated for STD or VD
 - Given/received money for sex
 - Anal sex without a condom

Methodology

- Predictors-ACEs (yes/no)
 - 11 individual ACEs
- Compiled ACEs into 2 categories:
 - Abuse
 - Household Dysfunction

Analysis Steps

- Weighted
- Descriptive statistics
 - Population by sociodemographic
 - Sociodemographic with HIV risk
 - ACEs with HIV risk
- Simple and Multiple Logistic Regression
 - 11 individual ACEs with HIV risk
 - Abuse & household dysfunction with HIV risk

Descriptive Statistics



Unweighted (N=151,289)

HIV Risk - HIV Risk - No: Yes: 2,914 139,902 (1.93%) (92.47%)

Weighted (N=59,207,640)

HIV Risk - Yes: HIV Risk - No: 1,976,959 53,398,594 (3.34%) (90.19%)

		HIV	
	Demographic Category	Risk Yes	HIV Risk No (%)
	18-34	(%) 7.92	92.08
Age	35-54	2.71	97.29
7.30	55+	0.85	99.15
Sex	Male	4.02	95.98
Sex	Female	3.15	96.85
School	High school or below	4.06	95.94
3011001	Some college or above	3.22	96.78
	<\$15,000	6.30	93.70
	\$15,000-<\$25,000	4.85	95.15
Income	\$25,000-<\$35,000	3.87	96.13
moonie	\$35,000-<\$50,000	3.12	96.88
	>\$50,000	2.33	97.67
Marital	Married/widowed	1.45	98.55
Status	Divorced/Separated /Never Married	6.45	93.55
	White	2.96	97.04
Race	Black	6.26	93.74
Race	Hispanic	6.57	93.43
	Other	4.67	95.33



	N %	Weighted %	HIV Risk Yes (%)	HIV Risk No (%)
Household dysfunction			• •	
Y	29,038 (19.19)	20.53	5.88	2.93
N	122,251 (80.81)	79.47	94.12	97.07
Lived with anyone mentally ill,				
depressed or suicidal				
Υ	11,888 (15.75)	17.00	7.29	2.70
N	63,572 (84.25)	83.00	92.71	97.30
Lived with parental alcoholic				
Υ	18,263 (24.14)	24.79	5.91	2.70
N	57,388 (75.86)	75.21	94.09	97.30
Lived with parental drug abuser				
Υ	5,854 (7.74)	10.55	11.14	2.58
N	69,816 (92.26)	89.45	88.86	97.42
Live with anyone who served time in				
<u>prison</u>				
Υ	3,860 (5.09)	7.93	11.18	2.82
N	71,964 (94.91)	92.07	88.82	97.18
Parents were divorced or separated				
Υ	16,142 (21.34)	27.42	6.14	2.46
N	59,490 (78.66)	72.58	93.86	97.54
Parents slapped, hit, kicked, punched				
or beat each other up				
Υ	11,505 (15.38)	16.97	6.32	2.92
N	63,313 (84.62)	83.03	93.68	97.08



	N %	Weighted %	HIV Risk Yes (%)	HIV Risk No (%)
<u>Abuse</u>				
Y	29,577 (19.55)	20.69	5.62	2.99
N	121,712 (80.45)	79.31	94.38	97.01
Parents slapped, hit, kicked, physically				
hurt you in any way				
Y	11,434 (15.18)	16.46	7.32	2.75
N	63,871 (84.82)	83.54	92.68	97.25
Parents swore, insulted or put you				
down				
<u> </u>	24,122 (32.26)	34.94	5.79	2.29
N	50,645 (67.74)	65.06	94.21	97.71
Child sexual abuse	,			
Y	12.06	11.44	8.34	2.85
N	87.94	88.56	91.66	97.15
Forced to touch sexually				
Y	5,459 (7.28)	7.19	8.97	3.04
N	69,565 (92.72)	92.81	91.03	96.96
Forced touch sexually	,			
<u> </u>	7,795 (10.39)	9.78	8.45	2.95
N	67,197 (89.61)	90.22	91.55	97.05
Forced sex	,			
Y	3,105 (4.14)	4.34	12.17	3.06
N	71,924 (95.86)	95.66	87.83	96.94



Simple Logistic Regression



		<u>Unadjusted</u>	
ACEs	OR	95% Confidence Limits	P-value
Lived with anyone mentally ill, depressed or suicidal	2.83	2.61-3.08	<0.0001
Lived with parental alcoholic	2.27	2.09-2.45	<0.0001
Lived with parental drug abuser	4.74	4.35-5.15	<0.0001
Live with anyone who served time in prison	4.33	3.95-4.75	<0.0001
Parents were divorced or separated	2.59	2.40-2.80	<0.0001
Parents slapped, hit, kicked, punched or beat each other up	2.24	2.06-2.44	<0.0001
Parents slapped, hit, kicked, physically hurt you in any way	2.80	2.57-3.04	<0.0001
Parents swore, insulted or put you down	2.62	2.42-2.83	<0.0001
Forced to have sex	4.39	3.92-4.92	<0.0001
Forced to touch them sexually	3.15	2.84-3.49	<0.0001
Forced touch sexually	3.03	2.76-3.33	<0.0001



		<u>Unadjusted</u>	
ACEs	OR	95% Confidence Limits	P-value
Abuse	1.93	1.82-2.05	<0.0001
Household dysfunction	2.07	1.95-2.20	<0.0001



Multiple Logistic Regression



Adjusted Model: N=58,622

ACEs	OR	95% Confidence Limits	P-value
Lived with anyone mentally ill, depressed or suicidal	1.12	1.12-1.13	0.0684
Lived with parental alcoholic	1.15	1.11-1.12	0.0816
Lived with parental drug abuser	1.74	1.72-1.75	<0.0001
Live with anyone who served time in prison	1.34	1.33-1.35	<0.0001
Parents were divorced or separated	1.07	1.07-1.08	0.2193
Parents slapped, hit, kicked, punched or beat each other up	0.84	0.83-0.85	0.0105
Parents slapped, hit, kicked, physically hurt you in any way	1.52	1.51-1.53	<0.0001
Parents swore, insulted or put you down	1.30	1.29-1.31	<0.0001
Forced to have sex	1.70	1.68-1.72	<0.0001
Forced to touch them sexually	1.14	1.13-1.15	0.2629
Forced touch sexually	1.40	1.39-1.42	0.0023



		<u>Ad</u>	justed Model: N=5	8,622
Socioeconomic Status		OR	95% Confidence Limits	P-value
	18-34		Reference	
Age	35-54	0.41	0.41-0.41	<0.0001
	55+	0.21	0.21-0.21	<0.0001
Sex	Male vs Female	1.44	1.43-1.45	<0.0001
Married	Currently Married/Widowed		Reference	
	Other	2.31	2.30-2.33	<0.0001
School	Some college or above vs others			
	<\$15,000		Reference	
	\$15,000-<\$25,000	1.24	1.23-1.25	<0.0001
Income	\$25,000-<\$35,000	1.35	1.34-1.36	< 0.0001
	\$35,000-<\$50,000	1.11	1.10-1.12	< 0.0001
	>\$50,000	0.87	0.86-0.88	< 0.0001
	White		Reference	
Race	Black	1.55	1.54-1.57	< 0.0001
Nacc	Hispanic	1.30	1.29-1.32	< 0.0001
	Other	1.21	1.20-1.23	<0.0001



405-	- -	Adjusted (N=58,62 95%	
ACEs	OR	Confidence Limits	P-value
Abuse	1.42	1.30-1.55	< 0.0001
Household dysfunction	1.41	1.29-1.54	<0.0001



			Adjusted (N=58,622	2)
Socio	economic Status	OR	95% Confidence Limits	p-value
	18-34		Reference	
Age	35-54	0.44	0.41-0.48	<0.0001
	55+	0.17	0.15-0.19	<0.0001
Sex	Male vs Female	0.14	1.07-0.22	0.0001
Married	Currently Married/Widowed		Reference	
	Other	2.40	2.22-2.61	<0.0001
School	Some college or			
SCHOOL	above vs others			
	<\$15,000		Reference	
	\$15,000-<\$25,000	0.94	0.85-1.04	0.2093
Income	\$25,000-<\$35,000	0.92	0.81-1.03	0.1502
	\$35,000-<\$50,000	0.81	0.72-0.92	0.0006
	>\$50,000	0.69	0.62-0.77	<0.0001
	White		Reference	
Race	Black	1.48	1.34-1.62	<0.0001
Race	Hispanic	1.48	1.32-1.67	<0.0001
	Other	1.14	0.99-1.31	0.0741



Discussion

- Living with parent who abused drugs increased HIV risks by 74%
 - OR: 1.74, P<0.0001
- Forced to have sex as a child increased HIV risks by 70%
 - OR: 1.70, P<0.0001
- Age was protective against HIV risks (MLR)
 - OR: 0.21, P<0.0001
- Divorced, separated, or never married was positively associated with HIV risks
 - OR: 2.31, P<0.0001

Strengths & Limitations

- Cross-sectional data
- ACE questions refer to before the age of 18
- BRFSS HIV risks from adults ages 18 or older

Conclusion

- Exposure to certain ACEs increased odds of HIV risks
- Longitudinal studies needed to confirm causality
- Education and prevention measures necessary

References

- Tennessee Department of Health. (2015). Adverse Childhood Experiences in Tennessee.
 Retrieved from
 https://www.tn.gov/content/dam/tn/tccy/documents/ace/Tennessee%20ACE_Final%20Report%20
 with%20Authorization%20(1).pdf.
- Centers for Disease Control and Prevention. (2017). Behavioral Risk Factor Surveillance System: Child Abuse and Neglect Prevention. https://www.cdc.gov/violenceprevention/childabuseandneglect/index.html.
- Centers for Disease Control and Prevention. (2017). BRFSS Adverse Childhood Experience (ACE) Module. Retrieved from https://www.cdc.gov/violenceprevention/acestudy/pdf/BRFSS_Adverse_Module.pdf.
- Centers for Disease Control and Prevention. (2018). HIV Transmission. Retrieved from https://www.cdc.gov/hiv/basics/transmission.html.
- Hillis S.D., Anda R.F., Felitti V.J., Marchbanks P.A. Adverse childhood experiences and sexual risk behaviors in women: a retrospective cohort study. Fam. Plan. Perspect. 2001;33(5):206–211.
- Hillis S.D., Anda R.F., Felitti V.J., Marchbanks P.A. Adverse childhood experiences and sexual risk behaviors in women: a retrospective cohort study. Fam. Plan. Perspect. 2001;33(5):206–211.
- Senn T.E., Carey M.P., Vanable P.A. Childhood and adolescent sexual abuse and subsequent sexual risk behavior: evidence from controlled studies, methodological critique, and suggestions for research. Clin. Psychol. Rev. 2008;28(5):711–735.
- Whetten K., Reif S., Toth M., Jain E., Leserman J., Pence B.W. Relationship between trauma and high-risk behavior among HIV-positive men who do not have sex with men (MDSM) AIDS Care. 2012;24(11):1453–1460.



Acknowledgements



COLLEGE of PUBLIC HEALTH

EAST TENNESSEE STATE UNIVERSITY

Department of Biostatistics & Epidemiology Drs. Megan Quinn and Liang Wang





Questions?

Contact Elaine Loudermilk Email: loudermilke@etsu.edu

