



A Planning Calendar for Sheep Herd Health and Management

Thomas R. Thedford
Extension Veterinarian

Bill Crutcher
Purebred Flock Manager

Joe Hughes
Extension 4-H Livestock Specialist

Gerald Fitch
Extension Sheep Specialist

This calendar is designed to handle the management phases of pre-breeding (45 days), breeding (60 days), pre-lambing (90 days), lambing (60 days) and pre-weaning/lactation (60-80 days) and post-weaning (30-50 days). The calendar is not intended to fit all situations and adjustments should be made to accommodate your management program and schedule of events. The left column is blank so that you can write in the month you start a particular management phase and the dates you plan to conduct specific practices. For example, if your flock is on a spring lambing (February) program, pre-breeding would start about July 15. Place July in the top left column for pre-breeding and the other management phases should fall in place. If you have a fall lambing program (October), place March in the top left column for the beginning of the pre-breeding phase. The recommendations listed in the second column are standard recommendations and should be followed by

Oklahoma Cooperative Extension Fact Sheets
are also available on our website at:
<http://osufacts.okstate.edu>

all breeders. There is adequate space to write other recommendations or your own management program. The third column is for other information you may want to include such as a reminder about when to deworm, shear, fertilize pastures, market lambs, etc.

You might consider reading the following fact sheets and discuss flock health programs with your veterinarian before filling in your calendar.

- ANSI-3852 - Ewes for Market Lamb Production
- ANSI-3853 - Managing the Ewe Feed Supply
- ANSI-3854 - Feeding and Managing Lambs from Birth to Market
- ANSI-3855 - Electric Fencing for Sheep
- ANSI-3856 - Starting a Sheep Enterprise
- ANSI-3951 - Consideration in Wool Marketing
- ANSI-3860 - Sheep Health and Management Guidelines

The breeding chart provided with this calendar can be used to determine the estimated lambing dates. These dates may be recorded in the "Remarks" section of the lambing record.



SHEEP HEALTH AND MANAGEMENT CALENDAR

DATE	SUGGESTED HEALTH OR MANAGEMENT PRACTICE	ADDITIONAL PRACTICES
Pre-breeding — 45 Days	<p>Rams—Conduct a breeding soundness examination to include semen evaluation and soundness of teeth, eyes, feet, legs, sheath and testicles. Shear, deworm and start feeding rams.</p> <p>Start flushing ewes—feed 1/2-3/4 lb. grain or graze high quality pasture.</p> <p>Deworm.</p> <p>Vaccinate for abortion diseases (vibrio [campylobacter]/Enzootic abortion [chlamydia]).</p> <p>Identify all ewes with paint brands and/or ear tags.</p> <p>Determine ram to ewe ratio to be used. (see fact sheet #3860)</p> <p>Put out teaser rams—two weeks before breeding.</p>	
Breeding — 60 Days	<p>Turn in rams.</p> <p>Use marking harness.</p> <p>Record breeding dates.</p> <p>Observe matings.</p> <p>Rotate rams as needed.</p> <p>Feed rams (especially ram lambs).</p> <p>Check rams and ewes for internal parasites.</p> <p>Deworm if necessary.</p> <p>Breed ewe lambs after most of the older ewes are bred (minimum seven months of age).</p>	<p>Ewes bred on Sept. 9 are due to lamb Feb. 1</p>

	<p>Pre-Lambing — 90 Days</p>	<p>Daily observation of flock. Build and repair lambing pens. Clean lambing area. Assemble supplies needed for lambing. Shear ewes or tag (shearing around dock, crotch and udder). Pregnancy test ewes. Start feeding ewes 1/2-1 lb. grain per 100 lb. body weight six weeks before lambing starts. Vaccinate ewes for enterotoxemia and tetanus two to four weeks before lambing starts.</p>
	<p>Lambing — 60 Days</p>	<p>Be familiar with sheep obstetrics. Be available to assist with lambing problems. Apply iodine to lambs' navels. Strip ewes' teats. Get lambs to nurse. Keep ewe and lambs in lambing pen 1-3 days. Identify lambs. Provide creep ration. Observe ewes and lambs daily. Deworm ewes, dock lambs, and castrate ram lambs. Separate ewes with singles from those with twins or triplets. Feed ewes 1-2 lb. grain/day plus high quality forage.</p>
	<p>Pre-weaning/Lactation 60-80 Days</p>	<p>Vaccinate lambs for enterotoxemia. Continue feeding ewes 1-2 lbs. grain/day plus high quality forage. Remove grain from ewes' ration. Wean lambs.</p>
	<p>Post-weaning — 30-50 Days</p>	<p>Sort and market cull ewes. Self feed lambs a complete growing and finishing ration. Market lambs at an average of 100-110 lbs.</p>

SHEEP BREEDING CHART

Bred	Due	Bred	Due	Bred	Due	Bred	Due	Bred	Due	Bred	Due	Bred	Due	Bred	Due	Bred	Due	Bred	Due	Bred	Due	Bred	Due
1/1 - 5/26	2/1 - 6/26	3/1 - 7/24	4/1 - 8/24	5/1 - 9/23	6/1 - 10/24	7/1 - 11/23	8/1 - 12/24	9/1 - 1/24	10/1 - 2/23	11/1 - 3/26	12/1 - 4/25												
1/2 - 5/27	2/2 - 6/27	3/2 - 7/25	4/2 - 8/25	5/2 - 9/24	6/2 - 10/25	7/2 - 11/24	8/2 - 12/25	9/2 - 1/25	10/2 - 2/24	11/2 - 3/27	12/2 - 4/26												
1/3 - 5/28	2/3 - 6/28	3/3 - 7/26	4/3 - 8/26	5/3 - 9/25	6/3 - 10/26	7/3 - 11/25	8/3 - 12/26	9/3 - 1/26	10/3 - 2/25	11/3 - 3/28	12/3 - 4/27												
1/4 - 5/29	2/4 - 6/29	3/4 - 7/27	4/4 - 8/27	5/4 - 9/26	6/4 - 10/27	7/4 - 11/26	8/4 - 12/27	9/4 - 1/27	10/4 - 2/26	11/4 - 3/29	12/4 - 4/28												
1/5 - 5/30	2/5 - 6/30	3/5 - 7/28	4/5 - 8/28	5/5 - 9/27	6/5 - 10/28	7/5 - 11/27	8/5 - 12/28	9/5 - 1/28	10/5 - 2/27	11/5 - 3/30	12/5 - 4/29												
1/6 - 5/31	2/6 - 7/1	3/6 - 7/29	4/6 - 8/29	5/6 - 9/28	6/6 - 10/29	7/6 - 11/28	8/6 - 12/29	9/6 - 1/29	10/6 - 2/28	11/6 - 3/31	12/6 - 4/30												
1/7 - 6/1	2/7 - 7/2	3/7 - 7/30	4/7 - 8/30	5/7 - 9/29	6/7 - 10/30	7/7 - 11/29	8/7 - 12/30	9/7 - 1/30	10/7 - 3/1	11/7 - 4/1	12/7 - 5/1												
1/8 - 6/2	2/8 - 7/3	3/8 - 7/31	4/8 - 8/31	5/8 - 9/30	6/8 - 10/31	7/8 - 11/30	8/8 - 12/31	9/8 - 1/31	10/8 - 3/2	11/8 - 4/2	12/8 - 5/2												
1/9 - 6/3	2/9 - 7/4	3/9 - 8/1	4/9 - 9/1	5/9 - 10/1	6/9 - 11/1	7/9 - 12/1	8/9 - 1/1	9/9 - 2/1	10/9 - 3/3	11/9 - 4/3	12/9 - 5/3												
1/10 - 6/4	2/10 - 7/5	3/10 - 8/2	4/10 - 9/2	5/10 - 10/2	6/10 - 11/2	7/10 - 12/2	8/10 - 1/2	9/10 - 2/2	10/10 - 3/4	11/10 - 4/4	12/10 - 5/4												
1/11 - 6/5	2/11 - 7/6	3/11 - 8/3	4/11 - 9/3	5/11 - 10/3	6/11 - 11/3	7/11 - 12/3	8/11 - 1/3	9/11 - 2/3	10/11 - 3/5	11/11 - 4/5	12/11 - 5/5												
1/12 - 6/6	2/12 - 7/7	3/12 - 8/4	4/12 - 9/4	5/12 - 10/4	6/12 - 11/4	7/12 - 12/4	8/12 - 1/4	9/12 - 2/4	10/12 - 3/6	11/12 - 4/6	12/12 - 5/6												
1/13 - 6/7	2/13 - 7/8	3/13 - 8/5	4/13 - 9/5	5/13 - 10/5	6/13 - 11/5	7/13 - 12/5	8/13 - 1/5	9/13 - 2/5	10/13 - 3/7	11/13 - 4/7	12/13 - 5/7												
1/14 - 6/8	2/14 - 7/9	3/14 - 8/6	4/14 - 9/6	5/14 - 10/6	6/14 - 11/6	7/14 - 12/6	8/14 - 1/6	9/14 - 2/6	10/14 - 3/8	11/14 - 4/8	12/14 - 5/8												
1/15 - 6/9	2/15 - 7/10	3/15 - 8/7	4/15 - 9/7	5/15 - 10/7	6/15 - 11/7	7/15 - 12/7	8/15 - 1/7	9/15 - 2/7	10/15 - 3/9	11/15 - 4/9	12/15 - 5/9												
1/16 - 6/10	2/16 - 7/11	3/16 - 8/8	4/16 - 9/8	5/16 - 10/8	6/16 - 11/8	7/16 - 12/8	8/16 - 1/8	9/16 - 2/8	10/16 - 3/10	11/16 - 4/10	12/16 - 5/10												
1/17 - 6/11	2/17 - 7/12	3/17 - 8/9	4/17 - 9/9	5/17 - 10/9	6/17 - 11/9	7/17 - 12/9	8/17 - 1/9	9/17 - 2/9	10/17 - 3/11	11/17 - 4/11	12/17 - 5/11												
1/18 - 6/12	2/18 - 7/13	3/18 - 8/10	4/18 - 9/10	5/18 - 10/10	6/18 - 11/10	7/18 - 12/10	8/18 - 1/10	9/18 - 2/10	10/18 - 3/12	11/18 - 4/12	12/18 - 5/12												
1/19 - 6/13	2/19 - 7/14	3/19 - 8/11	4/19 - 9/11	5/19 - 10/11	6/19 - 11/11	7/19 - 12/11	8/19 - 1/11	9/19 - 2/11	10/19 - 3/13	11/19 - 4/13	12/19 - 5/13												
1/20 - 6/14	2/20 - 7/15	3/20 - 8/12	4/20 - 9/12	5/20 - 10/12	6/20 - 11/12	7/20 - 12/12	8/20 - 1/12	9/20 - 2/12	10/20 - 3/14	11/20 - 4/14	12/20 - 5/14												
1/21 - 6/15	2/21 - 7/16	3/21 - 8/13	4/21 - 9/13	5/21 - 10/13	6/21 - 11/13	7/21 - 12/13	8/21 - 1/13	9/21 - 2/13	10/21 - 3/15	11/21 - 4/15	12/21 - 5/15												
1/22 - 6/16	2/22 - 7/17	3/22 - 8/14	4/22 - 9/14	5/22 - 10/14	6/22 - 11/14	7/22 - 12/14	8/22 - 1/14	9/22 - 2/14	10/22 - 3/16	11/22 - 4/16	12/22 - 5/16												
1/23 - 6/17	2/23 - 7/18	3/23 - 8/15	4/23 - 9/15	5/23 - 10/15	6/23 - 11/15	7/23 - 12/15	8/23 - 1/15	9/23 - 2/15	10/23 - 3/17	11/23 - 4/17	12/23 - 5/17												
1/24 - 6/18	2/24 - 7/19	3/24 - 8/16	4/24 - 9/16	5/24 - 10/16	6/24 - 11/16	7/24 - 12/16	8/24 - 1/16	9/24 - 2/16	10/24 - 3/18	11/24 - 4/18	12/24 - 5/18												
1/25 - 6/19	2/25 - 7/20	3/25 - 8/17	4/25 - 9/17	5/25 - 10/17	6/25 - 11/17	7/25 - 12/17	8/25 - 1/17	9/25 - 2/17	10/25 - 3/19	11/25 - 4/19	12/25 - 5/19												
1/26 - 6/20	2/26 - 7/21	3/26 - 8/18	4/26 - 9/18	5/26 - 10/18	6/26 - 11/18	7/26 - 12/18	8/26 - 1/18	9/26 - 2/18	10/26 - 3/20	11/26 - 4/20	12/26 - 5/20												
1/27 - 6/21	2/27 - 7/22	3/27 - 8/19	4/27 - 9/19	5/27 - 10/19	6/27 - 11/19	7/27 - 12/19	8/27 - 1/19	9/27 - 2/19	10/27 - 3/21	11/27 - 4/21	12/27 - 5/21												
1/28 - 6/22	2/28 - 7/23	3/28 - 8/20	4/28 - 9/20	5/28 - 10/20	6/28 - 11/20	7/28 - 12/20	8/28 - 1/20	9/28 - 2/20	10/28 - 3/22	11/28 - 4/22	12/28 - 5/22												
1/29 - 6/23	2/29 - 7/24	3/29 - 8/21	4/29 - 9/21	5/29 - 10/21	6/29 - 11/21	7/29 - 12/21	8/29 - 1/21	9/29 - 2/21	10/29 - 3/23	11/29 - 4/23	12/29 - 5/23												
1/30 - 6/24	2/30 - 7/25	3/30 - 8/22	4/30 - 9/22	5/30 - 10/22	6/30 - 11/22	7/30 - 12/22	8/30 - 1/22	9/30 - 2/22	10/30 - 3/24	11/30 - 4/24	12/30 - 5/24												
1/31 - 6/25	2/31 - 7/26	3/31 - 8/23	4/31 - 9/23	5/31 - 10/23	6/31 - 11/23	7/31 - 12/23	8/31 - 1/23	9/31 - 2/23	10/31 - 3/25	11/31 - 4/25	12/31 - 5/25												

Oklahoma State University, in compliance with Title VI and VII of the Civil Rights Act of 1964, Executive Order 11246 as amended, Title IX of the Education Amendments of 1972, Americans with Disabilities Act of 1990, and other federal laws and regulations, does not discriminate on the basis of race, color, national origin, gender, age, religion, disability, or status as a veteran in any of its policies, practices, or procedures. This includes but is not limited to admissions, employment, financial aid, and educational services. Issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Robert E. Whitson, Director of Cooperative Extension Service, Oklahoma State University, Stillwater, Oklahoma. This publication is printed and issued by Oklahoma State University as authorized by the Vice President, Dean, and Director of the Division of Agricultural Sciences and Natural Resources and has been prepared and distributed at a cost of 20 cents per copy. 0504