South Dakota State University Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange

| Bulletins | South Dakota State University Agricultural |
|------------|--|
| Duiletiiis | Experiment Station |

8-1-1996

Russ Hard Red Winter Wheat

J. Rudd


R. G. Hall

Follow this and additional works at: http://openprairie.sdstate.edu/agexperimentsta_bulletins

Recommended Citation

Rudd, J. and Hall, R. G., "Russ Hard Red Winter Wheat" (1996). *Bulletins*. Paper 727. http://openprairie.sdstate.edu/agexperimentsta_bulletins/727

This Bulletin is brought to you for free and open access by the South Dakota State University Agricultural Experiment Station at Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange. It has been accepted for inclusion in Bulletins by an authorized administrator of Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange. For more information, please contact michael.biondo@sdstate.edu.





Jackie Rudd and Robert Hall SDSU Plant Science Department

Russ hard red spring wheat was released in the spring of 1995 by the South Dakota Agricultural Experiment Station. This new variety is early maturing, grows to a standard height, and has an excellent yield potential. Application for Plant Variety Protection has been made, and Russ will be sold only as a class of certified seed.

The variety is named in honor of Russel Hanson, a Spink County farmer who was a prominent supporter of SDSU research and a cooperator for the spring wheat breeding project until his death in 1993. After the James Valley Agricultural Research and Extension Center was relocated to Dakota Lakes, Hanson determined to continue research in the central Spink County area and donated land for the spring wheat breeding yield trials.

Russ was selected from a cross made in 1984 between two South Dakota experimental spring wheat lines, SD 8052 and SD 2971. Named varieties in the parentage include Shield, Butte, Len, and Waldron. Early generation selections were made in Brookings, South Dakota, and initial yield trials were conducted at several sites in northeast South Dakota. A winter nurserv at Weslaco, Texas, was used to decrease the number of years needed to develop the new variety. Russ was first tested in state and regional performance trials in 1991, and large-scale quality testing began in 1993.

Before a new variety is released, it must be superior to existing varieties in one or more traits. Russ exceeds this requirement, particularly for yield. It has been one of the top-yielding varieties at 71% of the testing locations in South Dakota from 1993 to 1995 (Table 2), indicating good yield stability. In 1991-1993 regional yield trials, Russ averaged 4 bu/A more than Butte 86 (Table 5).

Russ is similar in height to Butte 86 and Sharp and 2 to 3 inches taller than 2375 and

Table 1. Origin, disease resistance, and other traits for hard red spring wheat entries.

| | | | — C | 1994 | | |
|----------|--------|---------|------|------|-----------|--------|
| | Origin | Stand- | Leaf | Stem | Head scab | Baking |
| Variety | -yr | ability | rust | rust | tolerance | rating |
| | | | | | | |
| BUTTE 86 | ND-86 | FAIR | MR# | R | FAIR | F-P** |
| SHARP | SD-90 | GOOD | R | R | FAIR | G-F |
| DUICCT | 60.05 | 6000 | | | | NCC |
| RUSS* | SD-95 | GOOD | R | R | FAIR | VG-G |
| 2375* | PIO-88 | GOOD | MS | MR | FAIR | G-F |
| PROSPECT | SD-88 | GOOD | MR | MR | POOR | F-P |

- * Plant Variety Protection sold by variety name only as a class of certified seed.
- # S = Susceptible, MS = Moderately susceptible, MR = Moderately resistant, R = Resistant.
- ** P = Poor, F = Fair, G= Good, VG = Very good.

Table 2. Agronomic performance averages (1993-95) for hard redspring wheat entries.

| Variety | Relative heading | Protein pct | Bushel weight Ib | Height inch | Yield '95 | d, bu/A 93-95 | | yield entage 93-95 |
|----------|---------------------|----------------|------------------------|----------------|--------------|------------------|------|--------------------------|
| BUTTE 86 | 0* | 13.9# | 59# | 33# | 40 | 41 | 33** | 71** |
| SHARP | 0 | 14.1 | 59 | 33 | 38 | 40 | 17 | 57 |
| RUSS | 2 | 14.1 | 58 | 33 | 40 | 41 | 33 | 71 |
| 2375 | 2 | 13.9 | 59 | 30 | 37 | 41 | 0 | 57 |
| PROSPECT | 4 | 13.7 | 57 | 31 | 38 | 41 | 17 | 71 |

* Relative scale 0 to 7.

Averages were obtained from 1993-95 data.

** Percentage of time a variety appeared in the top-yield group across seven (7) valid test sites for 1993-95 and six (6) sites for 1995.

Prospect. Russ has similar maturity to 2375; it is about 2 days later than Butte 86 or Sharp and 2 days earlier than Prospect.

Russ is less susceptible to shattering than 2375 and has good straw strength for a standardheight wheat. Threshability is between Butte 86 and 2375.

Russ has good resistance to the current races of leaf and stem rust and is similar to Butte 86 for scab resistance. It is heterogeneous for Hessian fly resistance and should offer good protection under light to moderate infestations.

Another prominent feature of Russ is its bread-making quality. Russ is a strong mixing wheat with medium protein content. The Hard Spring Wheat Technical Committee, made up of university and industry consultants, considers Russ to be similar to Grandin, the current industry check, in baking properties.



Published in accordance with an act passed in 1881 by the 14th Legislative Assembly, Dakota Territory, establishing the Dakota Agricultural College and with the act of re-organization passed in 1887 by the 17th Legislative Assembly, which established the Agricultural Experiment Station at South Dakota State University, SDSU is an Affirmative Action/Equal Opportunity Employer (Male/Female) and offers all benefits,

services, education, and employment opportunities without regard for ancestry, age, race, citizenship, color, creed, religion, gender, disability, national origin, sexual preference, or Vietnam Era veteran status.

B 723: 1,200 printed at 13 cents each. August 1996.

Table 3. Hard red spring wheat one- and three-year average yields at four locations in eastern South Dakota.

| | Broo | okings | Wate | ertown | Sell | by | Grote | on |
|-----------|-------------|--------|-------------|--------|-------------|------|-------------|------|
| Variety | <i>'</i> 95 | 3-yr | <i>'</i> 95 | 3-yr | <i>'</i> 95 | 3-yr | <i>'</i> 95 | 3-yr |
| | Bu/A | | | | | | | |
| BUTTE 86 | 57 | 45 | 47 | 33 | 37 | 43 | 47 | 48 |
| SHARP | 53 | 47 | 45 | 34 | 34 | 40 | 51 | 49 |
| RUSS | 52 | 45 | 49 | 36 | 38 | 46 | 62 | 50 |
| 2375 | 53 | 49 | 46 | 36 | 36 | 44 | 50 | 49 |
| PROSPECT | 53 | 45 | 47 | 32 | 38 | 45 | 48 | 49 |
| Test avg: | 54 | 44 | 45 | 32 | 39 | 44 | 50 | 47 |

Table 4. Hard red spring wheat one- and three-year average yields at three locations in western South Dakota.

| | Wall B | | Bis | Bison | | Ralph | |
|-----------|-------------|------|-------------|-------|-------------|-------|--|
| Variety | ' 95 | 3-yr | <i>'</i> 95 | 3-yr | <i>'</i> 95 | 3-yr | |
| | | _ | В | u/A | | | |
| BUTTE 86 | 38 | 45 | 26 | 38 | 28 | 35 | |
| SHARP | 33 | 42 | 27 | 38 | 28 | 32 | |
| RUSS | 31 | 43 | 25 | 38 | 30 | 34 | |
| 2375 | 25 | 39 | 25 | 37 | 25 | 33 | |
| PROSPECT | 36 | 42 | 20 | 36 | 25 | 37 | |
| Test avg: | 33 | 41 | 25 | 36 | 26 | 34 | |

Table 5. Yield trial data from regional hard red spring wheat trials,1991-1993: South Dakota, North Dakota, Minnesota.

| Variety | 1991 (11)* | 1992 (10) | 1993 (10) | 1991-93 (31) | | | |
|----------|---------------|--------------|--------------|-----------------|--|--|--|
| | Bu/A | | | | | | |
| STOA | 35 | 55 | 36 | 42 | | | |
| BUTTE 86 | 37 | 52 | 38 | 42 | | | |
| RUSS | 39 | 58 | 42 | 46 | | | |

* Number of locations where data were collected.