









Chou Supplementary Figure 1



Chou Supplementary Figure 2




Chou Supplementary Figure 3





Chou Supplementary Figure 4





A









B



C



Chou Supplementary Figure 5



Chou Supplementary Table 1. Primers used for real-time qRT-PCR

H4c

Forward 5'-GGG ATA ACA TCC AGG GCA TT -3'

Reverse 5'-CCC TGA CGT TTT AGG GCA TA-3'

H4k/j

Forward 5'-CGC CGT GAC CTA TAC AGA GC-3'

Reverse 5'-AAC CAC CGA AAC CGT AGA GG-3'

SMG1

Forward 5'-CAA GCG ATG TCA GCA GAT GT-3'

Reverse 5'-TGC TGA CAA AAG CCA TTC AG-3'

RPL13

Forward 5'-GCA TTT CTG TGG ATC CGA GGA G-3'

Reverse 5'-CGA CTG ATT CCA AGT CCC C-3'

H2A.Y

Forward 5'-CTG ACA GCG GAG ATT CTG G-3'

Reverse 5'-CTT CAT CAT TGG CCA CAG C-3'

HNRPD

Forward 5'-TTT TGT TGG TGG CCT TTC TC-3'

Reverse 5'-GTT GTC CAT GGG GAG CTC TA-3'

RAB35

Forward 5'-GCA TCC AGT TGT TCG AGA CC-3'

Reverse 5'-GCC AGG TTG TCT TTC TTT GC-3'