




20 Transit Photometry with the LCOGT network

Diana Dragomir, J. Eastman, T. Brown, R. Street,
T. Lister, Y. Tsapras, R. Ross, B. Fulton



The current network (Brown et al. 2013)

- Haleakala: one 2.0m telescope
- Siding Spring: one 2.0m and two 1.0m telescopes
- Cerro Tololo: three 1.0m telescopes
- Sutherland: three 1.0m telescopes
- Fort Davis (McDonald Observatory): one 1.0m telescope
- Santa Barbara: one 0.8m (hosting the NRES spectrograph prototype) and one 1.0m telescopes (for instrument testing).




The 1.0m's

- 16 x 16 arcmin FOV (27 x 27 arcmin in 2014)
- Filters:* Johnson/Cousins UBVRI,
Sloan primed ugr, PanStarrs (short) zs, ys.

Unique potential

- Transit searches for RV-detected exoplanets such as the *MOST* transit search (Dragomir et al., in prep.), *TERMS* (Kane et al. 2009), etc.
- Observations of long transits (i.e. HD 80606b)
- Simultaneous multi-filter observations.

Multi-site transits with 1.0m's




WASP-17b

Period = 3.7354380 ± 0.0000068 days
 $M_p = 0.486 \pm 0.032 M_{Jup}$
 $R_p = 1.991 \pm 0.081 R_{Jup}$

F4
 $M_* = 1.306 \pm 0.026 M_{\odot}$
 $R_* = 1.572 \pm 0.056 R_{\odot}$

Parameter	Anderson et al. (2011)	This work (Sloan i)
Mid-transit time - T_c (BJD _{TDB})	2456460.5188 ± 0.0037	$2456460.53786 \pm 0.00038$
Scaled semi-major axis - a/R_*	$7.251^{+0.10}_{-0.052}$	$7.566^{+0.075}_{-0.13}$
Impact parameter - b	$0.401^{+0.059}_{-0.077}$	$0.118^{+0.11}_{-0.081}$
Planet/star area ratio - $(R_p/R_*)^2$	0.01696 ± 0.00026	0.01622 ± 0.00025

Transit parameters agree within 2σ .




WASP-35b

Period = 3.161575 ± 0.000002 days
 $M_p = 0.72 \pm 0.06 M_{Jup}$
 $R_p = 1.32 \pm 0.03 R_{Jup}$

M* = $1.10 \pm 0.08 M_{\odot}$
 $R_* = 1.09 \pm 0.14 R_{\odot}$


Parameter	Enoch et al. (2011)	This work (Sloan i)
Mid-transit time - T_c (BJD _{TDB})	2456242.83144 ± 0.0006	$2456242.83017^{+0.00040}_{-0.00042}$
Scaled semi-major axis - a/R_*	8.53 ± 0.19	$8.49^{+0.16}_{-0.35}$
Impact parameter - b	0.30 ± 0.04	0.18 ± 0.14
Planet/star area ratio - $(R_p/R_*)^2$	0.0154 ± 0.0001	0.01584 ± 0.00033

Transit parameters agree within 1 or 2σ .




Multi-filter transits with 1.0m's

WASP-5b



Period = $1.62843142 \pm 0.00000064$ days
 $M_p = 1.568 \pm 0.071 M_{Jup}$
 $R_p = 1.167 \pm 0.043 R_{Jup}$




G4V
 $M_* = 1.000 \pm 0.065 M_{\odot}$
 $R_* = 1.082 \pm 0.038 R_{\odot}$


Parameter	Fukui et al. (2011)	This work (Sloan g)	This work (Sloan i)
Mid-transit time - T_c (BJD _{TDB})	$2456215.75261 \pm 0.00091$	$2456215.75138^{+0.00043}_{-0.00042}$	$2456215.75100^{+0.00037}_{-0.00039}$
Scaled semi-major axis - a/R_*	5.37 ± 0.15	$5.21^{+0.15}_{-0.32}$	$5.78^{+0.13}_{-0.27}$
Impact parameter - b	0.4575 ± 0.12	$0.26^{+0.20}_{-0.18}$	$0.21^{+0.16}_{-0.14}$
Planet/star area ratio - $(R_p/R_*)^2$	0.01228 ± 0.00049	$0.01190^{+0.00052}_{-0.00041}$	$0.01193^{+0.00096}_{-0.00094}$

Transit parameters agree within 1 or 2σ .

GJ 3470b



Period = 3.33665 ± 0.00005 days
 $M_p = 13.9 \pm 0.071 M_{Earth}$
 $R_p = 4.83 \pm 0.043 R_{Earth}$



M1.5V
 $M_* = 0.539 \pm 0.045 M_{\odot}$
 $R_* = 0.568 \pm 0.034 R_{\odot}$

Parameter	Demory et al. (2013)	This work (Sloan r)	This work (Pan-STARRS z)
Mid-transit time - T_c (BJD _{TDB})	2456300.68602 ± 0.0032	$2456300.68625 \pm 0.00049$	$2456300.68585^{+0.00050}_{-0.00047}$
Scaled semi-major axis - a/R_*	$13.42^{+0.25}_{-0.23}$	$13.97^{+0.85}_{-0.77}$	$13.71^{+0.27}_{-0.40}$
Impact parameter - b	$0.40^{+0.06}_{-0.08}$	$0.472^{+0.061}_{-0.083}$	$0.16^{+0.14}_{-0.11}$
Planet/star area ratio - $(R_p/R_*)^2$	0.005929 ± 0.00014	0.00654 ± 0.00034	$0.00617^{+0.00029}_{-0.00028}$

Transit parameters agree within 1 or 2σ .

References

- Anderson et al., 2011, MNRAS, 416, 2108
Brown et al., 2013, PASP submitted
Demory et al., 2013, ApJ, 768, 154

- Enoch et al., 2011, AJ, 142, 86
Fukui et al., 2011, PASJ, 63, 287
Kane et al., 2009, PASP, 121, 1386