

# The Great Lakes Entomologist

---

Volume 51  
Numbers 3 & 4 - Fall/Winter 2018 *Numbers 3 &  
4 - Fall/Winter 2018*

---

Article 5

January 2018

## New State Records For Some Pentatomomorpha (Heteroptera) of the United States

Daniel R. Swanson

University of Illinois at Urbana-Champaign, [drswanny@gmail.com](mailto:drswanny@gmail.com)

Follow this and additional works at: <https://scholar.valpo.edu/tgle>



Part of the [Entomology Commons](#)

---

### Recommended Citation

Swanson, Daniel R. 2018. "New State Records For Some Pentatomomorpha (Heteroptera) of the United States," *The Great Lakes Entomologist*, vol 51 (2) : 42-53

Available at: <https://scholar.valpo.edu/tgle/vol51/iss2/5>

This Peer-Review Article is brought to you for free and open access by the Department of Biology at ValpoScholar. It has been accepted for inclusion in The Great Lakes Entomologist by an authorized administrator of ValpoScholar. For more information, please contact a ValpoScholar staff member at [scholar@valpo.edu](mailto:scholar@valpo.edu).

---

## New State Records For Some Pentatomomorpha (Heteroptera) of the United States

### Cover Page Footnote

The bulk of the work that went into this study was carried out during my time in the UMMZ, and I am grateful to Mark O'Brien (UMMZ) and Gary Parsons (MSUC) for the privilege of studying the material under their care. I thank Edwin L. Freese and Jane O'Donnell (UCMS) for correspondence regarding some pentatomomorph records from Iowa and Connecticut, respectively. I owe much appreciation to three reviewers, whose stylistic comments and knowledge of obscure references, greatly improved the content and utility of this manuscript.

## New state records for some Pentatomomorpha (Heteroptera) of the United States

Daniel R. Swanson

Department of Entomology, University of Illinois at Urbana-Champaign,  
320 Morrill Hall, 505 South Goodwin Avenue, Urbana, IL 61801;  
Illinois Natural History Survey, Prairie Research Institute, University of Illinois at Urbana-Champaign,  
1816 South Oak Street, Champaign, IL 61820-6960  
(e-mail: drswanny@gmail.com)

### Abstract

Forty-two new state records, distributed among the Alydidae, Coreidae, Largidae, Pyrrhocoridae, and Rhopalidae, are reported for 25 species of Pentatomomorpha found in the United States.

**Keywords:** True bugs, faunistics, distribution, Nearctic

My studies of the heteropteran groups of Michigan have afforded ample opportunity to examine material from all over the United States. As a retroactive companion piece to my Michigan Coreoidea synopsis (i.e., Swanson 2011), I have re-examined and identified Coreoidea and Pyrrhocoroidea in the two major collections in southern Michigan in order to bring to light unreported state records among that material. As a result, 42 new extra-Michigan state records for species from five pentatomomorphan families, comprising material from the Michigan State University Albert J. Cook Arthropod Research Collection in East Lansing, the University of Michigan Museum of Zoology Insect Collection in Ann Arbor, and the author's personal collection, are herein reported.

### Materials and Methods

After examining the determined coreoid and pyrrhocoroid holdings and identifying most of the undetermined U.S. material in two Michigan university collections, the locality data of these specimens was compared with the most recent catalog for Heteroptera found north of Mexico (Henry and Froeschner 1988). Further records were culled after comparing with various post-1988 regional faunistic studies, as well as some pre-1988 references overlooked by the authors of the catalog (see annotations). The remaining specimen data are the subject of this treatment.

The identification of each specimen included in this study was rendered or confirmed by me, using my own keys (Swanson, unpublished) to the United States taxa synthesized from various sources

(e.g., Torre-Bueno 1941, Packauskas 1994, Schaefer 2004). All new records pertain to specimens vouchered in one of the collections listed below.

Label data were not copied verbatim, although complete locality information is included. Any additions, changes, or interpretive elements I provide are shown in brackets. Multiple localities are included, where possible, to fortify new records. Distributional or taxonomic notes are offered where deemed necessary or useful.

As mentioned, the initial authority on which a state having a published record is based belongs to Froeschner (Alydidae: 1988a; Coreidae: 1988b) and Henry (Largidae: 1988a; Pyrrhocoridae: 1988b; Rhopalidae: 1988c). An updated distribution within the United States and Canada is included for each species treated herein. Records overlooked or reported subsequently are annotated in the distribution north of Mexico given at the end of each species account, whereas new records herein reported are presented in bold type; thus, this treatment also may be used as a partial compilation of references overlooked in Henry and Froeschner's (1988) catalog. The abbreviations used for each U.S. state and Canadian province or territory follow the United States Postal Service and the Canada Post Corporation, respectively.

Collections are designated as follows: Daniel R. Swanson, personal collection (DRS); Albert J. Cook Arthropod Research Collection, Michigan State University, East Lansing, Michigan (MSUC); and University of Michigan Museum of Zoology Insect Collection, Ann Arbor, Michigan (UMMZ).

## Results

As a result of this investigation, 42 new state records for 25 species in 22 genera in 5 families have been compiled. The following 22 states have new records: AL, AZ, CT, FL, GA, IL, KS, KY, LA, MD, MN, MT, ND, NE, NM, NY, OK, OR, TN, TX, WV, WY.

### Superfamily COREOIDEA

#### Family ALYDIDAE

Eleven new state records are reported for 8 species in 6 genera.

*Alydus conspersus* Montandon, 1893. – **CONNECTICUT**: [Litchfield Co.], Lakeville, 2 September 1934 [add. date: 29 June 1935], R. F. Hussey, det. R. F. Hussey 1936 [2 ♀] (UMMZ); Litchfield Co., Salisbury – Twin Lakes, 10 September 1982, M. & A. O'Brien, det. D. R. Swanson 2012 [1 ♂] (UMMZ); **MINNESOTA**: [Hennepin Co.], Minneapolis, 5 October 1918, R. F. Hussey, det. D. R. Swanson 2012 [1 ♀] (UMMZ).

Notes: Froeschner (1988a) listed this species from "Dakota"; see Rider (2012) for a discussion about the probable localities of these records. Hussey (1922a) and Weber (1935) reported this species (the former as *Coriscus conspersus*) from North Dakota, and Clem and Ray (2016) listed a specimen from South Dakota in the appendix. I have examined the following corroborative material: **SOUTH DAKOTA**: Lawrence Co., Cheyenne Crossing, Black Hills National Forest, 13–14 July 1974, Richard A. Arnold, det. D. R. Swanson 2012 [1 ♀] (MSUC); idem. Thomas A. Bowling [1 ♂] (MSUC).

Distribution: USA: AZ, CO, CT, IA, IL, IN, MA, ME, MI, MN, ND (Hussey 1922a), NH (Parshley 1917), NJ, NY, OH, PA, SD, UT, WI, WY (Dennis et al. 2010); Canada: AB, BC, MB (Maw et al. 2000), NB (Maw et al. 2000), ON, QC, SK (Maw et al. 2000).

*Alydus eurinus* (Say, 1825). – **MINNESOTA**: Otter Tail Co., Fergus Falls, Swan Lake Road, roadside weeds, 19 July 2013, 46.2315°N 96.0315°W, #29, 1290 ft., D. R. Swanson, det. D. R. Swanson 2013 [1 ♂] (DRS); Wadena Co., 10 July 1952, George W. Byer, det. D. R. Swanson 2012 [1 ♂] (UMMZ); **WEST VIRGINIA**: [Fayette Co.], Page, goldenrod, 10 September 1960, B. A. Wilson, det. D. R. Swanson 2012 [1 ♂, 2 ♀] (MSUC); [Mercer Co.], Bluefield, 12 June 1954, R. L. Fischer, det. D. R. Swanson 2012 [1 ♂] (MSUC); Pendleton Co., Brandywine, Brandywine Rec. Area, 20 June 2016, 38.6016°N 79.2027°W, 1890 ft., D. R. Swanson, #30, det. D. R. Swanson 2017 [1 ♂] (DRS).

Notes: Froeschner (1988a) listed this species from "Dakota"; see Rider (2012) for

a discussion about the probable localities of these records. Hussey (1922a) reported this species (as *Coriscus eurinus*) from North Dakota, and I have examined the following corroborative material: **NORTH DAKOTA**: Richland Co., Wahpeton, jct. Hwy. 210 & Westmore Ave., 19 July 2013, 46.2727°N 96.6258°W, #31, 1010 ft., D. R. Swanson, det. D. R. Swanson 2013 [2 ♂] (DRS); **SOUTH DAKOTA**: Codington Co., Watertown, Pelican Lake Rec. Area, 19 July 2013, 44.8656°N 97.2082°W, #34, 1770 ft., D. R. Swanson, det. D. R. Swanson 2013 [1 ♀] (DRS); Badlands, 16 June 1955, R. L. Fischer, det. D. R. Swanson 2012 [1 ♂] (MSUC). Evans et al. (1978) recorded *Alydus pluto* Uhler, 1872 from the Yukon Territories, which record was later referred to this species by Scudder (1997).

Distribution: USA: AK (Scudder 1997), AL (Clem and Ray 2016), AR, AZ, CA, CO, CT, DC, FL, GA, IA, IL, IN, KS, KY, LA (Masner 1983), MA, MD (Brown and Bahr 2008), ME, MI (Townsend 1890, Hussey 1922b, Swanson 2011), MN, MO, MS (Lago and Testa 2000), MT, NC, ND (Hussey 1922a), NE, NH, NJ, NM, NY, OH, OK (Drew and Schaefer 1963, Smith et al. 1996), PA, RI (Parshley 1917), SC, SD, TN (Clem and Ray 2016), TX, UT, VA, VT (Parshley 1917), WI, WV; Canada: AB, BC, MB (Maw et al. 2000), NB (Maw et al. 2000), NS (Maw et al. 2000), NT (Maw et al. 2000), ON, PE (Maw et al. 2000), QC, SK (Maw et al. 2000), YT (Evans et al. 1978, Scudder 1997).

*Alydus scutellatus* Van Duzee, 1903. – **WYOMING**: Albany Co., Medicine Bow National Forest, Curtis Gulch Campground, T28N – R73W – Sec. 8, 8–10 July 1974, Daniel K. Young, det. D. R. Swanson 2012 [1 ♀] (MSUC); [Albany Co.], Centennial, Snowy Ranch, 10000 ft., 9 August 1950, R. R. D[reisbach] & R. K. Schwab, det. R. F. Hussey 1951, det. D. R. Swanson 2012 [1 ♂] (MSUC).

Distribution: USA: CA (Van Duzee 1917a), CO, IA, MT, NM, WY; Canada: AB, BC.

*Darmistus subvittatus* Stål, 1859. – **OREGON**: Curry Co., Humbug State Park, 25 August 1962, R. L. Fischer, det. D. R. Swanson 2012 [1 ♀] (MSUC).

Distribution: AZ, CA, CO, NE (Schaefer 2003), NM (Schaefer 2003), OR, SD (Harris 1937), TX, UT (Schaefer 2003), WA (Schaefer 2003), WY (Schaefer 2003).

*Megalotomus quinquespinosus* (Say, 1825). – **TENNESSEE**: Shelby Co., Shelby Forest State Park, 7 June 1971, Bruce Wildie, det. D. R. Swanson 2012 [1 ♂]

(MSUC); Stewart Co., Land Between the Lakes, nr. Model, 9–10 June 1971, R. L. Fischer, det. D. R. Swanson 2012 [3 ♂, 4 ♀] (MSUC); idem. D. K. Young [3 ♀] (MSUC); **WEST VIRGINIA**: [Greenbrier Co.], Alderson, 11 September 1960, B. A. Wilson, det. D. R. Swanson 2012 [1 ♂] (MSUC).

Distribution: USA: AL (Clem and Ray 2016), AR (Tugwell et al. 1973, Chordas et al. 2005), AZ, CA, CO, CT (Parshley 1917, 1923), DC, DE, FL, GA (Clem and Ray 2016), IA, IL, IN, KS, KY, MA, MD (Brown and Bahr 2008), ME, MI, MO, NC, ND (Hussey 1922a), NH (Parshley 1917), NJ, NY (Van Duzee 1917b), OH, OK (Drew and Schaefer 1963), PA, SC, SD (Harris 1937), TN, UT, VA (Hoffman 1975), VT (Parshley 1917), WA, WI, **WV**; Canada: AB, BC, MB (Maw et al. 2000), ON, QC.

*Stachyocnemus apicalis* (Dallas, 1852). – **GEORGIA**: [Haralson Co.], Bremen, 19 June 1954, R. L. Fischer, det. D. R. Swanson 2012 [1 ♂] (MSUC).

Notes: Froeschner (1988a) listed this species from “Dakota”; see Rider (2012) for a discussion about the probable localities of these records.

Distribution: USA: AL (Clem and Ray 2016), AZ, CA, CO, CT (Schaefer and Schaffner 1997), “Dak.,” DC, FL, GA, IL (Hart 1907), IN, MT, NC, NJ, NM, NY, OK (Drew and Schaefer 1963), SC, SD (Harris 1937, Clem and Ray 2016), TX, VA (Hoffman 1975), WY (Lavigne et al. 1976); Canada: AB.

*Stenocoris (Stenocoris) tipuloides* (De-Geer, 1773). – **LOUISIANA**: St. Helena Par., 10 mi. SW. Fluker, Hiways 1047 at 1048, 13 April 1972, E. H. Metzler, det. D. R. Swanson 2012 [3 ♂] (MSUC); Orleans Par., N. O. City Park, 28 January 1972, E. H. Metzler, det. D. R. Swanson 2012 [1 ♀] (MSUC).

Notes: Van Duzee (1917b) and Ahmad (1965) reported this species from Florida and Texas, the latter author having studied two females from the United States. However, Froeschner (1988a) stated “The nominate subgenus *Stenocoris* does not occur in our region.” Hoffman (1994) added records for Georgia, South Carolina, and Virginia but mentioned “inconsistencies” associated with this name’s usage. Jansen and Halbert (2016) included *S. tipuloides*, as well as two species in the subgenus *Oryzocoris* Ahmad, 1965, as present in Florida. The material I have examined and here referred to *S. (S.) tipuloides* agrees with the characterization of Ahmad (1965), and should this be the incorrect name for this species, as suggested by Hoffman (1994), then the material may easily be referred to the appropriate taxon

following the new characterizations. Besides the new state record reported above, I also have studied corroborative material for Florida, Mississippi, and Texas: **FLORIDA**: [Manatee Co.], nr. Whitfield[?], George Ames[?], Collection C. V. Riley, det. D. R. Swanson 2012 [1 ind., abdomen missing] (MSUC); Everglades National Park, 3 April 1960, W. T. Van Velzen, det. D. R. Swanson 2012 [1 ♂, 2 ♀] (MSUC); **MISSISSIPPI**: [no further locality data], “576”, det. D. R. Swanson 2012 [1 ♂, 1 ♀] (MSUC); **TEXAS**: Cameron Co., Brownsville, ex. USDA light trap, 15 March 1972, H. M. Graham, det. D. R. Swanson 2012 [1 ♂] (MSUC); Cameron Co., Los Fresnos, ex. USDA light trap, 16 March 1972, H. M. Graham, det. D. R. Swanson 2012 [1 ♂] (MSUC); Starr Co., Benston [sic]-Rio Grande Valley State Park, 16 March 1972, T. A. Bowling, det. D. R. Swanson 2012 [1 ♂] (MSUC).

Distribution: AL (Clem and Ray 2016), FL, GA (Hoffman 1994), LA, MS (Blatchley 1926), SC (Hoffman 1994), TX, VA (Hoffman 1994).

*Tollius curtulus* (Stål, 1859). – **WYOMING**: Albany Co., Medicine Bow National Forest, Curtis Gulch Campground, T28N – R73W – Sec. 8, 8–10 July 1974, F. William Ravlin, det. D. R. Swanson 2012 [1 ♀] (MSUC).

Distribution: USA: CA, CO, IL, NY, OR, UT, **WY**; Canada: AB, BC, SK (Maw et al. 2000).

#### Family COREIDAE

Sixteen new state records are reported for 9 species in 9 genera.

*Acanthocephala terminalis* (Dallas, 1852). – **WEST VIRGINIA**: [Webster Co.], Cowen, July 1934, [no collector], det. D. R. Swanson 2012 [1 ♀] (MSUC); [Wood Co.], Rockport, 11 June 1954, D. L. Haynes, det. D. R. Swanson 2012 [2 ♀] (MSUC).

Notes: McPherson et al. (2011) synonymized *Acanthocephala confraterna* (Uhler, 1871) with this species; many of the annotations refer to this or another junior synonym, and the record for Texas reported by Froeschner (1988b) is referred here.

Distribution: USA: AL (Blatchley 1926, McPherson et al. 2011), AR (Chordas et al. 2005), CO, CT, DE (McPherson et al. 2011), FL, GA (Scott and Fiske 1902, Palmer and Bennett 1988, McPherson et al. 2011), IA (Osborn 1892, McPherson et al. 2011), IL, IN, KS (Tucker 1907a, b; McPherson et al. 2011), KY (McPherson et al. 2011), LA, MA, MD, MI (Hussey 1922b, Swanson 2011), MN, MO, MS (McPherson et al. 2011), NC, NE



(McPherson et al. 2011), NJ, NY, OH (Adkins 1917), OK, PA, RI (Parshley 1917), SC, SD (Harris 1937, McDaniel 1989), TN, TX, VA (Hoffman 1975, McPherson et al. 2011), WI, WV; Canada: ON (Maw et al. 2000).

*Catorhintha apicalis* (Dallas, 1852). – **NEW MEXICO**: Sierra Co., 3 mi. W. Kingston, 30 July 1989, R. L. Fischer, det. D. R. Swanson 2012 [2 ♂] (MSUC); Socorro Co., T45 R6W Sec. 5, 27 July 1989, Manda Kasture, det. D. R. Swanson 2012 [1 ♀] (MSUC); Socorro Co., T25 R2W Sec. 31, 28 July 1989, Manda Kasture, det. D. R. Swanson 2012 [1 ♂] (MSUC); Socorro Co., T25 R7W Sec. 29, 29 July 1989, Manda Kasture, det. D. R. Swanson 2012 [1 ♂] (MSUC); Socorro Co., Water Canyon, T35 R3W Sec. 26, 29 July 1989, Manda Kasture, det. D. R. Swanson 2012 [1 ♂] (MSUC).

Notes: Brailovsky and Garcia (1987) synonymized *Ficana* Stål, 1862 with *Catorhintha* Stål, 1859.

Distribution: AZ, CA, CO, NM.

*Chariesterus antennator* (Fabricius, 1803). – **LOUISIANA**: [East Baton Rouge Par.], Baton Rouge, 24 May 1934, F. E. Lyman, det. D. R. Swanson 2012 [3 ♂, 2 ♀] (UMMZ); **NEW MEXICO**: McKinley Co., Gallup, 10 July 1960, J. E. Bath, det. D. R. Swanson 2012 [1 ♂] (MSUC); **TENNESSEE**: Fentress Co., Allardt, 15 August 1922, T. H. Hubbell, det. R. F. Hussey 1924 [1 ♂] (UMMZ); Knox Co., Knoxville, 28 September 1919, H. C. Fortner, det. R. F. Hussey [1 ♂] (UMMZ); [Sevier Co.], Headquarters, Great Smoky Mountains National Park, 15 August 1947, 1600 ft., Bullock-Dreisbach, det. R. I. Sailer [1 ♀] (MSUC).

Distribution: USA: AR (Tugwell et al. 1973, Chordas et al. 2005), CO, FL, GA, IA (Osborn 1898, 1899), IL, IN, KS, LA, MD (Blöte 1935, Brown and Bahr 2008), MI, MS, NC, NE (McDaniel 1989), NJ, NM, NY, OH (Osborn 1900, 1904), OK, PA, SC, SD (Parshley 1922, Harris 1937, McDaniel 1989), TN, TX, VA, WI (Williams 2004); Canada: ON (Paiero et al. 2003).

*Cimolus obscurus* Stål, 1870. – **FLORIDA**: Alachua Co., Gainesville, 12 January 1924, H. S. Holl, det. R. F. Hussey 1950 [1 ♂] (UMMZ); Alachua Co., Gainesville, 5 March 1922, [no collector], det. R. F. Hussey 1950 [1 ♂] (UMMZ); Alachua Co., 11 March 1923, Alexander-Walker, det. R. F. Hussey 1925 [1 ♀] (UMMZ); **OKLAHOMA**: Cleveland Co., Norman, Cimarron Trails apartment complex, 10 October 2007, 35.2453°N 97.4885°W, #204, 1170 ft., D. R. Swanson, det. D. R. Swanson 2008 [1 ♀] (DRS).

Distribution: FL, LA, OK, SC, TX.

*Euthochtha galeator* (Fabricius, 1803). – **ALABAMA**: Calhoun Co., Camp MacClellan, Choccolocco Mountain, 13 July 1925, H. D. Smith, det. D. R. Swanson 2012 [1 ♂] (UMMZ); **KENTUCKY**: Laurel Co., Bald Rock, 11 June 1978, R. L. Fischer, det. D. R. Swanson 2012 [5 ♂, 3 ♀] (MSUC); Lee Co., 2.9 rd. mi. SW. on Virgil Todd Rd., nr. rock face, 28 July 2010, 37.5109°N 83.8240°W, #31, 720 ft., D. R. Swanson, det. D. R. Swanson 2010 [1 ♂] (DRS); **MINNESOTA**: Houston Co., [no additional data], 20 May 1938 [add. dates: 21 May 1938, 28 May 1939], H. E. Milliron, det. D. R. Swanson 2012 [1 ♂, 3 ♀] (MSUC); **WEST VIRGINIA**: [Wood Co.], Rockport, 11 June 1954, D. L. Haynes, det. D. R. Swanson 2012 [1 ♂] (MSUC).

Distribution: USA: AL, AR (Tugwell et al. 1973, Chordas et al. 2005), CT, FL, GA (Scott and Fiske 1902), IA (Osborn 1892, Hendrickson 1930), IL, IN, KS, KY, MA, MD (Brown and Bahr 2008), MI, MN, MO, NC, NE, NH (Parshley 1917), NJ, NY, OH, OK (Drew and Schaefer 1963, Smith et al. 1996), PA, RI (Parshley 1917), SC, SD (Parshley 1922, Harris 1937, McDaniel 1989), TN (Lambdin et al. 2003), TX, VA, WI, WV; Canada: ON.

*Mamurius mopsus* Stål, 1862. – **TEXAS**: Hidalgo Co., Mission, 16 March 1972, J. Zimmerman, det. D. R. Swanson 2012 [1 ♂] (MSUC); Maverick Co., 23.7 mi. S. Del Rio jct. Rt. 90 on Rt. 277, 14 October 2007, 29.0829°N 100.6430°W, #231, 920 ft., D. R. Swanson, det. D. R. Swanson 2008 [1 ♀] (DRS); Starr Co., Falcon State Park, 20 March 1972, Roland F. Fischer, det. D. R. Swanson 2012 [1 ♀] (MSUC).

Distribution: AZ, TX.

*Merocoris distinctus* Dallas, 1852. – **MONTANA**: Carter Co., 11 mi. N. Ekalaka, sandy soils, grassland, ponderosa pine, UV, 5 August 1994, 3400', J. H. Wilterding, det. D. R. Swanson 2017 [1 ♂] (MSUC); **WEST VIRGINIA**: Greenbrier Co., Alvon, 18 June 1957, R. L. Fischer, det. D. R. Swanson 2012 [1 ♂] (MSUC).

Notes: The species of this genus are often confounded and some of the records referred to other species actually refer to *M. distinctus*. The Floridian record (i.e., Uhler 1876) is referred to *Merocoris typhaeus* (Fabricius, 1798), following the interpretation of Baranowski and Slater (1986). Records from the western states (i.e., Van Duzee 1914, 1917b; Froeschner 1988b) might refer to *Merocoris curtatus* McAtee, 1919 and currently remain suspect. Identifications

also were compared with Brailovsky and Barrera's (2009) key. Uhler (1876), Wirtner (1904), Van Duzee (1917b), and Froeschner (1988b) reported this species as *M. typhaeus* or *var. distinctus* from Pennsylvania, and I have examined the following corroborative material: **PENNSYLVANIA**: [Pike Co.], Milford, 7 September 1955, R. Angle, det. D. R. Swanson 2012 [1 ♀] (MSUC). The record of *M. typhaeus* reported for Tennessee by Lambdin et al. (2003) almost certainly refers to this species, and I have examined the following corroborative material: **TENNESSEE**: Fentress Co., Allardt, 16 August 1922 [add. date: 13 August 1924], elev. ca. 1600 ft., T. H. Hubbell, det. D. R. Swanson 2012 [2 ♂] (UMMZ); Stewart Co., Land Between the Lakes, nr. Model, 9–10 June 1971, D. K. Young, det. D. R. Swanson 2012 [1 ♂] (MSUC); Van Buren Co., Fall Creek Falls State Park, 11 August 1951, T. J. Cohn, det. D. R. Swanson 2012 [1 ♂, 1 ♀] (UMMZ). Van Duzee (1917b), Froeschner (1988b), and Williams (2004) reported this species as *M. typhaeus* or *var. distinctus* from Wisconsin, and I have examined the following corroborative material: **WISCONSIN**: Shawano Co., [no further locality data], 26 August 1950 [add. date: 31 August 1950], [no collector], det. D. R. Swanson 2012 [2 ♀] (MSUC); [Oconto Co.], Lakewood, 1 August 1950 [add. date: 26 August 1950], [no collector], det. D. R. Swanson 2012 [1 ♂, 1 ♀] (MSUC).

Distribution: AL, AR, AZ(?), CA(?), CO, CT (Parshley 1917, 1923), GA (Scott and Fiske 1902), IA, IL, IN (Blatchley 1926), KS, MA, MD, ME (Parshley 1917), MI (Swanson 2011), MO, MT, NC (Torre-Bueno and Engelhardt 1910, Van Duzee 1917b, Brimley 1938), NH (Parshley 1917), NJ, NM(?), NY, OH, OK, PA (Uhler 1876, Wirtner 1904, Van Duzee 1917b), RI (Parshley 1917), SC, SD (Parshley 1922, Harris 1937, McDaniel 1989), TN, TX (Uhler 1876), VA, VT (Parshley 1917), WI (Van Duzee 1917b, Williams 2004), WV; Canada: AB, MB (Maw et al. 2000), ON (Gibson 1910, 1912, 1917; Maw et al. 2000), QC (Maw et al. 2000), SK (Maw et al. 2000).

*Narnia snowi* Van Duzee, 1906. – **OKLAHOMA**: Cimarron Co., Kenton, 3 July 1926 [add. date: 4 July 1926], T. H. Hubbell, det. R. Packauskas 1995 [1 ♂, 2 ♀] (UMMZ).

Distribution: AZ, CA, CO, NM, OK, TX.

*Nisoscolopocerus apiculatus* Barber, 1928. – **NORTH DAKOTA**: Slope Co., Amidon, 24 August 1920, T. H. Hubbell, det. R. F. Hussey 1950 [1 ♀] (UMMZ).

Notes: Barber (1928) described this species from specimens previously referred to *Coriomeris humilis* (Uhler, 1872) (Pseudophloeinae), based on morphological similarities with the genus *Scolopocerus* Uhler, 1875 (Coreinae). It is worth noting that a single male of *C. humilis* residing in the UMMZ shares the exact same locality data as the above specimen of *N. apiculatus*; the former was reported by Hussey (1922a). Barber (1928) stated that Uhler's (1875) specimen from Gila River was not *Dasycoris humilis* Uhler, 1872 but rather belonged to his new species; thus, Uhler's (1875) record is treated as the first for Arizona.

Distribution: USA: AZ (Uhler 1875), CO, ND, NE, NM; Canada: AB, MB (Maw et al. 2000), SK (Maw et al. 2000).

#### Family RHOPALIDAE

Ten new state records are reported for 5 species in 5 genera.

*Arhyssus nigristernum* (Signoret, 1859). – **ALABAMA**: Cleburne Co., Shoal Creek Ford, 6 mi. NNW. Edwardsville, 25 July 1965, J. & L. Donahue, det. D. R. Swanson 2012 [1 ♂, 1 ♀] (MSUC).

Notes: Snow (1904), Hambleton (1908), and Van Duzee (1917b) included records for Arizona and California, but these records were excluded by Chopra (1968) and Henry (1988c), the latter treatments followed here.

Distribution: USA: AL, AR, CO (Gillette and Baker 1895), CT, DC, FL, IA (Osborn 1892, Hendrickson 1930), IL (Swanson et al. 2017), IN, KS, KY, LA, MA, MD, ME, MI, MO, MS, NC, NH (Parshley 1917), NJ, NY, OH, PA, RI, TN, TX, VA, WV; Canada: BC (Parshley 1919, Downes 1927), ON, QC.

*Harmostes fraterculus* (Say, 1831). – **NEW YORK**: Nassau Co., Lynbrook, 31 August 1959, George Eickwort, det. D. R. Swanson 2012 [1 ♀] (MSUC).

Distribution: AR (Chordas et al. 2011), AZ, CA, DC, FL, GA, IL, IN, KS (Tucker 1907a, b), MD, MN, MO, MT (Göllner-Scheiding 1978), NC, NJ, NY, OK, PA, TN (Lambdin et al. 2003), TX, VA, WA (Göllner-Scheiding 1978).

*Jadera haematoloma* (Herrich-Schäffer, 1847). – **LOUISIANA**: [East Baton Rouge Par.], Baton Rouge, 27 April 1934, F. E. Lyman, det. D. R. Swanson 2012 [1 ♂] (UMMZ); **NEBRASKA**: Cuming Co., West Point, Karl Timmerman Mem. Bridge, 20 July 2013, 41.8395°N 96.7276°W, 1350 ft., D. R. Swanson, #38, det. D. R. Swanson 2013 [1 ♀] (DRS).

Distribution: AL, AR (Chordas et al. 2011), AZ, CA, CO, FL, IA (Hoebeke and Wheeler 1982), IL, IN (Deay and Gould 1935), KS, LA, MI (Barber 1912), MO, NC, NE, OK (Ortenburger 1926, Drew and Schaefer 1963, Smith et al. 1996, Chordas and McAllister 2012), SD (Harris 1937), TX.

*Liorhysus hyalinus* (Fabricius, 1794). – **ILLINOIS**: Champaign Co., Urbana, Meadowbrook Park on S. Race St., 12 May 2012, 40.0805°N 88.2085°W, 730 ft., D. R. Swanson, #25, det. D. R. Swanson 2012 [1 ♂, 1 ♀] (DRS); Champaign Co., Urbana, Student Sustainable Farm, 12 Sept. 2013, 40.0800°N 88.2169°W, 710 ft., D. R. Swanson, #88, det. D. R. Swanson 2016 [2 ♂] (DRS); Champaign Co., Champaign, UIUC campus, NRSA, 16 August 2016, 40.0916°N 88.2427°W, 750 ft., D. R. Swanson, #57, det. D. R. Swanson 2017 [1 ♂] (DRS); Johnson Co., Goreville, 13 June 1958, J. G. Brady, det. D. R. Swanson 2012 [1 ♂] (MSUC).

Distribution: USA: AR, AZ, CA, CO, CT, FL, IA, ID (Harris and Shull 1944, Hampton 2005), IL, IN, KS, LA, MA, MD, MI (Swanson 2011), MO, MS, NC, NE, NM, NV, OH, OK (Drew and Schaefer 1963, Stoner et al. 1962), OR (Wheeler 2016), SC, SD, TN (Lambdin et al. 2003), TX, UT, VA, WI (Williams 2004), WY; Canada: BC, MB, ON, QC (Scudder 2008).

*Stictopleurus punctiventris* (Dallas, 1852). – **CONNECTICUT**: [Litchfield Co.], Lakeville, 2 September 1934, R. F. Hussey, det. R. F. Hussey 1948 [1 ♂] (UMMZ); **ILLINOIS**: Lake Co., Fort Sheridan, 25 June 1924, E. Liljeblad, coll., det. D. R. Swanson 2012 [1 ♀] (UMMZ); **MARYLAND**: Montgomery Co., Seneca Creek Park, 5 May 1973, Collector: Barry M. O'Connor, det. D. R. Swanson 2012 [1 ♀] (UMMZ); **OKLAHOMA**: [Comanche Co.], Lawton, 4 May 1956, Robt. Angle, det. D. R. Swanson 2012 [1 ♂] (MSUC); **WEST VIRGINIA**: [Fayette Co.], Page, goldenrod, 10 September 1960, B. A. Wilson, det. D. R. Swanson 2012 [1 ♀] (MSUC); Greenbrier Co., Alvon, 18 June 1957, R. L. Fischer, det. D. R. Swanson 2012 [1 ♂] (MSUC).

Notes: Hambleton (1908) and Van Duzee (1917b) reported this species (as *Corizus crassicornis* [Linnaeus, 1758]) from Wyoming, although these records probably were confounded with other species. Nevertheless, I have examined the following corroborative material for the state: **WYOMING**: Albany Co., Medicine Bow National Forest, Curtis Gulch Campground, T28N – R73W – Sec. 8, 8–10 July 1974, Daniel K. Young, det. D. R. Swanson 2012 [1 ♀] (MSUC); Lincoln Co.,

Salt River Range, 8 July 1934, Edna Brod-korp, det. D. R. Swanson 2012 [1 ♂] (UMMZ).

Distribution: USA: AK (Scudder 1997; Maw et al. 2000), AZ, CA, CO, CT, GA (Scott and Fiske 1902), ID, IL, IN, MA, MD, ME, MI, MN, MT, ND (Uhler 1878, Hussey 1922a), NE, NH, NJ, NM, NY, OH, OK, OR, PA, SD, TN (Lambdin et al. 2003, Vlach et al. 2010), TX, UT, VA (Hoffman 1975), VT (Parshley 1917, 1923), WA, WV, WY (Hambleton 1908, Van Duzee 1917b); Canada: AB, BC, MB (Maw et al. 2000), NB (Maw et al. 2000), NF (Maw et al. 2000), NS, NT (Uhler 1876; Maw et al. 2000), ON (Van Duzee 1889, 1917b; Gibson 1913; Torre-Bueno 1918; Brown 1934; Maw et al. 2000), PE (Maw et al. 2000), QC, SK, YT.

#### Superfamily PYRRHOCOROIDEA

##### Family LARGIDAE

Four new state records are reported for 2 species in 1 genus.

*Largus convivus* Stål, 1861. – **ARIZONA**: Cochise Co., Rustlers Park, 18 June 1956, 8000 ft., R. & K. Dreisbach, det. D. Flynn [1 ♂] (MSUC); Navajo Co., White Mountains, Fools Hollow, Show low, 3 August 1989, Manda Kasture, det. D. R. Swanson 2012 [1 ♀] (MSUC); Pima Co., Santa Catalina Mts., Gen. Hitchcock tree, 2 September 1951, T. J. Cohn, det. D. R. Swanson 2012 [1 ♀] (UMMZ); **NEW MEXICO**: Otero Co., Sacramento Mountains, 2.3 mi. NW. Mayhill, James Canyon Forest Camp, 17 July 1956, elev. 6900 ft., T. J. Cohn & E. G. Matthews, #120A, det. J. C. Lutz [2 ♀] (UMMZ).

Notes: There is much confusion regarding the alpha taxonomy of this group, and the identifications were rendered using Halstead's (1972) key. Halstead (1972) treated *Wupatkius semo* Bliven, 1956, described from Arizona, as a junior synonym of *L. convivus*. Bliven (1973) disputed this treatment, and Henry (1988b) retained Bliven's genus and species.

Distribution: AZ, CA, CO, NM, TX.

*Largus succinctus* (Linnaeus, 1763). – **ALABAMA**: Monroe Co., 1 mi. N. Midway, 10 August 1992, B. M. O'Connor, det. D. R. Swanson 2012 [2 ♂, 2 ♀] (UMMZ); **TENNESSEE**: Henderson Co., Natchez Trace State Forest, 12 May 1968, Norman T. Baker, det. D. R. Swanson 2012 [1 ♀] (MSUC).

Notes: See note in previous species account. Scott and Fiske (1902) and Van Duzee (1917b) reported this species from Georgia, and I have examined the following corroborative material: **GEORGIA**: Mitchell Co., Baconton, 8 April 1953, George W. Byers, det. D. R. Swanson 2012 [1 ♀] (UMMZ);



Decatur Co., Low hammock, Mosquito Cr. on GA. Hwy. 97, 15 June 1953, T. H. Hubell, #78, det. D. R. Swanson 2012 [1 nymph] (UMMZ); [Gordon Co.], Calhous [sic], 26 August 1949 [add. date: 28 August 1949], [no collector], det. D. R. Swanson 2012 [3 ♀] (MSUC). Townsend (1886) reported this species from Louisiana, and I have examined the following corroborative material: **LOUISIANA:** [Caddo Par.], Shreveport, 23 November 1921, [no collector], det. D. R. Swanson 2012 [1 ♀] (MSUC). Froeschner (1944) reported this species from Missouri, and I have examined the following corroborative material: **MISSOURI:** Franklin Co., Sullivan, 8 June 1960, W. T. Van Velzen, det. D. R. Swanson 2012 [3 ♂, 3 ♀] (MSUC); Franklin Co., Meramec State Park, 26 July 1988, D. J. Biddinger, det. D. R. Swanson 2012 [2 ♀] (MSUC). Henry (1988b) considered records from Arizona (e.g., Snow 1904, 1906, 1907) and California (e.g., Van Duzee 1909, Blöte 1931, Torre-Bueno 1931, Masner 1983) to be suspect, suggesting that these records apply to *Largus cinctus* Herrich-Schäffer, 1842. Blöte (1931) reported this species (as *Euryophthalmus succinctus* [Linnaeus, 1763]) from “Eastern Branch, near Bannings, D.C.”, although I am unable to confidently elucidate this locality.

Distribution: **AL**, **AR** (Chordas and Kremers 2009), **AZ**(?), **CA**(?), **CO**, **FL**, **GA** (Scott and Fiske 1902, Van Duzee 1917b), **LA** (Townsend 1886), **MD**, **MN**, **MO** (Froeschner 1944), **MS**, **NC**, **NJ**, **NM**(?), **NY**, **OK**, **PA**, **TN**, **TX**, **VA**.

#### Family PYRRHOCORIDAE

One new state record is reported for 1 species in 1 genus.

*Dysdercus bimaculatus* (Stål, 1854). – **KANSAS:** [Finney Co.], Mansfield, 13 June 1961, Green, det. D. R. Swanson 2012 [1 ♀] (MSUC).

Distribution: **AZ**, **KS**.

#### Acknowledgments

The bulk of the work that went into this study was carried out during my time in the UMMZ, and I am grateful to Mark O'Brien (UMMZ) and Gary Parsons (MSUC) for the privilege of studying the material under their care. I thank Edwin L. Freese and Jane O'Donnell (UCMS) for correspondence regarding some pentatomomorph records from Iowa and Connecticut, respectively. I owe much appreciation to three reviewers, whose stylistic comments and knowledge of obscure references greatly improved the content and utility of this manuscript.

#### Literature Cited

- Adkins, W. S. 1917.** Some Ohio Heteroptera records. The Ohio Journal of Science 18(2): 58–61.
- Ahmad, I. 1965.** The Leptocorisinae (Heteroptera: Alydidae) of the World. Bulletin of the British Museum (Natural History), Entomology, Supplement 5: 1–156.
- Baranowski, R. M., and J. A. Slater. 1986.** Coreidae of Florida (Hemiptera: Heteroptera). Arthropods of Florida and Neighboring Land Areas, Volume 12. Florida Department of Agriculture and Consumer Services, Gainesville, FL. 82 pp.
- Barber, H. G. 1912.** Distribution of Hemiptera. Journal of the New York Entomological Society 20(2): 134–135.
- Barber, H. G. 1928.** A new genus and species of Coreidae from the western states (Hemiptera-Heteroptera). Journal of the New York Entomological Society 36(1): 25–28.
- Blatchley, W. S. 1926.** Heteroptera or True Bugs of Eastern North America, with Especial Reference to the Faunas of Indiana and Florida. Nature Publishing Company, Indianapolis, IN. 1116 pp.
- Bliven, B. P. 1956.** New Hemiptera from the western states with illustrations of previously described species and new synonymy in the Psyllidae. Privately published by author, Eureka, CA. 27 pp.
- Bliven, B. P. 1973.** A third paper of Hemiptera associated with Pyrrhocoridae. Occidental Entomologist 1(10): 123–133.
- Blöte, H. C. 1931.** Catalogue of the Pyrrhocoridae in 's Rijks Museum van Natuurlijke Historie. Zoologische Mededelingen (Leiden) 14: 97–136.
- Blöte, H. C. 1935.** Catalogue of the Coreidae in the Rijksmuseum van Natuurlijke Historie. Part II. Coreinae, first part. Zoologische Mededelingen (Leiden) 18: 181–227.
- Brailovsky, H., and E. Barrera. 2009.** New species of *Merocoris* (*Merocoris*) Perty from Brazil, with keys to known subgenera and species of the tribe Merocorini (Hemiptera: Heteroptera: Coreidae: Meropachyinae). The Florida Entomologist 92(1): 134–138.
- Brailovsky, H. and, M. Garcia. 1987.** Revisión del género *Catorhintha* Stål (Hemiptera-Heteroptera-Coreidae-Coreinae-Coreini). Monografías del Instituto de Biología, Universidad Nacional Autónoma de México 4: 1–148.
- Brimley, C. S. 1938.** The Insects of North Carolina, Being a List of the Insects of North Carolina and Their Close Relatives. North Carolina Department of Agriculture, Division of Entomology, Raleigh, NC. 560 pp.

- Brown, J. W., and S. M. Bahr II. 2008.** Appendix: List of the invertebrates of Plummers Island, Maryland. Bulletin of the Biological Society of Washington 15(1): 192–226.
- Brown, W. A. 1934.** A contribution to the insect fauna of Timagami. The Canadian Entomologist 66(10): 220–231.
- Chopra, N. P. 1968.** A revision of the genus *Arhyssus* Stål. Annals of the Entomological Society of America 61: 629–655.
- Chordas, S. W. III, and C. T. McAllister. 2012.** The southern pine seed bug, *Leptoglossus corculus* (Hemiptera: Coreidae): new for Oklahoma. Proceedings of the Oklahoma Academy of Science 92: 73–74.
- Chordas, S. W. III, and J. Kremers. 2009.** Backyard “bug” collecting results in 6 new state records for Arkansas, U.S.A. Journal of the Arkansas Academy of Science 63: 177–179.
- Chordas, S. W. III, H. W. Robison, E. G. Chapman, B. G. Crump, and P. W. Kovarik. 2005.** Fifty-four state records of true bugs (Hemiptera: Heteroptera) from Arkansas. Journal of Arkansas Academy of Science 59: 43–50.
- Chordas III, S. W., R. Tumilson, H. W. Robison, and J. Kremers. 2011.** Twenty three true bug state records Arkansas, with two for Ohio, U.S.A. Journal of the Arkansas Academy of Science 65: 153–159.
- Clem, C. S., and C. H. Ray. 2016.** Checklist of the broad-headed bugs (Insecta: Hemiptera: Alydidae) of Alabama, United States. Check List 12(5): 1974 [17 pp.]. doi: 10.15560/12.5.1974.
- Dallas, W. S. 1852.** List of the specimens of hemipterous insects in the collection of the British Museum. Volume 2. Taylor & Francis, Inc., London. 224 [369–592] pp., 4 [12–15] pls.
- Deay, H. O., and G. E. Gould. 1935.** Hemiptera unrecorded from Indiana. Proceedings of the Indiana Academy of Science 45: 305–309.
- DeGeer, C. 1773.** Mémoires pour servir à l’Histoire des Insects. Volume III. P. Hosselberg, Stockholm. 696 pp., 44 pls.
- Dennis, D. S., R. J. Lavigne, and J. G. Dennis. 2010.** Hemiptera (Heteroptera/Homoptera) as prey of robber flies (Diptera: Asilidae) with unpublished records. Journal of the Entomological Research Society 12(1): 27–47.
- Downes, W. 1927.** A preliminary list of the Heteroptera and Homoptera of British Columbia. Proceedings of the Entomological Society of British Columbia 23: 1–21.
- Drew, W. A., and K. Schaefer. 1963.** The Coreidae of Oklahoma (Hemiptera). Proceedings of the Oklahoma Academy of Science 43: 112–122.
- Evans, D., D. P. Lowe, and R. S. Hunt. 1978.** Annotated check list of forest insects and diseases of the Yukon Territory. Canadian Forestry Service, Report BC-X-169. 31 pp.
- Fabricius, J. C. 1794.** Entomologia systematica emendata et aucta secundum classes, ordines, genera, species adjectis synonymis, locis, observationibus, descriptionibus. C. G. Proft Fil. Et Soc., Hafniae. 472 pp.
- Fabricius, J. C. 1798.** Supplementum entomologiae systematicae. Proft et Storch, Hafniae. 572 pp. + 52 pp.
- Fabricius, J. C. 1803.** Systema Rhyngotorum secundum ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus. Carolum Reichard, Brunsvigae. 314 pp.
- Froeschner, R. C. 1944.** Contributions to a synopsis of the Hemiptera of Missouri, Pt. III. Lygaeidae, Pyrrhocoridae, Piesmididae, Tingididae, Enicocephalidae, Phymatidae, Ploiariidae, Reduviidae, Nabidae. American Midland Naturalist 31: 638–683.
- Froeschner, R. C. 1988a.** Family Alydidae Amyot and Serville, 1843. The broad-headed bugs, pp. 4–11. In T. J. Henry, and R. C. Froeschner (eds.), Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. E. J. Brill, New York, NY. 958 pp.
- Froeschner, R. C. 1988b.** Family Coreidae Leach, 1815. The coreid bugs, pp. 69–92. In T. J. Henry, and R. C. Froeschner (eds.), Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. E. J. Brill, New York, NY. 958 pp.
- Gibson, A. 1910.** The entomological record, 1909. Fortieth Annual Report of the Entomological Society of Ontario 1909: 110–128.
- Gibson, A. 1912.** The entomological record, 1911. Forty-Second Annual Report of the Entomological Society of Ontario 1911: 89–112.
- Gibson, A. 1913.** The entomological record, 1912. Forty-Third Annual Report of the Entomological Society of Ontario 1912: 113–140.
- Gibson, A. 1917.** The entomological record, 1916. Forty-Seventh Annual Report of the Entomological Society of Ontario 1916: 137–171.
- Gillette, C. P., and C. F. Baker. 1895.** A preliminary list of the Hemiptera of Colorado. Colorado Agricultural Experiment Station Bulletin, No. 31 (Technical Series No. 1): 1–137.
- Göllner-Scheiding, U. 1978.** Revision der Gattung *Harmostes* Burm., 1835 (Heteroptera, Rhopalidae) und einige Bemerkungen zu den Rhopalinae. Mitteilungen aus dem Museum für Naturkunde in Berlin 54(2): 257–311. doi: 10.1002/mmzn.19780540205.

- Halstead, T. F. 1972.** Notes and synonymy in *Largus* Hahn with a key to United States species. The Pan-Pacific Entomologist 48: 246–248.
- Hambleton, J. C. 1908.** The genus *Corizus*, with a review of the North and Middle American species. Annals of the Entomological Society of America 1: 133–146.
- Hampton, N. 2005.** Insects of the Idaho National Laboratory: a compilation and review, pp. 116–130. In N. L. Shaw, M. Pellant, and S. B. Monsen (comps.), Sage-Grouse Habitat Restoration Symposium Proceedings. 4–7 June 2001, Boise, ID. Proceedings RMRS-P-38. United States Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fort Collins, CO. 130 pp.
- Harris, H. M. 1937.** Contributions to the South Dakota list of Hemiptera. Iowa State College Journal of Science 11: 169–176.
- Harris, H. M., and W. E. Shull. 1944.** A preliminary list of Hemiptera of Idaho. Iowa State College Journal of Science 18: 199–208.
- Hart, C. A. 1907.** On the biology of the sand areas of Illinois. Part III. Zoological studies in the sand regions of the Illinois and Mississippi River Valleys, pp. 195–272. In C. A. Hart and H. A. Gleason (eds.), On the biology of the sand areas of Illinois. Bulletin of the Illinois State Laboratory of Natural History 7(7): 137–272, 23 pl.
- Hendrickson, G. O. 1930.** Studies on the insect fauna of Iowa prairies. Iowa State College Journal of Science 4: 49–179.
- Henry, T. J. 1988a.** Family Largidae Amyot and Serville, 1843. The largid bugs, pp. 159–165. In T. J. Henry, and R. C. Froeschner (eds.), Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. E. J. Brill, New York, NY. 958 pp.
- Henry, T. J. 1988b.** Family Pyrrhocoridae Fieber, 1860. The cotton stainers, pp. 613–615. In T. J. Henry, and R. C. Froeschner (eds.), Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. E. J. Brill, New York, NY. 958 pp.
- Henry, T. J. 1988c.** Family Rhopalidae Amyot and Serville, 1843 (=Corizidae Douglas and Scott, 1865). The scentless plant bugs, pp. 652–664. In T. J. Henry, and R. C. Froeschner (eds.), Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. E. J. Brill, New York, NY. 958 pp.
- Henry, T. J., and R. C. Froeschner. 1988.** Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. E. J. Brill, New York, NY. 958 pp.
- Herrich-Schäffer, G. A. W. 1842.** Die Wanzenartigen Insecten. Getreu nach der Natur abgebildet und beschrieben. Siebenter Band. Erstes Heft. C. H. Zeh'schen Buchhandlung, Nürnberg. 16 pp. [pp. 1–16].
- Herrich-Schäffer, G. A. W. 1847.** Die Wanzenartigen Insecten. Getreu nach der Natur abgebildet und beschrieben. Achter Band. Sechstes Heft. J. L. Lotzbeck'sche Verlagsbuchhandlung, Nürnberg. 30 pp. [pp. 101–130].
- Hoebeke, E. R., and A. G. Wheeler, Jr. 1982.** *Rhopalus (Brachycarenum) tigrinus*, recently established in North America, with a key to the genera and species of Rhopalidae in eastern North America (Hemiptera: Heteroptera). Proceedings of the Entomological Society of Washington 84: 213–224.
- Hoffman, R. L. 1975.** The Insects of Virginia: No. 9. Squash, broad-headed, and scentless plant bugs of Virginia (Hemiptera: Coreoidea: Coreidae, Alydidae, Rhopalidae). Research Division Bulletin 105. Virginia Polytechnic Institute and State University, Blacksburg, VA. 52 pp.
- Hoffman, R. L. 1994.** Additions and emendations to the Virginia fauna of “true bugs” (Heteroptera: Cydnidae, Scutelleridae, Pentatomidae, Alydidae). Banisteria 3: 15–19.
- Hussey, R. F. 1922a.** On some Hemiptera from North Dakota. Occasional Papers of the Museum of Zoology, University of Michigan 115: 1–23.
- Hussey, R. F. 1922b.** Hemiptera from Berrien County, Michigan. Occasional Papers of the Museum of Zoology, University of Michigan 118: 1–39.
- Jansen, M. A., and S. E. Halbert. 2016.** Key to Florida Alydidae (Hemiptera: Heteroptera) and selected exotic pest species. Insecta Mundi 0476: 1–14.
- Lago, P. K., and S. Testa III. 2000.** The terrestrial Hemiptera and auchenorrhyncha Homoptera of Point Clear Island and surrounding marshlands, Hancock County, Mississippi. Journal of the Mississippi Academy of Sciences 45(3): 186–195.
- Lambdin, P. L., J. F. Grant, G. J. Wiggins, and A. Saxton. 2003.** Diversity of the true bugs (Hemiptera: Heteroptera) on Arnold Air Force Base, Tullahoma, Tennessee. Journal of the Tennessee Academy of Science 78(3): 76–84.
- Lavigne, R., L. Rogers, and F. Lavigne. 1976.** Ethology of *Efferia benedicti* (Diptera: Asilidae) in Wyoming. Proceedings of the Entomological Society of Washington 78(2): 145–153.
- Linnaeus, C. 1758.** Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. Tomus I. Editio decima, reformata. Laurentii Salvii, Homiae. 823 pp.

- Linnaeus, C. 1763.** Centuria insectorum rariorum. Boas Johansson, Upsaliae. 32 pp.
- Masner, L. 1983.** A revision of *Gryon* Haliday in North America (Hymenoptera: Proctotrupoidea: Scelionidae). The Canadian Entomologist 115(2): 123–174.
- Maw, H. E. L., R. G. Foottit, K. G. A. Hamilton, and G. G. E. Scudder. 2000.** Checklist of the Hemiptera of Canada and Alaska. National Research Council of Canada, Ottawa. 220 pp.
- McAtee, W. L. 1919.** Notes on Nearctic Hemiptera. Bulletin of the Brooklyn Entomological Society 14(1): 8–16.
- McDaniel, B. 1989.** Squash bugs of South Dakota. South Dakota State University Agricultural Experiment Station Technical Bulletin, No. 12. 17 pp.
- McPherson, J. E., R. J. Packauskas, R. W. Sites, S. J. Taylor, C. S. Bundy, J. D. Bradshaw, and P. L. Mitchell. 2011.** Review of *Acanthocephala* (Hemiptera: Heteroptera: Coreidae) of America north of Mexico with a key to species. Zootaxa 2835: 30–40.
- Montandon, A. L. 1893.** Notes on American Hemiptera Heteroptera. Proceedings of the United States National Museum 16(924): 45–52.
- Ortenburger, A. I. 1926.** Some Oklahoma Hemiptera. Proceedings of the Oklahoma Academy of Science 6(1): 184–192.
- Osborn, H. 1892.** Catalogue of the Hemiptera of Iowa. Proceedings of the Iowa Academy of Sciences 1: 120–131.
- Osborn, H. 1898.** Additions to the list of Hemiptera of Iowa, with descriptions of new species. Proceedings of the Iowa Academy of Sciences 5: 232–247.
- Osborn, H. 1899.** Notes on the Hemiptera of northwestern Iowa. Proceedings of the Iowa Academy of Sciences 6: 36–39.
- Osborn, H. 1900.** Remarks on the Hemipterous fauna of Ohio with a preliminary records of species. Report of the Ohio State Academy of Science 8: 60–79.
- Osborn, H. 1904.** A further contribution to the hemipterous fauna of Ohio. The Ohio Naturalist 4: 99–103.
- Packauskas, R. J. 1994.** Key to the subfamilies and tribes of the New World Coreidae (Hemiptera), with a checklist of published keys to genera and species. Proceedings of the Entomological Society of Washington 96: 283–287.
- Paiero, S. M., S. A. Marshall, and K. G. A. Hamilton. 2003.** New records of Hemiptera from Canada and Ontario. Journal of the Entomological Society of Ontario 134: 115–129.
- Palmer, W. A., and F. D. Bennett. 1988.** The phytophagous insect fauna associated with *Baccharis halimifolia* L. in the eastern United States. Proceedings of the Entomological Society of Washington 90(2): 216–228.
- Parshley, H. M. 1917.** Fauna of New England. 14. List of the Hemiptera-Heteroptera. Occasional Papers of the Boston Society of Natural History 7: 1–125.
- Parshley, H. M. 1919.** On some Hemiptera from western Canada. Occasional Papers of the Museum of Zoology University of Michigan 71: 1–35.
- Parshley, H. M. 1922.** Report on a collection Hemiptera-Heteroptera from South Dakota. South Dakota State College, Technical Bulletin No. 2. 22 pp.
- Parshley, H. M. 1923.** Families Neididae, Aradidae, Coreidae, Alydidae, Corizidae, Pentatomidae, Cydnidae and Scutelleridae, pp. 737–783. In W. E. Britton (ed.), Guide to the Insects of Connecticut. Part IV. The Hemiptera or sucking insects of Connecticut. Connecticut State Geological and Natural History Survey Bulletin No. 34. State of Connecticut, Hartford, CT. 807 pp.
- Rider, D. A. 2012.** The Heteroptera (Hemiptera) of North Dakota I: Pentatomomorpha: Pentatomoidea. The Great Lakes Entomologist 45(3–4): 312–380.
- Say, T. 1825.** Descriptions of new hemipterous insects collected in the expedition to the Rocky Mountains, performed by order of Mr. Calhoun, Secretary of War, under command of Major Long. Journal of the Academy of Natural Sciences of Philadelphia 4: 307–345.
- Say, T. 1831.** Descriptions of new species of heteropterous Hemiptera of North America. New Harmony, IN. 39 pp.
- Schaefer, C. W. 2003.** A revision of *Darmistus* Stål (Hemiptera: Alydidae: Micrellytrinae). Proceedings of the Entomological Society of Washington 105: 950–966.
- Schaefer, C. W. 2004.** Key to the genera of New World Alydidae (Hemiptera). Proceedings of the Entomological Society of Washington 106(2): 280–287.
- Schaefer, C. W., and J. C. Schaffner. 1997.** The New World alydine genus *Stachyocnemus* Stål (Hemiptera: Alydidae). Proceedings of the Entomological Society of Washington 99: 136–142.
- Scott, W. M., and W. F. Fiske. 1902.** Jarring for the curculio on an extensive scale in Georgia, with a list of the insects caught. United States Department of Agriculture, Division of Entomology Bulletin (New Series) 31: 24–36.
- Scudder, G. G. E. 1997.** True bugs (Heteroptera) of the Yukon, pp. 241–336. In H. V. Danks, and J. A. Downes (eds.), Insects of the Yukon. Biological Survey of Canada (Terrestrial Arthropods), Ottawa. 1034 pp.



- Scudder, G. G. E. 2008.** New provincial and state records for Heteroptera (Hemiptera) in Canada and the United States. *Journal of the Entomological Society of British Columbia* 105: 3–18.
- Signoret, V. 1859.** Monographie du genre *Corizus*. *Annales de la Société Entomologique de France* (3)7: 75–105.
- Smith, M. W., D. C. Arnold, R. D. Eikenbary, N. R. Rice, A. Shiferaw, B. S. Cheary, and B. L. Carroll. 1996.** Influence of ground cover of phytophagous and saprophagous arthropods in pecan trees. *Southwestern Entomologist* 21(3): 303–316.
- Snow, F. H. 1904.** Lists of Coleoptera, Lepidoptera, Diptera and Hemiptera collected in Arizona by the entomological expeditions of the University of Kansas in 1902 and 1903. *Kansas University Science Bulletin* 2(12): 323–350.
- Snow, F. H. 1906.** Some results of the University of Kansas entomological expeditions to Arizona in 1904 and 1905. *Transactions of the Kansas Academy of Science* 20(1): 155–181.
- Snow, F. H. 1907.** Results of the entomological collecting expedition of the University of Kansas to Pima County, Arizona, in June and July, 1906. *Transactions of the Kansas Academy of Science* 20(2): 140–164.
- Stål, C. 1854.** Nya Hemiptera. Öfversigt af Kongliga Svenska Vetenskaps-Akademiens Förhandlingar 11(8): 231–255.
- Stål, C. 1859a.** Till kännedomen om Coreida. Öfversigt af Kongliga Vetenskaps-Akademiens Förhandlingar 16(10): 449–475.
- Stål, C. 1859b.** Hemiptera. Species novas descripsit, pp. 219–298, pls. 3–4. *In* Kongliga Svenska Fregattens Eugenies Resa Omkring Jorden, under Befäl af C. A. Virgin Aren 1851–1853. Vol. III. (Zoologi, Insekter). Horstedt, Stockholm.
- Stål, C. 1861.** Nova methodus familias quasdam Hemipterorum disponendi. Öfversigt af Kongliga Svenska Vetenskaps-Akademiens Förhandlingar 18: 195–212.
- Stål, C. 1862.** Hemiptera mexicana enumeravit species-que novas descripsit. *Stettin Entomologische Zeitung* 23(7–9): 289–325.
- Stål, C. 1870.** Enumeratio Hemipterorum. Bidrag till en förteckning öfver alla hittills kända Hemiptera, jemte systematiska meddelanden. *Kongliga Vetenskaps-Akademiens Handlingar* 9(1): 1–232.
- Stoner, A., D. E. Bryan, and W. A. Drew. 1962.** A partial inventory of insect populations in tallgrass prairie pastures in north central Oklahoma. *Proceedings of the Oklahoma Academy of Science* 42: 143–157.
- Swanson, D. R. 2011.** A synopsis of the Coreoidea (Heteroptera) of Michigan. *The Great Lakes Entomologist* 44(3–4): 139–162.
- Swanson, D. R., S. J. Taylor, and S. W. Heads. 2017.** Nine true bugs (Heteroptera) newly-discovered in Illinois. *Zootaxa* 4269(4): 571–585. doi: 10.11646/zootaxa.4269.4.10.
- Torre-Bueno, J. R. de la. 1918.** Some Heteroptera from the Parry Sound District, Ont. *The Canadian Entomologist* 50(1): 24–25.
- Torre-Bueno, J. R. de la. 1931.** Heteroptera collected by G. P. Engelhardt in the South and West—II. *Bulletin of the Brooklyn Entomological Society* 26: 135–139.
- Torre-Bueno, J. R. de la. 1941.** A synopsis of the Hemiptera-Heteroptera of America North of Mexico. Part II. Families Coreidae, Alydidae, Corizidae, Neididae, Pyrrhocoridae, and Thaumastotheriidae. *Entomologica Americana* 21: 41–122.
- Torre-Bueno, J. R. de la, and G. P. Engelhardt. 1910.** Some Heteroptera from Virginia and North Carolina. *The Canadian Entomologist* 42(4): 147–151.
- Townsend, C. H. T. 1886.** A list of Hemiptera Heteroptera collected in south Louisiana. *The Canadian Entomologist* 18(6): 116–118.
- Townsend, C. H. T. 1890.** Hemiptera collected in southern Michigan. *Proceedings of the Entomological Society of Washington* 2: 52–56.
- Tucker, E. S. 1907a.** Contributions towards a catalogue of the insects of Kansas. Results of personal collecting. *Transactions of the Kansas Academy of Science* 20(2): 190–201.
- Tucker, E. S. 1907b.** List of Hemiptera-Heteroptera, pp. 52–62. *In* Some results of desultory collecting of insects in Kansas and Colorado. *Kansas University Science Bulletin* 4(2): 51–112.
- Tugwell, P., E. P. Rouse, and R. G. Thompson. 1973.** Insects in soybeans and a weed host (*Desmodium* sp.). *Arkansas Agricultural Experiment Station, Report Series* 214: 1–18.
- Uhler, P. R. 1871.** Notices of some Heteroptera in the collection of Dr. T. W. Harris. *Proceedings of the Boston Society of Natural History* 14: 93–109.
- Uhler, P. R. 1872.** Notices of the Hemiptera of the Western Territories of the United States, chiefly from the surveys of Dr. F. V. Hayden, pp. 392–423. *In* Preliminary Report of the United States Geological Survey of Montana and Portions of Adjacent Territories; being a Fifth Annual Report of Progress. Government Printing Office, Washington.
- Uhler, P. R. 1875.** Chapter XII. Report upon the collections of Hemiptera made in portions of Nevada, Utah, California, Colorado, New Mexico, and Arizona, during the years 1871,

- 1873, and 1874, pp. 827–842, pl. XLII. *In* Report upon Geographical and Geological and Explorations and Surveys West of the One Hundredth Meridian. Vol. V.—Zoology. Government Printing Office, Washington.
- Uhler, P. R. 1876.** List of Hemiptera of the region west of the Mississippi River, including those collected during the Hayden explorations of 1873. Bulletin of the United States Geological and Geographical Survey of the Territories 1(5): 267–361.
- Uhler, P. R. 1878.** On the Hemiptera collected by Dr. Elliott Coues, U.S.A., in Dakota and Montana, during 1873–74. Bulletin of the United States Geological and Geographical Survey of the Territories 4: 503–512.
- Van Duzee, E. P. 1889.** Hemiptera from Muskoka Lake District. The Canadian Entomologist 21(1): 1–11.
- Van Duzee, E. P. 1903.** Hemiptera of Beulah, New Mexico. Transactions of the American Entomological Society 29: 107–116.
- Van Duzee, E. P. 1906.** New North American Heteroptera. Entomological News 17(10): 384–391.
- Van Duzee, E. P. 1909.** Observations on some Hemiptera taken in Florida in the spring of 1908. Bulletin of the Buffalo Society of Natural Sciences 9(2): 149–230.
- Van Duzee, E. P. 1914.** A preliminary list of the Hemiptera of San Diego County, California. Transactions of the San Diego Society of Natural History 2: 1–57.
- Van Duzee, E. P. 1917a.** Report upon a collection of Hemiptera made by Walter M. Giffard in 1916 and 1917, chiefly in California. Proceedings of the California Academy of Sciences 7: 249–318.
- Van Duzee, E. P. 1917b.** Catalogue of the Hemiptera Excepting the Aphididae, Aleurodidae and Coccidae of America North of Mexico. University of California Publications, Technical Bulletins, Entomology 2: 1–902.
- Vlach, J., P. Lambdin, C. Dilling, J. Grant, D. Paulsen, and G. Wiggins. 2010.** Diversity of the insect fauna within the unique sinking pond habitat in middle Tennessee. Journal of the Tennessee Academy of Science 85(3–4): 62–86.
- Weber, N. A. 1935.** The biology of the thatching ant, *Formica rufa obscuripes* Forel, in North Dakota. Ecological Monographs 5(2): 165–206.
- Wheeler, A. G., Jr. 2016.** *Liorhyssus hyalinus* (F.) (Hemiptera: Rhopalidae) in the western United States: new host records, host-plant range, and comments on use of the term “host plant”. Proceedings of the Entomological Society of Washington 118(1): 115–128. doi: 10.4289/0013-8797.118.1.115.
- Wirtner, P. M. 1904.** A preliminary list of the Hemiptera of western Pennsylvania. Annals of the Carnegie Museum 3: 183–232.
- Williams, A. H. 2004.** Feeding records of true bugs (Hemiptera: Heteroptera) from Wisconsin. The Great Lakes Entomologist 37(1–2): 16–29.