

The University of Maine  
DigitalCommons@UMaine

---

Maine Sea Grant Publications

Maine Sea Grant

---

7-2007

# Field Trials of 4" Rings in the Inshore Scallop Fishery in the Gulf of Maine

Dana Morse

*University of Maine - Main*, [dana.morse@maine.edu](mailto:dana.morse@maine.edu)

Follow this and additional works at: [https://digitalcommons.library.umaine.edu/seagrant\\_pub](https://digitalcommons.library.umaine.edu/seagrant_pub)

---

## Repository Citation

Morse, Dana, "Field Trials of 4" Rings in the Inshore Scallop Fishery in the Gulf of Maine" (2007). *Maine Sea Grant Publications*. 5.  
[https://digitalcommons.library.umaine.edu/seagrant\\_pub/5](https://digitalcommons.library.umaine.edu/seagrant_pub/5)

This Article is brought to you for free and open access by DigitalCommons@UMaine. It has been accepted for inclusion in Maine Sea Grant Publications by an authorized administrator of DigitalCommons@UMaine. For more information, please contact [um.library.technical.services@maine.edu](mailto:um.library.technical.services@maine.edu).

## Field Trials of 4" Rings in the Inshore Scallop Fishery of the Gulf of Maine

Dana Morse, Maine Sea Grant / UMaine Cooperative Extension,  
in collaboration with Capt. Steve Patryn, *F/V Northern Eagle*, and Capt. Robert Holland, *F/V Double J*


In November of 2003, a project in eastern Maine coastal waters evaluated the selectivity of 4" (101.6mm) diameter rings used in a scallop drag, as compared to a drag rigged with the regulation-sized 3.5" (88.9mm) rings. The fieldwork used side-by-side tows by two fishing vessels, and a paired tow analysis. Experimental and control drags

were switched between vessels each day. Data collection included: catch volumes of scallops and other species, and scallop shell heights (SH), as a function of location and bottom type.

Ten fishing days were completed in eastern Maine, both inside and outside of Cobscook Bay. Vessels in the study were the 49-foot *Northern Eagle*, and the 44-foot *Double J*, owned by Steven Patryn and Robert Holland respectively, both of Jonesboro.

Scallop numbers caught in the drags were analyzed, with respect to sub-legal and legal sizes. Loss of legal scallops, by number, at the 2003-2004 regulated SH of 3.75" (95.2mm) was approximately 10% for the experimental drag. Loss of legal scallops, by number, when judged at the present regulated SH of 4.00" (101.6mm) was 3% for the experimental drag. Sub-legal scallop catch was reduced by approximately 25.5%. Further testing in deeper waters along the coast will help to understand selectivity patterns more fully.

◀ Locations of tows used in the study: 6 fishing days were completed in Cobscook Bay before moving westward, for 4 fishing days in the Cross Island/Roque Island area.



### Drags:


Drags were built by Blue Fleet, Inc. of New Bedford, MA. The drags measured 5.5' (1.7m) between the outside edges of the shoes, in compliance with size limitations for Cobscook Bay. Head bails were constructed of 2" (50mm) round iron stock. Twine tops were 6" (152mm) diamond mesh. Since both vessels are set up to empty drags through the club end, the drags were equipped with a 'pocketbook' style dump. NOTE: An error resulted in the twine tops being different between the two drags, with the Control drag being hung with a 3:1 ratio, and the Experimental drag hung at 2:1 (51 vs. 36 meshes across).



Control (3.5" ring) drag on the left, and the Experimental drag (4" ring) on the right. Twine top differences visible.

Location	Size Group	Number Caught 3.5" Rings	Number Caught 4" Rings	Difference	% Reduction
Cobscook Bay	Short	26798.7	20418.1	6380.6	23.8
	Legal	4483.2	4388.8	94.4	2.1
Outside Cobscook	Short	3141.5	1976.2	1165.2	37.1
	Legal	2491.1	2352.7	138.3	5.6
<b>Total</b>	<b>Short</b>	<b>29940.2</b>	<b>22394.4</b>	<b>7545.8</b>	<b>25.2</b>
	<b>Legal</b>	<b>6974.3</b>	<b>6741.5</b>	<b>232.8</b>	<b>3.3</b>

Table of catches estimated at the current regulated shell size of 4" (above) and graph (below) of estimated catches over all tows. Vertical lines in the graph indicate previous and current regulated shell heights (3.75" and 4").



### Conclusions and Discussion

In this study, the use of 4" rings resulted in an estimated loss of 3% of the total number of legal-size scallops. As could be expected, those scallops just over the legal limit constituted the largest percentage of the lost catch. No difficulties were observed in the actual fishing and maintenance of the drags, and the larger rings held up well over the life of the study. This study constitutes a snapshot of the selectivity of 4" rings in inshore Maine waters, and comprises a limited geographical scope. Further work should be undertaken over a broader area, and in greater depths. The effect of the differing twine top hanging ratios remains unknown, and opinions vary regarding those effects. It is at least a source of unquantified error, and must be corrected in future work. Lastly, though the 3% loss figure appears minimal, it was ascertained during a time when the legal size was in flux. At present (July 2007), the new minimum shell size of 4" has been in effect for a time, and the current size composition of the wild stock would likely have bearing on catch figures in any future work.

A complete report of this study can be found at Maine Sea Grant, [www.seagrant.umaine.edu](http://www.seagrant.umaine.edu) or from the Northeast Consortium Web site at [www.northeastconsortium.org](http://www.northeastconsortium.org)



For further information, contact:

Dana Morse - Maine Sea Grant / UMaine Cooperative Extension  
207.563.3146 x205, [dana.morse@maine.edu](mailto:dana.morse@maine.edu)

or visit the Maine Sea Grant Web site: <http://www.seagrant.umaine.edu/>

## Field Trials of 4" Rings in the Inshore Scallop Fishery of the Gulf of Maine

Study funded by the Northeast Consortium. Fact sheet produced by Maine Sea Grant, a program that supports marine science, research and outreach activities to promote the understanding, sustainable use, and conservation of ocean and coastal resources. Based at the University of Maine, the coastwide program works in partnership with marine industries, scientists, government agencies, private organizations, and a wide range of marine resource users. For more information on the activities of the Maine Sea Grant College Program at the University of Maine, please call 207.581.1435 or visit the Web site at [www.seagrant.umaine.edu](http://www.seagrant.umaine.edu).

*In complying with the letter and spirit of applicable laws and in pursuing its own goals of diversity, the University of Maine System shall not discriminate on the grounds of race, color, religion, sex, sexual orientation, national origin or citizenship status, age, disability, or veterans status in employment, education, and all other areas of the University. The University Provides reasonable accommodations to qualified individuals with disabilities upon request. Questions and complaints about discrimination in any area of the University should be directed to the Office of Equal Opportunity, The University of Maine, Room 101, 5754 North Stevens Hall, Orono, ME 04469-5754, telephone (207) 581-1226 (voice and TDD).*