



---

The Space Congress® Proceedings

2004 (41st) Space Congress Proceedings

---

Apr 29th, 8:00 AM

## Project Prometheus: Program Overview

Alan Newhouse

*Project Prometheus, NASA*

Follow this and additional works at: <https://commons.erau.edu/space-congress-proceedings>

---

### Scholarly Commons Citation

Newhouse, Alan, "Project Prometheus: Program Overview" (2004). *The Space Congress® Proceedings*. 1. <https://commons.erau.edu/space-congress-proceedings/proceedings-2004-41st/april-29/1>

This Event is brought to you for free and open access by the Conferences at Scholarly Commons. It has been accepted for inclusion in The Space Congress® Proceedings by an authorized administrator of Scholarly Commons. For more information, please contact [commons@erau.edu](mailto:commons@erau.edu).

**Project Prometheus**  
**Program Overview**  
**Space Congress**

Alan Newhouse  
 NASA Exploration Systems  
 April 29, 2004

"... the navigation of interplanetary space depends for its solution on the problem of atomic disintegration..."  
 Robert H. Goddard, 1907

**Presentation Overview**

- History
- Project Prometheus Overview
- Project Prometheus Description
- Project Prometheus Objectives
- Project Prometheus Mission
- Project Prometheus Technology
- Project Prometheus Schedule
- Project Prometheus Budget
- Project Prometheus Status

Pre-Decisional – for discussion purposes only

**Nuclear Power in Context of Spacecraft Applications**  
 Enabling Aspects of Space Nuclear Power Systems

**Nuclear Fission Reactors and Radioisotope Thermoelectric Generators**

- Operate continuously regardless of orientation or distance from the Sun
  - Locations where solar power density is too low or solar power not readily or continuously available (lunar polar craters, high Martian latitudes)
- Operate for long-durations (years to decades) at power levels from milliwatts to multi-hundred kilowatts
- Operate in harsh environments (radiation, weather, magnetic)
- Provide safe, light-weight, long-lived heat source
- Enabling new methods of space exploration
  - Deliberate trajectories, high-power science, large band-width communications

Pre-Decisional – for discussion purposes only

**PROJECT PROMETHEUS**  
 Match the Power System to the Destination

Power is **ENERGY** for science instruments, mobility, communication.

Power is **TIME** for extended, in-situ or close-orbit exploration.

Power is **ACCESSIBILITY** to different terrain, multiple destinations.

Power is **RESILIENCY and ADAPTABILITY** to respond to discoveries and opportunities in real time.

Power and Propulsion Systems	Solar Electric Best Suited to Inner Solar System – Also limited reach to large outer planetary bodies with aerocapture (Jupiter, Saturn, Uranus, Neptune only)	Radioisotope Electric for New Frontiers Class Solar System Missions • 500-1,000 W • <50 kg payload • 5 MT EELV ~ high energy earth departure	Nuclear Fission Electric for Large Flagship Missions to Outer Planets • 10s – 100s kW • >500 kg Payloads • >20MT EELV – low energy earth departure
------------------------------	---	---	---

Pre-Decisional – for discussion purposes only

**Space-Based Nuclear Reactor Technologies**  
 1960's Space Nuclear Auxiliary Power (SNAP)

	SNAP Experimental Reactor (SER)	SNAP Developmental Reactor (SDR)	SNAP 8 Experimental Reactor (SBER)	SNAP 10A Flight System		SNAP 8 Developmental Reactor (SDR)
				(FS-3)	(FS-4)	
Critical Shutdown	September 1958	April 1961	May 1963	January 1965	April 1965	June 1968
Thermal Power	50 kW	65 kW	600 kW	38 kW	43 kW	600 - 1000 kW
Thermal Energy	225,000 kWhr	273,000 kWhr	5.1 x 10 <sup>6</sup> kWhr	382,844 kWhr	41,000 kWhr	4.3 x 10 <sup>6</sup> kWhr
Electric Power	-	-	-	402 Watts	560 Watts	-
Electric Energy	-	-	-	4228 kWh-yr	574 kWh-yr	-
Time of Power and Temperature	1800 hr at 1200°F 3800 hr above 900°F	2800 hr at 1200°F 7700 hr above 900°F	1 yr at 1200°F 400 to 600 kWh	15,005 hr (417 days)	1000 hr	7023 hr 1100 - 1200°F

**SNAP 10A (FS-4) Launched in 1965**

Pre-Decisional – for discussion purposes only


**SP-100 Program Overview**

- SP-100 Program initiated in FY83, terminated FY1993
- Three agencies involved, each contributing funding separately
  - NASA and DoD had potential missions
  - DOE had potential technology
- SP-100 technology base was an evolution of SNAP-50/SPUR space reactor programs from late-60's/early-70's


Pre-Decisional – for discussion purposes only

## Radioisotope Missions

- Used safely on 24 missions since 1961
- 8 RTG Earth Orbit missions (Transit, Nimbus, LES)
- 7 RTG planetary missions (Pioneer, Voyager, Ulysses, Galileo, Cassini)
- 5 RTG moon missions (Apollo ALSEP)
- 2 RTG Mars missions (Viking 1&2)
- RHUs used on Apollo 11, Mars Pathfinder & MERs among others



## PROJECT PROMETHEUS Revolutionary Capabilities – Fission Systems



## PROJECT PROMETHEUS History

- Program initiated in response to identified limitations of current paradigm for Solar System exploration
  - Solar power limits power budgets and can be of limited use in outer planetary system
  - Chemical propulsion can limit maneuverability and destinations
- Nuclear Systems Initiative* included in President's FY03 Budget and renamed *Project Prometheus* in President's FY04 Budget
- Initial mission studies, detailed technical analysis, and industry surveys completed in 2002 and early 2003. Leading to the establish of the Jupiter Icy Moons Orbiter (JIMO) Mission in early 2003

Pre-Decisional – for discussion purposes only



## Presentation Overview


### Vision for Space Exploration

Pre-Decisional – for discussion purposes only



## Vision for Space Exploration

THE FUNDAMENTAL GOAL OF THIS VISION IS TO ADVANCE U.S. SCIENTIFIC, SECURITY, AND ECONOMIC INTEREST THROUGH A ROBUST SPACE EXPLORATION PROGRAM



Implement a sustained and affordable human and robotic program to explore the solar system and beyond

Extend human presence across the solar system, starting with a human return to the Moon by the year 2020, in preparation for human exploration of Mars and other destinations;

Develop the innovative technologies, knowledge, and infrastructures both to explore and to support decisions about the destinations for human exploration; and

Promote international and commercial participation in exploration to further U.S. scientific, security, and economic interests.

Pre-Decisional – for discussion purposes only



## PROJECT PROMETHEUS Vision for Space Exploration, cont'd

### Space Exploration Beyond Low-Earth Orbit:

- Conduct robotic exploration across solar system to search for life, understand history of universe, search for resources
- Demonstrate power, propulsion, life support capabilities for long duration, more distant human and robotic missions
- Conduct human expeditions to Mars after acquiring adequate knowledge and capability demonstrations

Pre-Decisional – for discussion purposes only



# Presentation Overview

## • Program Description

Pre-Decisional – for discussion purposes only



# PROJECT PROMETHEUS Objectives and Benefits

Project Prometheus supports the Vision for Space Exploration by developing safe, reliable, long-lived, rugged power sources, from milli- to multi-kilowatt, using radioisotope and fission reactor power systems, and advanced propulsion systems that would enable more robust and ambitious science exploration not possible with current power and propulsion technologies.

### Direct Benefits

- **Radioisotope power systems** enable detailed and extended *in situ* scientific exploration of Solar System locations that cannot be explored in detail using solar or battery power, such as Mars, Europa, Titan, and the Neptune system.
- **Nuclear fission power systems** would enable unprecedented exploration of the solar system by providing the energy necessary to power high capability science instruments and advanced electric propulsion systems, as well as a variety of auxiliary and surface systems in support of future human missions.

### Indirect Benefits


- Compelling stimulus to student interest in technical education from the combination of exciting new space exploration and nuclear propulsion development.
- Terrestrial systems, benefit from the development of advanced technologies required for space nuclear power and propulsion.

Project Prometheus builds on NASA and DOE's history of safety in the use of nuclear power for space applications

Pre-Decisional – for discussion purposes only



# PROJECT PROMETHEUS Key Technology Components



Ensuring safety is our paramount objective and all program activities will be conducted in a manner to achieve this goal.

Pre-Decisional – for discussion purposes only

\* Analysis of future applications is in initial stages



# Presentation Overview


## • Technologies

Pre-Decisional – for discussion purposes only




# PROJECT PROMETHEUS Reactor Options Under Evaluation

### Liquid Metal Cooled




Liquid metal coolant (Li) transfers heat from core to power conversion heat exchangers  
Requires high temperature liquid metal pumps  
Requires lithium / helium gas separator  
Requires pumped-loop thaw system, potentially with freeze/thaw capability

### Heatpipe Cooled



Modular core design with multiple heat pipes integrated with fuel pins  
Heat pipes passively transfer heat from core to heat exchangers.  
Independent heat exchangers transfer heat from heat pipes to multiple, independent power conversion loops

### Direct Gas Cooled



Core includes fuel pins and gas flow channels  
Core provides thermal power via single He/Xe pumped gas loop  
Hot gas directly feeds single or multiple Brayton power conversion units  
Brayton power conversion includes compressor for pumping gas back into core

\*\*\* The JIMO is enabled by Project Prometheus, NASA's program to develop space nuclear power and propulsion technology. The nuclear power and nuclear-electric propulsion technologies that support this mission are also key to enabling other advanced robotic missions and human missions beyond Earth's orbit

Pre-Decisional – for discussion purposes only



# PROJECT PROMETHEUS Nuclear Fission Reactor Research Paper Reactors, Real Reactors\*

An academic reactor or reactor plant almost always has the following basic characteristics:

1. The reactor is in the study phase. It is not being built now.
2. It is simple, small, cheap, and light
3. It can be built very quickly
4. It is very flexible in purpose
5. Very little development is required. It will use mostly off-the-shelf components.

On the other hand, a practical reactor plant can be distinguished by the following characteristics:

1. It is being built now
2. It is complicated, large, expensive, and heavy
3. It is behind schedule
4. It takes a long time to build because of the engineering development problems.
5. It is requiring an immense amount of development on apparently trivial items.

• The tools of the academic reactor-designer are a piece of paper and a pencil with an eraser. If a mistake is made, it can always be erased and changed.





• If the practical-reactor designer errs, he wears the mistake around his neck; it cannot be erased. Everyone can see it.

Pre-Decisional – for discussion purposes only

\* Admiral Hyman Rickover, *The Journal of Reactor Science and Engineering*, June 19



## PROJECT PROMETHEUS Heat-to-Electrical Power Conversion Technologies




 <p><b>Closed Brayton</b></p> <ul style="list-style-type: none"> <li>Heat engine with inert gas in rotating turbo-alternator</li> <li>High eff. (20-25%)</li> <li>Relative high maturity, but not flight proven</li> <li>Engine prototypes built at 2 and 15 kW</li> <li>Scales well to high power, but large radiator</li> <li>Well suited for high voltage applications</li> <li>Turbine Inlet 1150K (superalloys), Temp ratio ~3.0</li> </ul>	 <p><b>Free-Piston Stirling</b></p> <ul style="list-style-type: none"> <li>Heat engine with reciprocating piston &amp; linear alternator</li> <li>High eff. (20-30%)</li> <li>Relative high maturity, but not flight proven</li> <li>55 W Tech Demo Converter (TDC) currently in flight dev't for 100 W class RPS</li> <li>Well suited for low to medium power applications</li> <li>T<sub>hot</sub> 925K (superalloys), Temp ratio ~2.0</li> </ul>	 <p><b>Rankine</b></p> <ul style="list-style-type: none"> <li>Heat engine with two-phase fluid in rotating turbo-alternator</li> <li>Moderate eff. (10-20%)</li> <li>Most work completed during 60's SNAP-8 Program (50 kW Mercury Rankine)</li> <li>K-Rankine scales well to 100's of kW (e.g. SNAP-50, MPRE)</li> <li>Turbine inlet 650K (organic fluids) to 1400K (Potassium), Temp ratio ~2.0</li> </ul>	 <p><b>Thermoelectric</b></p> <ul style="list-style-type: none"> <li>Electrical potential produced by dissimilar materials exposed to temperature diff.</li> <li>Low eff. (4-7%)</li> <li>Flown on SNAP-10A (500 W), baselined for SP-100 (100 kW)</li> <li>SiGe or PbTe uncouples flight proven in RTG at power ~300 W</li> <li>Segmented TE projects 10-15% eff.</li> <li>T<sub>hot</sub> 1300K (refr. alloys), T<sub>cold</sub> ~600K</li> </ul>
Matures Technology with Growth Potential	High Efficiency & Scales Well to Low Power	Potential for Low Mass, but Materials Issues	Flight Proven with Long Life, but Low Efficiency

Pre-Decisional – for discussion purposes only



## PROJECT PROMETHEUS Electric Propulsion Technologies

Utilizes electric power to ionize propellant and accelerate it to produce thrust

 <p><b>Electrostatic Ion</b></p> <p>Isp = 2500 - 15,000 sec Power = 10W - 30kW Efficiency = 60 - 80% Mature at 2.3kW</p>	 <p><b>Electrostatic Hall</b></p> <p>Isp = 1500 - 3500 sec Power = 100W - 50kW Efficiency = 45 - 60% Mature at 1.5kW</p>	 <p><b>Electro-magnetic MPD, PIT, VASIMR</b></p> <p>Isp = 2000 - 10,000 sec Power = &gt;100kW Efficiency = 35 - 50% Immature</p>
--	---	---

Successfully Flew on 1997 Deep Space-1 Mission to Comet Borely (2.3 kW unit)


Pre-Decisional – for discussion purposes only

Electrostatic – accelerates ions through applied electric field  
Electro-magnetic – ions accelerated via combine electric and magnetic fields




## PROJECT PROMETHEUS Nuclear Electric Propulsion HiPEP & NEXIS Thruster Beam Extraction Testing

**NEXIS**




~80 cm

16-25 kW  
6500-7500 s Isp  
78% Eff.  
>5000 Volt Grid  
Life: >1600 kg Xe  
7 to 11 years\*




February, 2004 - 27 kW, Isp 8700 s, 78% efficiency, 6500 V, 0.5N thrust

**HiPEP**




~50 cm

20-50 kW  
6000-8000 s Isp  
78% Eff.  
>5000 Volt Grid  
Life: >2000 kg Xe  
7 to 11 years\*




February 2004 - 34kW, Isp 9500 s, 78% efficiency, 7700 V, 0.6N thrust

**NSTAR DS-1**



~30 cm

2.5 kW  
3100 s Isp  
61% Eff.  
1200 Volt Grid  
Life: 125 kg Xe  
1.3 years\*




February 2004 - 27 kW, Isp 8700 s, 78% efficiency, 6500 V, 0.5N thrust

Pre-Decisional – for discussion purposes only




## PROJECT PROMETHEUS Nuclear Electric Propulsion Brayton - NSTAR Demonstration


- Successful Integrated Test Completed Dec 03 at GRC Vacuum Facility #6
  - 2 kW Brayton Power Converter
  - 1100 V-dc Power Mgmt & Distribution
  - 2.3 kW Engr Model NSTAR Ion Thruster
- Fully Representative JIMO-type PMAD/PPU Architecture
  - Brayton Speed and Voltage Control with Parasitic Load Radiator (PLR)
  - 10:1 Transformer-Based Voltage Increase
  - Direct Feed of Rectified Output into Thruster Beam Supply
- Significance of Test
  - Demonstrated End-to-End Electrical Throughput from Brayton Alternator to Ion Thruster in Vacuum
  - Demonstrated High Efficiency AC-to-DC Conversion using Radiation Tolerant Transformer/Rectifier Approach
  - Demonstrated High Speed Load Switching from Ion Thruster to PLR During Thruster Re-Cycles
    - No Adverse Energy Deposition onto Thruster Grids
    - No Harmful Transients on Brayton Rotating Unit
  - Design Techniques are Scalable to JIMO Power Levels



Brayton Power Unit Generates ~2 kW at 100 V-ac, 870 Hz



PMAD Converts AC to High Voltage DC via Transformer/Rectifier



1100 V-dc PMAD Output Fed Direct to Thruster Beam Supply

Pre-Decisional – for discussion purposes only



## Presentation Overview

- 1800
  - 1900
  - 2000
  - 2005
  - 2010
  - 2015
  - 2020
  - 2025
  - 2030
  - 2035
  - 2040
  - 2045
  - 2050
  - 2055
  - 2060
  - 2065
  - 2070
  - 2075
  - 2080
  - 2085
  - 2090
  - 2095
  - 2100
- Jupiter Icy Moons Orbiter
  - Europa
  - Galileo
  - Communications, Engagement & Outreach

Pre-Decisional – for discussion purposes only



## Decadal Survey

- In 2002, the National Academy of Sciences conducted the Solar System Exploration Survey to prioritize technologies and missions
- The Survey identified the following areas in which it believed that technology development is appropriate:
  - Power:** Advanced RTGs and in-space nuclear fission reactor power source
  - Propulsion:** Nuclear electric propulsion, advanced ion engines, aerocapture
- "The two most-constrained resources in the current generation of planetary spacecraft are onboard power and propulsion. Improvements in these two areas will enable the largest leaps forward in capability."
- The Survey identified a Jupiter Geophysical explorer as its top priority flagship mission
- "The proposed Jupiter Icy Moons Mission will more than fulfill our goal of a flagship mission to further explore the subsurface oceans on Europa while simultaneously applying the new technologies that the Survey advocates as a basis for much of the future program."

\* Dr. Michael J.S. Belton, Ph.D. Chair, Solar System Exploration Survey Committee, National Research Council in testimony given to US Senate Committee on Commerce, Science, & Transportation at a Science, Technology, and Space Hearing: Space Exploration Wednesday, July 30 2003 -

Pre-Decisional – for discussion purposes only



## PROJECT PROMETHEUS Jupiter Icy Moons Orbiter (JIMO)

### Technology

- Develop a nuclear reactor powered spacecraft and show that it can be processed safely, launched safely, and operated safely and reliably in deep space for long-duration deep space exploration


### Science

- Explore the three icy moons of Jupiter – Callisto, Ganymede, and Europa – and return science data that will meet the highest scientific goals as set forth in the Decadal Survey Report of the National Academy of Sciences.
  - The high power and high data rate afforded by nuclear power will enable science data return far beyond current capabilities.
- JIMO would be the first flight mission to use nuclear power and propulsion technologies applicable to future human exploration missions.

Pre-Decisional – for discussion purposes only




## PROJECT PROMETHEUS Jupiter Icy Moons Orbiter Representative Technology Options – Conceptual Spacecraft



Pre-Decisional – for discussion purposes only



## PROJECT PROMETHEUS Jupiter Icy Moons Orbiter The High Level View




Pre-Decisional – for discussion purposes only



## PROJECT PROMETHEUS Jupiter Icy Moons Orbiter Science

- Europa, Ganymede, and Callisto very likely have global liquid water oceans beneath their icy crusts.
  - ...one of the major discoveries in solar system science in the last decade.
- There is spectral evidence for salts and organic materials on their surfaces, and geologic evidence that the European ocean may have been in contact with the surface in the geologically recent past (less than about 100 million years).
  - ... these bodies are among the most exciting in the solar system for geophysical, geochemical and astrobiological exploration.




Pre-Decisional – for discussion purposes only



## PROJECT PROMETHEUS Jupiter Icy Moons Orbiter Three Cross-cutting Themes and Investigations

Explore the icy moons of Jupiter and determine their habitability in the context of the Jupiter system



**Oceans:**  
Liquid water, Icy Crustal Structure and Active Internal Processes





**Astrobiology:**  
Volatiles, Organics and Surface Processes

**Jovian System Interactions:**  
Satellite Atmospheres, Surfaces and Interiors

Pre-Decisional – for discussion purposes only



## PROJECT PROMETHEUS Potential Future Destinations



Pre-Decisional – for discussion purposes only






## Presentation Overview

- History
- Vision
- Planetary Exploration
- Architecture
- Technology
- Safety
- Future Directions
- Safety
- Communication, Engagement & Outreach

Pre-Decisional – for discussion purposes only



## PROJECT PROMETHEUS Evolution to Advanced Exploration Missions



Pre-Decisional – for discussion purposes only



## PROJECT PROMETHEUS Evolution to Advanced Exploration Missions

- Systems and techniques developed within Project Prometheus for robotic missions will provide:
  - advanced capabilities for scientific exploration,
  - address long term issues for development of nuclear systems,
  - demonstrate operation of fission systems in space
- Human surface exploration activities, mobile or fixed, could also require a new source of power (compact, all-weather, day and night), enabled by JIMO-developed technologies.
  - ample electric power to support a human crew
  - ample electric power to support in-situ resource utilization
- Human exploration transport vehicles could require a new source of power for auxiliary power supply and a new scale of power for propulsion systems.

Pre-Decisional – for discussion purposes only



## Early Concept Definition (RFI)

- **Solicitation: Request for Information (RFI):**
  - In support of Projects Constellation and Prometheus requirements development and acquisition strateg
  - Expected response from industry, academia, NASA centers, related commercial enterprises, etc.
- **Deliverables:**
  - Unfunded "White Papers" addressing key areas for further study and risk reduction
- **Purpose:**
  - Identification of areas for future trade studies & risk reduction activities
  - Identification of technical risk areas and cost drivers
  - Assessment of design drivers and other critical architecture considerations
  - Innovative concepts or considerations in key areas such as:
    - Sustainability
    - Affordability
    - Reliability & Safety
    - Launch Infrastructure
    - Crew size
    - Payloads
    - In-space repair
    - Maintenance & assembly
    - Lunar/Mars Commonality
    - Power/propulsion issues
    - Acquisition Strategy/PM Tools
    - ETC.



Pre-Decisional – for discussion purposes only



## Concept Exploration & Refinement (BAA)

- **Solicitation: Broad Area Announcement (BAA):**
  - In support of Projects Constellation and Prometheus requirements development and acquisition strategy
  - Expected response from industry
  - Multiple Awards/Varying Response Times
- **Deliverables:**
  - Architectural Trade Studies and Risk Reduction Analyses
  - Concepts for Lunar Missions and Architecture
  - Concepts for CEV
  - Methods for incorporating TECHMAT into CEV and Lunar Architecture
  - Recommendations for Streamlining Acquisition
- **Purpose:**
  - Advanced Development of Potential Risk Reduction Concepts
  - Support Systems Integration and CEV contract process
  - Continued pursuit of innovative concepts determined to be feasible/affordable based on Jan RFI results and recommendations



Note: Additional BAA Procurement Cycles will further define the System-of-Systems operations concepts and perform integrated systems trade studies.  
Pre-Decisional – for discussion purposes only



## Presentation Overview

- History
- Vision
- Planetary Exploration
- Architecture
- Technology
- Safety
- Future Directions
- Safety
- Communication, Engagement & Outreach

Pre-Decisional – for discussion purposes only



## PROJECT PROMETHEUS Safety is Paramount

Must be safe to launch

- Space reactor designs minimize potential for inadvertent startup during all potential launch accident scenarios
  - Choice of core materials and geometry
  - Launch with fuel separated from core (Option)
  - In-core neutron absorbers - removed before startup (Option)
- U-235 fuel and other materials pose very small radiological hazard prior to extended operations in space




Must be safe to develop

- Maximize use of non-nuclear testing in all phases of development
  - High-performance electric resistance heaters to mimic fission
  - Operation at moderate power densities/temperatures obviates need for nuclear materials characterization - within existing database
- Emphasize use of existing facilities and mature component technology



Reduce potential hazard to earth, space or planetary environments

- NASA applications restricted to "outbound" trajectories and use in deep space
- Planetary protection requirements will be developed



Transparent, accessible communications process responds to public concerns

- Highest commitment to safety required throughout all phases of development, deployment and operation
- Engage the public to assure that safety concerns are addressed

Pre-Decisional - for discussion purposes only



## PROJECT PROMETHEUS Designing for Safety

- NASA has over 30 years' experience in the successful management of radioisotope power systems (RPS)
- Working with DOE, we would apply that safety experience to the design, manufacture, and flight of a fission reactor
  - The reactor would be specifically designed to prevent accidental criticality while still in the Earth environment
  - We are engaging NASA and DOE expertise in continuous safety management and risk assessment
- NASA Will Fully Comply with Environmental and Nuclear Safety Launch Approval Processes Applicable to the Use of Nuclear Power Systems in Outer Space
  - National Environmental Policy Act (NEPA)
    - Purpose: Ensure NASA considers the potential environmental impacts of a proposed mission (or program) and reasonable alternatives
    - Entails: Environmental Assessment or Environmental Impact Statement (EIS), as appropriate
      - EIS provides opportunity for public engagement
  - Presidential Directive/National Security Council Memorandum #25 (PD/NSC-25) (as amended)
    - Purpose: Ensure informed decision-making at the Presidential level before launching a mission with radioisotope power systems or nuclear reactors.
    - Entails: NASA/DOE safety analyses, interagency safety evaluation, and nuclear safety launch approval by Director of OSTP or the President.

Pre-Decisional - for discussion purposes only



## Presentation Overview

- Communications, Engagement & Outreach

Pre-Decisional - for discussion purposes only



## PROJECT PROMETHEUS Communicating with Our Customers and Stakeholders

- Goal is to ensure open, honest, pro-active, inclusive, dialogue and communication with the public, media, educators, legislators and others
- Focus on Project Prometheus-specific technological and programmatic goals within the context of NASA scientific and exploration goals
- Provide for proactive, cooperative engagement with a broad range of potential stakeholders including environmental organizations
- Include technology education and outreach programs and materials available to all citizens

Pre-Decisional - for discussion purposes only



## PROJECT PROMETHEUS Conclusion

- Project Prometheus technologies can play a vitally important role in supporting robotic and human exploration of the Solar System
  - Safety is the absolute highest priority; NASA has over 30 years of demonstrated safety record in the launch of radioisotope power systems
  - We can recapture work done for past programs and move forward quickly
- We believe the technologies being developed by Prometheus could enable a new paradigm in human and robotic exploration
  - Project Prometheus is a logical outgrowth of previous technology development programs and will fill an important gap in capability
- The proposed JIMO mission will be the first of a new generation of missions characterized by more maneuverability, flexibility, power and lifetime
- Project Prometheus is also leading the Agency in new approaches to communication, engagement, and outreach
- We can make a great contribution to the fulfillment of the Nation's vision for space exploration
- *It is easy to go nowhere. It requires no energy and has no risk except that of being left behind. To go forward and run ahead is a supreme test. - unknown*

Pre-Decisional - for discussion purposes only