

Pittsburg State University

Pittsburg State University Digital Commons

Paper and Posters Presentations

Research Colloquium 2017

4-2017

High Performance Carbon Nanofiber Supercapacitor Electrode with Tuned Porous Structure

Sanket Bhoyate

Pittsburg State University

Follow this and additional works at: https://digitalcommons.pittstate.edu/papers_2017

 Part of the [Polymer Chemistry Commons](#)

Recommended Citation

Bhoyate, Sanket, "High Performance Carbon Nanofiber Supercapacitor Electrode with Tuned Porous Structure" (2017). *Paper and Posters Presentations*. 7.
https://digitalcommons.pittstate.edu/papers_2017/7

This Presentation is brought to you for free and open access by the Research Colloquium 2017 at Pittsburg State University Digital Commons. It has been accepted for inclusion in Paper and Posters Presentations by an authorized administrator of Pittsburg State University Digital Commons. For more information, please contact mmccune@pittstate.edu, jmauk@pittstate.edu.

A high-performance symmetrical supercapacitor device based on carbon nanofibres with optimized linear tube structure

Sanket Bhoyate, P. K. Kahol and Ram Gupta



Topics



- Introduction
- Process background
- Characterization and properties
- Electrochemical properties
- Applications
- Summary
- References

Introduction

► Energy conservation and its use

Energy Production




Stored local energy




Supercapacitors

1) Electric Double Layer



EDL is 0.6-1 nm thick

2) Faradic Reaction



Charge Layer is nm to μm thick



Overall Process



Step 1

- 10% PAN Solution in DMF
- 10% PAN-PS (1:1) in DMF



Step 2


- Electrospinning of the Fibers
- Carbonization at 800°C



Step 3

- Make an electrode by dip-coating Ni-Foam
 - Electrochemical characterization
- 

Electrospinning





Linear Tube Carbon Nanofiber (LTCNF)

Electrospinning




Characterization of LTCNF







BET Surface area = $\sim 86 \text{ m}^2/\text{gm}$

Electrochemical Measurements


CV and CD curves







Device Study



Device Study



EIS for supercapacitor device



Applications of SC





Summary and future aspects for research

Future of Research

- ▶ Introduction
- ▶ How to prepare Carbon nanofibers by electrospinning
- ▶ Characterization of various redox materials to obtain high performance effects.
- ▶ Electrochemical devices fabrication for electrode in 3 electrode system
- ▶ Electrochemical measurements for SC device
- ▶ Effect of temperature on device
- ▶ EIS results
- ▶ Applications



References

- 1) Flexible solid-state electrochemical supercapacitors
By- Peihua Yang, Wenjie Mai
Nano Energy(2014) 8, 274–290
- 2) Images from introduction and application slide are from
Google images

Thank You