### **Old Dominion University ODU Digital Commons**

**Dental Hygiene Faculty Publications** 

Dental Hygiene

Fall 2008

## Muscle Activity Comparisons In Dental Hygiene Students When Using Different Fulcrums While Scaling

Susan L. Tolle Old Dominion University, stolle@odu.edu

Mary Elizabeth Cosaboom

Michele L. Darby Old Dominion University

Martha L. Walker Old Dominion University, mlwalker@odu.edu

Follow this and additional works at: https://digitalcommons.odu.edu/dentalhygiene fac pubs



Part of the Dental Hygiene Commons

#### **Repository Citation**

Tolle, Susan L.; Cosaboom, Mary Elizabeth; Darby, Michele L.; and Walker, Martha L., "Muscle Activity Comparisons In Dental Hygiene Students When Using Different Fulcrums While Scaling" (2008). Dental Hygiene Faculty Publications. 23. https://digitalcommons.odu.edu/dentalhygiene\_fac\_pubs/23

#### Original Publication Citation

Tolle, S.L., Cosaboom, M.E., Darby, M.L., & Walker, M.L. (2008). Muscle activity comparisons in dental hygiene students when using different fulcrums while scaling. Journal of Dental Hygiene, 82(5), 58-58.

This Abstract is brought to you for free and open access by the Dental Hygiene at ODU Digital Commons. It has been accepted for inclusion in Dental Hygiene Faculty Publications by an authorized administrator of ODU Digital Commons. For more information, please contact digitalcommons@odu.edu.

## The Journal of Dental Hygiene





Copyright © 2006 American Dental Hygienists' Association. Electronic Reprint generated by Ingenta, www.ingenta.com.

Source: Journal of Dental Hygiene, Vol. 82, No. 5, October 2008 Copyright by the American Dental Hygenists Association

# Muscle Activity Comparisons In Dental Hygiene Students When Using Different Fulcrums While Scaling

Susan Lynn Tolle, BSDH, MS, Mary Elizabeth Cosaboom, RDH, MS, Michele L Darby, BSDH, MS and Martha L Walker, PT, PhD

Susan Lynn Tolle, BSDH, MS; Mary Elizabeth Cosaboom, RDH, MS and Michele L. Darby, BSDH, MS are from Gene W. Hirschfield School of Dental Hygiene. Martha L. Walker, PT, PhD is from School of Physical Therapy, Old Dominion University.

The high incidence rate of cumulative trauma disorders in dental hygienists attests to the musculoskeletal problems experienced by dental hygienists. Research is ongoing to investigate ergonomic practices that will minimize muscle trauma when providing scaling and root debridement. The purpose of this study was to determine differences in the activity of four forearm muscles, (extensor carpi radialis longus, flexor carpi ulnaris, biceps brachii and pronator teres) when using five different finger fulcrums while scaling in dental hygiene students.

A convenience sample of 29 consenting senior dental hygiene students participated in the study. Using a  $4 \times 5$  counterbalanced research design, participants used a Gracey 11/12 curet to scale artificial calculus from each permanent first molar tooth on a typodont. While scaling, each participant had sEMG sensors attached to each muscle under investigation to measure muscle activity via electromyography. Participants scaled using one of 5 finger fulcrums (opposite arch, standard intra-oral, basic extra-oral, cross arch and finger on finger) on 5 different typodonts resulting in a total of 20 sEMG readings per participant. The highest amount of muscle activity was observed in the pronator teres (X=28.73) and the least in the biceps brachii (X=13.39).

Data analysis with two-way ANOVA revealed a statistically significant difference only in the activity of the biceps brachii muscle when a change in fulcrum occurred. (p=0.0002). Using an average of all four muscles ANOVA revealed no statistically significant differences when comparing scaling with different fulcrums and the amount of muscle activity generated (p=0.0776) In this clinical study that measured the activity of four forearm muscles when scaling, only the biceps brachii was affected by a change in fulcrumming technique.

Results suggest that similar muscle activity is produced when scaling regardless of the muscles measured and the type of fulcrum used. More research is needed to clarify the role of fulcrums and individual muscle activity in the ergonomic practice of dental hygiene.

Copyright of Journal of Dental Hygiene is the property of American Dental Hygienists Association and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use.