

LSHTM Research Online

Banks, Morgon; Kuper, Hannah; Polack, Sarah; (2018) Correction: poverty and disability in low- and middle-income countries: a systematic review. PloS one, 13 (9). DOI: https://doi.org/10.1371/journal.pone.0204881

Downloaded from: http://researchonline.lshtm.ac.uk/4653374/

DOI: https://doi.org/10.1371/journal.pone.0204881

Usage Guidelines:

Please refer to usage guidelines at https://researchonline.lshtm.ac.uk/policies.html or alternatively contact researchonline@lshtm.ac.uk.

Available under license: http://creativecommons.org/licenses/by/2.5/

https://researchonline.lshtm.ac.uk



CORRECTION

Correction: Poverty and disability in low- and middle-income countries: A systematic review

Lena Morgon Banks, Hannah Kuper, Sarah Polack

There are errors in <u>Table 2</u>. Some of the values in the section "Income group" are incorrect. Please see the corrected <u>Table 2</u> here.



Citation: Banks LM, Kuper H, Polack S (2018) Correction: Poverty and disability in low- and middle-income countries: A systematic review. PLoS ONE 13(9): e0204881. https://doi.org/ 10.1371/journal.pone.0204881

Published: September 26, 2018

Copyright: © 2018 Banks et al. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

| Region | East Asia/Pacific | 1 | |
|--------------------------------|--|-----------|--|
| | East Asia/Facilic | 40 | |
| | Latin America/Caribbean | 31 | |
| | South Asia | 26 | |
| | Sub-Saharan Africa | 22 | |
| | Middle East/North Africa | 11 | |
| | Europe/Central Asia | 4 | |
| | Multi-region | 16 | |
| Disability type ^b | Visual impairment | 12 | |
| | Hearing impairment | 2 | |
| | Physical impairment | 12 | |
| | Intellectual/cognitive impairment | 23 | |
| | Mental disorders | 73 | |
| | Mixed impairments/functional limitations | 37 | |
| Disability measure | Impairment | 114 | |
| | Activity/functional limitations | 32 | |
| | Mixed | 4 | |
| Location | Rural | 17 | |
| Locuiton | Urban | 50 | |
| | Both | 83 | |
| Study design | Cross-sectional | 124 | |
| orany acorgin | Case-control | 11 | |
| | Cohort | 13 | |
| | Other | 2 | |
| Setting | Community-based | 133 | |
| ocumg | Hospital/clinic-based | 6 | |
| | Schools | 9 | |
| | Other | 2 | |
| Sample size ^a | Smallest | 85 | |
| Sumple Size | First quartile (25 th percentile) | 1,188 | |
| | Median (50 th percentile) | 3,591 | |
| | Third quartile (75 th percentile) | | |
| | Largest | 10,667 | |
| A | | 2,600,000 | |
| Age group ^c | Children | 23 | |
| | Adults Older adults | 41 | |
| | | 48 | |
| | Mixed ages | 38 | |
| Income group | Low | 38 | |
| | Lower-middle | 49 | |
| | Upper-middle | 45 | |
| | Mix | 18 | |
| Poverty indicator ^b | Income | 82 | |
| | SES | 36 | |
| | Assets | 30 | |
| | PCE | 10 | |
| | Other | 2 | |
| Risk of bias | Low | 81 | |

Table 2. Characteristics of included studies.

https://doi.org/10.1371/journal.pone.0204881.t001

There are errors in <u>Table 3</u>. In the section "Income group," the corresponding Null value for "Low" should be 36% and the corresponding Negative value for "Low" should be 4%. Please see the corrected <u>Table 3</u> here.

| | | | Association of poverty with disability | | | | | |
|--|---|----------|--|----------|-------|------|--|--|
| | | Positive | Null | Negative | Mixed | Tota | | |
| | | % | % | % | % | N | | |
| Overall | | 81% | 16% | 2% | 1% | 150 | | |
| Disability/ impairment type ^a | Sensory impairment | 78% | 17% | 0% | 6% | 18 | | |
| | Physical impairment | 80% | 15% | 5% | 0% | 20 | | |
| | Intellectual/cognitive impairment | 69% | 31% | 0% | 0% | 26 | | |
| | Mental disorders | 87% | 11% | 3% | 0% | 75 | | |
| | General disability/functional limitations | 80% | 14% | 3% | 3% | 35 | | |
| Disability measure ^a | Impairments | 81% | 16% | 3% | 1% | 115 | | |
| | Activity/functional limitations | 79% | 19% | 0% | 3% | 33 | | |
| | Mix | 100% | 0% | 0% | 0% | 3 | | |
| Age group ^a | Children | 78% | 15% | 0% | 7% | 27 | | |
| | Adults | 86% | 12% | 2% | 0% | 42 | | |
| | Older adults | 69% | 27% | 4% | 0% | 49 | | |
| | Mixed ages | 92% | 8% | 0% | 0% | 36 | | |
| Poverty indicator ^a | Income | 83% | 16% | 0% | 1% | 82 | | |
| | SES | 81% | 14% | 3% | 3% | 36 | | |
| | Assets | 77% | 20% | 3% | 0% | 30 | | |
| | РСЕ | 60% | 30% | 10% | 0% | 10 | | |
| Region ^a | Latin America/Caribbean | 60% | 30% | 10% | 0% | 60 | | |
| | East Asia/Pacific | 80% | 17% | 2% | 2% | 60 | | |
| | Sub-Saharan Africa | 51% | 44% | 4% | 0% | 68 | | |
| | South Asia | 79% | 19% | 2% | 0% | 42 | | |
| | Middle East/North Africa | 87% | 7% | 7% | 0% | 15 | | |
| | Europe/Central Asia | 36% | 64% | 0% | 0% | 14 | | |
| | Multi-region | 100% | 0% | 0% | 0% | 8 | | |
| Income group ^a | Low | 59% | 36% | 4% | 1% | 95 | | |
| | Lower-middle | 67% | 28% | 5% | 0% | 100 | | |
| | Upper-middle | 72% | 26% | 1% | 0% | 69 | | |
| Gender ^a | Female | 87% | 14% | 0% | 0% | 30 | | |
| | Male | 86% | 14% | 0% | 0% | 22 | | |
| Setting | Rural | 82% | 18% | 0% | 0% | 17 | | |
| | Urban | 79% | 19% | 2% | 0% | 52 | | |
| | Both | 82% | 12% | 2% | 2% | 82 | | |
| Risk of bias | Low | 88% | 10% | 1% | 1% | 81 | | |
| | Medium | 74% | 22% | 3% | 1% | 69 | | |

Table 3. Association of poverty and poverty by study characteristics.

^a Findings within studies have been disaggregated, where possible

https://doi.org/10.1371/journal.pone.0204881.t002

Reference

1. Banks LM, Kuper H, Polack S (2017) Poverty and disability in low- and middle-income countries: A systematic review. PLoS ONE 12(12): e0189996. <u>https://doi.org/10.1371/journal.pone.0189996</u> PMID: 29267388