

#### LSE Research Online

#### **Ernestina Coast**, **Tiziana Leone**, **David McDaid**, A Hirose and Eleri Jones

# Postnatal depression (PND) and poverty in low income countries: Mapping the evidence

#### Conference Item [eg. keynote lecture, etc.]

#### **Original citation:**

Coast, Ernestina and Leone, Tiziana and McDaid, David and Hirose, A and Jones, Eleri (2010) *Postnatal depression (PND) and poverty in low income countries: Mapping the evidence.* In: Reproductive Morbidity and Poverty, 6/11/2010, London School of Economics.

This version available at: <a href="http://eprints.lse.ac.uk/36680/">http://eprints.lse.ac.uk/36680/</a>


Available in LSE Research Online: July 2011


© 2010 The Authors

LSE has developed LSE Research Online so that users may access research output of the School. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LSE Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain. You may freely distribute the URL (http://eprints.lse.ac.uk) of the LSE Research Online website.

# Postnatal depression (PND) and poverty in low income countries (LICs): Mapping the evidence

Dr Ernestina Coast
Dr Tiziana Leone
David McDaid
Dr Atsumi Hirose
Eleri Jones





### Research questions

How does PND affect poverty?

How does poverty affect PND?

#### Rationale

 Mental health problems during pregnancy and after childbirth are common

- Distribution of research
  - 90% of HICs
  - 10% of LICs and MICs

#### Rationale

- Prevalence
  - 10-15% in HICs
  - 10-41% in LMICs

**CAUTION** 

- Mental health not explicit in MDGs, but
  - MDG4: Reducing child mortality
  - MDG5: Improving maternal health
  - MDG3: Promoting gender equality


## Terminology

- Perinatal mental health
  - Pregnancy and up to one year after childbirth
  - Increased physical and emotional demands on women

Postpartum depression / postnatal depression

#### Why not a systematic review [SR]?

Pragmatism





Is there sufficient evidence for a SR?

#### Search strategy

Postpartum, postnatal, pregnan\*, perinatal, childbirth, puerperal, parturition, parity, mother, maternal, post-partum, "post natal", puerperium, or post-natal)

in combination with

depress\*, "mental health",
"mental illness", "mental
disorder", "mood disorder",
"affective disorder", "baby blues",
"psychiatric morbidity",
"psychiatric disorder", "psychiatric
illness", "mental distress" or
"psychological distress"



poverty, deprivation, socio-economic, socioeconomic, income, distress, "financial stress", debt, consumption, expenditure, wealth, poor\*, hardship, penury, destitution, "economic burden", social or pay\*

### Search strategy

- Countries defined by the World Bank as low or low middle income countries plus
  - "developing countries",
  - "developing world"
  - "low income countries"
  - "third world "

Studies published in or after 1990

#### **Excluded studies**

- Conducted in HICs including those on refugee populations from LMICs
- On psychosis and paternal postpartum depression.
- Editorials, letters, book reviews and articles without English abstracts.
- Mental health assessed among women during pregnancy only
- Among women outside 12 months postpartum period.

### Systematic mapping: method

