

## **Resolution of the *Daphnia umbra* problem (Crustacea: Cladocera) using an integrated taxonomic approach**

**Elena I. Zuykova<sup>1</sup>, Evgeniy P. Simonov<sup>1</sup>, Nikolay A. Bochkarev<sup>1</sup>, Derek J. Taylor<sup>2</sup>, Alexey**

**A. Kotov<sup>3,4</sup>**

*1) Institute of Systematics and Ecology of Animals, Siberian Branch of the Russian Academy of Sciences, Frunze Street 11, Novosibirsk 630091, Russia.*

*2) Department of Biological Sciences, The State University of New York at Buffalo, Buffalo, NY 14260, USA.*

*3) A. N. Severtsov Institute of Ecology and Evolution, Leninsky Prospect 33, Moscow 119071, Russia.*

*4) Kazan Federal University, Kremlevskaya Str.18, Kazan 420000, Russia.*

**\*Corresponding author:** [alexey-a-kotov@yandex.ru](mailto:alexey-a-kotov@yandex.ru)

## **Acknowledgements**

We are very grateful to Prof. N.N. Smirnov for valuable comments, Prof. A. Petrussek and an anonymous reviewer for the comments on earlier draft. Thanks to the Zoological Museum of the Oslo University, Norway and personally Å.I. Wilhelmsen for the loan of material from G.O.Sars' collection, to M.A. Belyaeva, V.E. Fedosov, A. Hobaek and N.M. Korovchinsky for samples with *Daphnia*. AAK is supported by Russian Government Program of Competitive Growth of Kazan Federal University.