Supplementary material for the article:

Cvetković, M.; Anđelković, B.; Stevanović, V.; Jadranin, M.; Đorđević, I.; Tešević, V.; Milosavljević, S.; Gođevac, D. NMR-Based Metabolomics Study of Amphoricarpos Species from Montenegro. *Phytochemistry Letters* **2018**, *25*, 1–5. https://doi.org/10.1016/j.phytol.2018.03.013

1. The variable importance on projection (VIP) diagram of the OPLS-DA method



2. The permutation test diagrams (for each 3 classes) of the OPLS-DA method




R2
Q2
0.5
0
-0.5
-1
-1.5
-0.2
0
0.2
0.4
0.6
0.8
1
100 permutations 2 components


R2
Q2
0.5
0
-0.5
-1
-1.5
-0.2
0
0.2
0.4
0.6
0.8
1
100 permutations 2 components

3. 2D NMR spectra of the plant extracts studied



COSY - *A. autariatus* ssp. *Autariatus*



TOCSY - *A. autariatus* ssp. *autariatus*



ROESY - *A. autariatus* ssp. *autariatus*



HSQC - *A. autariatus* ssp. *autariatus*



HMBC - *A. autariatus* ssp. *autariatus*



C,H *J*-resolved - *A. autariatus* ssp. *autariatus*



COSY - *A. neumayeri*



TOCSY - *A. neumayeri*



ROESY - *A. neumayeri*



HSQC - *A. neumayeri*



HMBC - *A. neumayeri*



C,H *J*-resolved - *A. neumayeri*