
XXII International Conference on Chemical Thermodynamics in Russia

June 19-23, 2019 Saint Petersburg, Russia



BOOK OF ABSTRACTS

Saint Petersburg State University Ministry of Science and Higher Education Kurnakov Institute of General and Inorganic Chemistry of the Russian Academy of Sciences **Russian Academy of Sciences** The Mendeleev Russian Chemical Society Interregional Innovative Development Center (INNO-MIR) LLC

Screening of Conformational Diversity of Molecules of Biologically Active Compouds Based on Nuclear Overhauser Effect Spectroscopy

Khodov I.A.^{1, 2}, Efimov S.V.², Kiselev M.G.¹

¹G.A. Krestov Institute of Solution Chemistry, Russian Academy of Sciences, Russia; ²Institute of Physics, Kazan Federal University, Russia

Ilya.Khodov@gmail.com

Depending on conditions, crystallization of polymorphs from solution can be either kinetically or thermodynamically controlled. In the latter case, the obtained polymorph is independent of the nature of the solvent. It was shown [1] that even in cases when the choice of the solvent seems to be crucial, this can be in fact a minor factor related to the concentration achieved in the chosen solvent rather than a specific effect of solvent—solute interaction. Therefore, it is necessary to determine solubility curves and the width of the metastable zone in order to control the crystallization process of a polymorph. A very important factor, however, is very rarely taken into account today: namely, the influence of a molecule's conformational state on the crystallization process. Spatial structures of the molecule was shown to be a key factor in the nucleation, regarding both kinetics [2,3] and thermodynamics of the process [4]. In this work we propose a method of screening of the conformational state depending on the pressure and temperature, based on nuclear Overhauser effect spectroscopy. This approach can provide unique information on structural characteristics of small molecules in subcritical and supercritical states.

Acknowledgments The work was supported by Russian Foundation for Basic Research (project nos. 18-29-06008, 18-03-00255 and 17-03-00459]), by the Ministry of Education and Science of the Russian Federation, project no. RFMEFI61618X0097, by the Basic Research Program of Ministry of Education and Science, project no. 01201260481.

- [1] T. Threlfall Organic Process Research and Development, 2000, 4, 384.
- [2] I.A. Khodov, S.V. Efimov, M.Y. Nikiforov, V.V. Klochkov, and N. Georgi, *Journal of Pharmaceutical Sciences*, 2014, 103, 392.
- [3] I.A. Khodov, S.V. Efimov, M.G. Kiselev, L.A.E. Batista De Carvalho, and V.V. Klochkov, *Journal of Molecular Structure*, 2016, 1113, 191.
- [4] C. Bhugra, M.J. Pikal, Journal of Pharmaceutical Sciences, 2008, 97, 1329.