UNIVERSITY^{OF} BIRMINGHAM

University of Birmingham Research at Birmingham

Risk of subsequent primary leukaemias among 69,460 five-year survivors of childhood cancer diagnosed from 1940 to 2008 in Europe

Allodji, Rodrigue S; Hawkins, Mike M; Bright, Chloe J; Fidler-Benaoudia, Miranda M; Winter, David L; Alessi, Daniela; Fresneau, Brice; Journy, Neige; Morsellino, Vera; Bárdi, Edit; Bautz, Andrea; Byrne, Julianne; Feijen, Elizabeth Lieke Am; Teepen, Jop C; Vu-Bezin, Giao; Rubino, Carole; Garwicz, Stanislaw; Grabow, Desiree; Gudmundsdottir, Thorgerdur; Guha, Joyeeta

10.1016/j.ejca.2019.05.013

License:

Creative Commons: Attribution-NonCommercial-NoDerivs (CC BY-NC-ND)

Document Version
Peer reviewed version

Citation for published version (Harvard):

Allodji, RS, Hawkins, MM, Bright, CJ, Fidler-Benaoudia, MM, Winter, DL, Alessi, D, Fresneau, B, Journy, N, Morsellino, V, Bárdi, E, Bautz, A, Byrne, J, Feijen, ELA, Teepen, JC, Vu-Bezin, G, Rubino, C, Garwicz, S, Grabow, D, Gudmundsdottir, T, Guha, J, Hau, E-M, Jankovic, M, Kaatsch, P, Kaiser, M, Linge, H, Muraca, M, Llanas, D, Veres, C, Øfstaas, H, Diallo, I, Mansouri, I, Ronckers, CM, Skinner, R, Terenziani, M, Wesenberg, F, Wiebe, T, Sacerdote, C, Jakab, Z, Haupt, R, Lähteenmäki, P, Zaletel, LZ, Kuehni, CE, Winther, JF, Michel, G, Kremer, LCM, Hjorth, L, Haddy, N, de Vathaire, F & Reulen, RC 2019, 'Risk of subsequent primary leukaemias among 69,460 five-year survivors of childhood cancer diagnosed from 1940 to 2008 in Europe: a cohort study within PanCareSurFup', *European Journal of Cancer*, vol. 117, pp. 71-83. https://doi.org/10.1016/j.ejca.2019.05.013

Link to publication on Research at Birmingham portal

Publisher Rights Statement: Checked for eligibility: 04/07/2019

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

• Users may freely distribute the URL that is used to identify this publication.

- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)

• Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

Download date: 11. May. 2021

RISK OF SUBSEQUENT PRIMARY LEUKEMIAS AMONG 69,460 5-YEAR SURVIVORS OF CHILDHOOD CANCER IN EUROPE: A COHORT STUDY WITHIN PANCARESURFUP

Rodrigue S Allodji^{1,3,27}, Mike M Hawkins¹, Chloe J Bright¹, David L Winter¹, Daniela Alessi², Brice Fresneau^{3,4}, Miranda M Fidler-Benaoudia^{1,5}, Vera Morsellino⁶, Edit Bárdi^{7,8}, Andrea Bautz⁹, Julianne Byrne¹⁰, Elizabeth AM Feijen^{11,12}, Giao Vu-Bezin³, Carole Rubino³, Stanislaw Garwicz^{13†}, Desiree Grabow¹⁴, Thorgerdur Gudmundsdottir^{8,15}, Joyeeta Guha¹, Eva-Maria Hau^{16,17}, Momcilo Jankovic¹⁸, Peter Kaatsch¹⁴, Melanie Kaiser¹⁴, Helena Linge¹³, Monica Muraca⁶, Neige Journy³, Damien Llanas³, Cristina Veres³, Hilde Øfstaas¹⁹, Ibrahima Diallo³, Imene Mansouri³, Cecile M Ronckers^{11,12}, Roderick Skinner²⁰, Jop C Teepen^{11,12}, Monica Terenziani²¹, Finn Wesenberg²², Thomas Wiebe¹³, Carlotta Sacerdote², Zsuzsanna Jakab²³, Riccardo Haupt⁶, Päivi Lähteenmäki²⁴, Lorna Zadravec Zaletel²⁵, Claudia E Kuehni^{16,17}, Jeanette F Winther^{9,26}, Leontien C Kremer^{11,12}, Lars Hjorth¹³, Nadia Haddy^{1,3}, Florent de Vathaire³, Raoul C Reulen¹

Affiliations:

¹Centre for Childhood Cancer Survivor Studies, Institute of Applied Health Research, Robert Aitken Building, University of Birmingham, Birmingham, UK.

²Childhood Cancer Registry of Piedmont, Cancer Epidemiology Unit, Department of Medical Sciences, University of Turin and AOU Città della Salute e della Scienza di Torino, Italy.

³Cancer and Radiation Team, Center for Research in Epidemiology and Population Health, INSERM U1018, University Paris

Saclay, Gustave Roussy, Villejuif, France.

Department of Pediatric oncology, Gustave Roussy, Université Paris-Saclay, Villejuif, France

⁵Department of Cancer Epidemiology and Prevention Research, Alberta Health Services, Calgary, Alberta, Canada

⁶Epidemiology and Biostatistics Unit, Istituto Giannina Gaslini, Genova, Italy. ⁷2nd Department of Pediatrics, Semmelweis University, Budapest, Hungary.

⁸Kepler Universitätsklinikum, Linz, Austria.

⁹Danish Cancer Society Research Center, Childhood Cancer research group, Copenhagen, Denmark.

¹⁰Boyne Research Institute, Drogheda, Ireland.

¹¹Department of Pediatric Oncology, Emma Children's Hospital/Academic Medical Center, Amsterdam, The Netherlands.

¹²Princess Máxima Center for Pediatric Oncology, Utrecht, The Netherlands.

¹³Lund University, Skane University Hospital, Department of Clinical Sciences, Paediatrics, Lund, Sweden.

¹⁴German Childhood Cancer Registry (GCCR), Institute of Medical Biostatistics, Epidemiology and Informatics, University Medical Center, Mainz, Germany.

¹⁵Children's Hospital, Landspitali University Hospital, Reykjavik, Iceland.

¹⁶Swiss Childhood Cancer Registry, Institute of Social and Preventive Medicine, University of Bern, Switzerland.

¹⁷Department of Paediatrics, University Children's Hospital of Bern, University of Bern, Switzerland

¹⁸Foundation MBBM, Hemato-Oncology Center, University of Milano-Bicocca, via Cadore 38, 20900 Monza (MB), Italy.

¹⁹Norwegian National Advisory Unit on solid tumors in children, Norway.

²⁰Great North Children's Hospital, Newcastle upon Tyne Hospitals NHS Foundation Trust, and Northern Institute of Cancer Research, Newcastle University, Newcastle upon Tyne, UK.

21 Pediatric Oncology Unit, Fondazione IRCCS Istituto Nazionale dei Tumori, Milano, Italy.

²²Norwegian Cancer Registry and Dept. of Pediatric Medicine, Oslo University Hospital and Institute of Clinical Medicine, Faculty of medicine, University of Oslo, Norway.

²³Hungarian Childhood Cancer Registry, 2nd Department of Pediatrics, Semmelweis University, Budapest, Hungary.

²⁴Turku University and Turku University Hospital, Department of Pediatric and Adolescent Medicine, Turku, Finland.

²⁵Institute of Oncology, Ljubljana, Slovenia.

²⁶Department of Clinical Medicine, Faculty of Health, Aarhus University, Aarhus, Denmark.

²⁷Polytechnic School of Abomey-Calavi (EPAC), University of Abomey-Calavi, 01 P.O. Box 2009, Cotonou, Benin

[†]Deceased 27th November 2018 to whom this research is dedicated.

Background

Survivors of childhood cancers are at risk of developing subsequent primary leukemias (SPLs), but the long-term risks after 20 years following treatment are still unclear. We investigated the risk of SPLs in 5-year childhood cancer survivors using a large-scale pan-European (PanCareSurFup) cohort and evaluated variations in the risk by cancer and demographic factors.

Methods

This largest-ever assembled cohort comprises 69,460 5-year childhood cancer survivors from 12 European countries. Standardized incidence ratios (SIRs) and absolute excess risks (AERs) were calculated. Cumulative incidence was calculated accounting for competing risk of death.

Results

One hundred and fifteen survivors developed a SPL including 86 subsequent primary myeloid leukemias (SPML) and 17 subsequent primary lymphoid leukemias (SPLL); of these SPLs, 31 occurred beyond 20 years from first childhood cancer diagnosis. Compared with the general population, childhood cancer survivors had a 4-fold increased risk (SIR = 3.7; 95%CI: 3.1-4.5) of developing leukemia, and eight leukemias per 100,000 person-years (AER = 7.5; 95%CI: 6-9.2) occurred in excess of that expected. The risks remained significantly elevated beyond 20 years from first primary malignancy. Overall, the risk ratio for SPML (SIR = 5.8; 95%CI: 4.6-7.1) was higher than that for all other SPLs combined.

Conclusions

We demonstrate that beyond 20 years after childhood cancer diagnosis survivors experience an increased risk for SPLs compared to that expected from the general population. Our findings show that awareness for symptoms potentially related to subsequent leukemias among long-term survivors of childhood cancer needs to continue well into middle age.