

Contents lists available at [ScienceDirect](#)

## Deep-Sea Research II

journal homepage: [www.elsevier.com/locate/dsr2](http://www.elsevier.com/locate/dsr2)

## Corrigendum to “Formation and erosion of the seasonal thermocline in the Kuroshio Extension Recirculation gyre” [Deep-Sea Res. II 85 (2013) 62–74]

Meghan F. Cronin <sup>a,\*</sup>, Nicholas A. Bond <sup>b</sup>, J. Thomas Farrar <sup>c</sup>, Hiroshi Ichikawa <sup>d</sup>, Steven R. Jayne <sup>c</sup>, Yoshimi Kawai <sup>d</sup>, Masanori Konda <sup>d,e</sup>, Bo Qiu <sup>f</sup>, Luc Rainville <sup>g</sup>, Hiroyuki Tomita <sup>h</sup>

<sup>a</sup> NOAA Pacific Marine Environmental Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115, USA

<sup>b</sup> University of Washington/NOAA Joint Institute for the Study of Atmosphere and Ocean, 7600 Sand Point Way NE, Seattle, WA 98115, USA

<sup>c</sup> Woods Hole Oceanographic Institution, 266 Woods Hole Road, Woods Hole, MA 02543, USA

<sup>d</sup> Japan Agency for Marine and Earth Science Technology, Research and Development Center for Global Change, Yokosuka, Kanagawa 237-0061, Japan

<sup>e</sup> Kyoto University, Graduate School of Science, Kitashirakawa-Oiwake, Sakyo, Kyoto 606-8502, Japan

<sup>f</sup> University of Hawaii, School of Ocean and Earth Science and Technology, 1000 Pope Rd, Honolulu, HI 96822, USA

<sup>g</sup> University of Washington/Applied Physics Laboratory, 1013 NE 40th Street, Seattle, WA 98105, USA

<sup>h</sup> Institute for Space-Earth Environmental Research, Nagoya University, Nagoya, Japan




The authors regret that Fig. 8 bottom panel had a 0.1 offset applied to the buoyancy frequency ( $N$ ). This plotting error did not affect any other aspect of the original paper. The correctly plotted Fig. 8 is shown below.

DOI of original article: <http://dx.doi.org/10.1016/j.dsr2.2012.07.018>

\* Corresponding author. Fax: +1 206 526 6744.

E-mail address: [Meghan.F.Cronin@noaa.gov](mailto:Meghan.F.Cronin@noaa.gov) (M.F. Cronin).



**Fig. 8.** Top panel shows on a log scale 5-day smoothed diffusivity ( $\kappa$ ) at the base of the mixed layer (plus marks) and their errors (grey line). Values below the grey line can be considered noise. Middle panel shows hourly values of  $1/Ri$  on a linear scale. A nominal critical  $Ri$  is shown as a grey dashed line. The bottom panel shows the 5-day smoothed buoyancy frequency ( $N$ ) on a linear scale.