



Rapid Prototyping Journal

Three-dimensional model of an ancient Egyptian falcon mummy skeleton

Anton Du Plessis Ruhan Slabbert Liani Colette Swanepoel Johan Els Gerrie J Booyesen Salima Ikram Izak Cornelius

Article information:

To cite this document:

Anton Du Plessis Ruhan Slabbert Liani Colette Swanepoel Johan Els Gerrie J Booyesen Salima Ikram Izak Cornelius , (2015), "Three-dimensional model of an ancient Egyptian falcon mummy skeleton", Rapid Prototyping Journal, Vol. 21 Iss 4 pp. 368 - 372

Permanent link to this document:

<http://dx.doi.org/10.1108/RPJ-09-2013-0089>

Downloaded on: 23 February 2016, At: 22:29 (PT)

References: this document contains references to 38 other documents.

To copy this document: permissions@emeraldinsight.com

The fulltext of this document has been downloaded 214 times since 2015*

Users who downloaded this article also downloaded:

Bin Huang, Sarat B Singamneni, (2015), "Curved Layer Adaptive Slicing (CLAS) for fused deposition modelling", Rapid Prototyping Journal, Vol. 21 Iss 4 pp. 354-367 <http://dx.doi.org/10.1108/RPJ-06-2013-0059>

Alida Mazzoli, C Ferretti, A Gigante, E Salvolini, M Mattioli-Belmonte, (2015), "Selective laser sintering manufacturing of polycaprolactone bone scaffolds for applications in bone tissue engineering", Rapid Prototyping Journal, Vol. 21 Iss 4 pp. 386-392 <http://dx.doi.org/10.1108/RPJ-04-2013-0040>

Alvaro Jose Rojas Arciniegas, Marcos Esterman, (2015), "Characterization and modeling of surface defects in EP3D printing", Rapid Prototyping Journal, Vol. 21 Iss 4 pp. 402-411 <http://dx.doi.org/10.1108/RPJ-10-2013-0107>



Access to this document was granted through an Emerald subscription provided by emerald-srm:215518 []

For Authors

If you would like to write for this, or any other Emerald publication, then please use our Emerald for Authors service information about how to choose which publication to write for and submission guidelines are available for all. Please visit www.emeraldinsight.com/authors for more information.

About Emerald www.emeraldinsight.com

Emerald is a global publisher linking research and practice to the benefit of society. The company manages a portfolio of more than 290 journals and over 2,350 books and book series volumes, as well as providing an extensive range of online products and additional customer resources and services.

Emerald is both COUNTER 4 and TRANSFER compliant. The organization is a partner of the Committee on Publication Ethics (COPE) and also works with Portico and the LOCKSS initiative for digital archive preservation.

*Related content and download information correct at time of download.

Three-dimensional model of an ancient Egyptian falcon mummy skeleton

Anton Du Plessis and Ruhan Slabbert

Central Analytical Facilities, Stellenbosch University, Stellenbosch, South Africa

Liani Colette Swanepoel

Department of Ancient Studies, Stellenbosch University, Stellenbosch, South Africa

Johan Els and Gerrie J. Booysen

Centre for Rapid Prototyping and Manufacturing, Central University of Technology, Bloemfontein, South Africa

Salima Ikram

Department of Sociology, Anthropology, Psychology and Egyptology, American University in Cairo, Cairo, Egypt, and

Izak Cornelius

Department of Ancient Studies, Stellenbosch University, Stellenbosch, South Africa

Abstract

Purpose – The purpose of this paper is to present the first detailed three-dimensional (3D) print from micro-computed tomography data of the skeleton of an ancient Egyptian falcon mummy.

Design/methodology/approach – Radiographic analysis of an ancient Egyptian falcon mummy housed at Iziko Museums of South Africa was performed using non-destructive x-ray micro-computed tomography. A 1:1 physical replica of its skeleton was printed in a polymer material (polyamide) using 3D printing technology.

Findings – The combination of high-resolution computed tomography scanning and rapid prototyping allowed us to create an accurate 1:1 model of a biological object hidden by wrappings. This model can be used to study skeletal features and morphology and also enhance exhibitions hosted within the museum.

Originality/value – This is the first replica of its kind made of an ancient Egyptian falcon mummy skeleton. The combination of computed tomography scanning and 3D printing has the potential to facilitate scientific research and stimulate public interest in Egyptology.

Keywords South Africa, Rapid manufacturing, 3D, Radiography, Bones, Prototyping

Paper type Case study

1. Introduction

Although the ancient Egyptians are renowned for their human mummies, their production of animal mummies is less well known despite the fact that they number in the millions (Ikram, 2005). The preservation of the body was important to the ancient Egyptians, as they believed that the soul needed a vehicle to continue its existence in the afterlife; the earthly body was regarded as ideal for this, although two- and three-dimensional (3D) images in the form of murals and statuettes were also provided for the deceased as insurance.

While the reasons for creating animal mummies are unclear, current archaeology divides animal mummies into five broad categories:

1 pets which accompanied their owners in life and followed them in death;

- 2 victual mummies served as food for the dead;
- 3 sacred mummies were an earthly incarnation of a god, for example, the Apis bull of Ptah (Dodson, 2005);
- 4 votive mummies, given as an offering to a specific god, are the largest category of animal mummies found in collections; and
- 5 “other”, which do not fit into any of these categories and are currently under study (Ikram, 1995, 2005, 2012; Ikram and Iskander, 2002).

Funding for the project was provided by Stellenbosch University Subcommittees A and B. The micro-CT scanner at Stellenbosch University’s Central Analytical Facilities was acquired via the South African National Research Foundation equipment fund. The funders had no role in study design, data collection and analysis, decision to publish or preparation of the manuscript. The authors thank Stellenbosch University and Central University of Technology for providing facilities. The kind cooperation of Iziko Museums of South Africa is acknowledged. Megan Spitzer from the Division of Birds, Smithsonian Institution, Washington, DC, kindly verified the identification of the falcon. Carina Beyer and Eva Raal took the photographs of the falcon mummy and 3D print, respectively.

Received 8 September 2013

Revised 12 January 2014

12 February 2014

Accepted 25 February 2014

The current issue and full text archive of this journal is available on Emerald Insight at: www.emeraldinsight.com/1355-2546.htm



Rapid Prototyping Journal
21/4 (2015) 368–372

© Emerald Group Publishing Limited [ISSN 1355-2546]
[DOI 10.1108/RPJ-09-2013-0089]

Animal mummies have been studied sporadically for a few centuries (Pettigrew, 1834; Gillispie and Dewachter, 1987; Ikram, 2012; Ikram, 2015). Attention was paid to them as a manifestation of Egyptian funerary beliefs and embalming technology, as well as a source of information concerning the fauna of ancient Egypt. More recently, they have also been studied to learn about disease and veterinary care, breeding programmes and the ancient Egyptian environment (Ikram and Iskander, 2002; Ikram, 2005, 2012; Ikram, 2015). Mummies have been studied macroscopically, but are now increasingly examined through radiography. This non-invasive technique allows one to identify the animal found inside the wrappings, how it was killed, diseases it may have had and the mode of mummification, all without violating the integrity of the object (cf. Ikram and Iskander, 2002; Ikram, 2005; McKnight, 2010; Bailleul-LeSeur, 2012; Cornelius et al., 2012; Ikram, 2015).

Radiographical analyses of mummies using x-rays have been undertaken since 1898 (Harwood-Nash, 1979). Since 1979, a more advanced method, computed tomography (CT) scanning, has been successfully used to analyse and study wrapped ancient Egyptian human mummies (Harwood-Nash, 1979; Notman et al., 1986; Baldock et al., 1994; Hoffman et al., 2002; Lynnerup, 2010; Bailleul-LeSeur, 2012; Cornelius et al., 2012). These studies generally make use of medical full-body CT scanners, which generate volumes of information about the inside of the objects at resolutions of down to 500 μm . Most CT scans of Egyptian mummified objects are carried out with medical CT scanners because of their widespread availability, as well as the size of human and animal mummies, which match the available scannable volume of medical scanners. The use of CT scanning for the analysis of mummies has even become a gold-standard method (Rühli et al., 2004; Chhem, 2006). A number of animal mummies have also been analysed using CT scanning, including (among others) birds of prey, cats and ibises (Falke et al., 1987; Ikram, 1995; Jackowski et al., 2008; Morgan and McGovern-Huffman, 2008; McKnight, 2010; McKnight et al., 2011; Morgan et al., 2011; Bailleul-LeSeur, 2012; Cornelius et al., 2012; Gnudi et al., 2012; Wade et al., 2012).

Additive manufacturing technology (Chua et al., 2010) has advanced to the point where today 3D prints have been made of many archaeological objects, especially the hominid skulls (D'Urso et al., 2000; Zhang et al., 2000; Tobias, 2001; Pères et al., 2004; Fantini et al., 2008; Kubo et al., 2011), but also the heads of wrapped mummies (Cesarani et al., 2004; Bens, 2010), and even a full-body replica of Tutankhamen (Materialise, 2013). All of these have been made at scan or print resolutions limited by medical-type scanners or by printers of limited resolution. Recent studies have combined the power of micro-CT technology with high-resolution 3D printing where Laycock et al. (2012) and Soe et al. (2012) generated a replica of a nineteenth-century Cantonese chess piece and a reconstruction of a medieval ship, respectively.

In this paper, we present the first such detailed print from micro-CT data of the skeleton of an ancient Egyptian falcon mummy. This can be used for museum display by placing the replica next to the wrapped specimen, and can also assist in physical analysis for the study of such an object.

2. Materials and methods

2.1 Ethics statement

All necessary permissions were obtained from the relevant authorities at the Social History Collections, Iziko Museums of South Africa, Cape Town, South Africa, to conduct this study. No permits were required in terms of the South African National Heritage Resources Act of 1999 (Act No. 25 of 1999) because no destructive methodology was applied in the described study. Object description and provenance is given in Table I.

2.2 Object and CT-scanning

Micro-CT scans of a wrapped animal mummy, a falcon, object SACHM 2575 (Figure 1), housed at Iziko Museums of South Africa, Cape Town, South Africa, were conducted between July 2012 and January 2013. The mummy is wrapped in several layers of coarse bandaging; it was created by desiccation through natron and the liberal application of resins, possibly mixed with oil and/or beeswax. Its provenance is unknown, although it might come from near the city of Akhmim, from where several other similar-looking mummies originate (Ikram and Iskander, 2002).

A commercial micro-CT scanner system, a phoenix v|tome|x L 240 (General Electric) with NF180 additional tube, was used. Radiographs were generated at 160 kV and 200 μA with 500 ms acquisition time per projection image with no averaging or skipping of images. A total of 3,000 images were recorded during one full rotation, making the

Table I Museum information on object SACHM 2575

Geographic location	Cape Town, South Africa
Museum	Iziko Museums of South Africa
Collection	Social History Collections
Museum accession number	SACHM 2575
Original museum	Mummy hawk, Egypt
catalogue description	S Cavanagh/Kavanagh, 1911
Display status	Slave Lodge, Iziko Museums of South Africa

Note: SACHM = South African Cultural History Museum

Figure 1 Photographs of the outer surfaces of the mummified falcon SACHM 2575



Source: Photographs Carina Beyer

total scan time approximately 35 minutes. A background detector calibration was carried out using a dark background, as well as two current settings (two-point calibration). A shift option was activated to shift the detector between projection images to minimize the rotation axis artefact sometimes visible in CT scans. A background region of interest was recorded for each image to normalize the background intensity during the scan. These projection images were then reconstructed using the system-supplied Datos reconstruction software, using 16-bit data type, with algorithms for minimizing beam hardening artefacts and correcting for movement of the sample or backlash of the rotation stage. The reconstructed volume was analysed in VGStudio MAX 2.1 (Volume Graphics). The geometrical resolution was set to 100 μm voxel size.

A surface fit was applied to the data, and the surface extraction tool of VGStudio MAX 2.1 was used (specifically, the “Normal with Simplification” option). This generates an STL file, readable by CAD programs. The STL file was imported into Magics (Materialise, Belgium) and separated into shells to separate the surface data from the background noise. The surface data were isolated and a “Shrink Wrap” feature was used to create a solid model from the surface data. Loose skeletal features were connected manually by creating small cylinders in between the loose features. The processed STL file was printed on a commercial 3D printing machine from Electro Optical Systems (GmbH) in PA2200 white polyamide at a resolution of 150 μm .


3. Results

The total time for completing the CT set-up, scanning, volume reconstruction and surface extraction was approximately 2 hours. The costs, including labour and instrument and analysis time, totalled US\$140. The CT images taken were of such a quality that the lower-density materials were eliminated to reveal the surface of the whole skeleton [Figure 2(a)], orientation of the skeleton within the wrappings [Figure 2(b)] and the skeleton on its own [Figure 2(c)]. This allowed for the creation of a 3D polyamide representation on a 1:1 scale of the skeleton of the mummified bird (Figure 3). The approximate time it took for completing the model was 5.5 hours which included 1 hour of data manipulation and simplification and 4.5 hours of printing. The total cost for a single 1:1 scale print was US\$280.

4. Discussion

Here, we reported on the creation of the first physical 3D reconstruction of the skeleton of an ancient Egyptian falcon mummy by combining data generated by CT scanning and advanced additive manufacturing. The data generated by the CT scanner was of sufficiently high resolution to create a high-quality reconstruction of SACHM 2575. Data generated by CT scanning allow for the non-destructive analysis of such animal mummies and minimizes handling of these valuable objects. By combining CT scanning and additive manufacturing technologies, it becomes possible to recreate the objects hidden by the wrappings of an animal mummy. Such reconstructions can be used for comparative morphological studies and measuring skeletal features, provided that the scale is 1:1, which can be applied to identify


Figure 2 Different views of rendered micro-CT scan data of SACHM 2575



Notes: (a) The surface of the wrappings; (b) the orientation of the skeleton within the wrappings; (c) the wrappings removed entirely, leaving only the skeleton

the species that was mummified. In this case, the identification was of a common kestrel (*Falco tinnunculus*; Slabbert *et al.*, manuscript in preparation), a bird frequently mummified in Egypt and, as with other raptors, associated with the sun god Re (Houlihan and Goodman, 1986; Ikram and Iskander, 2002).

Reconstructions using enlarged scales could also provide additional anatomical or visual information for researchers. The reconstruction of ancient objects also has an important

Figure 3 The 3D replica printed from the micro-CT data

Source: Photograph Eva Raal

role to play in public education and enhancing museum exhibitions. In this case, the model can be displayed in tandem with the actual mummy of the bird and give the viewer a better understanding of what is inside a mummy bundle. The museum visitor can even handle and study such a reconstruction themselves and not damage the original artefact. The combination of CT scanning and 3D printing is an exciting approach to reconstruct and display ancient animal mummies, and has a lot of potential for facilitating scientific research and stimulating interest in scientific Egyptology among the general public.

References

- Bailleul-LeSeur, R. (Ed.) (2012), *Between Heaven and Earth: Birds of Ancient Egypt*, The Oriental Institute of the University of Chicago, Chicago.
- Baldock, C., Hughes, S.W., Whittaker, D.K., Taylor, J., Davis, R., Spencer, A.J., Tonge, K. and Sofat, A. (1994), “3-D reconstruction of an ancient Egyptian mummy using x-ray computer tomography”, *Journal of the Royal Society of Medicine*, Vol. 87 No. 12, pp. 806-808.
- Bens, A.T. (2010), “Rapid prototyping in medical technology and its application in mummy research”, in Wieczorek, A. and Rosendahl, W. (Eds), *Mummies of the World*, Prestel, Munich, pp. 255-256.
- Cesarani, F., Martina, M.C., Grilletto, R., Boano, R., Roveri, A.M.D., Capussotto, V., Giuliano, A., Celia, M. and Gandini, G. (2004), “Facial reconstruction of a wrapped Egyptian mummy using MDCT”, *American Journal of Roentgenology*, Vol. 183 No. 3, pp. 755-758.
- Chhem, R.K. (2006), “Paleoradiology: imaging disease in mummies and ancient skeletons”, *Skeletal Radiology*, Vol. 35 No. 11, pp. 803-804.
- Chua, C.K., Leong, K.F. and Lim, C.S. (2010), *Rapid Prototyping: Principles and Applications*, World Scientific, Hackensack, NJ.
- Cornelius, I., Swanepoel, L.C., Du Plessis, A. and Slabbert, R. (2012), “Looking inside votive creatures: computed tomography (CT) scanning of ancient Egyptian mummified animals in Iziko Museums of South Africa: a preliminary report”, *Akroterion*, Vol. 57 No. 1, pp. 129-148.
- Dodson, A. (2005), “Bull cults”, in Ikram, S. (Ed.), *Divine Creatures: Animal Mummies in Ancient Egypt*, The American University in Cairo Press, Cairo/New York, NY, pp. 72-105.
- D’Urso, P.S., Thompson, R.G. and Earwaker, W.J. (2000), “Stereolithographic (SL) biomodelling in paleontology: a technical note”, *Rapid Prototyping Journal*, Vol. 6 No. 3, pp. 212-216.
- Falke, T.H.M., Zweypfenning-Snijders, M.C., Zweypfenning, R.C.V.J. and James, A.E. Jr (1987), “Computed tomography of an ancient Egyptian cat”, *Journal of Computer Assisted Tomography*, Vol. 11 No. 4, pp. 745-747.
- Fantini, M., De Crescenzo, F., Persiani, F., Benazzi, S. and Gruppioni, G. (2008), “3D restitution, restoration and prototyping of a medieval damaged skull”, *Rapid Prototyping Journal*, Vol. 14 No. 5, pp. 318-324.
- Gillispe, C.C. and Dewachter, M. (1987), *The Monuments of Egypt: The Napoleonic Edition*, Princeton Architectural Press, New York, NY.
- Gnudi, G., Volta, A., Manfredi, S., Ferri, F. and Conversi, R. (2012), “Radiological investigation of an over 2000-year-old Egyptian mummy of a cat”, *Journal of Feline Medicine and Surgery*, Vol. 14 No. 4, pp. 292-294.
- Harwood-Nash, D.C.F. (1979), “Computed tomography of ancient Egyptian mummies”, *Journal of Computer Assisted Tomography*, Vol. 3 No. 6, pp. 768-773.
- Hoffman, H., Torres, W.E. and Ernst, R.D. (2002), “Paleoradiology: advanced CT in the evaluation of nine Egyptian mummies”, *Radiographics*, Vol. 22 No. 2, pp. 377-385.
- Houlihan, P. and Goodman, S. (1986), *The Birds of Ancient Egypt*, Aris and Phillips, Warminster.
- Ikram, S. (1995), *Choice Cuts: Meat Production in Ancient Egypt*, Peeters Press, Leuven.
- Ikram, S. (2012), “Creatures of the gods: animal mummies from ancient Egypt”, *AnthroNotes*, Vol. 33 No. 1, pp. 1-5.
- Ikram, S. (2015), “The study of Egyptian fauna”, in Shaw, I. (Ed.), *The Oxford Handbook of Egyptology*, Oxford University Press, Oxford.
- Ikram, S. (Ed.) (2005), *Divine Creatures: Animal Mummies in Ancient Egypt*, American University in Cairo Press, Cairo/New York, NY.
- Ikram, S. and Iskander, N. (2002), *Non-Human Mummies, Catalogue Ge'ne'ral of Egyptian Antiquities in the Cairo Museum*, Supreme Council of Antiquities Press, Cairo.
- Jackowski, C., Bolliger, S. and Thali, M.J. (2008), “Common and unexpected findings in mummies from ancient Egypt and South America as revealed by CT”, *Radiographics*, Vol. 28 No. 5, pp. 1477-1492.
- Kubo, D., Kono, R.T. and Suwa, G. (2011), “A micro-CT based study of the endocranial morphology of the Minatogawa I cranium”, *Anthropological Science*, Vol. 119 No. 2, pp. 123-135.
- Laycock, S.D., Bell, G.D., Mortimore, D.B., Greco, M.K., Corps, N. and Finkle, I. (2012), “Combining x-ray micro-CT technology and 3D printing for the digital preservation and study of a 19th Century Cantonese chess piece with intricate internal structure”, *ACM Journal on Computing and Cultural Heritage*, Vol. 5 No. 4, p. 7.

- Lynnerup, N. (2010), “Medical imaging of mummies and bog bodies – a mini-review”, *Gerontology*, Vol. 56 No. 5, pp. 441-448.
- McKnight, L.M. (2010), *Imaging Applied to Animal Mummification in Ancient Egypt (British Archaeological Reports International Series 2175)*, Archaeo Press, Oxford.
- McKnight, L.M., Atherton, S.D. and David, A.R. (2011), “Introducing the ancient Egyptian animal bio-bank at the KNH Centre for Biomedical Egyptology, University of Manchester”, *Antiquity*, Vol. 85 No. 329, available at: <http://antiquity.ac.uk/projgall/mcknight329/> (accessed 5 July 2013).
- Materialise (2013), “3D replica of king Tut’s mummy”, available at: www.materialise.com/cases/3d-replica-of-king-tut-s-mummy (accessed 4 July 2013).
- Morgan, L., McGovern-Huffman, S. and French-Kreigh, P. (2011), “Comparison of two falconid mummies from the late period of ancient Egypt using noninvasive techniques”, *Journal of Raptor Research*, Vol. 45 No. 4, pp. 357-361.
- Morgan, L.W. and McGovern-Huffman, S. (2008), “Noninvasive radiographic analysis of an Egyptian falcon mummy from the late period 664-332 BC”, *Journal of Avian Biology*, Vol. 39 No. 5, pp. 584-587.
- Notman, D.N., Tashjian, J., Aufderheide, A.C., Cass, O.W., Shane, O.C. 3rd., Berquist, T.H., Gray, J.E. and Gedgaudas, E. (1986), “Modern imaging and endoscopic biopsy techniques in Egyptian mummies”, *American Journal of Roentgenology*, Vol. 146 No. 1, pp. 93-96.
- Pérès, F., Taha, F., De Lumley, M.A. and Cabanis, E. (2004), “Digital modeling and stereolithographic production of a *Homo erectus* skull”, *Rapid Prototyping Journal*, Vol. 10 No. 4, pp. 247-254.
- Pettigrew, T.J. (1834), *History of Egyptian Mummies*, Longman, Rees, Orme, Brown, Green & Longman, London.
- Rühli, F.J., Chhem, R.K. and Böni, T. (2004), “Diagnostic paleoradiology of mummified tissue: interpretation and pitfalls”, *Canadian Association of Radiologists Journal*, Vol. 55 No. 4, pp. 218-227.
- Soe, P.S., Eysers, D.R., Jones, T. and Nayling, N. (2012), “Additive manufacturing for archaeological reconstruction of a medieval ship”, *Rapid Prototyping Journal*, Vol. 18 No. 6, pp. 443-450.
- Tobias, P.V. (2001), “Re-creating ancient hominid virtual endocasts by CT-scanning”, *Clinical Anatomy*, Vol. 14 No. 1, pp. 134-141.
- Wade, A.D., Ikram, S., Conlogue, G., Beckett, R., Nelson, A.J., Colten, R., Lawson, B. and Tampieri, D. (2012), “Foodstuff placement in ibis mummies and the role of viscera in embalming”, *Journal of Archaeological Science*, Vol. 39 No. 5, pp. 1642-1647.
- Zhang, G., Tsou, Y.C. and Rosenberger, A.L. (2000), “Reconstruction of the Homunculus skull using a combined scanning and stereolithography process”, *Rapid Prototyping Journal*, Vol. 6 No. 4, pp. 267-275.

Corresponding author

Ruhan Slabbert can be contacted at: rslabbrt@sun.ac.za